



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

MICROFILM AVAILABLE

M / Pres-8+

Entered, for the Commonwealth of Pennsylvania, in the year 1887, according
to acts of Congress,

By **WILLIAM A. INGHAM,**

Secretary of the Board of Commissioners of the Geological Survey,

In the office of the Librarian of Congress, at

WASHINGTON, D. C.

209122

VRABLL : 1807MAT2

Printed by
EDWIN K. MEYERS, State Printer,
Harrisburg, Pa.

BOARD OF COMMISSIONERS.

His Excellency, JAMES A. BEAVER, *Governor*

and *ex-officio* President of the Board, Harrisburg.

ARIO PARDEE,	Hazleton.
HENRY S. ECKERT,	Reading.
HENRY McCORMICK,	Harrisburg.
SAMUEL Q. BROWN,	Philadelphia.
CHARLES A. MINER,	Wilkes Barre.
JOSEPH WILLCOX,	Media.
LOUIS W. HALL,	Harrisburg.
CHARLES H. NOYES,	Warren.
JACOB TURNEY,	Greensburg.

SECRETARY OF THE BOARD.

WILLIAM A. INGHAM, Philadelphia.

STATE GEOLOGIST.

PETER LESLEY, Philadelphia.

ASSISTANTS, 1886.

CHARLES A. ASHBURNER, Geologist in Charge of the Anthracite-Region and of the general field and executive work of the Survey.

JOHN F. CARLL, Assistant Geologist in the Oil and Gas-Regions.

E. V. D'INVILLIERS, Assistant Geologist in the Pittsburgh Coal-Region and the Great Valley.

A. E. LEHMAN, Ass't Geologist and Topographer, South Mountain Survey

EDWARD B. HARDEN, Chief Clerk and Topographer,

BAIRD HALBERSTADT, Aid,

J. ADACHI, Draughtsman,

H. F. ALBRIGHT, Clerk,

M. CARRAHER, Messenger,

FRANK A. HILL, Assistant Geologist,

OLIVER B. HARDEN, Assistant,

GEORGE M. LEHMAN, Assistant,

A. D. W. SMITH, Assistant,

} Headquarters.

} Anthracite-Region.

SURVEY HEADQUARTERS, 907 Walnut Street, Philadelphia.

A list of the publications of the Survey is appended to this report.

ANNUAL REPORT, GEOLOGICAL SURVEY OF PENNSYLVANIA,

1886.

PART III.

REPORT ON THE
ANTHRACITE REGION.

By FRANK A. HILL.

ILLUSTRATED WITH A FRONTISPIECE MAP OF THE COAL FIELDS;
A HELIOTYPE PAGE PLATE; AND THREE FOLDED MAPS.

WITH AN ATLAS OF SEVEN SHEETS.



TABLE OF CONTENTS.

	Page.
Members Board of Commissioners,	iii
Survey Assistants,	iv
Table of Contents,	vii
List of illustrations, Annual Report 1886, Part III, .	x

Third Report of Progress in the Anthracite coal region.

CHAPTER I.—Introduction,	919
General map of the Anthracite coal region, . .	921
The Lackawanna Topographical map,	922
Northern coal field Mine sheets Nos. I and II. .	922
Western Middle coal field Mine sheets Nos. V, VI, VII and VIII,	923
CHAPTER II.—Survey of the Northern coal field, . .	925
Drainage,	928
Railroads, Geology,	931
Anticlinals,	934
Wanamie Quarry anticlinal,	934
Mocanaqua—Warrior run anticlinal,	935
Basins,	936
Newport basin,	936
Priscilla Lee basin No. 1,	949
Priscilla Lee basin No. 2,	953
Black Creek basin,	954
The Salem basins,	960
CHAPTER III.—Survey of the Western Middle coal field,	963
Drainage,	966

	Page.
Basins,	972
Mahanoy basin,	972
New Boston basin,	974
Middle Mahanoy basin,	974
Ellangowan basin,	975
Shenandoah basin,	976
William Penn basin,	976
Girardville basin,	977
Centralia basin,	977
Coal Ridge or Montana basin,	978
Mt. Carmel basin,	980
Mt. Carmel Shaft basin,	980
Big Mountain basin,	980
Enterprise basin,	981
Anticlinals,	982
Mine Sheet No. I,	983
Mine Sheet No. II,	986
Mine Sheet No. III,	989
Mine Sheet No. IV,	991
Mine Sheet No. V,	994
Mine Sheet No. VI,	1001
Mine Sheet No. VII,	1004
Mine Sheet No. VIII,	1006
 CHAPTER IV.—Statistics of the production and ship- ment of Anthracite coal for 1885 and 1886,	1008
Northern coal field,	1013
Eastern Middle coal field,	1021
Western Middle coal field,	1023
Southern coal field,	1026
Loyalsock coal field,	1029
Area and total production of individual fields,	1031
Production and shipment from Inspectors' dis- tricts,	1031
Annual shipments from 1820 to 1886,	1033
Railroad and colliery division of production—	
Northern coal field,	1035
Eastern Middle coal field,	1036

TABLE OF CONTENTS.

ix

	Page.
Western Middle coal field,	1037
Southern coal field,	1038
Loyalsock coal field,	1039
Railroad division of production for 1885 and 1886,	1040
Colliery division of production for 1885 and 1886,	1041
Railroad division of shipments 1870 to 1886, . .	1042
Distribution of shipments,	1043
Production of coal fields by counties,	1044
Table of kinds of coal produced,	1047
Prices of Anthracite coal in New York from 1882 to 1886,	1050
CHAPTER V.—Sections in Northern coal field, . . .	1058
CHAPTER VI.—Sections in Eastern Middle coal field,	1113
CHAPTER VII.—Sections in Western Middle coal field,	1189

LIST OF ILLUSTRATIONS:

Plates in the Report.

Map of the Anthracite coal region,	Frontispiece.
Heliotype plate model of Mine Sheets Nos. 1 and 2,	938
Map showing progress of survey in Anthracite region,	919
Map showing arrangement of the Northern field mine sheets,	925
Map showing arrangement of the Western Middle field mine sheets,	963

Maps and Charts in Atlas.

General Map of the Anthracite coal fields showing the position of each colliery, 2 sheets.
Mine Sheet No. 1 Northern coal field.
Mine Sheet No. 2 Northern coal field.
Topographical Map of a portion of the Lackawanna Valley between Scranton and Carbondale, 2 sheets.
Statistical Chart showing the Annual Production of Anthracite coal in Pennsylvania from 1820.

Prior to January, 1887, there were published the following octavo atlases: *

(1) Atlas, Southern Anthracite Field, Part 1, containing 13 sheets relating more particularly to the Panther Creek Basin.

(2) Atlas, Western Middle Anthracite Field, Part 1, containing 11 sheets, relating to that portion of the field between Quakake Junction and Mount Carmel.

(3) Atlas, Northern Anthracite Field, Part 1, containing 13 sheets, relating to the area between Wilkes Barre and Nanticoke; and

(4) Atlas, Eastern Middle Anthracite Field, Part 1, containing 8 sheets relating to the region surrounding Hazleton and Drifton.

Report A^a by Mr. Franklin Platt on the causes, kinds and amount of waste in mining anthracite, published in 1881.

Report AC and atlas on mining methods, etc., in the Anthracite Coal-field, by Dr. H. M. Chance, published in 1883.

It was the original intention to publish reports of progress to accompany each octavo atlas as it appeared, and describe in detail the geology of the district covered by the sheets in each atlas. But it soon appeared that the greatest demand of the citizens interested in the Anthracite mines was for the maps and sections which they could put to immediate practical use, and not for descriptive reports, which would be of more general interest, but of little local utility. Therefore to advance the work as rapidly as possible, the energies of the Survey corps have been almost entirely expended in field work, and in such office work as was necessary for preparing the maps and sections for publication.

Owing to the small appropriation for 1885 and 1886, the size of the corps in the Anthracite region had to be reduced; but, on account of the greater experience of the members of the corps, a larger proportionate amount of work has been accomplished during the past 18 months;

*The sheets contained in these four atlases have also been published in two Grand Atlases.

and a number of additional mine, geological and section sheets have been completed, which are described in that part of this report devoted to the special coal-field to which the different sheets relate.

The work of the corps, for the past year and a half, has been confined to finishing up local districts which had already been commenced; so that, while the surveys of large areas have been completed, comparatively little has been done in new areas. During the next two years, the work of the corps will be almost wholly in those parts of the region in which no work has hitherto been done.

In the second report of progress there is given a brief general description of the Anthracite Coal-fields; their geography, history, topography, structural geology, stratigraphical geology and mines. That description will suffice for public use and general reference, until the map work of the entire region has been completed, when it will be again described in greater detail.

Since the publication of the Annual Report for 1885 several maps have been completed and the work on others materially advanced.

The maps which have been completed are as follows:—

A General Map of the Anthracite Coal-fields of Pennsylvania and adjoining counties.

This map shows the position of each colliery and is constructed on a polyconic projection based upon the triangulation determinations of the United States Coast and Geodetic Survey. These locations are so few and scattered that the positions of many prominent points on the map are not geodetically known. The details of the map have been compiled from the surveys of the Geological Survey and of the mining and railroad companies. These surveys are confined almost exclusively to the coal basins outside of which the map has been compiled from railroad surveys and county maps. Although the map may be found by subsequent surveys to be incorrect in many of the details within these latter areas, yet it is the most reliable which can be published at this time. The Geological Survey propose to

THIRD REPORT OF PROGRESS
IN THE
ANTHRACITE COAL REGION^S.

BY FRANK A. HILL.

CHAPTER I.

The survey of the Anthracite region was commenced as a reconnaissance by Mr. Charles A. Ashburner in August, 1880, and permanently organized by him and under his direction in July, 1881.*

The first report of progress, published in December, 1883, as volume AA, Anthracite Region, Part 1, contains a description of the plan of the survey; a general statement of the work accomplished throughout the Anthracite region; and a detailed description of the eastern end of the southern coal-field, between Mauch Chunk and Tamaqua. The second report of progress, published August, 1886, in the Annual Report for 1885, contains a brief general description of the entire region, and a detailed statement of the work accomplished by the corps from November, 1883, to January, 1886, special reference being made to the results of the survey of the Northern Coal field, between Wilkes Barre and Shickshinny.

In addition to these two reports there was published June, 1885, in pamphlet form, statistics of production and shipment of coal from the Anthracite region, for 1883 and 1884, with a general map of the Anthracite coal fields.

* [Mr. Ashburner's plan of the Anthracite Survey was on my recommendation approved by the Board of Commissioners, and skillfully executed under his direction and personal superintendence, from 1880 to July, 1885; when it became necessary, in view of the preparation of my Summary Report on the Geology of Pennsylvania, to assign to Mr. Ashburner the executive business of the whole State Survey. Thenceforward, under the general superintendence of Mr. Ashburner, the Anthracite Surveys have been executed, without change of plan, by Mr. Frank A. Hill, who has directed personally all the details of the work of himself and his excellent associates, and has prepared this third report of progress.—J. P. L.]

this field, are those of its eastern end extending from Tamaqua to Mauch Chunk, published in the report of the Panther Creek valley. In default of sufficient appropriations, the survey of the Pottsville basin from Tamaqua westward was suspended. Now, however, the completion of the Western Middle Coal-field mine sheets makes it possible to resume work in the Southern coal field, and complete its survey. Many of the original collieries in this field have been abandoned; most of its early development was done by individual operators; so that a large part of its mining records are scattered through various offices, or held by private persons. These will be collected and used in connection with the new field work of the survey.

In the Eastern Middle or Lehigh coal field, no work has been done during the past year. The two mine sheets already published, cover the ground of some of the most important collieries, but a large area is still untouched. It is probable that the whole field will be surveyed and its mine sheets published in the next two years.

The Bernice basin of Sullivan county was mapped and described in the Annual Report for 1885. It remains to define the limit of the adjoining Mehoopany basins in the same field. This work will be facilitated by the use of recent railroad surveys.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

work, however, showed the geological difficulties of the area and the desirability of an accurate topographical map as an aid to its development. The Susquehanna Coal Co. through its Chief Engineer, Mr. J. H. Bowden, was at this time commencing work on an accurate and valuable map of that company's property, which has since been finished and placed in the hands of the Geological Survey.

Mining developments were also being made by the West End and Susquehanna Coal Companies, which have since thrown much light on the economic value of their respective properties. These two properties cover the greater portion of both sheets. It was therefore considered best to postpone the survey of these sheets until developments were further advanced, while the Susquehanna Coal Co.'s map was at the same time approaching completion.

After a reconnaissance of several days, on July 1, 1884, the work was begun. The advantage of a topographical map in connection with the study of the geology of this region was at this time even more fully appreciated than before. The Susquehanna Coal Co.'s map and the equally accurate survey of the property of the West End Coal Co. by Mr. Irving A. Stearns, the company's mining engineer, and Mr. H. S. Reets, his successor, were placed in the hands of the Survey and used in connection with the Survey's work in the construction of the present sheets.

The placing of underground workings and the surface contour lines on the same map area has never before been accomplished by the Anthracite Survey over so extended an area. The mine workings on sheets Nos. I and II being comparatively simple, it has been possible to show both these features with little confusion.

Such a showing is very essential in the construction of all colliery maps and its only obstacle should be the confusion arising from the complication of mine workings in several beds underlying each other on the area mapped.

The practical benefits accruing from an accurate map of this kind in development as well as in progressive mining can be readily appreciated.

The fact that these sheets, are, in this particular, repre-

sentative of their class may make a brief mention of the method of their construction of interest and value.

The connecting of the map made by the Susquehanna Coal Company covering that portion of Sheets I and II between Wanamie on the east, and the Dupont and Hassleman drifts of the West End Coal Company on the west ; the West End Coal Company's map, reaching from the Hassleman drift to Mocanaqua ; and a vernier survey crossing the Susquehanna river and connecting with points on the Salem Coal Company's map, thus joining the West End and Salem Coal Company's properties, made a rigid base to which all the other survey lines were connected. There are 590 points on the two sheets where the survey lines were tied.

The most marked topographical features on these sheets are the mountain slope of the Susquehanna river along their northern borders, and the gap at Mocanaqua made by the river in its sweep to the south, but the many rocky cliffs and spurs, with their attendant hollows, give a variety of contour, which, taken in connection with the study of the coal beds and their intermediate rocks, is of special importance in the location of the outcrops and general geological features.

A glance at the contour curves, which are ten feet vertically apart, will show the abruptness and irregularity of the topography. The rough and broken character of the surface, together with the predominance of the thickly wooded areas, necessitated an amount of detailed work unusual in the construction of maps of this character. The number of stations and length of the lines run per square mile, as shown in the table on page 928, fully illustrates this point.

No section lines at regular intervals were run, but lines along the crests of the hills and bottoms of the hollows, were first established and from these all necessary side lines were extended. Every line was measured by stadia, the rough and wooded character of the country making this method by far the most economical.

One transitman with one, and sometimes two rodmen, worked over a definite area, while a similar party work-

ed over an adjoining area. These working areas were so selected that each transitman checked not only his own work, but the work of his associate. Mr. Arthur Winslow's stadia tables were used in the calculation of horizontal distances and elevations. In the progress of the topographical work the character and dip of the rock exposures were accurately noted.

The following statement will give an approximate idea of the detail necessary in the completion of this work :

Total length of line in feet	1,507,024
Total length of line in miles	285.5
Total number of stations	5,711
Total number of square miles contoured	13.02
Average length of line per square mile in miles	21.9
Average number of stations per square mile	438.6
Average length of sight in feet	264.0
Average number of stations per day	36.5
Average length of line per day in feet	9,622
Average number of men employed per day	5
Swamp area in acres	115

After the completion of the topographical field work the mine workings were located on the topographical sheets, being connected by survey points common to both. In this location the mine maps of the Susquehanna, Lehigh and Wilkes Barre, West End and Salem Coal Companies were used, and upon them much of the value of the sheets depends.

Drainage.

The areas embraced by these two sheets are drained by the waters of three distinct creeks and their tributaries. They are: Newport creek, Black creek, and Paddy run. All empty into the North Branch of the Susquehanna river. Of these Newport creek drains the largest area, including almost the entire surface of Sheet No. II. Its drainage system is separated from that of Black creek, by a well-marked water shed, which at its lowest point, is 950 feet above tide, and about 440 feet above the level of the river at Shickshinny. The north branch of

Newport creek is the one of greatest importance. Its source is near the extreme north-western corner of the Susquehanna Coal Company's property, and about 1,600 feet from the line between Conyngham and Newport townships. Its general course is north 70° east. Its waters on Sheet II are fed by those of the middle branch of Newport creek, which, rising in Conyngham township, about 300 feet west of the Newport line, flows through the swamp near the Uplinger and Miller farms, and joins the North Branch near the eastern edge of the sheet. In addition to this it receives the waters of two creeks of minor importance from the north slope of the valley, and of one other on its south slope. The south branch of Newport creek, which heads in the swamps near Mackey's clearing, a mile and three-quarters west of Wanamie, flows east through that town and joins the main Newport creek on Sheet III, in the vicinity of Nanticoke.

There is no portion of Mine sheet No. I drained by the branches of Newport creek. It is located entirely on the south-west side of the water shed. As far west as the river, Sheet No. I is drained by the waters of Black creek, which rises in the swamp of that name and flows west, then south-west across the West End Coal Company's property in Conyngham township, and empties into the river a few hundred feet south of the town of Mocanaqua. It has but two tributaries and these are of but minor importance; one is the creek which rises about half a mile east of the Dupont drift and which flows into Black creek just north of the Golden drift. The other, Turkey Pond creek, is at times almost dry, but during the Spring rains is a stream of some volume. Some 2,000 feet above its mouth Black creek falls over a high ledge of Pottsville Conglomerate, producing an effect especially interesting in the study of creek erosion.

Paddy run drains the high mountain areas of the Salem basins, and flowing from the west rapidly descends the eastern face of Rocky Mountain and empties its waters into the Pennsylvania canal at the breaker of the Salem Coal Company below Shickshinny. All these streams

have gathered more or less drift, but the rapid fall of Paddy run and Black creek have prevented them from depositing it in quantity along their courses. The main Newport creek, however, with a less rapid flow in a broader valley, has, together with the glacial ice, deposited drift along its course in such quantities that mining beneath it will always have to be preceded by exploration of the drift's depth, before absolute safety can be assured. Similar deposits of drift, but in smaller quantity, are seen along the south branch of Newport creek. The Alden shaft near its southern bank, on Mine sheet No. III, was with difficulty sunk through 68 feet of wash, while in the workings of the Ross Slope, at Wanamie, the south branch of Newport creek was undermined, causing, in 1874, a rush of quicksand into the workings which emphasized in a marked degree the dangers of mining under the drift deposits along these creeks.

The scene of the terrible disaster at Nanticoke of December 18th, 1885, is on Mine sheet No. III, near the banks of Newport creek, and the Buried valley (which is so carefully guarded against by the many borings, made in advance of the workings of the Susquehanna Coal Co.'s collieries,) extends west across the line of Sheet II though gradually growing more shallow to the west.*

In this connection the sink holes in the neighborhood of the Uplinger and Miller farms, near the west line of Newport township, are worthy of study. These holes (which are shown on the map) are from 15' to 25' deep, their bottoms and sides being covered with the surface wash from the neighboring fields. How deep the original hole may have been exploration alone will determine. Their presence in a region bearing so plainly the marks of glacial erosion and deposition indicates their origin, while the fact that even after the most violent storms, water immediately drains from them suggests a depth to bed rock which demands precaution and care in the extension of the mine workings beneath them.

*In the Annual Report of the Geological Survey for 1885, pages 627 to 636, Mr. Charles A. Ashburner describes the Buried valley of Newport creek with special reference to the mine accident of December 18th, 1885.

Glacial striæ are found in all portions of these sheets and at all elevations. Their courses differ in direction from south 30 east, to due west. Large pieces of Mauch Chunk red shale are found lying loosely on rocks whose geological position is at least 500' higher than that of the red shale itself. Fragments of this same rock are found on the very highest elevations on the sheet, which are at least 900' above the Susquehanna River level. Large boulders of Pottsville Conglomerate have also been moved by the ice and deposited at various distances from their original location.

Railroads.

There are three separate systems represented in the railroads on the sheets. The North and West Branch Division of the Pennsylvania Railroad carries the coal from the West End Breaker No. 1. and also that which it receives at Nanticoke via the Glen Lyon branch from Colliery No. 6 of the Susquehanna Coal Company. The Lackawanna and Bloomsburg Division of the Delaware, Lackawanna and Western railroad receives the Salem Breaker coal, while the coal from the West End Breaker No. 2, and that from Wanamie No. 19, is sent to market over the Lehigh and Susquehanna Division of the Central Railroad of New Jersey.

Each of these railroads have grades most favorable to the direction of their special trade. And under the existing relationship between the operating and carrying companies their locations are especially desirable.

Geology.

The parting between the Mauch Chunk red shale, No. XI, and the Pottsville Conglomerate, No. XII, is clearly defined at all points on the sheets. The Susquehanna, along the north side of the basin, has cut its way down through 600 feet of the rocks of No. XI, dipping $25^{\circ}\pm$ to the south, leaving the massive rocks of No. XII to cap the mountain top. From the eastern edge of Mine sheet II the river continues its western course to Shickshinny where, swinging to the south,

it cuts the coal basin at right angles to its course and exposes the coal measures, conglomerate and red shale in the gap.

On the south side of the basin between Wanamie and Mocanaqua the dip of the conglomerate is vertical or nearly so along its entire length. These abrupt dips make strongly marked bluffs towering above the eroded red shale valley to the south.

West of Shickshinny and the Susquehanna river the conglomerate-red shale parting is equally well marked, though the red shale outcrop is exposed in a gently dipping mountain slope, instead of steep water cut cliffs as it is to the east. Here, along the summit of the Rocky mountain lie the Salem coal basins a continuation of the main Wyoming basin, but separated from it by the river in its course to the south. The conglomerate outcrop in these basins is plainly seen in the mountain slopes on the north, south and east, while the western end of the conglomerate forms a mountain crest which overlooks the red shale valley beyond.

The horizon locally recognized as the Pottsville Conglomerate, No. XII is that contained between the bottom of the B, Buck Mountain or Red Ash bed and the top of the Mauch Chunk red shale, No. XI. Its thickness on sheets I and II varies from 60 feet in the Salem basins to 140 feet at the Dupont drift. Its average thickness is 110 feet.

About the middle of No. XII, some 60 feet geologically lower than the B bed, on sheets I and II, the A bed is found. While this bed is developed at scattered points through the Northern field it is on Sheet No. I that it reaches its maximum thickness.

Along the south outcrop of the Salem Coal Co.'s counter basin a number of trial shafts have been sunk on the outcrop of this bed. It is also cut in the Mountain tunnel near the west line of the Salem Coal Co's property..

There is a marked thinning of the conglomerate between the south and north sides of the basin, the north side conglomerate with its reduced thickness showing no exposure of the "A" bed.

On the east side of the river in Rope Drill bore hole No.

1, (near Breaker No. 2) of the West End Coal Company, a bed 1' 8" thick was cut about 90 feet under the Red Ash bed. In Bore hole No. 2 (900 feet west of the Hassleman drift) what appears to be the same A bed was also cut. At a point north of Black creek and 1700 feet S. 60' E. from the Dupont drift an opening has also been made on what I believe to be the same bed. The opinion is held by some of the parties interested in the properties in this vicinity, that this shafting is on the outcrop of the Red Ash bed. If this latter opinion is correct, it materially increases the value not only of the property in the immediate vicinity, but brings the possibility of finding the Red Ash bed, in the areas separating the several basins, within the limit of probability.

Although the A bed is at no point in the Northern Coal-field considered workable, its occurrence is of geological interest and importance from its probable identity with one of the (Lykens Valley) coal-beds of the Bernice and Mehoopany basins as well as of the more Southern Anthracite fields.

While the bottom of No. XII is so clearly defined, the outcrop of the B, Buck Mountain or Red Ash bed which marks its top, is in many places so obscure, as to render an absolute conclusion as to its position impossible. The Red Ash being the lowest workable bed, the location of its outcrop outlining the coal area which it underlies, is a matter of great economical importance; while at the same time it defines a prominent geological horizon.

The colliery workings of the Salem basins develop the B bed to such an extent that the location of its outcrop within this area is an established fact.

East of the Susquehanna on the extreme north and extreme south edges of the coal basin, protected by the outcropping conglomerate, the erosion of this coal-bed is simple and its outcrop is preserved; but in the secondary rolls between them, the erosion is so complex that much of the location of this outcrop is theoretical.

As the outcrop of the Red Ash bed defines the limits of

the workable coal-beds, its location will necessarily be included in a description of each of the several local basins.

Anticlinals.

The rise and fall of the anticlinals along their axial lines, and the degree of the dips on either side have such a material effect, not only in shaping the outcrops of the several coal-beds, but in determining questions of economical mining, that a brief description of several of the most important may be of value.

Wanamie Quarry anticlinal.

The Wanamie Quarry anticlinal gets its name from its fine exposure in the Ross bed quarry at Colliery No. 19.

The workings in the Baltimore and Ross beds at this colliery outcrop on both sides of this anticlinal, while the Red Ash bed, geologically lower, arches over it before coming to the surface. There can of course be no better determination of the position and dips of an anticlinal than actual mine developments, so that at this point the character of this anticlinal needs no special description.

As we continue west along the axis a north dip of 45° and a south dip of 26° are observed at the eastern edge of the swamp north of Mackeys' clearing. From here west to the West End breaker No. 2, the anticlinal runs through successive swamps, and the rock exposures along its immediate course are consequently few. West of the breaker along the mountain slope the anticlinal is plainly seen, the south dips varying from 5° to 54° , but with an average of about 40° , and the north dips from 4° to 59° averaging about 35° . This anticlinal affects the plan of mining development in this locality separating as it does the Priscilla Lee basin No. 1 from the Newport basin, and the Priscilla Lee basin No. 2 from the Black Creek basin.

A glance at the map will show that while the Red Ash bed outcrops over this anticlinal some 3600' east of the West End No. 2 colliery, and from there west the outcrops on either side are separated by irregular barren areas, yet

south of the Black Creek tunnel on the mountain crest the peculiar effect of the erosion is such that the opposite dips of the Red Ash bed again almost meet on the summit of the anticlinal.

Along this axis near the eastern end of the Priscilla Lee basin No. 2, a number of attendant local axes are shown. While these axes will have some effect upon mining developments, they are entirely local, and have no effect on the general geology of the district.

Mocanaqua-Warrior Run anticlinal.

This anticlinal on Mine sheets III and IV, has already been described in the Annual Report for 1885. On sheet II, while it does not bring the outcrop of the Red Ash bed to day, east of the Teasdale opening, its steep dips will have a very marked effect in shaping the course of future gangways driven in the Newport basin.

At the Halfpenny Barn tunnel at Wanamie, it is attended by a secondary roll through which the tunnel has been driven. This tunnel was driven in confused dips, and any certain identification of the beds or explanation of their relationship to the elevation of this anticlinal, is impossible. Near the Teasdale opening the steep north dips of this anticlinal, form what is locally known as the "Hogback." It is on these north dips that the slope of the West End Coal Company was started, and afterward suspended. West of the Teasdale opening the Pottsville Conglomerate is exposed along the axis of this anticlinal, but with much flatter dips. Just east of the railroad leading to the Golden drift, all trace of the anticlinal is finally lost in the steep dips of the "High rocks."

The third and last of the more important anticlinals is the Newport Centre anticlinal No. I, (the eastern portion of which has already been described in the Annual Report for 1885.) It is clearly shown by surface dips throughout its entire length, and has also been developed by the tunnel workings at Colliery No. 6, Susquehanna Coal Company at Glen Lyon. Its dips are sharp and well defined, and with

the accompanying topography leaves no doubt as to its location.

In addition to the three more prominent anticlinals east of the river, there are the Sand Drift anticlinal in the Black Creek basin; and the Teasdale fault and Dupont Drift anticlinals in the Newport basin. (which have already had a marked effect on the shape of the mine workings of the West End collieries) and the Newport Centre No. 3 anticlinal, in the Newport basin, which is as yet unapproached by mine workings. In addition to these there are numerous anticlinal rolls of local interest.

West of the river, on the Salem side, there are two prominent anticlinals. The most plainly marked is the Salem anticlinal, which forms the northern boundary of the Counter basin. Its south dips will average about 28° , while those on the north vary from 15° to 50° . Towards its extreme western end this anticlinal flattens very rapidly before dying entirely away on the mountain side.

The Paddy Run anticlinal marks the southern boundary of the Crary-Paddy Run basin. It is shown by continuous dips in the hillside, and makes a sharp indentation in the red shale and conglomerate along the mountain top.

Basins.

The separate basins east of the Susquehanna, on the two sheets are the Newport, Black Creek, the Priscilla Lee No. 1, and Priscilla Lee No. 2. All of which are on the south and east side of the river. The basins on the north-west side of the river are collectively known as the Salem basins. They are the Counter, Beadle, No. 4, Spike Island and the Crary-Paddy Run basins.

Newport basin.

The largest and most important of these is the Newport basin, which, rising from under the river flats at Nanticoke, has its western limit at the Dupont drift of the West End Coal Co. This basin is a continuation of the most important one of the Northern coal field, including as it does, not

only the extensive collieries in the vicinity of Nanticoke, Wilkes Barre and further east, but also on Mine sheets Nos. III and IV, the undeveloped areas of the deepest portion of the Wyoming or Northern Coal-field.

The principal development of this basin on sheets I and II is in the No. 6 shaft and tunnel of the Susquehanna Coal Co., the Hasselman (Colliery No. 2), and Dupont (Colliery No. 1), drifts of the West End Coal Co., and the Wanamie No. 19 colliery workings of the Lehigh and Wilkes Barre Coal Co. Just east of Mine sheet No. II, on Sheet No. III, are the extensive workings of the Susquehanna Coal Co., at Nanticoke. These workings have now so thoroughly developed the coal beds in this locality, that the conditions and characteristics of the coal measures in the immediate vicinity are very thoroughly understood. The basins and saddles which these workings develop together with those further to the south continue west on Sheets II and I.

At the No. 1 shaft, of the Susquehanna Coal Co., west of Nanticoke, (on Mine sheet No. III), the Red Ash bed is cut at an elevation of 400 feet below tide. The outcrop of this bed at the Dupont drift, which is at the extreme western limit of the Newport basin, is 750 feet above tide. The rise from Shaft No. 1 towards the west is therefore 1,150 feet in a distance of about 6 miles. In the No. 1 shaft 9 workable beds are cut, the highest being 473 feet above tide. These beds therefore outcrop between No. 1 shaft and Dupont drift. It will be observed, however, that the Dupont drift is not in the same local basin as the No. 1 shaft, but develops a basin more to the south. The basin in which Shaft No. 1 was sunk dies away in its rise to the west along the mountain slope north-east of the Dupont drift.

The best development of the coal measures on sheets Nos. I and II are those at the Susquehanna Coal Company's No. 6 colliery at Glen Lyon. The shaft which is 749 feet deep, cuts 7 workable coal beds, all of which must outcrop on sheet II, between No. 6 shaft and the Dupont drift.

There are no bore holes (other than those used for test-

ing the depth of the surface wash), or other trial holes on the sheets within the limits of this basin.

The outcrops, however, of the several coal beds have been proven in many places on the properties of the different companies.

Probably the most profitable bed mined on the area covered by these sheets is the Red Ash, the location of the outcrop of that portion bounding the Newport basin is herein described.

The shaft and tunnel at the No. 6 colliery have extensive workings in the beds which are cut by them. The following sections taken at various places in the workings will show the character of the coals mined.

Section of Ross bed taken in East gangway of tunnel workings 350 feet from tunnel:

Top sandstone.	
Coal,6'
Slate,5'
Coal,6'
Slate,4'
Coal,10'
Total,	410' 9"

The workings of the Wanamie No. 19 Colliery develop an anticlinal and basin, the latter of which continues west to the end of the Wilkes Barre mountain. This basin is known as the Priscilla Lee and while it is really a southern

The accompanying heliotype plate represents the modeled surface of the western end of the Northern Anthracite coal field, made by Mr. George M. Lehman, of the Survey, from Mine sheets Nos. 1 and 2; each contour line being cut out of cardboard, $\frac{1}{8}$ of an inch thick, to represent 20 feet of vertical height. The vertical and horizontal scales being the same [800':1''] there is no distortion. A heavy line, following the outcrop of the Red Ash [Buck Mountain] coal bed, marks the productive coal areas, seven in number; four of them on the western side of the river. The dotted line represents the contact of the Mauch Chunk red shale with the bottom of the Pottsville conglomerate. The steep dips along the southern edge of the field brings these two lines closer together than along the northern edge. The highest elevation of the northern outcrop of conglomerate is 1420 A. T.; at the western end of the Salem basin 1350 A. T. or 840' above the river. The slope to the river is everywhere along this ridge about 45°. In five miles the river surface level only falls ten feet.

This model brings out strongly to view the sigmoid water-shed between Mocanaqua and Wanamie, the highest point of which is 1140' A. T.; the lowest 910' A. T. or 410 feet above river level at Mocanaqua; Newport creek waters draining east, and Black creek waters west from it.

The large arrows on the model indicate the direction of the glacial scratches observed by Professor Branner; and others observed by Mr. Lehman, along the North and West Branch railroad, on red shale exposures at the base of the hill, parallel with the river; showing that the last ice flowed down the river bed westward.



RELIEF MAP

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

1897

spur of the Newport basin it is generally considered as a separate one, and shall be so spoken of here.

Beginning at the eastern edge of Sheet No. II near its south-eastern corner we can readily trace the Red Ash outcrop towards the west, along the south side of this basin. Along the north side of the Priscilla Lee basin No. 1 and separating it from the Newport basin is the Wanamie Quarry anticlinal. In the vicinity of Wanamie we find that the north dips of the Red Ash bed in the Newport basin proper do not rise to the surface, but turn over the Wanamie Quarry anticlinal into the Priscilla Lee No. 1 basin, just mentioned. The Red Ash bed arches over this anticlinal below the surface until it reaches the vicinity of the West End Colliery No. 2, where the erosion which has exposed the rocks of No. XII along the anticlinal has also stripped the overlying outcrop of the Red Ash bed. West from this point the anticlinal in the Conglomerate, rises along the mountain side, the Red Ash along its southern dips forming the north outcrop of the Priscilla Lee No. 1 basin, while on its north side following it to the west we find the outcrop shown in the Hassleman, James, and Teasdale openings under the high cliffs which are seen north and east of Black Creek and the Turkey pond.

Leaving the Teasdale opening we can still follow the outcrop to the west by the topography between this opening and the Turkey pond creek and by the exposure of No. XII in this locality. Continuing west of Turkey pond creek between it and the Dupont drift, (while there is no shafting on the outcrop) the rock exposures would indicate the position of the Red Ash bed as shown on the sheets.

After reaching the Dupont drift (the workings of which on this bed are very extensive) the crop is shown irregularly eroded along the hillside reaching north towards the crest of the river mountain. Continuing east along the mountain, the outcrop can be traced by the existing topography to the eastern line of the West End Coal Company's property. At or near this point the bed seems to separate forming two distinct splits, and these two splits are developed in continuous shaftings across the property

of the Susquehanna Coal Company as far east as the wagon road, crossing the river mountain, from the County Poor house into the valley of Newport creek. From here east to the sheet line, though broken by anticlinal rolls, the outcrop is partially indicated by occasional exposures in the creek beds, but on the north-eastern side of the Newport Creek anticlinal No. 3 its location is very uncertain.

At Nanticoke as well as at other points through the Wyoming basin, these two splits of the bottom bed occur.

The existence of a bed beneath the one known as the Red Ash at the mouth of the Dupont drift is proven improbable by the Diamond drill bore hole which was bored at the drift mouth from the bottom of the Red Ash bed into the red shale, a distance of 192' without encountering the slightest evidence of coal. The following section shows the thickness and character of the rocks encountered in this hole.

Section of Diamond Drill bore hole No. 1 at the mouth of the Dupont drift of the West End Coal Company, in the Newport basin.

No. of Strata.	Description.	Thicknesses measured vertically.	Distances perpendicular to dip.
1	Blue rock,	2' 0'' to 2' 0''	1' 11'' to 1' 11''
2	Soft sandstone,	4' 0'' to 6' 0''	3' 11'' to 5' 10''
3	Gray sandstone,	2' 2'' to 8' 2''	2' 0'' to 7' 10''
4	Dark sandstone,	5' 7'' to 13' 6''	5' 5'' to 13' 3''
5	Gray sandstone,	10' 10'' to 24' 7''	10' 5'' to 23' 8''
6	Slate,	9' 9'' to 25' 4''	9' 9'' to 24' 5''
7	Firm gray sandstone,	7' 3'' to 32' 7''	7' 0'' to 31' 5''
8	Dark gray sandstone,	3' 10'' to 36' 5''	3' 8'' to 35' 1''
9	Conglomerate,	3' 9'' to 43' 2''	3' 7'' to 38' 8''
10	Red streak,	1' 1'' to 40' 3''	1' 1'' to 38' 9''
11	Dark gray sandstone,	8' 7'' to 48' 10''	8' 4'' to 47' 1''
12	Conglomerate,	23' 0'' to 71' 10''	22' 2'' to 69' 3''
13	Dark sandstone,	13' 4'' to 85' 2''	12' 10'' to 82' 1''
14	Conglomerate,	5' 8'' to 90' 10''	5' 6'' to 87' 7''
15	Slate and sandstone,	3' 0'' to 93' 10''	2' 11'' to 90' 6''
16	Conglomerate,	11' 11'' to 105' 9''	11' 7'' to 102' 1''
17	Sandy slate,	1' 0'' to 106' 9''	1' 0'' to 103' 1''
18	Blue rock,	6' 9'' to 113' 6''	6' 6'' to 109' 7''
19	Conglomerate,	2' 6'' to 116' 4''	2' 5'' to 112' 0''
20	Blue rock,	6' 6'' to 116' 6''	6' 6'' to 112' 6''
21	Conglomerate,	3' 8'' to 120' 2''	3' 6'' to 116' 0''
22	Dark sandstone,	2' 2'' to 122' 2''	1' 11'' to 117' 11''
23	" conglomerate,	6' 9'' to 129' 0''	6' 7'' to 124' 6''
24	" sandstone,	7' 6'' to 136' 6''	7' 3'' to 131' 9''
25	" conglomerate,	6' 4'' to 142' 10''	6' 0'' to 137' 9''
26	Green sandstone and slate,	10' 4'' to 153' 2''	10' 0'' to 147' 9''
27	Green sandstone,	15' 0'' to 168' 2''	14' 6'' to 162' 3''
28	Red shale,	1' 6'' to 169' 8''	1' 5'' to 163' 8''
29	Green sandstone,	22' 4'' to 192' 0''	21' 7'' to 185' 3''
30	Red shale,	1' 1'' to 192' 1''	1' 1'' to 185' 4''

The following figures will to a certain extent show the possibilities of future coal production from the Newport basin on Sheet II, giving as it does, the area of workable coal beds, together with the areas already either partially or entirely mined.

Newport Basin, Mine sheet II.

	<i>Acre.</i>
Total area of workable coal	3248.88
Area between northern outcrop and Newport Centre anticlinal No. 1	632.35
Area between Newport Centre and Mocanaqua—Warrior Run anticlinals	1118.53
Area between Mocanaqua—Warrior Run and Wanamie Quarry anticlinals	779.56
Total area of workable coal controlled by Lehigh and Wilkes Barre Coal Company	1353.31
Total area of workable coal controlled by Susquehanna Coal Co.	1339.64
Total area of workable coal “ by West End Coal Co.	425.34
Total area of workable coal “ by J. H. Bowden	10.43
Total area of workable coal “ by Jordan estate	12.04
Total area of workable coal “ by D. L. & W. R. R. Co.	8.37
Area of Baltimore bed worked by L. & W. B. Coal Co.	10.00
Area of Ross bed worked by L. & W. B. Coal Co.	81.98
Area of Ross bed worked by Susquehanna Coal Co.	22.18
Area of Red Ash or Buck Mtn. bed worked by Susquehanna Coal Co.	30.70
Area of Red Ash or Buck Mtn. worked by West End Coal Co. (Dupont drift)	96.82
(Hassleman drift)	17.04
Total,	113.86
Area of Ross bed worked by West End Coal Co.	3.42
Area of Hillman bed worked by Susquehanna Coal Co.	1.17
Area of Mills bed worked by Susquehanna Coal Co.	—
Area of shaft bed (in chrome orange on sheet) worked by Susquehanna Coal Co.	15.57

The following section of the Shaft at No. 6 colliery of the Susquehanna Coal Co., will give the best representation of the coal beds and their intervening rocks to be found on this sheet, although there are one or two coal beds outcropping near the eastern boundary of the sheet, which do not appear in the section.

Section of No. 6 Shaft, Susquehanna Coal Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular.</i>
1.	Cribbing, . . .	43' 0'' to 43' 0''	43' 0'' to 43' 0''
2.	Sandstone, . . .	93' 6'' to 136' 6''	93' 2'' to 136' 2''
3.	COAL and slate,	2' 0'' to 138' 6''	2' 0'' to 138' 2''
4.	COAL. S. dip 40°	6' 6'' to 145' 0''	6' 6'' to 144' 8''
5.	Fire clay, . . .	4' 0'' to 149' 0''	4' 0'' to 148' 8''
6.	Sandstone, . . .	33' 0'' to 182' 0''	32' 10'' to 181' 6''
7.	Slate,	17' 0'' to 199' 0''	17' 0'' to 198' 6''
8.	Fire clay, . . .	2' 8'' to 201' 8''	2' 8'' to 201' 2''
9.	COAL. S. dip 70°	1' 0'' to 202' 8''	1' 0'' to 202' 2''
10.	Slate. " " 70°	0' 4'' to 203' 0''	4' 4'' to 202' 6''
11.	COAL. " " 70°	2' 0'' to 205' 0''	2' 0'' to 204' 6''
12.	Dark slate, . .	18' 0'' to 223' 0''	17' 10' to 222' 4''
13.	" sandstone,	23' 7'' to 246' 7''	23' 5' to 245' 9''
14.	Slate,	10' 0'' to 256' 7''	10' 0' to 255' 9''
15.	COAL. S. dip 160°	7' 11'' to 264' 6''	7' 7' to 263' 4''
16.	Fire clay, dip 160°	5' 0'' to 269' 6''	4' 9' to 268' 1''
17.	COAL,	5' 6'' to 275' 0''	5' 4'' to 273' 5''
18.	Slate,	4' 0'' to 279' 0''	3' 10'' to 277' 3''
19.	Fire clay, . . .	2' 0'' to 281' 0''	2' 0'' to 279' 3''
20.	Fine sandstone,	13' 0'' to 294' 0''	12' 6'' to 291' 9''
21.	COAL and bony,	1' 4'' to 295' 4''	1' 4'' to 293' 1''
22.	Fire clay, . . .	33' 0'' to 328' 4''	31' 9'' to 324' 10''
23.	Black slate, . .	0' 6'' to 328' 10''	0' 6'' to 325' 4''
24.	COAL. S. dip 170°	2' 10'' to 331' 8''	2' 9'' to 328' 1''
25.	Slate,	1' 3'' to 332' 11''	1' 3'' to 329' 4''
26.	COAL,	0' 6'' to 333' 5''	0' 6'' to 329' 10''
27.	Slate,	2' 5'' to 335' 10''	2' 4'' to 332' 2''
28.	Dark sandstone,	26' 0'' to 361' 10''	24' 10'' to 357' 0''
29.	Slate,	11' 6'' to 373' 4''	11' 0'' to 368' 0''
30.	Fire clay, . . .	3' 6'' to 376' 10''	3' 4'' to 371' 4''
31.	COAL. S. dip 190°	4' 0'' to 380' 10''	3' 9'' to 375' 1''
32.	Bony,	0' 6'' to 381' 4''	0' 6'' to 375' 7''
33.	COAL,	2' 0'' to 383' 4''	1' 11'' to 377' 6''
34.	Bony,	0' 2'' to 383' 6''	0' 2'' to 377' 8''
35.	Soft slate, . . .	1' 0'' to 384' 6''	1' 0'' to 378' 8''
36.	Sandstone, . . .	24' 4'' to 408' 10''	23' 0'' to 401' 8''
37.	Slate,	7' 0'' to 415' 10''	6' 8'' to 408' 4''
38.	Bony,	0' 6'' to 416' 4''	0' 6'' to 408' 10''
39.	Slate,	1' 7'' to 417' 11''	1' 6'' to 410' 4''
40.	COAL, shelly and dirt,	3' 2'' to 421' 1''	3' 0'' to 413' 4''
41.	COAL, shelly and dirt. S. dip 200°	2' 3'' to 423' 4''	2' 2'' to 415' 6''
42.	Fire clay, . . .	3' 3'' to 426' 7''	3' 1'' to 418' 7''
43.	Slate,	1' 8'' to 428' 3''	1' 7'' to 420' 2''
44.	Bony and slate,	0' 7'' to 428' 10''	0' 7'' to 420' 9''
45.	COAL,	0' 5'' to 429' 3''	0' 5'' to 421' 2''

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular.
46.	Slate,	0' 5" to 429' 8"	0' 5" to 421' 7"
47.	COAL,	1' 3" to 430' 11"	1' 2" to 422' 9"
48.	Fire clay,	4' 0" to 434' 11"	3' 9" to 428' 6"
49.	Sandstone,	59' 4" to 494' 3"	55' 9" to 482' 3"
50.	Slate and bony. S. dip 20°, . . .	3' 9" to 498' 0"	3' 6" to 485' 9"
51.	Sandstone,	29' 7" to 527' 7"	27' 10" to 513' 7"
52.	Slate,	14' 0" to 541' 7"	13' 2" to 526' 9"
53.	COAL,	1' 6" to 543' 1"	1' 5" to 528' 2"
54.	Slate,	20' 5" to 563' 6"	19' 3" to 547' 5"
55.	COAL,	0' 7" to 564' 1"	0' 7" to 548' 0"
56.	Slate,	1' 7" to 565' 8"	1' 6" to 549' 6"
57.	COAL,	2' 0" to 567' 8"	1' 10" to 551' 4"
58.	Slate and bony, .	0' 5" to 568' 1"	0' 5" to 551' 9"
59.	COAL. S. dip 16°	1' 3" to 569' 4"	1' 3" to 553' 0"
60.	Slate,	2' 0" to 571' 4"	1' 11" to 554' 11"
61.	Fine conglomerate,	81' 8" to 653' 0"	78' 6" to 633' 5"
62.	Slate,	2' 0" to 655' 0"	1' 11" to 635' 4"
63.	Sandstone,	31' 0" to 686' 0"	29' 10" to 665' 2"
64.	Slate,	22' 0" to 708' 0"	21' 2" to 686' 4"
65.	COAL. S. dip 16°	4' 0" to 712' 0"	3' 10" to 690' 2"
66.	Fire clay. S. dip 16°,	3' 6" to 715' 6"	3' 5" to 693' 7"
67.	COAL. S. dip 16°	5' 0" to 720' 6"	4' 9" to 698' 4"
68.	Slate. " " "	1' 0" to 721' 6"	1' 0" to 699' 4"
69.	COAL. " " "	7' 6" to 729' 0"	7' 3" to 706' 7"
70.	Rock and fire clay. S. dip 16°	12' 6" to 741' 6"	12' 1" to 718' 8"
71.	COAL and slate,	7' 6" to 749' 0"	7' 3" to 725' 11"

The shaft and tunnel at the No. 6 colliery have extensive workings in the beds which are cut by them. The following sections taken at various places in the workings will show the character of the coals mined.

Section of Ross bed taken in east gangway of tunnel workings 330 feet from tunnel :

Top, sandstone.			
COAL,	6"	
Slate,		5"
COAL,	6"	
Slate,		4"
COAL,	10"	
Slate,		1"
COAL,	3' 0"	
Slate,		3"
COAL,	7"	
Total,		5' 5"	1' 1"

Section of Twin bed taken at face of East gangway of tunnel workings:—

Top, soft slate.

Coal,	1' 7"	
Slate,		3"
Coal,	1' 0'	
Rock,		1' 0"
Coal,	1 0'	
Slate,		2"
Coal,	1' 8"	
Slate,		1'
Coal,	1' 0'	
Bony,		6"

Bottom, fire clay.

Totals,	6' 3"	2' 0"
-------------------	-------	-------

Section of Twin bed taken in West gangway of tunnel workings 400' from tunnel.

Top, soft slate.

Coal,	7"	
Slate,		1"
Coal,	1' 0"	
Bony,		3"
Rock,		1' 0"
Coal,	1' 2'	
Slate,		3"
Coal,	5"	
Slate,		4"
Coal,	2'	
Slate,		2"
Coal,	4"	
Bony,		5"

Totals,	3' 8"	2' 6"
-------------------	-------	-------

Section of upper bed in shaft workings, east gangway, 300' east of Shaft.

Top.

Coal pure,	5' 10"
----------------------	--------

Bottom.

Section of Twin Bed in shaft workings, west gangway, 125' west of shaft.

Top.

Coal,	4' 0'	
Fire clay,		4' 0'
Coal,	2' 6"	
Slate,		10"
Coal,	1' 2"	
Shale,		2'
Coal,	4"	

Slate,			1"
Coal,	2	7"	
Slate,		$\frac{1}{2}$	
Coal,	2	6"	
Bottom.			
Totals,	13'	1	5' 1 $\frac{1}{2}$ '

The No. 6 colliery of the Susquehanna Coal Co., which is one of the largest in the northern coal field, is opened by a shaft, tunnel and slope. The surface plant has probably no superior in the anthracite region. The breaker has a probable capacity of 2000 tons per day, and is filled with the most modern appliances known in the preparation of coal.

During the past year a town of over one thousand inhabitants has sprung up in the vicinity of this mine. Everything points to the permanency of the town's rapid growth, and the probability of a large production from the colliery.

Adjoining the Susquehanna Coal Co.'s property on the east is that of the Lehigh and Wilkes Barre Coal Co. These lands extend across the coal field and include the entire width of the Newport basin. There are no mining developments on this property other than those along the extreme southern outcrop at the Wanamie collieries. But, as the basin rises from the east towards Glen Lyon all the coal beds cut in the Susquehanna Coal Co.'s No. 6 shaft will be found on the Lehigh and Wilkes Barre tract, while on its eastern boundary one or possibly two additional beds will outcrop.

Adjoining the Susquehanna Coal Co.'s property on the west are the lands operated by the West End Coal Co.

This property includes within its borders the western end of the Newport and Priscilla Lee No. 1 basins and all of the Black Creek and Priscilla Lee No. 2 basins. So that while in the matter of ownership there are several interests involved in the Newport and Priscilla Lee No. 1 basins, the characters and conditions of the coal beds of the Priscilla Lee No. 2 and Black Creek basins in a commercial sense only directly effect those interested in the West End property.

This company is working the Dupont drift in the Newport basin, the largest portion of their mine production coming from this opening. These workings have now extended eastward to within several hundred feet of the old Dr. James house now occupied by Mr. Lem. Uplinger.

The Dupont drift mines the Red Ash bed, an average section of which is as follows :

Top, sandstone.		
Coal,	2'	2"
Bony,		1"
Coal,	1'	7"
Bony,		2"
Coal,		11"
Dirt parting.		
Coal,	2'	5"
Slate,		2"
Coal,	1'	10"
Bottom, sandstone.		
Totals,	8'	11" 5"

Just north of the wagon road and east of the Dupont drift, a drift is opened on the Ross bed, the one next higher than the Red Ash. The gangway from this drift has already been extended to the east a distance of 1500 feet.

A section of the bed mined is as follows :

Top.		
Slate and bone,		1' 0"
Coal,	2'	0"
Slate,		2"
Coal,	9"	
Slate,		6"
Coal,	8"	
Slate,		2"
Coal,	2'	0"
Bottom, slate.		
Totals,	5'	5" 1' 10"

The coal from the Ross drift as well as that from the Dupont drift is prepared for market at the West End Breaker No. 1.

On the north side of Black Creek, west of the west edge of Black Creek swamp, about one mile from the Dupont drift and $\frac{1}{2}$ mile from Teasdale City, is what is known as the Hasselman opening, which also operates the Red Ash bed. An average section of the bed shows :

Top.		
Bone,		8"
Slate,		2"
Good coal,	2' 8"	
Slate,		2"
Good coal,	0' 8"	
Slate,		4
Poor coal, slate and bone,	1' 10"	
Good coal,	6'	
Slate, bone, &c.,		1
Good coal,	1' 10"	
Bottom.		
Totals,	7' 6"	1' 5"

A section of the Red Ash bed at the James opening, 2000 feet west of the Hasselman drift shows:

Top.		
Bone,		5"
Slate,		1'
Good coal,	2' 8"	
Slate,		2"
Good coal,	9'	
Slate,		5"
Poor coal,	9"	
Slate,		2"
Bone,	1' 0"	
Good coal,	1' 0"	
Slate and bone, } this bench in fault,		2' 3"
Bottom.		
Totals,	6 2'	3' 6"

The following section taken at the East end opening 2400 feet north-east of the Hasselman drift is supposed to be of the Red Ash bed. It shows:

Top.		
Good coal,	6' 2"	
Slate,		2"
Good Coal,	10'	
Slate,		4"
Poor coal,	2' 0"	
Good coal,	1' 5"	
Bottom.		
Totals,	6' 9'	6"

The West End Breaker No. 2, which prepares the Hasselman coal for market, is at present idle, waiting the progress of the gangways from the inside slope of the Dupont drift to develop the Newport basin to the north.

The Teasdale opening which is supposed to be on the

same bed as the Hasselman opening, was originally opened by drift, and from it a slope was started which was expected to be driven to the bottom of the basin. Owing to the steep irregular dips which it encountered it has been for the present suspended, until the gangways from the Dupont drift shall have advanced sufficiently to the east to render possible the driving of a slope up from below to meet the already opened Teasdale slope.

In addition to the colliery workings in this basin already noted, there are several openings the workings of which are of limited extent. The most notable instances of this kind are the drift at Mackey's clearing $1\frac{1}{4}$ miles west of Wanamie and the Shoemaker drifts, east of Glen Lyon. No map records of the workings of these smaller openings have been preserved. The following sections show the character of the coal-beds at the Shoemaker drifts.

Section of coal-bed at Shoemaker drifts east side of Middle Branch of Newport Creek :

Top.		
Coal,	5' 0"	
Slate,		1' 0"
Coal,	4' 9"	
Slate,		7"
Coal,	2' 3"	
Bottom.		
Totals,	12' 0"	1' 7"

Section of coal-bed at Shoemaker drift west side of Middle Branch of Newport Creek :

Top.		
Coal,	?	
Slate,		1' 8"
Coal,	7' 0"	
Bottom.		
Totals,	7' 0"	1' 8"

A number of trial shafts have been sunk in various parts of this basin. The records of many of these shaftings have been destroyed. The following, however, will show the character of some of the beds cut.

Section in shafting on Buck Mountain, (Red Ash) bed 2400' northwest from Uplingers :

Top, slate, 7' 4"		
Coal,	2' 5"	
Slate,		6"
Coal, good,	5' 0"	
Bony coal,		3"
Coal, good,	1' 9"	
Bottom.		
Totals,	9' 2"	9"

Section in shafting on Buck Mountain (Red Ash) bed on land line between Susquehanna Coal Company's and West End Coal Company's properties and 2000' north from Uplingers.

Top sandstone, 12' 0"		
Coal,	9' 0"	
Bony,		1"
Coal,	2' 0"	
Bottom.		
Totals,	11' 0"	1"

Section in shafting 1600' northwest of Uplingers.

Top.		
Coal,	1' 2"	
Slate,		6"
Coal,	3' 9"	
Bottom.		
Totals,	4' 11"	6"

Section in shafting 1400' northwest of Uplingers.

Top. {	Gray sandstone.	
	Red clay,	3' 0"
	Slate,	7' 0"
	Good coal, without slate,	9' 0"
	Total,	9' 0"

Priscilla Lee basin No. 1.

The Priscilla Lee basin No. 1, which has been before mentioned in connection with the outcrop of the Red Ash bed, is one which has not as yet been extensively mined. It is a southern spur of the Newport basin, the coal measures of which are not separated from it. On the eastern border of sheet No. II, in the workings of the Wanamie No. 19 colliery, the Baltimore, Ross and Red Ash beds have been developed.

At the No. 2 colliery of the West End Coal Company, a tunnel has been driven in this basin which cuts five beds. The colliery workings, however, at the latter tunnel have not been extended either east or west of the tunnel, except in the case of the 2d bed, 240 feet from the tunnel mouth. A gangway on this bed has been driven 325 feet west.

About 1200 feet south of the Hasselman drift and 200 feet west from the above mentioned tunnel, Diamond Drill bore hole No. 3 was sunk which also cuts 5 beds on the opposite south dip. The appended sections of the beds cut in No. 3 bore hole will serve to show the character and condition of the beds in this immediate locality.

1st Bed.

Top, dark sand slate.		
Soft coal,	1' 1"	
Black slate,		2' 0"
Soft coal,	2' 4"	
Slate,		3"
Bottom, sandstone.		
Totals,	3' 5'	2' 3"

2d Bed.

Top, sandstone, coarse.		
Coal,	6	6
Bottom, black slate.		

3d Bed.

Top, gray rock, coarse.		
Coal and slate,	4	5"
Bottom, sandstone.		

4th Bed.

Top, sandstone.		
Coal, soft,	7'	5"
Bottom, sandstone.		

5th Bed.

Top, soft slate.		
Coal,	6'	6"
Bottom, slate.		

The structure of this basin from Wanamie to a point about 4000 feet west of the West End No. 2 tunnel seems comparatively simple as the outcrop protected by the steep north dipping conglomerate remains undisturbed, but from

this point west to the end of the basin, the dips are sufficiently complicated to produce many difficulties in mining. It will be observed that at the end of this basin a complete break in its continuity is shown. This interpretation is disputed by local maps. The fact that a basin in the Red Ash bed and overlying measures rises to day in the hollow at this point is patent to any one who has been on the ground. In the hollow the south outcrop is completely eroded and the rocks exposed in the hillside have a clearly defined south dip of about 28 degrees. These south dips continue west along the hillside for about 1200 feet where they are superceded by an opposite dip of 65 degrees. The crest of the anticlinal immediately North of the exposed basin in the hillside is concealed. It shows east and west of this point along the cliff for several hundred feet before being lost in the north dipping rocks of the second or more western basin.

In order to make a proper distinction we have called the eastern basin Priscilla Lee No. 1 and the western and smaller basin Priscilla Lee No. 2.

The point in question is whether the Red Ash bed outcrops on the south side of this anticlinal or whether it folds over before reaching the surface. If the latter view is correct the coal extending from the West End No. 2 colliery to the western end of the Wilkes-Barre mountain may possibly all be mined from the tunnel at that colliery without driving additional inside tunnels, but if the former, such working will be absolutely impossible.

The survey considers the outcrop line as indicated on the sheets by far the more probable structure.

As has before been stated, the Priscilla Lee basin No. 1 as a distinctive basin has its most western development in the workings of the Wanamie collieries of the Lehigh and Wilkes Barre Coal Co. The anticlinal which separates this basin from that next basin to the north is distinctly shown in the colliery workings of the Baltimore and Ross beds at Colliery No. 19. Shaftings have been made on both dips of the basin at various points along its course to the west.

The Pottsville conglomerate underlying this basin is not

exposed until it reaches the extreme western end of the mountain overlooking the Shickshinny gap.

At the West End No. 2 colliery the conglomerate is exposed on the axis of the Wanamie Quarry anticlinal between Hasselman's opening and the south dipping outcrop of the Priscilla Lee basin. At this point the colliery developments, together with records of the Diamond Drill bore holes of the West End Coal Company, clearly define the outcrop of the Red Ash bed except near the point where it crosses the anticlinal axis. From here to the west the Red Ash is not shafted but is shown in a very clearly defined terrace for a distance of 3000 feet, at which point the dips become so confused that no definite location of the outcrop is possible.

Whether the coal beds along the south outcrop of the basins, with their almost perpendicular dips, will retain the thickness and condition found in the flatter dipping measures to the north, can only be discovered as mining operations progress.

The section of the Diamond Drill Bore-hole No. 3 is an actual proving of the character and position of the coal beds and their intermediate strata in the Priscilla Lee Basin No. 1 in the vicinity of the West End Colliery No. 2.

Priscilla Lee basin No. 1.

Section of Bore Hole No 3, West End Coal Company, 1200 feet south of the Hassleman Opening. Drilled at right angles to the measures. Dip of measures 45° south.

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>			
1	Gray sandstone,	33'	10"	to	33' 10"
2	" " coarse,	7'	6"	to	41' 4"
3	" " dark,	1'	0"	to	42' 4"
4	Dark sand slate,	20'	2"	to	62' 6"
5	Soft coal,	1'	2"	to	63' 8"
6	Black slate,	2'	0"	to	65' 8"
7	Soft coal,	2'	4"	to	68' 0"
8	Slate,		3"	to	68' 3"
9	Sand slate,	6'	11"	to	75' 2"
10	Sand stone, gray,	25'	4"	to	100' 6"
11	" " coarse,	2'	5"	to	102' 11"
12	Coal,	6'	6"	to	109' 5"

No. of strata.	Description.	Thicknesses perpendicular to dip.
13	Black slate,	6' 1" to 115' 6"
14	Gray sandstone,	5' 0" to 120' 6"
15	Black slate,	6" to 121' 6"
16	Gray sand stone,	19' 4" to 140' 2"
17	Coarse gray rock,	7' 3" to 147' 7"
18	Slate with a little coal,	11" to 148' 6"
19	Sand slate,	5' 4" to 153' 10"
20	Coarse gray rock,	6' 0" to 159' 16"
21	Coal and slate,	4' 5" to 164' 2"
22	Sand slate,	13' 16" to 178' 1"
23	Blue sand stone,	56' 7" to 237' 8"
24	Sand slate,	4' 8" to 242' 4"
25	Coal, soft,	7' 5" to 245' 9"
26	Sand slate,	15' 10" to 261' 7"
27	Gray sand rock,	36' 2" to 308' 11"
28	Sand slate,	1' 6" to 310' 1"
29	Dark gray rock,	29' 4" to 339' 3"
30	" " Sand stone,	4' 5" to 344' 0"
31	Soft slate,	1' 6" to 345' 6"
32	Coal,	6' 6" to 352' 6"
33	Slate,	4' 0" to 356' 0"
34	Sand stone,	4' 0" to 360' 6"
35	Gray rock,	5' 6" to 365' 6"

In the Priscilla Lee basin, on Mine sheet II, there are 743.27 acres of workable coal, sub-divided as follows:

Controlled by Lehigh & Wilkes-Barre Coal Company,	331.01 acres.
" " Susquehanna Coal Company,	249.91 "
" " West End Coal Company,	162.35 "
Area of Baltimore bed worked by Lehigh & Wilkes-Barre Coal Company,	66.70 "
Area of Ross bed worked by Lehigh & Wilkes-Barre Coal Company,	24.09 "
Area of Red Ash bed worked by Lehigh & Wilkes-Barre Coal Company,	10.71 "

Priscilla Lee basin No. 2.

The Priscilla Lee basin No. 2, which extends from a point 500' west of the most western exposure of the Priscilla Lee basin No. 1, to the western end of the Wilkes Barre mountain, is entirely undeveloped. The only coal shafting within its borders is near the axis of the Wanamie Quarry anticlinal on the mountain crest at a point 1100' south of the Black Creek tunnel.

The south outcrop of the Red Ash bed in this basin, while not opened, is clearly defined by the surface topog-

raphy in connection with the north dipping conglomerate. This outcrop which so plainly shows on the south side of the basin can be followed around the basin's western end and thence along the northern outcrop to the south dipping rocks in the coal shaft which has already been mentioned.

In tracing the outcrop of this basin from here to the east its identity is lost in the confused dips existing along its north edge, while the exact definition of its eastern boundary is impracticable. The local rolls and confusion of dips noted on these sheets along the crest of the mountain will plainly show the difficulties of reaching a definite conclusion as to the outcrop of the coal beds. Over a large part of this area including its southern and western portion the dips are very regular but the extreme northeastern part of the basin is broken by irregular dips in all directions. If this basin is an isolated one, and every indication seems to prove that such is the fact, it will be one difficult to mine from the fact of its isolation as well as from its position on the summit of the mountain. A succession of shaftings would throw much light on the position and number of the coal beds in this and the Priscilla Lee No. 1 basins, both of which are now concealed in the confusion of the many dips. The area of workable coal in this basin is 67.87 acres.

Black Creek basin.

The Black Creek basin is about 6600 feet long and extends from the West End No. 1 breaker to the sharp northwest bend in Black Creek 1600 feet south of the Dupont drift. Its principle mine openings are the Conyngham and Mud drifts and the Black Creek tunnel on the Red Ash bed; the Golden drift on the Ross bed and the "Church" drift on the Church bed. The Mud drift which was opened within a few feet of the lowest point of the outcrop of the Red Ash bed, in the western end of the basin, is at present the most important opening. Its gangways are driven on the north and south dips and as they extend east the distance between them gradually increases.

500 feet from the mouth of the drift they are 100 feet

apart, while at the present face of the gangways they are separated by a distance of 1100 feet. An average section of the bed in this drift is:—

Top.		
Coal,	1' 8"	
Bony,		4'
Coal,	8	
Slate,		2'
Coal,	9"	
Shale,		1 0'
Coal,	4' 2"	
Slate,		3"
Bottom, sandstone.		
Totals,	7' 3"	1' 9"

The breasts on the more southern gangway of the Mud drift develop the anticlinal upon which the air shaft was sunk. The northern gangway developed the south dip which has an unbroken rise to its outcrop above the Pottsville conglomerate capping the hill overlooking the river.

Until recently it was supposed that the bed worked in the Mud drift was identical with that worked in the Conyngham drift and in the Black Creek tunnel. While endeavoring to connect the Mud and Conyngham drifts the fact was developed that they were on separate beds. A tunnel has been driven south from the Mud drift into the Conyngham drift and another north from the south dip gangway of the Mud drift into the south dipping bed corresponding to that worked in the Conyngham drift. This latter bed along the north dip was cut in fault, but gangways are now being pushed eastward, which will probably develop this bed in its normal condition.

The Black Creek tunnel, 40 feet in length, cuts the north dipping crop of the Red Ash bed as it rises in the north slope of the Wilkes Barre mountain.

The mining operations at this tunnel are at present suspended. The Diamond Drill Bore hole No. 4, of the West End Coal Co. (a record of which follows below) was sunk from the bottom of the Red Ash bed at the face of the tunnel. It was drilled at an angle of 83 degrees with the pitch for a depth of 110' without cutting any coal.

Section of Bore Hole No. 4 in Black Creek Drift, Black Creek Basin, Starting on bottom of Black Creek bed. West End Coal Co.'s Pitch of Bore Hole 66½ south. Dip of measures 30° north.

No. of Strata.	Description.	Thickness along Bore Hole.		Distance perpendicular to dip.	
1	Sand slate,	8	0' to 8' 0'	8	0'' to 8 0'
2	Dark sandstone,	4'	0'' to 12' 0''	4'	0'' to 12' 0''
3	Sand slate,	3'	0'' to 15' 0''	3	0'' to 15' 0''
4	Gray sandstone, conglomerate,	4'	8'' to 60' 8''	45'	5'' to 60' 5''
5	Sand slate,		6'' to 61' 2''		6'' to 60' 11''
6	Dark gray sandstone,	26'	2'' to 87' 11''	26'	0'' to 86' 11''
7	Conglomerate,	22'	8'' to 110' 0''	22'	6'' to 109' 5''

The record of this hole is an indication in addition to the one already noted in the Diamond Drill Bore hole No. 1 at the Dupont drift that the bed worked in both openings (Dupont drift and Black Creek tunnel) is the bottom or Red Ash. A section here shows :

Top, sandstone.

Coal,	1' 2''	
Slate,		4''
Coal,	1' 5''	
Slate,		8''
Coal,	2' 7''	

Bottom sandstone.

Total, 5' 2'' 1 0'

The Golden drift is opened on the north dip of the Ross bed 1250' south of the Dupont, near the sharp bend in Black Creek. An average section of the bed mined here shows :

Top.

Coal,	2' 0''	
Hard bone and slate,		1' 0''
Coal,	7''	
Bone,		3'
Coal,	6''	
Bone,		2''
Coal,	1 0''	

Bottom.

Total, 4' 1'' 1' 5'

A third drift has recently been opened 400 feet south-west of the Golden drift which develops the Church bed. This is the next bed overlying the Ross. A section taken in this drift shows:

Top.		
Slate exposed,	1' 0"	
Coal,	10"	
Bone, slate and coal,	1' 0"	
Coal,	1' 10"	
Dirt,	2"	
Coal,	8"	
Bottom.		
	<hr/>	<hr/>
	3' 4"	2' 2"

In addition to these mine workings the Church, Ross and Red Ash beds are shafted upon at various points throughout the Black Creek basin.

The highest measures in this basin are cut in the Diamond Drill Bore hole No. 2 of the West End Coal Co., the record of which is as follows:

*Bore hole No. 2 Black Creek Basin West End Coal Co.
Drilled perpendicular to measures.*

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses perpendic- ular to dip.</i>
1.	Blue sandstone,	18' 6" to 18' 6"
2.	Sand slate,	4' 4" to 22' 10"
3.	Dark sandstone and conglomerate,	1' 6" to 24' 5"
4.	“ gray sandstone,	4' 0" to 28' 4"
5.	“ sandstone and conglomerate,	1' 2" to 29' 6"
6.	“ gray sandstone,	12' 4" to 41' 10"
7.	Fine dark conglomerate,	3' 0" to 44' 10"
8.	Black slate,	1' 3" to 46' 1"
9.	Fine dark conglomerate,	1' 1" to 47' 2"
10.	Coal and slate,	4' 0" to 51' 2"
11.	Coal,	4' 11" to 56' 1"
12.	Slate and soft stuff,	1' 2" to 57' 5"
13.	Dark sand stone,	6' 0" to 63' 5"
14.	Light, “ “	15' 8" to 82' 11"
15.	Coal, good,	5' 2" to 86' 1"
16.	Black slate,	5' 4" to 91' 6"
17.	Coal, poor,	3' 0" to 94' 6"
18.	Black slate,	2' 5" to 97' 2"
19.	Gray sandstone,	32' 2" to 129' 4"
20.	Sand slate,	8' 10" to 138' 2"
21.	Gray sandstone,	16' 3" to 148' 1"
22.	Coal,	6' 6" to 155' 2"

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>			
23.	Sand slate,	3'	8"	to 158'	10"
24.	Gray rock,	23'	8"	to 182'	6"
25.	Coal,		2"	to 182'	8"
26.	Dark rock,	1		to 183'	8"
27.	Sandstone,	4'		to 187'	8"
28.	Dark conglomerate,	4'	10"	to 192'	6'
29.	" sandstone,	2'	0"	to 194'	0'
30.	" conglomerate,	5'	10"	to 200'	4"
31.	Sand slate,	6'	5"	to 206'	9"
32.	Fine dark conglomerate,		10"	to 207'	7"
33.	Black slate,		4"	to 207'	11"
34.	Fine dark conglomerate,	5'	3"	to 213'	2"
35.	Conglomerate,	6'	1"	to 219'	3"
36.	Black slate,		3"	to 219'	6'
37.	Sandstone,	4'	8"	to 224'	2
38.	Blue sandstone,	4'	2"	to 228'	4"
39.	Sand slate,	1'	5"	to 226'	5"
40.	Black slate,		4"	to 230'	1"
41.	Coal,	3'		to 233'	1"
42.	Slate,		5½"	to 233'	6½"
43.	Coal,	3'	0½"	to 236'	7"
44.	Sand slate,	13'	10"	to 250'	5"
45.	Coal,		9"	to 251'	2"
46.	Sand slate,	5'	9"	to 256'	11"
47.	Gray sandstone,	31'	0"	to 287'	11'
48.	Slate,		5"	to 288'	4"
46.	Dark gray rock,	19'	1"	to 307'	5"
50.	Coal, good,	2'	8"	to 310'	1"
51.	Slate,		4"	to 310'	5"
52.	Coal, good,	2	6"	to 312'	11"
53.	Coal, soft,	3'	4"	to 316'	5"
54.	Coal,	6'	8"	to 322'	11"
55.	Dark sandstone,	13'	2"	to 336'	1"
56.	Gray "	7'	0"	to 343'	1'
57.	Dark conglomerate,	3'	0"	to 346'	1"
58.	Sandstone,	1.	10"	to 347'	11"
59.	Conglomerate,		5"	to 348'	4"

The following bed sections show the condition and character of the beds cut in this hole :

1st Bed.

Top, conglomerate.

Coal and slate, 4 0"

Coal, 4 11"

Slate and soft, stuff dark, 1 2'

Totals, 8' 11' 1' 2"

2d Bed.

Top, light sandstone,				
Coal, good,	3'	2''		
Black slate,			5'	4''
Coal, poor,	3	0''		
Bottom, black slate.				
Totals,	6'	2''	5'	4''

3d Bed.

Top, sandstone, gray.				
Coal,		8''		
Slate,				1''
Coal,	1'	3''		
Slate and bone,				3''
Coal,	1'	0''		
Slate and bone,				2''
Coal,	2'	7		
Bottom, sandstone.				
Totals,	5'	6''		6'

4th Bed.

Top sand slate.				
Black slate,				4''
Coal,	3'	0''		
Slate,				6''
Coal,	3'	0''		
Bottom sandstone.				
Totals,	6'	0''		10''

5th Bed.

Top, dark gray rock.				
Good coal,	2'	8''		
Slate,				4''
Good coal,	2'	6''		
Soft coal,	3'	4''		
Coal,	6'	8''		
Bottom, dark sandstone.				
	15'	2''		4''

There are 243.30 acres of workable coal in the Black creek basin, all of which is controlled by the West End Coal Company. The worked areas are as follows:

Red Ash Bed, Upper split, Mud drift,	12.63 acres.
“ “ “ Lower “ Conyngham drift,	6.61 “
“ “ “ “ “ Black Creek tunnel,	3.67 “
Ross Bed Golden Drift,	4.26 “
Church.	

The coal measures of the Black Creek basin are isolated from those of the other basins.

The outcrop of the Red Ash bed as has already been

noted is developed by the mine workings of the Mud drift, Conyngham drift and the Black creek tunnel. Its outcrop is shown by their workings from a point northeast of the West End No. 1 breaker, near where the south dip airway from the Mud drift has been driven to day. west along its northern outcrop, then south along the extreme western exposure of the basin overlooking the river, then east along its south dip to the Black Creek tunnel where it is seen plainly rising along the north slope of the mountain until nearing the crest it turns to the southwest, then sharply to the east a distance of 800' and again follows north down the mountain side until it reaches the plainly marked hollow east of the mouth of the Black Creek tunnel. Following this hollow until Black creek is reached, it runs along the south bank of the creek until at a point near the Golden drift on the Ross bed it crosses the creek and is lost in the steep dipping measures at the foot of the high cliff which is such a prominent feature in the topography of this basin.

From here west to our starting point near the airhole the broken character of the outcropping rocks and the confusion of their dips make the location of the outcrop very uncertain.

The north dips of the Black Creek basin are, as far as can be seen from the surface indications, very regular. The same is true of the south dips on the north side of the basin for a distance of about $\frac{1}{2}$ mile from its western end. Here the dips become steeper and somewhat confused while opposite the high cliff west of the Dupont drift they become so irregular that all indication as to the position of the coal bed is lost.

Salem basins.

On the west side of the Susquehanna, separated by the river gap from those more directly a part of the Wyoming basin, are the Salem basins. These basins are the extreme western continuation of the intermediate basins of the Wyoming or Northern coal-field and extend from the eastern face of Rocky mountain overlooking the river to

about two miles west. The Pottsville Conglomerate underlying them outcrops on the north and south side of the mountain and its minor rolls bring the outcrop of the Red Ash bed to day-light, forming several local basins. The bottom of the conglomerate, however, at no point reaches the surface within the areas thus made barren of coal. These local basins surrounded by the Red Ash crop are the Beadle or Counter basin, the No. 4 basin, Spike Island basin and the Paddy Run-Crary basin.

The Red Ash bed in all of them has been thoroughly mined and robbed.

The most important basin both in extent and production is the Counter, which also includes what is known as the Beadle basin.

The Counter basin is two miles in length and in addition to the Red Ash bed which, through the Salem basins is known as the B or Buck mountain, includes limited areas of the Ross or C and a small bed still higher known as the D bed. The A bed is not workable though its thickness as developed in this basin (which has before been noted) is exceptionally great.

An average section of the B bed in the Counter basin shows:

Top.			
Coal,	1'	.10"	
Slate,6'
Bone,6"
Slate,8"
Coal,4'	.2"	
Bottom.			
Totals,6'	.0"	1' .8"

It is impossible to enter the workings of these basins, many portions of which have been closed for years. No description other than that shown by the map of the workings is therefore practicable. The course of the mine workings will be noted as indicating a number of local synclinals and anti-clinals.

The C and D beds have been shafted at various points but have never been worked. The thicknesses reported by the company as shown in these shaftings is as follows:

C. Bed. About 700' northeast of tunnel.

Top coal,	6'	.0"
Slate,1½"
Bottom coal,7"

C. Bed. About 700' northwest of tunnel.

Coal bed,	6'	.4"
---------------------	----	-----

D. Bed. Near center of basin south side.

Coal,	6	.0"
-----------------	---	-----

D. Bed. Near western end of basin, north side.

Coal,	4'	.1"
-----------------	----	-----

A. Bed. Where cut in tunnel.

Top, sandstone.		
Coal,	1'	.0"
Slate and coal,	1'	.10"
Bottom, sandstone.		

D. Bed. Near center of basin north side.

Coal,	3'	.7"
-----------------	----	-----


There is no irregularity in the dips of the Counter basin worthy of note.

The Spike Island basin, the smallest of the Salem basins is entirely mined out and has been closed for some years.

The same is true of the Paddy Run-Crary basin. This basin is broken by a very sharply overturned anticlinal. The fact of the mine workings being completely closed renders it impossible to make any examination of this overturn.

The Salem Coal Co. own the entire area of the Salem basins, with the exception of a small portion at the extreme western end of the Counter basin. The following statement will show the acreage of each local basin.

Counter basin,	198.34	acres
No. 4 basin,	21.30	"
Spike Island basin,	3.37	"
Crary-Paddy Run basin,	22.62	"



CHAPTER III.

Survey of the Western Middle coal field.

The mine sheets of the Western Middle Coal Field, as constructed by the Geological Survey, are similar in character to those which have already been described in report AA and in the Annual Report of 1885.

In the latter report there was given a brief reference and description of the mine and cross section sheets, which had been finished up to that time. These sheets were published in the Western Middle Coal Field Atlas, Part 1. They are 11 in number, as follows :

Four Mine and Geological sheets, scale 800 feet to 1 inch, of nature showing the plan of all the mines and the shape of the floor of the Mammoth Bed, where mined, and its most probable structure in undeveloped areas, by contour curve lines, 50 feet vertically apart.

1. No. I, Delano sheet, between Delano and Mahanoy City, in Schuylkill county.

2. No. II, Shenandoah sheet, between Mahanoy City, Shenandoah, and Gilberton, in Schuylkill county.

3. No. III, Girardville sheet, in vicinity of Frackville and Girardville, in Schuylkill and Columbia counties.

4. No. IV, Ashland sheet, in vicinity of Ashland, Locust Dale, Centralia and Montana, in Schuylkill, Columbia and Northumberland counties.

Three Topographical sheets, scale 1600 feet to one inch, of nature, showing the topography of the surface by contour curve lines 10 feet vertically apart.

5. No. I, Mahanoy City and Delano sheet, in the vicinity of Quakake Junction, Delano and Mahanoy City, in Schuylkill county ; embraces the area on Mine sheet No. I.

6. No. II, Shenandoah and Girardville sheet, in the vicinity of Mahanoy City, Shenandoah, Frackville and Girardville in Schuylkill and Columbia counties ; embraces area on Mine sheets Nos. II and III.

7. No. III, Ashland and Mt. Carmel sheet, in the vicinity of Ashland, Locust Dale, Centralia, Montana and Mt. Carmel, in Schuylkill, Columbia and Northumberland counties ; embraces area on Mine sheet Nos. IV and V.

Four Cross Section sheets, containing vertical cross sections exhibiting the geological structure of the coal-beds. Scale of sections, 400 feet to 1 inch, $\frac{1}{4800}$ of nature.

8. No. I sheet contains 4 sections between East Mahanoy tunnel and Mahanoy City.

9. No. II sheet contains 5 sections between Mahanoy City and Mahanoy Plane.

10. No. III sheet contains 4 sections between Mahanoy Plane and Girardville.

11. No. IV sheet contains 2 detail and 11 skeleton sections between East Mahanoy tunnel and Locust Dale.

Mine sheet No. I was commenced in November 1881, and Nos. I, II, III and IV, finally printed in October, 1883. No. V was printed December, 1886, while VI, VII and VIII are still in the hands of the state printer. They are all based on the maps and surveys of the coal operating companies in combination with those of the Geological Survey.

In August and September, 1881, Prof. C. L. Doolittle determined the longitude and latitude of the court houses in Pottsville, Schuylkill county, and Wilkes Barre, Luzerne county, and established the true meridan in each locality. This meridan was carried by a survey made by the Geological Survey corps from the geodetic point at Pottsville, to what is known as the Gilberton tangent on the Philadelphia and Reading railroad and from this tangent, throughout the field. From this survey the true meridan and a rigid base for the Western Middle sheets was established.

In their construction the colliery maps of the operating companies, and individuals were connected by the survey with the base map and these together with information obtained from various sources, were added until the sheets were completed. The Philadelphia and Reading Coal and Iron Company, controlling by far the greatest proportion of the territory embraced by these mine sheets, have in their

possession connected maps on a scale of 300 feet to the inch, showing all their properties. This scale was adopted by the survey in the construction of their "working sheets," as saving the labor and time which would have been necessary in the reduction of the Coal and Iron Company's maps to a different scale. The maps of the other companies and of individuals which were placed in the hands of the survey, were in different stages of completion and made on a great variety of scales. These were all reduced to the scale of the base map (300 feet to 1 inch) and added to it.

It required a great amount of field work by the Geological Survey corps to establish a proper connection between the base map and the mine maps and surveys of the operators. In addition to this, many surveys and examinations were necessary to determine outcrops and establish certain geological conclusions in the construction of the sheets. These surveys included not only surface examination, but also a great amount of detailed underground work.

After the completion of the sheets on the scale of 300' to one inch, they were sent to the engraver and there reduced to the scale of 800 feet per inch, on which scale they were finally printed. They show the property lines, streams, railroads, wagon roads, town plots, colliery buildings and other surface features, also the horizontal projection of all the mine workings in the coal-beds of the several collieries, together with contour lines drawn 50 feet vertically apart on the floor of the bottom member of the Mammoth bed, showing its actual position in worked areas, and also its most probable structure in the areas which have been undeveloped.

Since the publication of the Annual Report for 1885, the field and office work on 4 additional mine and geological sheets Nos. V, VI, VII and VIII have been completed. They are as follows:

No. V. Mt. Carmel sheet extending from the county line between Columbia and Northumberland counties, east of Mt. Carmel, to about 17000 feet west of that town.

No. VI. Shamokin sheet extending from 17000 feet west

from the town of Mt. Carmel to Shamokin, Northumberland county.

No. VII. Bear Valley sheet, extending from Shamokin, Northumberland county, west for 23000 feet.

No. VIII. Trevorton sheet joins sheet No. VII on the west, and extends to about 10000 feet west of Trevorton gap.

Of these, the edition of No. V has been printed. The others are at present in the hands of the printer, and will soon be ready for distribution. In addition to these 4 geological sheets, 7 additional cross sections exhibiting the geological structure of the coal-beds have been made. These, together with the sheets containing columnar sections of the coal measures cut in shafts, tunnels and bore holes, together with those compiled from actual colliery workings and surface exposures, within the area embraced by the mine and geological sheets will form Part II of the Atlas.

The Western Middle Coal-field Atlas, Part I, was incomplete from the fact that it contained no columnar section sheets exhibiting the position and character of the coal-beds or of the rocks between them. The columnar section sheets which will be contained in part II of the Atlas, will include not only columnar sections embraced by Mine sheet Nos. V, VI, VII, VIII, but also those within the areas embraced by sheets I, II, III, and IV, and the general plan used in representing the topographical, geological and mining features on these sheets is the same as that already shown on those to the east with the exception of the conventional used in representing colliery gangways, airways and breasts. These on sheets V, VI, VII and VIII are shown in the same detail as on the working maps of the operating companies.

Drainage.

The surface drainage of the Western Middle Field is very simple. Pine creek drains quite a limited coal measure area in the vicinity of Delano, Schuylkill county. This creek empties into the Little Schuylkill, two-and-a-half

miles above the town of Tamaqua. With this one exception, the area of the Western Middle Coal Field is drained by the Mahanoy and Shamokin creeks into the Susquehanna river. The Mahanoy creek rises 2000 feet, more or less, south of the town of Delano, and flows east until it reaches the town of Ashland. Its course is through the Mahanoy basin proper, its feeders coming in from the adjoining local basins to the north. At Ashland this creek breaks through the Mahanoy mountain, and from this gap west to the Susquehanna river, flows through the Mauch Chunk red shale and underlying rocks. East of Ashland its tributaries rise and flow almost entirely within the coal measures. They include the north branch of Mahanoy creek, Waste House run, Shenandoah creek, and Big Mine run. West of Ashland the only coal measure stream, the waters of which reach the Mahanoy creek, is that of Big run. This, like the main creek itself, breaks through the Mahanoy mountain and both unite in the red shale valley to the south. West of Ashland, with the exception of Big run, the drainage of the coal basin is towards the west. Excepting a very small portion of the basin in the vicinity of Treverton, the water of all the streams finds its way into Shamokin creek. The main branch of Shamokin creek has its source just west of the town of Centralia. It flows east through Mount Carmel and Shamokin, breaks through the Cameron Gap north of the latter town, and from here flows through strata underlying the coal measures and empties into the Susquehanna at Sunbury. The extreme western portion of the coal field is drained by Zerbe's run which breaks north through the Big mountain and continuing its course west through the Mauch Chunk red shale enters the Mahanoy creek near Hunter's Station, in Northumberland county. There are three well marked water sheds within this area. One near Centralia, Columbia county, the eastern slope of which is drained by Big Mine run, and the western slope by the middle branch of the Shamokin creek. Another east of Locust Summit, the eastern slope of which is drained by the waters of Big Mine run, and the western slope by the Locust creek. The third, and least important

of these water sheds, is that which separates the waters of Zerbe's run from those of Carbon run which flow east into the Shamokin creek.

Although producing very heavy grades none of these water shed summits are of sufficient height to prevent their being crossed by the various railroad systems of the basin. The railroad grades are therefore very often adverse to trade, while the different railroad systems, in many portions of the field, are not separated by the topographical features of the region but are seen climbing the summits in almost parallel lines. The eastern boundary of Sheet 1 is a quarter of a mile east of the town of Delano, Schuylkill county. From this point the sheets extend westward for the entire length of the basin. The western edge of Mine sheet No. VIII being 2 miles west of Treverton, Northumberland county. The sheets have been so arranged that their north and south borders are continuous straight lines including the greatest coal area possible.

Within this area there have been developed sixteen separate workable coal beds. The following list will show their geological order and their local naming:

- Little Tracy Bed No. xvii.
- Big Tracy Bed No. xvi.
- Little Diamond Bed No. xv.
- Diamond Bed No. xiv.
- Little Orchard Bed No. xiii.
- Orchard Bed No. xii.
- Primrose Bed No. xi.
- Holmes Bed No. x.
- Top Split Mammoth Bed No. ix.
- Middle Split Mammoth Bed.
- Bottom Split Mammoth Bed No. viii.
- Skidmore Bed No. vii.
- Seven Foot Bed No. vi.
- Buck Mountain Bed No. v.
- Upper Lykens Valley Bed.
- Lower Lykens Valley Bed.

The characteristics of these beds are so varied in different parts of the field that it is difficult to define their thickness

and relationship in a general way. A detailed knowledge of the individual beds however may be obtained by a study of the mine and section sheets.

East of Delano a very small portion of the Mahanoy basin extends beyond the boundaries of the sheet. It includes limited areas of the Buck Mountain and Lykens Valley coal beds. The eastern limit of the former bed is within a few hundred feet of the sheet line, while the outcrop of the Lykens Valley bed extends for a distance of a mile beyond the border of Sheet No. I.

On the south side of Sheets Nos. I and II is the New Boston basin which extends south beyond the limits of those sheets. As much of this basin however, as is included on the sheets has been carefully mapped. The remainder will be published on future sheets to the south which will include the coal measures of this and other basins along the Broad Mountain. On the north sides of sheets II, III, IV, V, VI, and VII the coal measures extend at various points beyond the limits of the sheets. The sheet line in some places cutting through the workings of important collieries. The workings of these collieries have all been carefully mapped to the edge of the sheet. Their remaining portions will be mapped when a new series of sheets, north of the present ones, shall have been completed. West of the western edge of sheet No. VIII there extends an area underlaid by the Lykens Valley bed. This has been mapped on a portion of Mine sheet VIII, and has also its connection with the rest of the basin shown.

There are four distinct outcrops on these sheets which the Survey has attempted to especially define, they are; the parting between the Mauch Chunk red shale, No. XI and the Pottsville conglomerate, No. XII; the outcrop of the Lykens Valley bed (the lowest coal bed in the series); the outcrop of the Buck Mountain bed which is underlaid by "the Buck Mountain rock," a large egg conglomerate, which is locally considered a key rock in the study of geology of these and neighboring basins; and lastly the outcrop of the Mammoth bed. The parting between No. XI and No. XII is clearly shown at all points

on the sheets, either by its actual exposure or by the topographical features which in this section of the State always accompany it.

The outcrop of the Lykens Valley bed has been located at all points excepting along the main ridge of the anticlinal just north of Centralia, Columbia Co., where it was impossible to obtain sufficient data to warrant the location of this outcrop with any assumption of accuracy.

The location of the Buck Mountain bed is shown on all the sheets except in the vicinity of Raven Run northeast of Girardville, Schuylkill county. At this point, owing to the confusion of underground dips and the lack of surface indications, an accurate location of this outcrop was impossible.

The Mammoth bed outcrop was located largely by actual developments in the colliery workings.

Of the three coal beds whose outcrops are specially defined the Lykens Valley is the one least worked. There are four collieries in this field, which have been dependent upon the Lykens Valley coal bed for their production, namely: The Helfenstein, Ben Franklin, Gordon and North Franklin collieries. Aside from these workings and a few small drifts in the vicinity of Montana, Columbia County, the outcrop of this bed has been proven only in trial shafts scattered along the entire length of the basin. This bed, however, occurring as it does in the hard unyielding measures of the Pottsville conglomerate, while often not showing the slightest exposure, can almost always be approximately located by the occurrence of the conglomerate cliff, which its outcrop generally occupies.

The Buck Mountain bed has been more or less extensively worked on each of the sheets. In addition to this it has been trial shafted in many places, and resting on so marked a horizon as the Buck Mountain rock, its position is readily recognized.

The most extensive mine workings on the sheet are those in the Mammoth coal bed, these of course locate the outcrop of the Mammoth wherever worked. While in the undeveloped portions trial shafts and surface indications have

been used in defining the outcrop and structure of the bed, much time and labor was spent in contouring its floor. The study of this structure required the collection of much data and the compilation of the same after its collection. The Mammoth bed, which is the one most sought for by mining prospectors and the one most extensively worked, was especially chosen to illustrate the structure and local features of the basin, because it is the most important bed in the series. This is eminently true in a commercial sense, but in addition to its well recognized features, which make its identity comparatively easy, the extent of its mining and its geological position gives it an importance which demands a recognition greater than that of any other horizon on the sheet.

In addition to these outcrops, which have been especially defined, are the outcrops of the several other beds above and below the Mammoth. The outcrop of these beds have only been marked on the sheets where developed by actual mine working. In all cases where the outcrops have been actually located, they are represented on the sheets by a full line in the conventional belonging to the bed which they represent. In places where only the probable location can be shown, the same conventional color with a broken line is used. On the edge of the sheet is printed a scale, on which the conventional color or line for each bed is shown ; with the exception of names, tunnels and faults all the material, printed in black on the sheets, refers to surface features only. There has been constructed 18 cross sections which cross the sheets at right angles to the strike of the measures. The position of each of these sections is shown on the mine sheets by a full blue line, to which is added the number of the section.

While the same series of coal beds are worked on all the mine sheets and under somewhat similar conditions, there is sufficient difference in the character and thickness of the beds in different parts of the field, to warrant a description of each mine sheet separately. While this is necessary in a general sense, in the study of individual coal beds and individual colliery openings, an intelligent understanding of

the connected structure of the basin is impossible without the consideration of all the sheets collectively.

While there is no point within the borders of the Western Middle coal field where the parting between the Mauch Chunk Red shale, No. XI and the Pottsville conglomerate, No. XII, rises to the surface to make a distinctly separate coal basin, yet there are many prominent basins and, anticlinals which modify the interior dips of the basins and materially effect the character and position of the mine workings. The completion of the sheets covering the entire length of the field, enable us to very accurately trace the more prominent axes along their entire length.

In the description of the location, extent and general structure of the basins and anticlinals of the field, it will be noted that the structure of the Mammoth bed is more prominently considered than that of any other. This occurs from the fact of a closer study having been made of its especial features in the contouring of the floor of that bed. A comparison of the Columnar sections which occur on each sheet with these contour curve lines will readily show the depth and position of the several beds above and below the Mammoth and will consequently give a clear idea of the general features of the basins in connection with these beds.

Mahanoy basin.

The most prominent of these flexures and the one from which the field is frequently named, and which has held so prominent a part in the coal production of this area is the Mahanoy basin.

East of the eastern edge of Mine sheet No. I the lowest coal measures of this basin are gradually lifted to the surface. The basin narrowing in its progress east causes the outcrop of the Buck Mountain and Lykens Valley coal beds and the top of the Mauch Chunk red shale to swing round the extreme end of the basin in their geological succession. In their progress east, all the coal measures above the Buck mountain bed have been lifted to day before reaching the eastern edge of Sheet No. I.

At the edge of Mine sheet No. I the outcrop of the Buck Mountain bed shows two district basins separated by a prominent anticlinal, the more southern of the two is the Mahanoy basin proper. 2300 feet east of the East Mahanoy tunnel of the Philadelphia and Reading Railroad is the extreme eastern outcrop of the Mammoth coal bed in the Mahanoy basin. Its elevation here is 1450 feet above tide. From this point it rapidly falls until under the town of Mahanoy City its probable elevation is 650 feet above tide. Further west, in the vicinity of the town of Ashland, the elevation of the bottom of the basin is about 1450 feet below tide. This is considered the lowest point at which the Mammoth coal bed is to be found in the Western Middle field, the difference in elevation from the surface being about 2300 feet, and from the southern outcrop over 2500 feet. From this point there is a general rise of the basin towards the west.

The developments of the Mahanoy basin prove that its rise and fall along its axial line is not gradual, but on the contrary, more or less irregular. The extreme western outcrop of the Mammoth bed in the Mahanoy basin is found north of the workings of the Ben Franklin colliery, about 6700 feet west of the eastern edge of Mine sheet No. VI. The elevation of the western outcrop, where it turns, in conforming to the dips of the basin, is 1500 feet above tide, very nearly the same as that of the extreme eastern outcrop.

The most marked feature of this basin is its steep regular north dips. The south dips are somewhat flatter than the north dips and are also very regular. The difference, however, between the two sides of the basin exists in the fact that while on the north side the dips are broken by a number of axes, entering the main basin from the northeast and northwest, the south side, with the exception of the break made by the expiring Locust Mountain anticlinal north of Gowen City on Sheet VI, is one unbroken monoclinical dip.

Much of the early mining in the Western Middle field was done in this basin, and to-day along the north dip, from a point 9600 feet west from the basin's extreme eastern end west for a distance of 15 miles, there is an almost un-

broken line of colliery workings, while on the south dip of the basin connected workings extend 4 miles further west. The bottom of this basin has recently been cut at the Lawrence colliery near Mahanoy Plane.

Such an event naturally suggests thoughts of the basins exhaustion. A little study of the contour lines in connection with the elevations of the outcrop and the bottom of the basin, together with the proportion of undeveloped area to that already mined, will show the future possibilities of this basin as a great producer from the Mammoth bed alone.

New Boston basin.

South of the Mahanoy basin and along the Broad mountain is the New Boston basin. This basin has been opened by the Middle Lehigh colliery. On sheets I and II the workings of this colliery are shown. Owing to the dimensions of the sheet, it is impossible to show the size and character of the entire basin. No contouring has been done to show the structure of the Mammoth coal bed, but a later publication will consider the New Boston and other Broad Mountain basins in their entirety and a future atlas will contain maps covering the area between the Mahanoy and Pottsville basins.

Separating the New Boston basin from the Mahanoy basin is a well defined anticlinal of the Pottsville conglomerate. The eastern outcrop of the Lykens Valley bed in the New Boston basin is shown about half a mile southeast of the southern mouth of the East Mahanoy railroad tunnel. Its extreme western outcrop is south of the southern edge of the sheets. The bed most worked in the New Boston basin is the Buck mountain. In addition to this bed the Seven Foot, Skidmore and both splits of the Mammoth are worked.

Middle Mahanoy basin.

Just north of the eastern extremity of the Mahanoy basin is that known as the Middle Mahanoy basin, the anticlinal separating these two basins brings the Mammoth

to the surface at the Beaver Run colliery. Just west of this point at the Morris colliery the Buck Mountain bed is developed on both dips of the anticlinal. Near the outcrop of the Mammoth bed where it turns round this anticlinal, a local basin sets in which, though limited in extent, has a material effect in changing the shape of the contours.

The Mammoth bed at the extreme eastern end of the Middle Mahanoy basin, half a mile east of Beaver Run breaker, outcrops at an elevation of 1500 feet above tide; this basin falls rapidly west until at the Primrose colliery it is 900 feet above tide, the basin from here again rises until 1000 feet south of the Glendon colliery, an elevation of 950 feet above tide is reached, here it again falls reaching its lowest depth (650 feet above tide,) between Mahanoy City and Suffolk collieries, from here again rising it is lost in the Suffolk colliery workings on the north slope of the Ellangowan basin.

Ellangowan basin.

The dips of this basin are somewhat irregular, varying greatly in their amount. The basin, however, is marked as a specially productive and economical one to mine.

The Ellangowan basin proper which is now being very extensively developed in the mine workings of the Ellangowan colliery of the Philadelphia and Reading Coal and Iron Company, and from which a large and profitable production is anticipated, is of limited length. To the east, the more southern of the two synclinals into which it is divided, is lost in the mine workings of the Mahanoy City colliery, while its western end, at the line between Mahanoy and West Mahanoy townships, is lost in the inverted dips of the Bear Ridge overturn. The greatest approximate depth which the Mammoth bed in this basin reaches, is 300 feet above tide; its dips are generally flat and very favorable to successful mining.

The northern spur of the Ellangowan basin extends east of the Ellangowan breaker for a mile and three-quarters, finally disappearing in the workings of the West Lehigh colliery. The Ellangowan basin proper, together with its

northern spur, have not been as extensively worked as the several basins which surround them. Recent colliery openings, however, have been made, tending to the development of these basins, which will add much to the available tonnage of the Mahanoy region.

Shenandoah basin.

Still north of the Ellangowan basin is the Shenandoah basin, this basin is developed in the workings of the Mammoth bed, from the Packer No. 2 colliery, east to beyond the West Lehigh colliery, a distance of almost 7 miles. It includes within these limits the Lehigh Valley Coal Company's Packer collieries, as well as the Kohinoor, West Shenandoah, Kehley Run, Plank Ridge, Indian Ridge, Knickerbocker and West Lehigh collieries, all of which are noted in the trade for their extensive production and their record of profitable mining. The dips of this basin are more or less broken by local anticlinals and synclinals, the most important of which is the Shenandoah overturn. The Shenandoah and Bear ridge overturns are described in another portion of this report, (see page 987).

East of the West Lehigh breaker, 3000 feet or more, the Mammoth coal bed outcrops along the axial line of the Shenandoah basin. The basin continues to the east beyond the limits of the sheet. Its north and south dips are developed in the Meyersville and Pine Creek collieries in the Buck Mountain bed. The rise of the basin, however, is not sufficiently rapid to bring the outcrop of this bed to daylight within the limit of the sheet, at the point where it turns round the end of the basin. On this sheet the western end of the basin in the Mammoth bed is lost in the south dip workings of the Packer No. 2 colliery.

William Penn basin.

Beginning at the Turkey Run colliery, and running west is the William Penn basin. The extreme eastern outcrop of the Mammoth bed is shown at an elevation of 1200 feet above tide. The basin rapidly falls to the west until under

the town of Girardville it reaches its maximum depth, 600 feet below tide, from here it again rises regularly west, until 1000 feet east of the Bast Colliery slope it has reached an elevation of 300 feet above tide; from here it falls rapidly west, and is at once lost in the confused dips at the eastern end of the Germantown overturn.

Girardville basin.

South of the William Penn basin is another of lesser depth, first observed in the mine workings of Packer No. 1 colliery. It is called the Girardville basin, and falls rapidly west, and for a distance of 6000 feet from its intersection with the Packer colliery east gangway, where it is first observed, its course is almost parallel to that gangway. Under the town of Girardville, however, it swings to the south, and finally near the eastern line of the town of Ashland joins the main Mahanoy basin. The fall of this basin is continuous and very rapid; it is almost entirely undeveloped, so that a location of its depth and position is necessarily largely hypothetical. The shaft workings of the New Packer No. 5 colliery of the Lehigh Valley Coal Company will add much information of value in the development of this basin, and that of the William Penn basin to the north.

Centralia basin.

Separated from these basins by the broad, flat Locust Mountain anticlinal, is the Centralia basin, the outcrop of the bottom coal measures of which form such a prominent spur north of the outcrop of the main basins.

The Lykens Valley coal bed along this spur has been developed only by occasional shaftings. East of the village of Raven Run there are no workings in any of the coal beds, but west of this point the workings in this basin are continuous to one mile beyond the town of Centralia. The eastern limit of the Mammoth coal bed is about 2000 feet east of the junction of Butler, West Mahanoy and Union townships, Schuylkill county. The deepest point

of the basin is at the Continental colliery, where a depth of 800 feet above tide is reached.

West of this, however, the rise of the basin is very irregular. Its final western outcrop of the Mammoth bed, however, is reached 2 miles west of the town of Centralia, along the south branch of Shamokin creek. Future developments may prove the location of this outcrop to be incorrect. The location shown on the sheets was made from the best information extant, but was not sufficiently exact to establish a positive conclusion. At the Locust Run colliery, just north of the town of Ashland, the eastern end of the Germantown basin is developed in the Mammoth gangway, at the foot of the slope. It falls very slowly to the village of Germantown, where it reaches its greatest depth. From here it again rises to the east, until it is lost in the overturn dips at the Merriam colliery.

Coal Ridge or Montana basin.

North of the town of Centralia the workings of the Reno and Monroe collieries have developed the Coal ridge or Montana basin which extends northeast in a spur similar to that of the Centralia basin. East of Ravens Run the Lykens Valley bed has been opened along its outcrop and consequently lowest coal measures are well defined. The extreme eastern outcrop of the Mammoth bed is about half a mile east of the Reno colliery. The basin at its extreme eastern point is divided into two parts. The association of these two basins is so intimate that they have received the same name, the additional distinction being made by calling the southern one No. 1 and the northern No. 2. The southern or No. 1 basin falls very regularly and rapidly to a point just north of the Mt. Carmel colliery.

From this point for a short distance there is a slight rise in the bottom of the basin quickly followed by a gradual fall to a point south of the Pennsylvania colliery where the basin reaches its greatest depth in this vicinity, 400 feet above tide; from here it rises more or less irregularly until all traces of it are lost in the eastern workings of the Excel-

sior colliery. The northern Coal Ridge or Montana basin is that known as No. 2. Its course is parallel to that of No. 1 until the line between Columbia and Northumberland counties on Mine sheet No. V is reached. Here, by the flattening of the Pennsylvania anticlinal which separates these two basins, its course is materially changed, at one place in the vicinity of Green ridge running due east. West of this point it swings gradually to the south passing under the town of Shamokin, bearing south $72^{\circ} 30'$ west. The elevation of the bottom of this basin is very irregular. Its fall from its eastern outcrop is west to the town of Mt. Carmel where it reaches an elevation of 100 feet above tide, from here it again rises to the Pennsylvania colliery, but developments at the foot of Pennsylvania slope No. 3 show that it falls towards the west. Near the western extremity of the Pennsylvania workings, it again rises to a point several hundred feet west of the eastern edge of Mine sheet No. VI. from here, however, the fall is regular and rapid across the width of Mine sheet No. VI to the western portion of Shamokin. Here it reaches an elevation of 800 feet below tide. From this point the dips are lost under the cover of surface wash, in the thickly wooded areas from this point west. The basin, in all probability, falls till it meets the Treverton basins when it gradually rises towards the extreme western outcrop of the Western Middle field. West of the Pennsylvania colliery the Coal Ridge or Montana basin is known as the Pennsylvania basin.

It will be noted that the Coal Ridge or Montana basin and the Mt. Carmel basin, the eastern ends of which are seen on these sheets are those which falling rapidly to the west attain, from their great depth and the number of coal beds which they contain, so great a commercial importance in the vicinity of Shamokin.

To the north of the Pennsylvania basin on Mine sheet No. V a portion of the Black Diamond basin is shown, the position of this basin has been determined largely by surface dips. it was debated for some time whether it was not a spur of the Pennsylvania basin instead of a separate one, the question depending on the existence of the anticlinal, which

the mine sheets show as separating them. A careful consideration of the surface dips led the survey to the conclusion that the structure shown on the sheets is the accurate one.

South of the Pennsylvania basin (Montana No. 1), the workings of the Pennsylvania colliery have developed another basin, the Quaker Run, which is of considerable importance. Its course is almost parallel to that of the Pennsylvania basin; its fall is very regular and is continuous from its eastern origin west beyond the town of Shamokin.

Mt. Carmel basin.

The Centralia basin, already noticed as rising rapidly and bringing the basin in the Mammoth bed to the surface west of the Logan colliery, again falls to the west, producing what is known as the Mt. Carmel basin. The character of these two basins is very different, the dips of the Mt. Carmel basin being the flatter. Its most eastern development in the Mammoth bed is in the Mt. Carmel colliery of Thomas M. Righter & Co.

Its fall from here to the west is very rapid reaching its maximum depth of half a mile north of Mt. Carmel shaft colliery, from here it rises west and is finally lost in the north dipping measures of the Excelsior colliery. Its north dip is developed by the Mt. Carmel Shaft and Reliance collieries. Its south dips in the Mammoth bed do not rise to the surface and are as yet undeveloped.

Mt. Carmel Shaft basin.

The Mt. Carmel shaft basin, which is now being extensively mined by the Mt. Carmel shaft colliery, has its eastern developments in that colliery, while its western end is lost in the confused dips, developed by the Excelsior colliery.

Big Mountain basin.

At the Continental and Excelsior collieries still another basin is developed, the presence and location of which is

also shown to the west, in the workings of the Big Mountain colliery. Its dips are sharp and well-defined. It is very narrow, falls rapidly west and is lost in the comparatively unexplored country between Shamokin and Trevorton.

Enterprise basin.

Still another basin is developed by the workings of the Enterprise colliery, which has its greatest depth at the western end of the Enterprise workings. Contrary to the other basins in the immediate neighborhood it rises to the west, the Mammoth outcrop at its extreme western end reaching daylight just south of the Burnside tunnel.

West of the town of Shamokin the coal measures are hidden by a deposit of wash on which there is a heavy growth of timber and underbrush. The exposures are very few and over very extended areas, there are no actual mining developments.

Between Shamokin and Trevorton there are several lines of shafting in which the outcrops only of the coal beds have been developed. Without mining development in this area it is impossible to accurately trace the direction and character of the anticlinal and synclinal folds. Near Trevorton the colliery workings have been opened quite extensively, but east of these for several miles the character of the flexures are undetermined. In the Trevorton collieries two marked synclinal troughs are shown and are also proven in the outcrop of the lowest coal measures to the west. The outcrop of the Lykens Valley bed and the boundary of the limits of these measures is proven by continuous shaftings along the outcrop.

In addition to the basins which have been described there are many others in different parts of the field which are more purely of local interest ; these latter have little effect in shaping the general character of the geology of the field, but their local importance in the development and profitable management of single collieries is very marked.

The probable exhaustion of the Western Middle field is a question of frequent discussion. Many of the basins,

both large and small, have been extensively worked and the coal exhausted over large areas. Aside from the consideration of the immense undeveloped areas in the Mahanoy and adjoining basins, which have already been extensively worked, there are many which are practically untouched, these in a large degree, emphasize the probability of a great future production.

Anticlinals.

East from the town of Frackville there extends the New Boston anticlinal which, bringing the Pottsville conglomerate to daylight, separates the New Boston from the main Mahanoy basin to the north. It is especially important as it brings all the coal bearing rocks to the surface, making a distinctly barren area between the two basins.

The anticlinal of greatest geological importance, in this field, is that of the Locust mountain. Near Raven Run, Schuylkill county, it first exposes the parting between No. XI and No. XII where the north and south dips meet on its crest; from here its elevation is quite irregular, although it at no point falls sufficiently to contain the outcrop of any coal bed geologically higher than the Buck mountain. Throughout its entire length it is a broad flat saddle, the dips of which show their marked regularity in the several gaps which are cut through it by the mountain streams. Its western limit in the coal measures is just north of Gowen City. Here it is the southern boundary of the coal measures of the Western Middle field, while at Raven Run it is on the opposite or northern sides. All the others on entering the field immediately fall and are rapidly covered by successively higher measures.

In addition to the Locust mountain anticlinal, and like it making well marked indentations in the boundary of the coal field, are the Mine Ridge, Red Ridge, Luke Fiddler and Trevorton anticlinals. These, together with the New Boston and Locust Mountain anticlinals, are the only ones which have a material effect in changing the direction of the coal fields boundaries. The other anticlinals, of which there are very many, while materially affecting the higher

coal measures expire east or west along their courses in the regular north and south dips of the basin. Most of these anticlinals have a material effect in directing the course and shaping the character of the advancing colliery gangways. In many cases near the centre of the basin they bring to the surface and expose extended outcrops of important coal beds. Several of these anticlinals have developed important overturns. In many places through the field the inverted dips of these overturns are entirely unworkable. The most marked of these are the Bear Ridge, Shenandoah, Germantown and Locust Spring. A description of each is given in the description of the mine sheet on which it occurs.

Mine Sheet No. 1.

At least five-sixths of the area embraced by this sheet is covered by coal measures, and the remaining portion by the Mauch Chunk red shale. With the exception of a very limited area in the vicinity of Delano (the drainage of which is east into Pine creek) the surface drainage of the coal measure areas embraced by this sheet is west through the branches of Mahanoy creek into the Susquehanna.

At the time the sheet was completed there were but two railroad outlets for the coal production of the collieries within this area. One of these is the Mahanoy division of the Lehigh Valley Railroad; the other, the Philadelphia & Reading Railroad, which runs through the East Mahanoy tunnel. This tunnel, cutting as it does, through the lower coal beds down into the Mauch Chunk Red Shale was taken advantage of by the Survey in obtaining the facts necessary in the construction of a columnar section of the rocks which underlie this coal field.

Since the completion of the sheet the Pottsville and Mahanoy division of the Pennsylvania Railroad has not only been connected with that of the Lehigh Valley at New Boston, but branch lines have also been constructed into the towns of Shenandoah and Mahanoy city. The advantage of the presence of these three competing lines is readily perceived.

The outcrop of the top of the Mauch Chunk red shale was placed on the sheet from a survey made by the geological survey corps. The outcrop of the Lykens Valley and the Buck mountain were located from the characteristics which are common to them and which we have already mentioned in their general description. The Skidmore and Seven Foot beds, which lie between the Mammoth and Buck mountain, are not defined by surface features or developed in colliery workings sufficiently to give an accurate location of their outcrop. They have been mined at the North Star, Webster, Hillside, Primrose, Coplay, Malvern, and other collieries on the sheets, so that if desired their outcrop may be approximately located by assuming their relative position to be the same on other portions of the sheet as at those which have been named. The same is equally true of the Primrose and Holmes beds which overlie the Mammoth.

In the immediate vicinity and north of the town of Mahanoy City the coal beds have been extensively mined. These colliery developments have very minutely proven the structure and contour of the several basins as well as adding much to a knowledge of the size and character of the coal beds. East of these collieries, however, while a knowledge of the general structure of the basins can be obtained from surface indications little has been done which leads us to a detailed knowledge of the character and condition of the beds.

This sheet is especially interesting as containing the extreme eastern outcrops of the Mammoth coal bed in the Western Middle field as well as showing the development of the lower coal measures along the several anticlinal and synclinal folds, which, on this sheet falling to the west so materially, effect the geological structure of the basin.

It is also interesting as showing the geological connection between the main Mahanoy and the New Boston basins, the latter of which is at present so little developed. There are eight distinct coal beds mined on this sheet, of these the Holmes bed, with a thickness of 10 feet, is not extensively worked. The Primrose, however, which is the next

coal bed above the Holmes is very extensively worked in both the main and middle Mahanoy basins. Its average thickness is about 10 feet. The Holmes bed, on this and Sheet No. II, is frequently confused with the Primrose bed. Each bed has been mined at adjoining collieries and their identification seems very plain. The confusion in the nomenclature of these beds has arisen more probably from trade reasons than from any misunderstanding as to their relative geological position.

The Mammoth bed has been extensively worked in each of the several basins on the sheet. A thickness of 7 feet for the top split, 8 for the middle split and 5 for the bottom split is therefore merely a record proven by mining developments. What the thickness and character of the same beds may be on the undeveloped portions of the sheet, it is, of course, impossible to state, but from the fact of their retaining their thickness over extended developed areas leads to a confidence that the same thickness and character will be maintained over the undeveloped areas adjoining. Below the Mammoth bed is the Skidmore, 6 feet thick; the Seven Foot, 6 feet thick; and the Buck Mountain, 11 feet thick. All of these beds are worked in each of the several basins on the sheet. Their thicknesses vary more than any of the beds which overlie them. The thicknesses given, however, are the best averages which can be suggested for this area.

Below the Buck Mountain is the Lykens Valley bed, the lowest coal bed in the series, its thickness as cut in the East Mahanoy railroad tunnel is but 3 feet. What the average thickness of this bed is over the entire sheet it is very difficult to determine, from the fact, that no colliery openings have been made upon it, neither have their been developments made along its outcrop by exploring shafts. The fact of the Lykens Valley bed having its minimum thickness at the eastern end of the field, while in the Trevorton collieries on Mine sheet VIII, at the western end of the field, it reaches its maximum thickness, coincides with a similar feature in the Southern coal field. In the eastern end of the Southern field it is very exceptional to find the Lykens Valley bed of workable thickness, in fact, it is un-

known in the colliery development of that portion of the region, but at the extreme western end of the Southern coal field it reaches its maximum thickness and condition. This thickening of the Lykens Valley bed near the western end of these two great basins is a point interesting in the study of the original deposition of this coal bed, not lessened by the commercial importance which the coal from this particular bed holds in competition with the other Anthracite coals known to the trade.

Mine Sheet No. II.

With the exception of a very small portion in its extreme southwestern corner Mine sheet No. II is covered with coal measures. This small portion outside of the coal measure is in the Mauch Chunk Red Shale. The Lykens Valley coal bed has been outlined on this sheet from surveys locating an exposure of its outcrop at several points. It is at no point opened by colliery workings. The Buck Mountain bed is worked to some extent and its outcrop determined largely from these workings.

The outcrop of the Mammoth bed is shown by actual mining developments at every point on the sheet where it reaches the surface. The Big Tracy, 4 feet thick, the Diamond, 7 feet thick, Little Orchard, 3 feet thick, and the Orchard, 11 feet thick, are found in the Ellan-gowan basin. All but the Little Orchard bed have been worked by water level drifts and from the developments in these drifts the above thicknesses were obtained. Between these beds and the Mammoth are the Primrose and Holmes, the former 8 feet thick and the latter 13 feet thick. The same confusion of nomenclature between the Primrose and Holmes which has already been mentioned in the description of Mine sheet No. I occurs on this sheet. The thickness of the Mammoth bed on this sheet is greater than that on sheet No. I the top split averaging 12 feet, the middle 8 feet, and the bottom 15 feet. The thickness of the slate also between the top and middle splits is here reduced from 80 to 40 feet. The Mammoth bed

has been very extensively worked on this sheet, both in the Mahanoy basin, between Gilberton and Mahanoy City, and in the Shenandoah basin in the vicinity of the town of Shenandoah. There still remains, however, an extended area of Mammoth coal in the Mahanoy basin as well as in the Ellangowan basin and its northern spur. Some of the heaviest coal producing collieries in the region are to be found on this sheet. They are mainly located in the vicinity of Shenandoah, and almost the entire production of these collieries is mined from the Mammoth bed. In addition to the Mammoth bed the Skidmore 4 feet thick, The Seven Foot 7 feet thick, and the Buck Mountain 12 feet thick have also been worked over limited areas. The most marked difference in the workings shown on Mine sheets Nos. I and II is that on mine sheet No. I, the Mammoth and the beds beneath it are the ones most extensively worked; while on sheet No. II which adjoins No. I on the west, the Mammoth and the beds above are extensively worked and the workings in those below the Mammoth comparatively limited.

There is probably no area in the Anthracite region which contains so much that is interesting in structural geology as that embraced by mine sheet No. II. The coal has been mined and the colliery workings advanced to such an extent that even the local secondary rolls of the several basins have been generally developed.

The most marked feature in the geology of the sheet is the presence of the Shenandoah and Bear Ridge overturns. The former is first observed in the workings of the Knickerbocker and Ellangowan collieries. In these workings as well as those of the Yatesville colliery there are developed a number of local rolls of greater or less extent which form secondary folds in the Shenandoah basin. Extending towards the west these folds become sharper, their dips steepen and they are brought very closely together. At the western end of the highest lift gangway in the Mammoth bed, of the Ellangowan colliery, it encounters a very sharp anticlinal and swings round on to its north dip. From this point west for a distance of four miles the north dip of the Shenandoah basin is overturned.

At the Ellangowan colliery at a point which we have already mentioned, the overturn dips are perpendicular or nearly so, but continuing to the west the overturn is more marked, at many places being paralled to the regular south dip of the Shenandoah basin.

Along its entire course the horizons containing both dips of the Mammoth bed are exposed on the crest of the overturned anticlinal. At many points, more especially at its eastern end, it is impossible to find the outcrop of the Mammoth bed along the overturned dip, in fact, between the Ellangowan and Knickerbocker collieries there has been little coal discovered between the outcrop of the Buck Mountain on the south dip of the Ellangowan basin, and that of the Holmes bed on the perpendicular north dip of the Shenandoah basin. Towards the western end of this overturned anticlinal, the dips of the overturn, while showing a greater overlap, do not show the same pinching of the measures, and in the vicinity of Packer colliery No. 3, the outcrop of the Mammoth on the overturned dip is exposed at several points.

This overturn crosses the western edge of Mine sheet No. II, and is entirely lost in the south dip workings of the Packer No. II colliery, located on Mine sheet No. III.

The dips of the Bear Ridge overturned anticlinal are equally well developed, its eastern portion being contained on this sheet. Its basin is a continuation of the Ellangowan basin to the west one of the marked characteristics of which is its extended flat dips. Unlike the Shenandoah anticlinal, approaching it from the east, the dips of the Ellangowan basin are unbroken by local folds, and retain their low dips to within a few hundred feet of the point where the overturn is developed.

This overturn is first seen just north of the old Furnace colliery, and from that point extends west along the south side of Bear Ridge. Like the Shenandoah overturn, the measures along the crest of the Bear Ridge overturn anticlinal have been eroded to below the Mammoth bed, thus exposing this horizon on both dips. This overturn differs from the Shenandoah overturn in the fact that its dips are

the same for almost its entire length. It has the additional peculiar feature, rarely seen in the Anthracite coal measures, of exhibiting a parallelism between the north and south dips of one basin, and the south dip of an adjoining basin.

This is illustrated by the parallelism of the dips in both the Bear Ridge overturned basin, and in the south dip of the Mahanoy basin. An interpretation of the geological structure of this ridge, from surface features alone, would be impossible. The colliery workings, however, have made developments which have given us quite an accurate knowledge of the position of the coal measures in this disturbed area. Unlike the overturned dips of the Shenandoah anticlinal, those of this overturn are at no point workable.

This overturned dip continues west beyond the western limit of sheet II, where it is last seen at the town of Girardville.

Mine Sheet No. III.

On Mine sheet III, there are three areas about two thousand feet wide, which contain no coal. Two of these cross the entire width of the sheet, while the third along the Locust Mountain anticlinal crosses the sheet line from the east, and is barren of coal until it reaches the Raven Run colliery. This latter area is about eight thousand feet long and two thousand feet wide, and together with the other two strips of barren area is covered by Mauch Chunk red shale. The balance of the sheet is within the coal measures.

The outcrop of the Lykens Valley bed has been located on the sheet from general surface indications, and its associated topography. At no point on the sheet is this bed opened either by colliery workings or by trial shafts along its outcrops.

The Buck Mountain bed is worked at a number of points, but nowhere so extensively as in the vicinity of Raven Run; it has been worked at so many points, however, that its outcrop is thereby very accurately determined.

The outcrop of the Mammoth bed is developed on all parts of the sheet by the colliery workings. The beds which

overlie the Mammoth are not extensively worked, in fact, with the exception of the Preston, Girard and William Penn collieries, the upper series of beds is untouched, although in one or two places where they have been cut in rock tunnels driven to develop other beds. Within the limits of the sheet there are no colliery workings on either the Big Tracy bed, which is 7 feet thick, the Diamond bed which is 4 feet thick, or on the Little Orchard bed which is 6 feet thick. These beds have only been proven in shaftings on different portions of the sheet and in rock tunnels, no workings have been opened upon them. The Orchard bed is opened at the Preston No. I colliery, where they have also worked the Holmes.

The Orchard bed here shows a thickness of 5 feet and the Holmes bed 10 feet. The Primrose is shown to be but 3 feet thick. This thickness for the Primrose is abnormal, and the positive identification of both the Holmes and the Primrose may be questioned. On this sheet all the benches of the Mammoth are together making a bed the thickness of which will average 25 feet. The Mammoth on this sheet, as on all others, is very extensively mined, although from the nature of the dips of most of the basins the workings have not extended over so great a horizontal area as those on sheet No. II. There still remains an immense amount of Mammoth coal in the William Penn and Girardville basins and their secondary rolls, which is yet to be mined. The No. 5 shaft of the Lehigh Valley Coal Company at Girardville, which has been sunk since the completion of our sheets, will develop both of these important basins.

There is no mining on this sheet on the Skidmore and Seven Foot beds, from the fact that they have not usually been found of workable thickness. This condition is greatly in contrast to that of the same beds on sheet No. I, where each of them are extensively worked. The Buck Mountain, however, is found with an increased thickness; it is mined very little on the southern portion of the sheet, but on its northern portion, in the vicinity of Raven Run, and on the south dip north of the Connor, Hammond and Pres-

ton collieries, mine workings in this bed extend over very large areas. The thickness of the Buck Mountain over these areas averages 15 feet. The workings of the Girard Mammoth colliery not only developed the Buck Mountain bed along the center and on the sides of the Centralia basin, but has also extended its workings to the crest of the Locust Mountain anticlinal, where these workings are narrowly separated by the axis of the anticlinal from those of the Hammond colliery on the opposite dip.

It will be observed that the coal production of this sheet has come almost entirely from the Mammoth and Buck Mountain beds, the other beds being either entirely unworkable or mined over very limited areas.

The Bear Ridge overturn which has before been noted on Mine sheet No. II, continues west on Sheet III as far as the town of Girardville. It carries the same characteristics with it on this sheet as those which it held on Sheet II, both as to the condition of the coal beds found in the overturn, and in the parallelism of the several dips which we have already noted.

In the southwest corner of this sheet is located the Mahanoy plane, of the Philadelphia and Reading railroad which for many years has hoisted the coal from the Mahanoy valley to the top of the Broad mountain, from which point the grade steadily descends towards tide water. The difference of elevation between the top and bottom of the plane is 353 feet, the elevation of the top of the plane being 1484 feet A. T. It will also be noted that while all of sheets I and II, and a large portion of sheet III, are in Schuylkill county, the northwestern corner of sheet III is in Columbia county.

Mine Sheet No. IV.

The southern portion of this sheet is included within the borders of Schuylkill; its northern portion is in Columbia county while along its western edge there is a portion of limited extent which is included in Northumberland county.

This sheet is covered by coal measures with the exception of a very limited area along the crest of Mine Ridge in the northeast corner of the sheet and also an additional barren area along the Mahanoy mountain, near its southern edge. This latter area runs across the entire length of the sheet and is about 2000' wide. Both these areas are in the Mauch Chunk red shale.

The workings of the Gordon colliery on the Lykens Valley bed, which extend over the borders of the sheet from the west, together with workings on the same bed of limited extent in the vicinity of Centralia and Montana, give the location of its outcrop very accurately in this particular neighborhood. Along its most southern outcrop it is easily located by its accompanying topography but along the south dip of the Mine Ridge anticlinal, just north of Centralia, anything more than an approximate location of its position is impracticable.

The Buck Mountain bed is worked at a number of points on the sheet. These colliery developments very accurately locate its outcrop. It is most extensively worked on the east and west sides of Mine run along the Locust mountain anticlinal, but west from this point as the anticlinal broadens there are neither workings nor shaftings along the outcrop by which to determine its position.

The Mammoth bed as on the other sheets to the east has its outcrop developed over almost the entire area of the sheet by the extended colliery workings which have developed its coal. There is an exception to this however, at the extreme western end of the Centralia basin where the deposit of wash along the south branch of Shamokin creek is so great that it is impossible to determine the outcrop of this bed.

A study of the geology of this sheet is interesting from the fact that in the vicinity of Ashland the Mahanoy basin is found of greater depth than at any other point in the Western Middle coal field. The great depth of the basin here is a very important point in the consideration of the exhaustion of the coal from this field. It is also here that the anticlinal, which to the east separates the Girardville

from the Mahanoy basin disappears and to the west these two basins combine in one regular synclinal trough.

The Locust Mountain anticlinal, the dips of which are so prominent in the Buck Mountain bed on the eastern end of this sheet as well as on Mine sheet No. III, gradually broadens and flattens in its progress west. This is true to such an extent that, instead of containing extended areas of Buck Mountain coal with flat dips and general surroundings tending towards profitable mining, it contains quite an extended area underlaid by no coal above the Lykens Valley, which probably at no point rises to the surface. This bed has never been opened along the Locust Mountain anticlinal, and nothing therefore is known of its thickness or condition. The beds above the Mammoth are worked over limited areas.

In the Mahanoy basin, the Big Orchard 4', the Primrose 8' and the Holmes 5', thick, have each been worked over limited areas. That these thicknesses will increase or decrease on other portions of the sheet it is impossible to determine. Except in the Coal Ridge basin the Mammoth bed occurs only as one bed and not separated into several splits as is frequently seen on the other sheets. Its thickness will probably average 25'. A bed said to be the Skidmore is opened on an overturn on Little Mine run. This is the only point on the sheet where this bed has been developed excepting in a rock tunnel at Logan colliery from which no gangways are driven. The Seven Foot bed is not generally recognized on the sheet though it may be represented by one of the several small leaders which occur between the Skidmore and Buck Mountain beds.

The Buck Mountain bed is worked at a number of points but most extensively along the Locust Mountain anticlinal south of the town of Centralia. West of Locust run on its south dip and west of Centralia on its north dip the workable thickness of the bed becomes questionable and from these points west we have little practical knowledge of the value of the bed. On the other portion of the sheet its probable average thickness is about 10'.

One of the prominent geological features of the sheet is

the Germantown Overturn anticlinal. This anticlinal is developed on Mine Sheet III as far east as the extreme eastern end of the Packer No. I colliery, from here it runs west under the town of Girardville separating the Girardville and William Penn basins. It reaches its lowest point at the eastern end of Girardville on Mine sheet II and rises with more or less regularity to the Bast colliery. Its dips continue very regular until within about 1,000' of the Bast colliery underground tunnel where the several dips of the anticlinal steepen and before the tunnel is reached these dips become overturned. The top of the anticlinal is here also eroded so that the overturned dip in the Mammoth bed is exposed along its outcrop. From the Bast colliery tunnel west the overlap increases very rapidly.

At the Locust Run colliery the outcrop of the Mammoth bed on the overturned dip swings rapidly south and at Cleaver and Yocums colliery joins the regular south dip of the Mahanoy basin. The overturned dips continue towards the west, the top of the anticlinal in the Mammoth bed however being below the surface. The outcrop of the overturned dip in this bed, again shows at the old abandoned Cambrian colliery and continues west overlapped along its course until in this condition it crosses the western edge of Mine sheet No. V.

The Germantown overturned anticlinal is remarkable as producing a parallelism of dips like those of Bear ridge, between the south dips of the Germantown overturned basin, the north dips of the same basin (which are the overturned dips) and the south dips of the Mahanoy basin, making three of the dips of two separate basins parallel.

Mine Sheet No. V.

This sheet is known as the Mt. Carmel sheet. It extends from a point one-sixth of a mile east of the town of Mt. Carmel, Northumberland county, which is far enough east to include in its north-eastern corner the line between Northumberland and Columbia counties. Its western limit is about 17000 feet west of the town of Mt. Carmel. With the excep-

tion of a very small portion in its south-western corner the sheet is covered by coal measures areas. This small portion being underlaid by the Mauch Chunk red shale in the valley next south of Locust mountain. Mine sheet V embraces collieries which work the following coal beds: The Upper Member of the Lykens Valley or No. I, the Buck Mountain or No. V; The Seven Foot or No. VI; Skidmore or No. VII; the Lower Member of the Mammoth bed or No. VIII; the Upper Member of the Mammoth bed or No. IX; and the Holmes or No. X. The relative thickness and position of these beds together with that of the rocks between them is shown on the columnar section printed on the border of the sheet. The lower portion of the section, which includes several leaders of coal, too small for mining, was developed in the water level tunnel driven at the Gordon collieries in order to cut the Lykens Valley bed No. I, from which all the coal the colliery produced was taken. The middle portion of the section, including all the coal measures from the bottom of the Lykens Valley No. I to the bottom of the lower member of the Mammoth No. VIII, was taken from a cross section made by the engineers of the Philadelphia Coal and Iron Co. through the Helfenstein slope. The data for this section was obtained from the mine workings of the several collieries in the Mahanoy basin, as well as from trial shafts, which had been sunk on the outcrops of the unworked beds.

The upper portion of the section, which includes the coal measures from the Lower member of the Mammoth bed to the Primrose bed, was constructed from sections measured by the Geological Survey in the underground tunnels of the Pennsylvania colliery, and also from a trial shaft which exposed the outcrop of the Primrose bed No. XI. These beds are all of greater or less importance on different parts of the sheet. Those which on some parts of the sheet are most profitable to mine are at other points unworkable. This is due to the thickening and thinning of the beds, and seems to be especially the case of the beds beneath the Mammoth.

The section, therefore, while giving the best possible il-

illustration of the general structure of the coal measures embraced by this sheet can hardly be exhibited as a representative section of the entire area. The coal beds above and including the Mammoth show about the same thickness on all parts of the sheet. But this is not true of the beds below. In the Mahanoy basin the beds below the Mammoth have been developed by mine workings but in the basins to the north, notably the Mt. Carmel, Pennsylvania, and Black Diamonds basins such is not the case. In the Pennsylvania colliery on the north dip of the Pennsylvania basin, a tunnel has been driven which cuts the Seven Foot bed No. VI and the Skidmore bed No. VII. The section of coal bed No. VII measured in this tunnel shows:

Top, hard sandstone.	
Coal,	0' 4"
Bone,	0' 2"
Good coal,	0 5"
Shelly coal,	0' 6"
Bottom, hard slate.	
Total,	
	1' 5"

It was at the time impossible to obtain a section of bed No. VI as the entire exposure of the bed, which was cut on the axis of an anticlinal a few feet below the level of the tunnel, was entirely under water. There is no other point in the Pennsylvania, Black Diamond or Mt. Carmel basins on Mine sheet V, where the beds underlying the Mammoth have been developed in the mine workings. Bore holes in the vicinity of Mt. Carmel, however, show the thickness of these beds to be very much reduced.

These beds have been worked over so limited an area that it would be clearly unfair to present them as representative sections. There are, however, with the exception of the bore holes in the vicinity of Mt. Carmel, no other developments which would indicate their character and thickness.

The development of the Lykens Valley bed to so great an extent as that of the Helfenstein colliery is exceptional within the limits of the Western Middle coal field. The North Franklin collieries on Sheet VIII, the Ben Franklin colliery on the adjoining mine Sheet No. VI and the Gordon colliery also on Sheet V being the only other extensive

colliery openings on this bed, outside the limits of the Lykens Valley district of Schuylkill and Dauphin counties.

Inquiry is often made as to the probable condition of the Lykens Valley bed in the undeveloped portions of the Western Middle field. This question is probably suggested by the developments on this bed on Sheet V which have no parallel on the four sheets of the series to the east. In the present state of mining development an opinion on the value of this bed, except where positively shown is largely a matter of conjecture.

On Sheet V the extent of the workings of the Helfenstein and Gordon collieries, together with the sections of the beds which were there developed, and the section cut in the Diamond drill bore holes at the Mt. Carmel colliery are the only data which at present give any information on this point. An average section of the Lykens Valley bed at the Helfenstein colliery is :

Rock top.	
Soft and shelly coal,	1' 0"
Slate,	5"
Coal good,	8' 5"
Rock bottom.	

and at the Gordon colliery is :

Rough coal,	2' 11"
Slate,	1' 0"
Coal,	5' 10"

The same bed was cut in the Diamond drill bore hole at the Mt. Carmel colliery, the record of which was given to the Survey by Mr. Thomas Righter, the indications are, however, that this hole was put down in confused dips and did not develop the bed at its normal thickness.

The upper member of the Lykens Valley bed No II has been developed at several points on Mine sheet No. V in trial shafts sunk on its outcrop. Its average thickness is two feet, so small that unless found in better development at some other point it need not be considered among the workable beds of the sheet for many years to come.

The position and thickness of the Buck Mountain bed on this sheet has only been determined by trial shafts along its outcrop. Recent developments have been made by

series of trial shafts along the Red Ridge anticlinal in the northwest corner of Sheet IV. These explorations while they do not extend as far west as Sheet V indicate that both dips of the Buck Mountain bed outcrop on this sheet. Along this anticlinal an attempt was made to locate the crop, but without the aid of trial shafts it was considered impracticable. The thickness of the Buck Mountain bed in the shaftings referred to on the western border of Sheet IV is 6 feet.

The Skidmore bed is developed and quite extensively worked in the Merriam, Monitor and Locust Spring collieries of the Philadelphia and Reading Coal and Iron Company in the Mahanoy basin. The fact that they are profitably mined is indicated by the extent of the workings.

The identity of this lower bed is somewhat confused with that of the Mammoth. The Mammoth bed, the lower split of which is No. VIII and the upper split No. IX, exhibits on this sheet to a very great degree a marked characteristic which is seen in many parts of the Anthracite Coal Fields, viz: The separation of the several benches into separate and distinct coal beds with intermediate thicknesses of sandstone and slate. At many points, notably the collieries located along the south dip of the Mahanoy basin and in portions of the Mt. Carmel shaft colliery the Mammoth occurs as one bed.

In other portions the Mt. Carmel shaft colliery the lower member of the Mammoth bed is much more extensively mined than the upper, while across the Mt. Carmel basin at the Pennsylvania colliery, only a few thousand feet north, the upper member is extensively worked over large areas and the bottom member but slightly worked. This fact is worthy of note, in connection with the already mentioned changes peculiar to the Mammoth bed in this and other vicinities.

In the same collieries it is divided into two and sometimes three distinct members. This makes the identity of beds in different areas very difficult, as in many cases two or more beds having a workable thickness and whose

individuality is well established at other points are joined and make but one workable coal bed. This feature is especially marked in the Mahanoy basin, in fact even with the extended workings at the Merriam, Monitor, Locust Gap and Locust Spring collieries the identity of all the beds is at present uncertain. An especial study of the beds at these collieries will shortly be made by the Survey with the object of exhibiting the accurate identity of the beds worked. It is believed that this can be very satisfactorily done when the mine workings have been further advanced. The present uncertainty in the identity of the individual beds is well illustrated by an incident which occurred in connection with the Monitor and Locust Spring collieries. The main slopes of both collieries are sunk on the supposed bottom bench of the Mammoth. In the Locust Spring colliery a tunnel was driven north 120 feet cutting the Skidmore bed (so called) at that distance. An air way in the east gangway opened from this tunnel was driven up the pitch and "holed" into the west bottom gangway from the Monitor colliery slope. This gangway is on what has always been accepted as the bottom member of the Mammoth bed, the slate separating this bed and the Skidmore bed elsewhere having disappeared and the two beds at this one point forming but one. This fact alone throws great doubt on the present identity of the beds, a doubt which can only be removed by the advance of the mine workings and a connected study of adjoining collieries.

The Holmes or No. X bed is worked at but one point on the sheet, in the Pennsylvania colliery, where it is developed by the underground tunnel driven north from the upper member of the Mammoth bed. The following section was taken at the face of this tunnel:

Top, hard sandstone.

Slate,	1'	10"
Rough coal,	1'	8"
Coal,	1'	2"
Bone,		2"
Rough coal streaked with bone,	2'	3"
Slate and bone,		11"

Total, 6' 11"

Bottom, sandstone.

The Locust Mountain anticlinal, which plays such a prominent part in the geology of the field on the sheets to the east, also crosses the entire width of Sheet No. V. The dips of the anticlinal are plainly seen in the gap cut through Locust Mountain by the waters of Locust creek in their course to the north. Unlike the sheets to the east there are almost no explorations made along Locust Mountain in the beds which underlie the Mammoth, the probabilities are, however, that the Skidmore and Seven Foot beds outcrop on both dips of the anticlinal along the entire length of the sheet and that the outcrop of the Buck Mountain bed is exposed from the eastern edge of the sheet to a point several hundred feet west of the gap made by Locust creek. The thickness of the long interval between the Buck Mountain and Lykens Valley beds precludes the possibility of this bed rising to the surface on the crest of the anticlinal.

The fact that the beds which underlie the Mammoth have not been explored along this anticlinal makes it impossible to give any definite estimate of their character or thickness. Such an estimate would be purely conjecture.

One feature worthy of mention is that the steepest dips which have been developed along the entire Mahanoy basin are found on this sheet; at several points they very nearly approach 90 degrees.

The Germantown Overturn basin, which has been referred to on Mine sheet No. IV, crosses the eastern edge of Sheet No. V, where it is encountered in the workings of the Merriam, Monitor and Locust Gap collieries. Its character is similar to that on Mine sheet No. IV, the overlap being equally extended. The structure and position of the coal beds in the Merriam and Monitor collieries is made still more complicated by the development of a second overturned anticlinal. The mine workings of these collieries have so far developed these abnormal dips that the construction of a very accurate section illustrating their various flexures is possible at a number of points.

On the western side of the sheet a third important overturned anticlinal has been developed in the workings of the Locust Spring colliery. A hoisting shaft was recently sunk

to a counter gangway at this colliery and from its foot an airway driven to the surface. This airway struck the summit of the overturned anticlinal, thus accurately defining its location. 300 feet west of the mouth of this hole, trial shafts have been sunk, which develop the outcrop of the Mammoth bed on both dips of the anticlinal. The south outcrop of this anticlinal will be still further developed as the workings from the New Locust Spring hoisting shaft, are advanced to the west. The bottom of the overturned basin attending this anticlinal on the north has not yet been reached by the workings of the Locust Gap colliery. Succeeding lifts from this colliery will, however, undoubtedly come in contact with it.

It will be noted that the Philadelphia and Reading, the Northern Central and the Lehigh Valley railroads are all represented in this portion of the field.

The drainage of the areas on the sheets to the east has been generally into Mahanoy creek, but on Sheet V, near its southwestern corner a watershed occurs, which throws the drainage into Shamokin creek, and makes the grade of the railroads favorable to a western trade.

Mine Sheet No. VI.

The Western Middle field is generally divided by the coal trade into the Mahanoy and Shamokin districts. Sheet No. VI, which is entirely within the boundaries of Northumberland county, contains a very small portion of the extreme western end of the Mahanoy basin and includes within its boundaries the most important part of what is usually known as the Shamokin district.

The town of Shamokin, from which the sheet gets its name, is located in its extreme northwestern corner. The drainage of the area embraced by the sheet is through Shamokin creek and its tributaries.

With the exception of a small portion in the southwest corner, the area of the sheet is included within the coal measures. In the vicinity of Shamokin the basin is very steep, and with the possible exception of a small area near

Ashland, contains a greater number of workable coal beds than at any places in the Western Middle field.

The parting between the Mauch Chunk red shale and the Pottsville conglomerate has been very accurately located by survey. It follows in an almost parallel direction, the wagon road through Helfenstein and Shamokin, until it reaches the top of Locust Mountain, where it swings to the northeast and turns west along the rise of the Locust Mountain anticlinal; from here it follows the regular north dip to the west.

The Lykens Valley coal bed has been extensively worked at the Ben Franklin colliery by Douty and Baumgartner, with this exception the Lykens Valley bed on this sheet is undeveloped. West of the Ben Franklin colliery no developments of any kind have been made on this bed. While these workings at the Ben Franklin colliery are the only ones on the sheet, others have been made at the Cameron colliery just north of the sheet in the Lykens Valley bed which will suggest some idea of its thickness along the northern portion of the sheet.

There is a possibility, hardly a probability that the coal bed of the Mt. Franklin colliery is identical with the Lykens Valley bed. It is however more likely a leader between that bed and the Buck Mountain.

The Buck Mountain or No. V bed has been opened at the Brady and Greenback as well as at the Enterprise collieries. The actual mining of the Buck Mountain coal bed on this sheet has been quite limited there being no exposures along its outcrop other than those developed by the progress of the mine workings.

The Skidmore bed has been worked only at the Enterprise colliery, a section is as follows:

Rock top.	
Coal,	4' 3"
Slate,	2"
Coal,	6'
Rock bottom.	

The Mammoth bed is extensively worked on the sheets, although there is still a large area east of Shamokin along Quaker run in which all the beds are untouched. On

this sheet the Mammoth is almost invariably worked in two splits, one being worked to the same extent as the other.

The beds above the Mammoth are extensively worked just south of the town of Shamokin at the Henry Clay, Peerless, Frank Gowan, Franklin, Clinton, Alpha and Daniel Webster collieries, the thicknesses of these beds are as follows: Bed No. XVI, 5', Bed No. XV, 6', Bed No. XIV, 8', Bed No. XIII, 6', Orchard Bed No. XII, 4', Primrose Bed No. XI, 7' and Holmes Bed No. X, 3'.

The most notable features on this sheet are the outcroppings along their axes of the Mahanoy basin and of the Locust Mountain anticlinal. This basin and anticlinal are prominent on all the sheets to the east and their disappearance from the coal measures, and the succession of another series of basins and anticlinals succeeding them is a matter of great interest.

It will be noted that in the exploration of the Mahanoy basin the flexures developed on Mine sheets I and II and all of those on Mine sheet III, with the exception of the Centralia basin, are lost and that all the flexures which appear west of the extreme end of the Locust Mountain anticlinal are, with the same exception, those which have first made their appearance on sheets IV and V. In the description of Mine sheet No. V reference was made to the overturned anticlinal developed by the Locust Spring colliery, and mention made of the exposures of the outcrop of the Mammoth bed on both dips of the overturn. After crossing the western edge of Mine sheet VI the anticlinal broadens, thus increasing the distance which separates the main Mahanoy basin from its more northern spur which is first developed between the Locust Gap and the Locust Spring collieries. The Locust Spring overturn dip is in the northern of these two basins. Where it crosses the eastern edge of Mine sheet VI, the overlap extends some distance across the basin but before it reaches the extreme western end of this northern spur the overturn changes to a perpendicular dip. There are no shaftings along the outcrop of the northern basin, so that its position is necessarily approximately located from surface expos-

Each of the above divisions are sub-divided into districts. The following table gives the name of each colliery in the region, together with its location, name of operator, shipping railroad, and production or shipment in 1884, 1885 and 1886. It also gives reference numbers by which each colliery can be found on the map of the region in the atlas accompanying this report.

The following tables give the shipments and productions in 1884, 1885, and 1886, of the collieries at work in—

	Page.
1. Carbondale district,	1013
2. Scranton district,	1014
3. Pittston "	1016
4. Wilkes Barre district,	1018
5. Plymouth "	1020
6. Green Mountain "	1021
7. Black Creek "	1021
8. Hazleton "	1022
9. Beaver Meadow "	1022
10. East Mahanoy "	1023
11. West " "	1023
12. Shamokin "	1025
13. Panther Creek "	1026
14. East Schuylkill "	1027
15. West " "	1027
16. Lorberry "	1028
17. Lykens Valley "	1029
18. Loyalsock "	1029

the Wilson and Dewart tract. One of these was a slope which was sunk about 25 yards, and from which short gangways have been driven east and west. The thickness of the bed is about 10 feet. Other portions of this outcrop were located from the characteristic topography which usually accompanies the Lykens Valley bed. It is worthy of note that on all the existing maps there is a marked break in the continuity of the Lykens Valley crop, south of the Bear Valley shaft workings. The form of this change of direction would indicate a saddle and basin, such do not exist in the Lykens Valley bed, and the direction of the outcrop is regular and continuous. This formation was probably suggested by the outcrop of the Mammoth bed rising from the Enterprise basin, and the Lykens Valley outcrop was placed on the maps parallel to that of the Mammoth. The slightest observation on the ground, however, dispels this idea.

The Buck Mountain bed is cut in the Burnside tunnel. A section shows:

Top.	
Coal, good,	2 0'
Slate,	2"
Coal, good,	9"
Slate,	2"
Coal,	3' 0"
Bottom.	

This is the only point on this sheet where the Buck Mountain bed has been mined. Whether it will maintain or increase this thickness is purely a matter of conjecture. The Seven Foot and Skidmore beds Nos. VI and VII are not mined on the sheet so that it is impossible to make any estimate of their value.

The Mammoth bed on this sheet, as on Mine Sheet VI, occurs in two splits, both of which are worked. Wherever the bed has been opened the average thickness of the lower member No. VIII shows 9', while the upper member No. IX shows 7'. On portions of the sheet a third member occurs 6 feet thick.

About one-half of the area of the coal measures on this sheet are entirely undeveloped by mine workings, and with

NORTHERN COAL FIELD.
2. *Scranton District.*

Map number.	No. of Inspector's district.	NAME OF COL- LIERIES, 1884.	Location.	Operator.	Shipping Rail- road.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
26	2	Sibley,	Old Forge twp., Lacka co.	Elliott McClure & Co.	L. & B. R. R.,	47,818	69,944	79,646	65,394	65,394
27	2	Greenwood shaft and slope.	Lacka twp., ...	Penn. Anth. Coal Co.	D. & H. and L. & S. R. R.,	130,965	120,197	121,685	82,173	84,423
28	2	Dunn S. and S., ..	Old Forge twp.,	" " "	L. & B. R. R.,	59,818	78,535	88,207	117,541	118,897
29	1	Mdow Brk. shaft,	Scranton, 20th ward.	Wm. Connell & Co.,	" " "	143,263	112,117	131,308	140,427	176,540
30	1	Nat. S. and S. and Mdow Brk. tun.	Lacka twp.,	" " "	" " "	119,627	106,622	106,622	98,962	98,962
31	1	Bridge,	Scranton, 14th ward.	Bridge C' Co. (Lim.)	D. & H. and L. & S. R. R.,	64,560	60,624	75,539	78,649	102,002
32	1	Mt. Pleasant, ...	Scranton, 14th ward.	William T. Smith, ...	D. L. & W. R. R.,	107,000	114,637	123,637	125,222	133,182
33	1	Green Ridge,	Dunmore bor.,	O. S. Johnson,	D. & H. C. Co.,	139,000	130,045	135,749	130,856	126,436
34	1	Church,	Scranton, 2nd ward.	Church C' Co. (Lim.)	" " "	4,948	14,000	2,700	10,940
35	1	Archdale shaft,	Lacka twp.,	D. L. & W. R. R. Co.	D. L. & W. R. R.,	114,878	99,262	33,061	157,537	167,637
36	1	Sloan,	" " "	" " "	" " "	124,537	172,770	180,203	163,843	176,466
37	1	Pyne,	" " "	" " "	L. & B. R. R.,	128,113	166,367	173,100	166,967	174,184
38	1	Taylor,	" " "	" " "	" " "	124,118	144,649	150,602	178,713	184,713
39	1	Oxford,	Scranton, 5th ward.	" " "	" " "	66,104	16,134	19,510	150,007	127,241
40	1	Dodge,	Lacka twp.,	" " "	" " "	113,240	145,979	151,444	148,063	158,068
41	1	Bellevue shaft, ...	" " "	" " "	" " "	74,553	119,980	124,620	168,943	184,248
42	1	Bellevue slope, ...	" " "	" " "	" " "	68,104	40,378	44,496
43	1	Hampton shaft, ...	" " "	" " "	D. L. & W. R. R.,	146,506	22,328	24,008
44	1	Central sh.,	Scranton, 5th ward.	" " "	" " "	136,894	182,169	180,345	206,460	227,946
45	1	Central shaft,	Scranton, 5th ward.	" " "	" " "	173,635	213,011	227,846

is caused by a prominent anticlinal. This anticlinal apparently being the same which is shown in the Mammoth bed at the water level drifts of the North Franklin No. 2 colliery. As the shaftings along the outcrop of the Lykens Valley bed in this vicinity have been accurately located by survey, there can be no doubt of the inaccuracy of the existing maps in this particular.

One of the marked features in the coal measures on this sheet is the unusual development of both of the Lykens Valley coal beds, each of which will average about 10' in thickness. Both of these beds have been extensively mined at North Franklin No. I colliery, but the workings on them are at present abandoned. Below the Mammoth, the Buck Mountain and Seven Foot have also been worked, each showing a thickness of 7'. The Mammoth as on Sheet VI and VII, appears in two separate beds.

In the workings of the rock slope at North Franklin No. 2 colliery, a coal bed is cut 112 feet under the lower member of the Mammoth, which is locally known as the Skidmore. More extended developments, however, will possibly prove that this bed is a third split of the Mammoth, with existing data, however, such a conclusion may be premature.

The thickness of each of the members of the Mammoth bed on this sheet is 12'. The beds above the Mammoth have not been worked, and have only been proven in a series of shaftings.

All the coal on these sheets is mined by the North Franklin Nos. 1 and 2 collieries, and while the sheet and district receives its name from the town of Treverton. This town is not only outside the borders of the sheet, but also beyond the borders of the coal measures. Together the North Franklin collieries 1 and 2, are known as the Treverton collieries.

2. Scranton District—Continued.

Map number.	No. of Inspector's district.	NAME OF COL- LIER Y, 1884.	Location.	Operator.	Shipping rail- road.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
69	1	Richmond shaft,	Scranton, 2nd	Elk Hill C. & I. Co...	D. L. & W. R. R.	6,079	34,916	34,316	34,916	37,597	39,347
70	1	Spencer.....	ward.	A. D. & L. M. Spencer,	" "	55,070	95,096	87,896	95,096	75,839	83,132
	1	Local Sales Mines	Dunmore.....				33,534		33,534		35,440
							4,782,116		5,120,553		5,164,239

3. Pittston District.

Map number.	No. of Inspector's district.	NAME OF COL- LIER Y, 1884.	Location.	Operator.	Shipping rail- road.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
71	2	Exeter.....	West Pittston,	Lehigh Valley C. C.	L. V. R. R.,	127,170	134,800	14,386	15,822	109,700	110,000
72	2	Heidelberg shaft,	Pittston twp.,			85,000		78,605	79,068		
73	2	Everhart (Bos- ton.).....	Jenkins twp.,	Dinnny & Cowan,	L. & S. R. R.,	28,000		29,634	30,131	31,350	31,350
74	2	Tompkins shaft,	Pittston boro	A. Tompkins.....	L. V. R. R.,	16,247		22,622	23,076	23,340	23,615
75	2	Spring Brook,	Lackawanna tp.	W. E. Colburn.....	D. & H. C. Co.,	38,700		19,625	20,646	62,238	62,238
76	2	Twin shaft,	Pittston boro,	Butler Coal Co.,	L. V. R. R.,	46,969		10,301	11,249		
77	2	Beaver Slope,	" "	Waterman & Beaver,		2,978					
78	2	Phenix,	Marcy twp.,	Phoenix Coal Co.,	L. & B. R. R.,	46,714					
79	2	Fairmount,	Pittston twp.,	J. N. Rice.....	D. & H. L. & S.,	47,562		31,411	36,496	7,000	7,300
80	2	Butler,	" "	Dinnny & Cowan,	D. & H. L. & S.,	32,066		77,230	78,513	18,051	20,436
81	2	Mosier,	Hughestown,	Butler Coal Co.,	L. V. R. R.,	69,032		149,561	154,871	92,834	92,834
82	2	Schooley,	Wyoming,	Hillside Coal & I. Co.	E. & W. V. R. R.,	78,832	93,021	110,161	111,271	140,598	140,598
83	2	Consolidated,	Pleasant Val'y.			60,387				95,973	97,172
84	2	Central,									
		Shaft No. 12,	Pleasant Val'y.	Peuna. Coal Co.,	E. & W. V. R. R.,	49,496					
		Shaft No. 13,	Old Forge twp.,			33,845					

fields, where the occurrences of isoclinals and sharp narrow anticlinals and synclinals is most frequent. In other fields the flexures gradually become flatter, broader, and further apart toward thenorth-west. The structure in the Eastern Middle field is an apparent exception; when it is remembered, however, that in this district the flexures in the coal measures are found at a much greater height above ocean level, and the coal-basins are generally much shallower than in the Southern field, the general conclusion holds true, for the most complicated structure is invariably found in the bottoms of the coal-basins, where the squeezing of the strata was the greatest during the original plication.*

The Northern field, which is further removed from the area of maximum disturbance, is composed of a broad, canoe-shaped basin with moderate dips, the surface of any one of the coal measure strata, in general, being but slightly undulated by broad, low anticlinals and shallow synclinals, while the structure of the Loyalsock and Mehoopany field,† which is still further removed is identical with that of the Pennsylvania bituminous field; the average maximum dips of the coal bed ranging from between 3 feet in one hundred to 5 feet in one hundred.

Some idea may be had from the following table, of the depths of some of the anthracite basins in which information has been obtained, of a sufficiently definite character, to permit of estimates being made. The elevations are given in feet above ocean level:

Northern Field, Wilkes Barre basin.

	<i>Feet.</i>
Wilkes-Barre (L. V. R. R. depot),	+549
Mammoth bed outcrop on north side of basin, at Kingston Coal Company's slope No. 2,	+778

* The difficulties which have been encountered in mining near and in the bottoms of the Lehigh basins, foreshadow the greater irregularities of structure, which will probably be met with in mining in the bottoms of the Southern field basins. Although the details of structure are rarely duplicated in different districts, yet I believe a careful mapping and study of the structural geology of the Lehigh basins will aid materially in the most economical development of the deeper portions of the Southern field basins.

† This field has been provisionally named the Western Northern.

Mammoth bed outcrop on south side of basin, at Hol-	
lenback slope No. 2,	+774
Bottom of Mammoth bed basin under flat, north of	
Wilkes-Barre (estimated),	+800*
Width of basin, 23,200 feet (4.4 miles).	

*Eastern Middle field.**Drifton Basin.*

Drifton (L. & S. R. R. depot),	+1633
Buck mountain bed outcrop on north side of basin, at	
Drifton slope No. 2,	+1692
Buck Mountain bed outcrop on south side of basin, . .	+1645
Bottom of Buck Mountain bed basin,	+1150
Width of Basin, 2,250 feet (.4 miles.)	

Hazleton Basin.

Hazleton (L. V. R. R. depot),	+1612
Mammoth bed outcrop on north side of basin,	+1660
Mammoth bed outcrop on south side of basin, at Hazle-	
ton slope No. 6,	+1672
Bottom of Mammoth bed basin,	+850
Width of basin along line through Slope No. 6. 3800 feet	
(.7 miles).	

Western Middle field, Mahanoy basin.

Gilberton (P. & R. R. depot),	+1133
Mammoth bed outcrop on north side of basin, Gilberton	
slope,	+1223
Mammoth bed outcrop on south side of basin, at Draper	
slope,	+1275
Width of basin along line through Gilberton slope, 3050	
feet (.6 miles).	

Southern field, Panther Creek basin.

(Near Tamaqua).

Tamaqua (P. & R. R. R. depot),	+803
Mammoth bed outcrop on north side of basin,	+1250±
Mammoth bed outcrop on south side of basin,	+1300±
Bottom of Mammoth bed basin (estimated),	-1000

* Depth attained by workings in Prospect colliery is now over 300 feet below ocean level.

The Anthracite region has been grouped into five principal divisions, as follows :

(1) Northern or Wyoming and Lackawanna field lies in the two valleys from which it derives its geographical name, and is embraced almost entirely by Luzerne and Lackawanna counties. A small area in the extreme north-eastern end of the field extends into Wayne and Susquehanna counties.

(2) Eastern Middle or Upper Lehigh field, lying between the Lehigh river and Catawissa creek and principally in Luzerne county, with limited areas extending into Carbon, Schuylkill, and Columbia counties.

(3) Western Middle or Mahanoy and Shamokin field, lying between the easternmost headwaters of the Little Schuylkill river and the Susquehanna river and within Schuylkill, Columbia, and Northumberland counties.

(4) Southern or Pottsville field, extending from the Lehigh river, at Mauch Chunk, south-west to within a few miles of the Susquehanna river, directly north of Harrisburg, and embraced by Carbon, Schuylkill and Dauphin counties. The eastern end of this field, known as the Lower Lehigh or Panther Creek basin, between Tamaqua, on the Little Schuylkill river, and Mauch Chunk, on the Lehigh river, has generally been included by the coal trade in the Lehigh field, from the fact that its coals resemble more closely the coals obtained in the Upper Lehigh region than those in the Pottsville field west of Tamaqua, and since the shipments to market have almost entirely been made through the Lehigh Valley.

(5) Loyalsock and Mehoopany field lies within the area drained by the headwaters of the Loyalsock and Mehoopany creeks, and is contained in Sullivan and Wyoming counties. This field is from 20 to 25 miles north-west of the western end of the northern field. Its geological structure resembles more closely that of the bituminous field, in which it has until recently been included, although the composition of many of its coals entitles them to rank with a number from the anthracite region.

EASTERN MIDDLE COAL FIELD.
6. Green Mountain District.

160	4	Up. Lehigh No. 2	Upper Lehigh,...	Up. Lehigh Coal Co.	L. & S. R. R.,	166,138	182,849	162,050	182,830	170,780	194,138
161	4	" No. 4	"	"	"	184,981	177,817	182,728	180,671	180,942	190,942
162	4	Pond Creek,....	Pond Creek,....	M. S. Kemmerer,....	"	47,372	50,750	42,582	45,494	46,332	49,466
						382,482	410,916	387,969	418,985	401,071	424,546

7. Black Creek District.

163	4	Sandy Run,....	Sandy Run,....	M. S. Kemmerer & Co.	L. & S. R. R.,	137,448	147,174	148,293	158,720	135,078	146,344
164	4	Cross Creek No. 1	Drifton,	Coxe Bros. & Co.,....	L. V. and L. & S.,	196,023	238,521	201,681	221,467	182,467	492,582
165	4	" No. 2	"	"	"	164,767	187,777	184,450	202,530	453,258	
166	4	" No. 3	"	"	"	1,310	1,878	173	2,228		
167	4	Tomhicken,....	Tomhicken,	"	S. H. & W. R. R.,	65,890	68,250	79,184	87,425	75,354	82,460
168	4	Derringer,....	Derringer,	"	"	73,632	78,974	96,007	102,983		286,185
169	4	Gowen,	Gowen,	"	"	121,618	127,158	130,224	136,686		138,668
170	4	Highland No. 1	Highland,	G. B. Markle & Co.,...	L. V. R. R.,	104,179	116,833	92,143	99,514	128,397	136,396
171	4	" No. 2	"	"	"	46,254	54,254	91,027	98,309	126,295	122,380
172	4	Oakdale No. 1	Jeddo,	"	"	85,505	82,442	88,040	96,055	113,298	113,200
173	4	" No. 2	"	"	"	87,656	94,667	96,696	104,675	104,815	
174	4	Council Ridge	Eakley,	Coxe Bros. & Co.,....	L. V. & L. & S. R. R.	130,025	158,463	188,670	205,924	83,012	36,499
175	4	Council Ridge	"	"	L. & S. R. R.,	188,598	194,646	188,635	201,013	125,574	137,657
176	4	Ebervale,....	Ebervale,	Ebervale Coal Co.,...	L. V. R. R.,	134,703	173,907	115,529	150,559		56,723
177	4	Black Ridge,....	Conyngham,....	J. S. Wentz & Co.,...	"	9,361	10,066	76,575	86,603	52,522	6,467
178	4	Harleigh,....	Harleigh,	Kemmerer & Co.,...	"	82,534	96,302	74,938	81,009	5,780	
179	4	Lattimer No. 1	Lattimer,	Pardee Bros. & Co.,...	"	69,380	71,009	17,009	21,961	75,853	98,784
180	4	" No. 2	"	"	"	75,374	81,401	71,999	79,751	94,025	100,497
181	4	" No. 3	"	"	"	73,553	79,442	104,899	114,839		
182	4	Milneville Nos. 6 and 7,....	Milneville,	Stout Coal Co.,....	"	69,766	79,902	89,464	101,951	100,015	108,016
183	4	Hollywood,....	Hollywood,	C. Pardee & Co.,....	"	90,977	100,410	84,607	94,249	110,363	119,394
						2,013,314	2,248,384	2,154,775	2,362,437	2,009,663	2,184,182

8. Hazleton District.

Map number.	No. of Inspector's district.	NAME OF COLLIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL-ROAD.	1884.	1885.	1886.
						Shipment—long tons.	Shipment—long tons.	Shipment—long tons.
						Production—long tons.	Production—long tons.	Production—long tons.
184	4	East Sugar Loaf No. 1.....	Stockton,	Linderm'n Skeer & Co.	L. V. R. R.,	50,497	98,555	4,545
185	4	East Sugar Loaf No. 2.....	"	"	"	54,402	56,550	80,305
186	4	East Sugar Loaf No. 3.....	"	"	"	104,086	110,572	104,648
187	4	East Sugar Loaf No. 5.....	"	"	"	111,340	70,519	94,814
188	4	Humboldt.....	Humboldt.....	"	"	64,839	73,727	70,230
189	4	Hazlebrook.....	Lumber Yard,	"	"	18,530	45,812	28,965
190	4	S. Sugar Loaf.....	Hazleton	J. S. Wentz & Co.,	"	35,578	20,306	52,038
191	4	Laurel Hill.....	"	A. Pardee & Co.,	"	81,973	94,200	30,671
192	4	Hazleton No. 1.....	"	"	"	94,446	103,230	113,426
193	4	" No. 2.....	"	"	"	45,564	54,915	65,791
194	4	" No. 3.....	"	"	"	93,559	51,870	101,491
195	4	Sugar Loaf.....	"	"	"	30,152	34,009	40,453
196	4	Cranberry.....	"	"	"	73,122	109,049	114,689
197	4	Crysal Ridge.....	"	"	"	30,035	8,433	11,400
198	4	Mt. Pleasant.....	"	Pardee Sons & Co., ..	"	129,741	180,226	182,925
						1,024,494	1,057,838	1,041,050
						1,120,172	1,167,669	1,116,748

9. Beaver Meadow District.

Map number.	No. of Inspector's district.	NAME OF COLLIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL-ROAD.	1884.	1885.	1886.
						Shipment—long tons.	Shipment—long tons.	Shipment—long tons.
						Production—long tons.	Production—long tons.	Production—long tons.
199	4	Beaver Meadow Coleraine No. 1.....	Beaver Meadow,	Coxe Bros. & Co.,	L. V. R. R.,	120,568	120,384	181,373
200	4	" and 2.....	"	W. T. Carter & Co., ..	"	131,950	112,000	88,000
201	4	Spring Mt. No. 1.....	Joanessville,	J. E. Haydon & Co., ..	"	91,059	109,967	101,146
						127,544	138,139	130,324
						189,850	128,552	94,848
						102,080	120,567	112,273

202	4	"	"	"	"	102,160	113,160	111,559	124,559	125,793	139,793
203	4	and 5.	Beaver Br'k No. 1	Frenchtown.	C. M. Dodson & Co.	123,175	138,162	143,497	160,115	162,281	178,012
204	4	and 2	Spring Br'k No. 5	Yorktown.	Geo. Myers & Co.	81,093	89,925	77,561	94,810	95,069	71,069
205	4	"	"	"	"	91,833	101,757	84,383	94,383	95,255	107,260
206	4	"	"	"	"	33,553	44,792	58,275	68,947	71,414	97,414
207	5	Honey Br'k No. 1	Autenried.	Tresckow.	Lehigh & W. B. C. C.	121,992	132,742	94,130	107,657	70,035	71,025
208	5	"	"	"	"	154,073	186,142	142,181	150,635	112,902	122,902
209	5	"	"	"	"	110,420	123,937	163,771	173,152	122,462	135,462
210	5	Silver Brook.	"	"	Silver Br'k Coal Co.	1,172,514	1,310,212	1,223,637	1,360,516	1,142,312	1,267,899

WESTERN MIDDLE COAL FIELD.

10. East Mahanoy District.

210	5	Ellan gowan.	Maple Dale.	P. & R. C. & I. Co.	P. & R. R. R.	278,377	353,734	390,925	384,603	405,603
211	5	Kniekerbocker.	Yatesville.	"	"	165,573	205,565	210,365	238,214	240,214
212	5	St. Nicholas.	St. Nicholas.	"	"	73,402	11	6,011
213	5	Tunnel Ridge.	Mahanoy City.	"	"	79,431	25	7,225
214	5	Elmwood.	"	"	"	103,164	93,407	98,377	128,061	140,661
215	5	Mahanoy City.	"	"	"	50,196	129,901	124,901	129,016	145,016
216	5	North Mahanoy.	"	"	"	83,959	119,164	123,865	146,825	161,825
217	5	Schuylkill.	"	"	"	114,573	127,328	131,528	116,946	124,946
218	5	Suffolk.	St. Nicholas.	"	"	113,573	149,981	154,431	150,989	161,989
219	5	Glendon.	Mahanoy City.	J. C. Haydon & Co.	L. V. R. R.	42,486	108,091	118,673	101,709	104,763
220	5	Primrose.	"	Nevilla & Co.	"	61,505	61,505	52,505	71,079	80,079
221	5	Park No. 1.	"	Leitz & Co.	"	85,716	4,987	5,987	2,405	2,740
222	5	Park No. 2.	"	"	"	100,810	84,809	95,927	151,316	171,733
223	7	Middle Lehigh.	New Boston.	Middle Lehigh C. Co.	"	1,800	126,059	123,623	120,560	127,733
224	5	Buck Mountain.	Mahanoy City.	Buck M't'n Coal Co.	"	1,832,565	80,459	86,530	90,398	90,945
							1,635,006	1,719,533	1,321,489	1,963,237

11. West Mahanoy District.

225	6	Alaska shaft.	Alaska station.	P. & R. C. & I. Co.	P. & R. R. R.	167,115	177,142	203,263	210,263	70,408	74,632
226	6	Reliance.	Mt. Carmel.	"	"	91,127	96,592	115,204	118,504	97,190	102,947
227	6	Locus Spring.	Locus Gap.	"	"	80,407	84,600	108,662	112,362	117,662	124,662
228	6	Merriam.	Locus Summit.	"	"	86,283	91,100	114,649	121,549	131,974	171,662

259	Hazel Dell,	Centralla,	L. A. Riley & Co.,	L. V. R. R.,	151,984	150,389	178,082	186,112	180,524	174,467
260	Logan,	"	"	"	200,798	216,149	196,711	212,316	201,356	217,641
261	Continental,	"	"	"	60,152	60,605				
262	Pucker No. 1,	Colorado,	L. V. C. Co.,	"	33,803	38,018		3,264		2,406
263	" " 2,	Last Creek,	"	"	127,756	131,852	40,903	182,163	170,391	182,013
264	" " 3,	Brownsville,	"	"	117,231	123,681	144,164	214,100	212,074	227,726
265	" " 4,	Lost Creek,	"	"	201,806	210,608	208,310	214,100	212,074	227,726
266	" " 5,	"	"	"			1,892	2,125	63,112	73,056
267	Cuyler,	Rapahannock,	"	"	130,886		25,223	28,383		
268	William Penn,	Haven Run,	S. M. Heaton & Co.,	P. & R. R.,	232,000	235,000	240,067	242,109	235,000	255,000
269	Locust m'tn,	Shaft Post-office,	Wm. Penn Coal Co.,	"	9,850		13,895	15,016		
270	Kehey Run,	Shenandoah,	W. J. Lloyd,	"	110,238	115,922	106,730	108,888	116,418	119,849
271	Cambridge,	"	Thomas Coal Co.,	"	12,607		8,981	8,981	6,753	6,939
272	S. Laurel Ridge,	Gilberton,	Cambridge Coal Co.,	"	17,579	17,579	17,529	17,529	30,689	31,039
273	Lawrence,	"	S. H. Barrott,	"	5,483	5,883	16,108	16,408	11,655	11,905
274	Draper,	Mahanoy Plane,	Lawrence & Brown,	"	79,262	94,360	67,165	96,873	105,669	125,379
275	Ben Franklin,	Gilberton,	Oliver Ditson,	"	113,448	123,014	130,515	162,354	115,606	128,406
276	Rausch Gap,	Doutyville,	Douty & Baumgar't,	"	14,442	14,782				
277	"	Valley View,	Israel Nye,	"	1,831					
278	"	"	"	"	4,649,061		4,597,432	4,868,799	4,403,081	4,745,564

12. Shamokin District.

279	N. Franklin No. 1, R. Ash,	Trevorton,	P. & R. C. & I. Co.,	P. & R. R.,	33,817	35,846				
280	N. Franklin No. 2, W. Ash,	"	"	"	76,273	80,849	108,709	111,709	111,832	118,663
281	Dear Valley,	Shamokin,	"	"	83,051	87,933	92,867	96,467	84,307	88,306
282	Burnside,	Carbon Run,	"	"	64,163	67,840	93,635	97,426	101,910	108,025
283	Peetrees,	Shamokin,	"	"	19,194	20,346	43,012	46,162	62,307	66,046
284	Buck Ridge,	"	"	"	6,782					
285	Greenback,	Greenback,	"	"	43,039	45,021				
286	Cumeron,	Shamokin,	Mineral R.R. & M. Co.,	N. C. R. R.,	207,833	220,464	230,094	245,436	176,461	182,931
287	Luke Fidler,	"	"	"	124,826	129,626	136,846	146,876	104,148	115,728
288	Hickory Ridge,	Coal Run,	"	"	32,017	34,730	41,649	44,865	38,312	43,252
289	Hickory Swamp,	Green Ridge,	"	"	28,740	30,177	61,250	66,011	63,522	67,942
290	Pennsylvania,	"	"	"	120,249	146,010	96,641	108,189	217,976	231,976
291	Lancaster,	Coal Run,	"	"	19,800	20,208	7,770	7,904	7,413	7,629
292	Royal Oak,	Shamokin,	Smith & Keiser,	P. & R. R.,	3,119	3,366	3,669	4,279	1,071	1,135
293	Sterling,	Carbon Run,	P. & R. C. & I. Co.,	"	104,401	110,665	86,244	86,669	18,314	19,413
294	Henry Clay,	Shamokin,	"	"	55,629	56,736			62,063	66,787
295	Star,	"	Chas. Hutchinson,	"	4,940	5,075	6,515	6,815		

311	7	"	"	12	Coalsdale,	"	"	89,430	91,405	96,304	101,976
312	7	"	"	13	Tamaqua,	"	"	30,550	19,114	20,163	21,404
	7	Leased mines,...				"	"	9,621	7,221		
								938,844	1,127,291	1,224,468	1,219,167

14. East Schuylkill District.

313	7	Beechwood,	Mt. Lafceco,	P. & R. C. & I. Co., ..	P. & R. R.,	185	13,856	18,657	60,442	64,068
314	7	Wadesville shaft,	Wadesville,	"	"	29,555	6	6,006		
315	7	Pottsville,	Pottsville,	"	"	12,459	2,152	5,152		
316	7	Pine Forest,	St. Clair,	"	"	31,060	25	6,025		
317	7	Eagle Hill shaft,	Cumbola,	"	"	82,215	142,020	149,827	215,175	228,457
318	7	Eagle,	St. Clair,	"	"	84,319	45,104	47,704	40,319	42,738
319	7	Reppiler,	New Castle,	John F. Quinn & Co., ..	"	3,403	4,801	5,082	1,070	1,134
320	7	Monitor,	Wadesville,	John Mullin & Co., ..	"	6,400	4,700	4,982	6,580	6,974
321	7	Cumtee,	St. Clair,	Thomas Wren & Co., ..	"	1,354	4,069	4,949	8,650	9,169
322	7	Hooker,	New Philadelphia,	Alliance Coal M. Co., ..	"	61,812	48,844	51,773	425	450
323	7	Palmer Vein,	Middleport,	"	"	62,300	101,823	107,832	159,063	168,628
324	7	Coal Hill,	Hythe twp.,	William Basler,	"	979	4,150	4,390	4,983	4,964
325	7	East Lehigh,	Tamaqua,	Mitcham & Shepley, ..	"	3,803	4,150	4,390	4,983	4,964
326	7	Pine Dale,	Middleport,	Rowman & Co.,	"	5,077	9,175	9,728	11,148	11,816
327	7	Ebony,	New Castle,	Evans & Gelsweil,	"	1,517				
328	7	Peach Orchard,	Wadesville,	Thos. Wren,	"	67				
329	7	Spring Mountain,	Pottsville,	"	"	6,728				
330	7	Oak Hill,	Mt. Lafceco,	"	"	380				
331	7	New Castle,	New Castle,	B. F. Palm & Son,	"		2,006	2,126		
332	7	Tamaqua,	Tamaqua,	Draper & Wittich,	"					
333	7	Shelly,	Mineersville,	Shelly & Confair,	"	554				
334	7	Chamberlain,	St. Clair,	Thompson & Co.,	"				21,102	22,368
H	7	Milford,	Middleport,	Docker & Rowman,	"				1,061	1,145
						337,700	884,140	424,352	539,758	562,111

15. West Schuylkill District.

7	Otto,	Branchdale,	P. & R. C. & I. Co., ...	P. & R. R., ...	56,078	55,129	64,579	69,301	73,450
7	Phenix Park, No. 2,	Phenix Park,	"	"	37,642	35,507	59,707	47,073	49,897
7	Forestville,	Forestville,	"	"	37,084	440	540		
7	Glendower,	Glendower,	"	"	41,553	45,672	55,672	77,800	82,468

15. West Schuylkill District--Continued.

Map number.	No. of inspector's district.	NAME OF COL- LIER, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
830	7	Richmond,.....	Glen Carbon,....	P. & R. C. & I. Co.,...	P. & R. R. R.,.....	72,498	107,011	111,131	100,048	104,980
840	7	Thomaston,.....	Heckschersville,...	C. Wood,.....	"	100,759	108,302	107,010	113,900
841	7	Wood,.....	Swatara,.....	W. H. Harple,.....	"	1,000
842	7	Peach Mountain,...	Minersville,....	J. K. Seigfried,.....	"	2,040	970	1,016
843	7	Herbine,.....	"	"	"	37,701	35,333	37,310	30,000	37,000
844	7	Wolf Creek Big Diamond,.....	"	J. F. Donahue,.....	"	1,007
845	7	Little Diamond,...	"	J. Lawrence,.....	"	12,041	3,180	3,180	2,400	2,000
846	7	Ellsworth,.....	New Castle,....	John R. Davis,.....	"	12,149	13,104	13,104	8,002	8,546
847	7	Black Valley,.....	Minersville,....	Edward Hawkins,...	"	1,273
848	7	Juglar,.....	New Castle,....	J. S. Homer,.....	"	1,129
849	7	Crystal,.....	"	Joseph Brady,.....	"	5,077	4,004	4,000	5,044	5,004
850	7	Kirkline,.....	Thomaston,....	P. O. Connor,.....	"	3,071	5,803	5,148	3,003	3,710
851	7	Newtown,.....	Newtown,.....	Mosier, Dugless & Co.,	"	407	3,000	3,100
852	7	Mine Hill Gap,....	Minersville,....	P. & R. C. & I. Co.,...	"	68,000	4	3,000	3,100
853	7	Swatara No. 2,....	Swatara,.....	John D. Feltz,.....	"	1,420
854	7	Dix & Edwards,.....	"	108
						485,720	451,004	400,770	454,530	490,150

16. Loxberry District.

Map number.	No. of inspector's district.	NAME OF COL- LIER, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
855	7	Colket,.....	Donaldson,.....	P. & R. C. & I. Co.,...	P. & R. R. R.,.....	181,380	30	30
856	7	East Franklin,....	Upper Hauch Creek,.....	"	"	93	5,000	10,001	7,108	7,000
857	7	Middle Creek Shaft,.....	Middle Creek,....	"	"	50,850	70,400	77,000	73,077	77,401
858	7	Raush Creek,.....	Tremont twp.,...	"	"	3,764	0	4,274
						185,073	76,126	92,301	80,372	90,087

17. Lykens Valley District.

359	West Brookside.	Portertownship.	P. & R. C. & I. Co.,...	P. & R. R.,...	320,000	330,200	290,471	302,471	274,817	291,308
360	Kulmia.	Orrwin.	"	"	72,208	86,571	88,471	74,702	78,760
361	Lincoln.	Freshport twp.,...	"	"	69,155	99,368	102,368	125,017	133,154
362	New Lincoln.	Frisley twp.,...	Levi Miller & Co.,...	"	49,081	154,907	163,568	154,546	163,823
363	Williamstown.	Williamstown.	Summit Br. R. Co.,...	N. C. R. R.,...	359,128	389,917	344,480	167,317	193,799
364	Short Mountain.	Lykens town.	Lykens Valley C. Co.,	"	185,623	212,082	189,579	217,174	175,833	214,065
365	Lykens Valley.	Williams Valley.	James Fennel,	1,940	1,940
	Big Run Gap.				1,057,438	1,131,871	1,219,080	972,862	1,074,917

LOYALSOCK FIELD.

18. Loyalsock District.

265	Barnboa,	"	S. L. & S. R. R. Co.,...	L. V. R. R.,	84,551	86,018	73,117	75,011	56,331	61,767
-----	----------------	---	--------------------------	--------------------	--------	--------	--------	--------	--------	--------

5. Plymouth District.

Map number.	No. of Inspector's district.	NAME OF COL- LIERY—1884.	Location.	Operator.	Shipping Rail- road.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
137	3	Salem,	Salem twp.,	Salem Coal Co.,	L. & B. R. R., ...	36,037	42,940	32,566	33,098	10,491	13,892
138	3	Susque'na, No. 3,	W. Nanticoke, ...	Susque'na Coal Co.,	"	159,638	150,373	148,767	190,970	148,830	146,386
139	3	Avondale,	Plymouth twp.,	D. L. & W. R. R. Co.,	"	17,103	167,663	17,600	151,190	148,630	172,011
140	3	Chauncey,	"	T. P. Macfarlane,	"	155,198	18,003	160,527	18,420	15,228	15,628
141	3	Gaylord,	Plymouth,	Gaylord Coal Co.,	D. & H., L. & B. R.,	124,172	163,301	137,906	170,249	173,012	178,356
142	3	Dodson,	"	Plymouth Coal Co.,	L. & B. R.,	1,324	134,178	140,174	150,730	136,555	149,189
143	3	Parrish,	"	Parrish Coal Co.,	"	1,405	130,180	143,249	205,102	209,053
144	3	Lance No. 11,	"	Lehigh & W. R. C. Co.,	"	87,512	386,305	125,482	182,452	182,452
145	3	Not'ghan No. 15,	"	"	"	342,688	386,222	371,825	436,022	444,519
146	3	Reynolds No. 16,	"	"	"	133,098	136,222	137,184	142,994	144,984
147	3	Plymouth No. 2,	"	Del. & Hud. Canal Co.,	D. & H., L. & B. R.,	111,866	111,865	30,025	30,025	115,236	115,236
148	3	" " 3,	Plymouth twp.,	"	"	167,378	160,124	182,374	183,346	164,339	166,962
149	3	" " 4,	Plymouth,	"	"	104,783	110,663	101,822	124,069	124,069	124,069
150	3	" " 5,	"	"	"	155,450	156,963	176,227	177,674	166,067	168,662
151	3	Boston,	Plymouth twp.,	"	"	142,840	142,840	149,304	149,304	126,516	126,516
152	3	Kingston No. 1,	Edw'sville bor.,	Kingston Coal Co.,	L. & B. R.,	173,618	183,330	167,044	194,062	205,790	217,627
153	3	" " 2,	"	"	"	259,441	265,441	279,462	280,462	333,736	331,557
154	3	East Boston,	Kingston twp.,	W. G. Payne & Co.,	"	84,557	117,000	112,871	114,191	99,546	101,655
155	3	Black Diamond,	"	Haddock & Steel,	"	55,000	63,631	92,942	104,030	107,965	121,160
156	3	Mill Hollow,	Luzerne bor.,	Thos. Waddell & Co.,	"	78,318	60,000	60,000	61,912	57,007	57,007
157	3	Harry E.,	Kingston twp.,	Wyom. Val. Coal Co.,	"	88,919	88,919	78,000	90,400	62,000	74,000
158	3	Forty Fort,	"	Lehigh Val. Coal Co.,	L. V. R. R.,	31,506	32,219	100,630	118,360	126,000	136,700
159	3	Matby,	Wyoming,	"	"	2,675,460	2,894,850	3,121,153	3,157,662	3,408,651

EASTERN MIDDLE COAL FIELD.
6. Green Mountain District.

160	4	Up. Lehigh No. 2	Upper Lehigh.....	Up. Lehigh Coal Co.	L. & S. R. R.,	166,139	182,849	182,830	170,789	104,138
161	4	" No. 4.	"	"	"	164,981	177,317	183,930	180,930	190,930
162	4	Pond Creek.....	Pond Creek.....	M. S. Kemmerer.....	"	47,372	50,750	45,194	46,332	40,468
						382,482	410,916	387,980	401,071	434,546

7. Black Creek District.

163	4	Sandy Run.....	Sandy Run.....	M. S. Kemmerer & Co.	L. & S. R. R.,	137,448	147,174	148,253	135,078	146,344
164	4	Cross Creek No. 1.	Drifton.....	Coxe Bros. & Co.,...	L. V. and L. & S.,	195,023	238,521	201,681	223,467	492,582
165	4	" No. 2.	"	"	"	164,767	187,778	184,450	202,530	453,258
166	4	" No. 3.	"	"	"	1,310	1,878	173	2,228	75,364
167	4	Tomblicken.....	Tomblicken.....	"	S. H. & W. R. R.,	63,830	69,259	79,144	87,125	82,480
168	4	Derringer.....	Derringer.....	"	"	73,632	78,974	96,007	102,983	288,185
169	4	Gowen.....	Gowen.....	"	"	121,618	127,158	180,224	136,698	198,307
170	4	Highland No. 1.	Highland.....	G. B. Markle & Co.,	L. V. R. R.,	108,179	116,833	92,143	99,514	136,868
171	4	No. 2.	"	"	"	46,254	54,254	91,027	98,303	126,265
172	4	Oakdale No. 1.	Jeddo.....	"	"	83,692	92,442	88,940	96,055	113,208
173	4	No. 2.	"	"	"	87,656	94,667	95,996	104,075	104,515
174	4	Council Ridge	Eckley.....	Coxe Bros. & Co.,...	L. V. & L. & S. R. R.	130,035	158,405	188,670	205,924	36,012
175	4	Council Ridge	"	"	"	184,598	194,646	189,855	201,013	36,499
176	4	Ebervale.....	Ebervale.....	Ebervale Coal Co.,	L. & S. R. R.,	134,703	173,907	115,530	125,574	137,687
177	4	Black Ridge.....	"	J. S. Wentz & Co.,	L. V. R. R.,	8,531	9,006	8,531	9,006	56,725
178	4	Hartleigh.....	Hartleigh.....	Kemmerer & Co.,	"	96,302	96,302	79,575	86,031	6,467
179	4	Latimer No. 1.	Latimer.....	Pardee Bros. & Co.,	"	74,889	74,889	71,068	71,901	75,855
180	4	No. 2.	"	"	"	75,374	81,401	71,960	79,751	94,025
181	4	No. 3.	"	"	"	75,558	79,442	104,589	114,589	100,497
182	4	Milnesville Nos.	Milnesville.....	Stout Coal Co.,...	"	69,706	79,902	86,464	101,951	108,016
183	4	Holly wood.....	Holly wood.....	C. Pardee & Co.,	"	90,577	100,410	84,607	110,383	119,364
						2,013,314	2,248,384	2,154,775	2,009,663	2,184,182

8. Hazleton District.

Map number.	No. of Inspector's district.	NAME OF COL- LIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
184	4	East Sugar Loaf No. 1.	Stockton.	Linderm'n Skeers & Co.	L. V. R. R.	50,497	61,480	96,555	104,279	4,545	7,818
185	4	East Sugar Loaf No. 2.	"	"	"	54,402	59,386	56,550	61,072	80,385	85,219
186	4	East Sugar Loaf No. 3.	"	"	"	104,086	113,453	110,572	119,417	104,648	110,926
187	4	East Sugar Loaf No. 5.	"	"	"	111,340	121,259	70,519	76,160	94,814	100,503
188	4	Humboldt.	Humboldt.	"	"	64,939	70,864	73,727	79,624	76,290	80,794
189	4	Hazlebrook.	Lumber Yard.	J. S. Wentz & Co.	"	18,590	20,295	45,812	50,081	36,065	38,965
190	4	S. Sugar Loaf.	Hazleton	A. Pardee & Co.	"	35,578	37,906	2,290	2,290	52,038	55,278
191	4	Laurel Hill.	"	"	"	81,973	96,299	46,024	58,915	89,671	46,584
192	4	Hazleton No. 1.	"	"	"	95,846	103,720	135,383	143,544	113,426	118,691
193	4	" No. 3.	"	"	"	45,564	50,406	51,870	57,624	65,791	71,726
194	4	" No. 6.	"	"	"	32,559	35,909	34,109	40,433	116,459	117,849
195	4	Sugar Loaf.	"	"	"	30,115	33,909	106,949	114,930	124,033	133,299
196	4	Cranberry.	"	"	"	72,122	78,057	8,835	11,400	132,925	149,136
197	4	Crystal Ridge.	"	"	"	30,035	32,620	130,223	146,229		
198	4	Mt. Pleasant.	"	Pardee Sons & Co.	"	120,741	130,131				
						1,024,464	1,120,172	1,037,858	1,167,669	1,041,050	1,116,748

9. Beaver Meadow District.

Map number.	No. of Inspector's district.	NAME OF COL- LIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
199	4	Beaver Meadow.	Beaver Meadow.	Coxe Bros. & Co.	L. V. R. R.	120,598	127,544	120,384	133,139	181,373	139,324
200	4	Coleraine Nos. 1 and 2.	"	W. T. Carter & Co.	"	131,950	169,650	112,000	128,552	96,030	94,846
201	4	Spring Mt. No. 1.	Jeaneville.	J. E. Haydon & Co.	"	91,096	102,089	109,967	120,567	101,148	112,273

202	4	"	"	"	102,100	112,100	111,750	124,550	125,700	130,700
203	4	and 5.	"	"	122,175	138,102	143,497	150,115	162,231	178,012
204	4	Beaver Br'k No. 1	Franchtown, ...	C. M. Dodson & Co., ...	122,175	138,102	143,497	150,115	162,231	178,012
205	4	Spring Br'k No. 5	Yorktown, ...	Geo. Myers & Co., ...	81,009	89,025	77,961	84,810	96,099	107,260
206	5	Honey Br'k No. 6	Andenried, ...	Lehigh & W. B. C. C., ...	91,853	101,757	81,112	94,383	95,255	107,414
207	5	Andenried No. 2	Andenried, ...	"	121,562	132,784	94,130	107,637	70,035	77,414
208	5	"	Andenried, ...	"	134,073	160,142	142,181	150,635	112,932	121,025
209	5	"	"	"	116,450	123,907	163,771	173,152	122,432	136,482
210	5	Silver Brook, ...	"	Silver Br'k Coal Co., ...	1,172,514	1,310,219	1,222,637	1,360,516	1,142,312	1,267,886

WESTERN MIDDLE COAL FIELD.
10. East Mahanoy District.

210	5	Ellan gowan, ...	Maple Dale, ...	P. & R. C. & I. Co., ...	P. & R. R. R., ...	278,277	253,724	260,995	284,907	405,003
211	5	Kulterbocker, ...	Yatesville, ...	"	"	165,673	205,155	210,365	226,214	240,214
212	5	St. Nicholas, ...	St. Nicholas, ...	"	"	73,502	205,155	210,365	226,214	240,214
213	5	Tunnel Ridge, ...	Mahanoy City, ...	"	"	74,431	205,155	210,365	226,214	240,214
214	5	Elmwood, ...	"	"	"	103,104	98,407	98,407	128,006	140,601
215	5	Mahanoy City, ...	"	"	"	128,006	128,006	128,006	128,006	140,601
216	5	North Mahanoy, ...	"	"	"	119,194	128,006	128,006	128,006	140,601
217	5	Schuykill, ...	"	"	"	81,859	119,194	128,006	128,006	140,601
218	5	Suffolk, ...	St. Nicholas, ...	"	"	139,961	127,823	128,006	128,006	140,601
219	5	Glendon, ...	Mahanoy City, ...	"	"	113,573	139,961	128,006	128,006	140,601
220	5	Primrose, ...	"	J. C. Haydon & Co., ...	L. V. R. R., ...	42,486	108,020	118,673	100,709	109,703
221	5	Park No. 1, ...	"	Neville & Co., ...	"	85,708	51,406	52,403	71,079	80,079
222	5	Park No. 2, ...	"	Lehigh, Lilly & Co., ...	"	85,708	4,967	6,567	2,405	2,740
223	7	Middle Lehigh, ...	New Boston, ...	Middle Lehigh C. Co., ...	"	100,600	85,927	95,927	151,316	171,783
224	5	Buck Mountain, ...	Mahanoy City, ...	Buck M't'n Coal Co., ...	"	1,600	136,059	123,623	120,560	127,793
						1,882,586	80,452	86,580	90,336	90,945
							1,636,036	1,719,833	1,821,439	1,903,237

11. West Mahanoy District.

225	6	Alaska shaft, ...	Alaska station, ...	P. & R. C. & I. Co., ...	P. & R. R. R., ...	167,115	202,863	210,293	70,408	74,632
226	6	Reliance, ...	Mt. Carmel, ...	"	"	91,127	115,504	118,504	97,130	102,947
227	6	Locust Spring, ...	Locust Gap, ...	"	"	80,507	108,663	112,262	117,966	124,948
228	6	Merriam, ...	Locust Summit, ...	"	"	86,263	114,649	121,849	161,974	171,662

11. West Mahanoy District—Continued.

Map number.	No. of Inspector's district.	NAME OF COL-LIERY.	Location.	Operator.	Shipping Rail-road.	1884.		1885.		1886.	
						Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.
220	6	Potts.	Locust Dale,....	P. & R. C. & I. Co.,	P. & R. R.	13,331	14,182				
221	6	Keystone.	Ashland,....	"	"	60,672	64,312				
222	6	Tunnel.	Big Mine Run,....	"	"	90,119	95,327				
223	6	Basin.	Dark Corner,....	"	"	82,309	87,247				
224	6	North Ashland.	Girardville,....	"	"	102,127	108,255				
225	6	Preston Nos. 1, 2.	"	"	"	58,119	61,007				
226	6	Preston No. 3.	"	"	"	71,594	75,904				
227	6	Girard.	"	"	"	50,298	53,853				
228	6	Hammond.	"	"	"	135,968	144,142				
229	6	Connor.	"	"	"	66,703	70,986				
230	6	Gir'd Mammoth.	Raven Run,....	"	"	111,986	122,359				
231	6	W. Shenandoah.	Shenandoah,....	"	"	107,697	114,519				
232	6	Shenandoah city.	"	"	"	130,265	138,353				
233	6	Plank Ridge.	"	"	"	81,982	86,739				
234	6	Indian Ridge.	"	"	"	122,183	128,798				
235	6	Gilberton.	"	"	"	104,141	109,294				
236	6	Barton Run.	"	"	"	101,368	107,440				
237	6	Bear Run.	"	"	"	93,313	100,955				
238	6	Locust Gap.	"	"	"	68,424	70,409				
239	6	Monitor.	"	"	"	93,543	99,150				
240	6	Kohinor.	"	"	"	122,307	128,798				
241	6	East Bear Ridge.	"	"	"	65,384	69,831				
242	6	West Bear Ridge.	"	"	"	51,629	54,210				
243	6	Stanton.	"	"	"	140,379	149,086				
244	6	Mt. Carmel.	"	"	"	130,748	138,684				
245	6	Black Diamond.	"	T. M. Righter & Co.,	P. & R. N. C. & L. V. R.	23,305	24,455				
246	6	Morris Ridge.	"	Solvent, Robertson & Co.,	"	102,005	103,685				
247	6	Beaumont.	Centralla.	L. V. & N. C. R. R.,	"	97,652	98,112				
248	6	Big Mine Run.	"	L. V. R. R.,	"	106,667	108,164				
249	6	"	"	S. S. Bickel & Co.,	"	146,751	150,275				
250	6	"	"	Jeremiah Taylor,	"	128,667	132,682				
251	6	"	"	"	"	106,667	108,164				
252	6	"	"	"	"	106,667	108,164				
253	6	"	"	"	"	106,667	108,164				
254	6	"	"	"	"	106,667	108,164				
255	6	"	"	"	"	106,667	108,164				
256	6	"	"	"	"	106,667	108,164				
257	6	"	"	"	"	106,667	108,164				
258	6	"	"	"	"	106,667	108,164				

260	Hazel Dell,	Centralia,	L. A. Riley & Co.,	L. V. R. R.,	150,380	178,082	188,112	180,524	174,497
261	Centralia,	"	"	"	216,149	196,711	212,316	201,356	217,641
262	Lagan,	"	"	"	20,799				
263	Continental,	"	"	"	30,182				
264	Packer No. 1,	Colorado,	L. V. C. Co.,	"	90,603		3,394		2,906
265	" " 2,	West Creek,	"	"	127,560		182,182	170,391	182,613
266	" " 3,	Brownsville,	"	"	117,231		144,164	212,074	227,736
267	" " 4,	Lost Creek,	"	"	201,806		206,310	63,112	73,056
268	" " 5,	Rapahannock,	"	"			1,982		
269	Cuyler,	Raven Run,	S. M. Heaton & Co.,	P. & R. R.,	130,866	25,253	28,353		
270	William Penn,	ShattPost-office,	Wm. Penn Coal Co.,	"	222,000	240,067	242,109	235,000	256,000
271	Leasist m'th,	Shenandoah,	W. J. Lloyd,	"	9,850	13,886	15,016	116,418	119,649
272	Rehley Run,	"	Thomas Coal Co.,	"	110,730	108,730	108,888	6,953	81,089
273	Cambridge,	"	Cambridge Coal Co.,	"	12,607	8,981	8,981	80,699	11,455
274	S. Laurel Ridge,	Gilberton,	S. H. Barrett,	"	17,579	17,529	17,829	105,669	125,379
275	Lawrence,	Mahanoy Plane,	Lawrence & Brown,	"	5,483	16,108	16,408	115,608	125,379
276	Draper,	Gilberton,	Oliver Ditson,	"	78,252	67,166	68,873	115,608	125,379
277	Ben Franklin,	Doutyville,	Douty & Baumgar't,	"	113,448	123,014	130,516	115,608	125,379
278	Rausch Gap,	Valley View,	Israel Nye,	"	14,442	14,782	162,364		
					1,831				
					4,649,081	4,567,402	4,868,799	4,403,081	4,745,564

12. Shamokin District.

279	N. Franklin No. 1,	Trevorton,	P. & R. C. & I. Co.,	P. & R. R.,	33,317				
280	" " 2,	"	"	"	35,846				
281	Bear Valley,	Shamokin,	"	"	78,373	108,709	111,709	111,853	118,593
282	Burnside,	Carbon Run,	"	"	83,631	92,637	96,457	84,307	98,236
283	Peetess,	Shamokin,	"	"	94,103	93,835	97,428	101,910	108,235
284	Buck Ridge,	"	"	"	19,194	20,346	46,162	62,307	66,045
285	Greenback,	Greenback,	"	"	6,888				
286	Lancaster,	Shamokin,	Mineral R.R. & M. Co.,	N. C. R. R.,	43,039	230,004	245,436	176,461	182,981
287	Lake Fuller,	"	"	"	207,833	139,846	146,878	104,443	118,728
288	Hickory Ridge,	Coal Run,	"	"	124,835	41,649	44,865	38,362	43,252
289	Hickory Swamp,	Green Ridge,	"	"	32,017	61,250	66,011	63,532	67,942
290	Pennsylvania,	"	"	"	28,740	66,010	108,189	217,978	229,976
291	Lancaster,	Coal Run,	Smith & Keiser,	"	133,249	96,641	7,904	7,413	1,623
292	Royal Oak,	Shamokin,	Tillett & Bro.,	P. & R. R.,	19,900	7,770	3,368	1,071	1,135
293	Sterling,	Carbon Run,	P. & R. C. & I. Co.,	"	3,119	3,669	4,279	18,314	19,413
294	Henry Clay,	Shamokin,	"	"	104,401	110,665	86,669	62,063	66,787
295	Star,	Chas. Hutchinson,	"	"	56,629	66,785	6,615		
					4,940				

12. Shamokin District—Continued.

Map number.	Number of Inspector's district.	NAME OF COL-LIERY—1884.	Location.	Operator.	Shipping rail-road.	1884.		1885.		1886.	
						Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.
296	6	Big Mountain,...	Shamokin,.....	P. & R. C. & I. Co.,...	P. & R. R. R.,....	180,742	141,841	155,570	162,235
297	6	Excelsior,.....	Excelsior,.....	Excelsior Coal M. Co.,	P. & R. and N. C.	187,067	145,322	167,140	177,178	161,424	171,109
298	6	Enterprise,.....	"	Baumgardner & Co.,	P. & R. R.,....	107,375	112,802	127,367	122,851	103,094	110,729
299	6	Garfield,.....	Shamokin,.....	Garfield Coal Co.,....	P. & R. R. R.,....	4,363	4,901	19,466	20,243	7,996	8,317
300	6	Big M'tain No.	Centralla,.....	John Q. Williams,....	1,255	1,255
301	6	Pioneer,.....	Ashland,.....	David Vaughan,.....	737	774
302	6	McAuley,.....	McAuley,.....	Allen Mann,.....	353	353
						1,419,211	1,504,931	1,494,274	1,564,305	1,322,442	1,413,838

SOUTHERN COAL FIELD.

13. Panther Creek District.

Map number.	Number of Inspector's district.	NAME OF COL-LIERY—1884.	Location.	Operator.	Shipping rail-road.	1884.		1885.		1886.	
						Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.
303	4	Colliery No. 3,...	Nesquehoning,...	Lehigh C. & N. Co.,...	L. & S. R. R.,....	128,135	165,439	143,778	170,318
304	4	" " 4,...	Jamestown,...	" " " " " " " "	" " " " " " " "	112,051	144,325	146,477	180,194
305	4	" " 5,...	Andrewsville,...	" " " " " " " "	" " " " " " " "	76,090	118,614	155,588
306	4	" " 6,...	" " " " " " " "	" " " " " " " "	" " " " " " " "	66,310	24,953	134,805
307	7	" " 7,...	Coaldale,.....	" " " " " " " "	" " " " " " " "	107,613	135,065	135,396	144,049
308	4	" " 8,...	" " " " " " " "	" " " " " " " "	" " " " " " " "	112,152	142,173	139,452	172,217
309	7	" " 9,...	" " " " " " " "	" " " " " " " "	" " " " " " " "	124,115	154,117	164,760	174,645
310	7	" " 10,...	Bull Run,.....	" " " " " " " "	" " " " " " " "	102,137	124,954	112,063	118,776

811	7	"	"	"	"	"	89,430	91,405	96,304	101,976
812	7	"	"	"	"	"	80,550	19,114	20,163	21,404
	7	Leased mines...					9,621	7,221		
							938,844	1,127,291	1,112,628	1,219,167

14. East Schuylkill District.

313	7	Beechwood,	Mt. Lafayette,	P. & R. C. & I. Co., ..	P. & R. R. R.,	185	13,856	18,657	60,442	64,068
314	7	Wadesville shaft,	Wadesville,	"	"	29,555	6	6,006		
315	7	Pottsville,	Pottsville,	"	"	12,459	2,152	5,152		
316	7	Pine Forest,	St. Clair,	"	"	31,000	25	6,025		
317	7	Eagle Hill shaft,	Cumbola,	"	"	82,235	142,020	149,827	215,175	228,637
318	7	Eagle Hill shaft,	St. Clair,	"	"	84,319	45,904	47,704	40,319	42,734
319	7	Reppiler,	New Castle,	John F. Quinn & Co., ..	"	3,403	1,070	5,082	1,070	1,124
320	7	Monitor,	Wadesville,	John Denning & Co., ..	"	6,500	4,700	4,982	6,580	6,974
321	7	Cumtee,	Wadesville,	John Mullin & Co., ..	"	1,354				
322	7	Hooker,	St. Clair,	Thomas Wren & Co., ..	"	3,138	4,969	4,949	8,650	9,169
323	7	Palmer Vein,	New Philadelphia,	Alliance Coal M. Co., ..	"	61,812	48,844	51,775	425	450
324	7	Coal Hill,	Middleport,	"	"	62,310	101,823	107,832	159,083	168,628
325	7	East Lehigh,	Hythe twp.,	William Basler,	"	979				
326	7	Pine Dale,	Tamaqua,	Mitchell & Shepp,	"	3,805	4,150	4,398	4,983	4,964
327	7	Ebony,	Middleport,	Slemmer & Co.,	"	5,077	9,175	9,726	11,148	11,816
328	7	Peach Orchard,	Wadesville,	Bowman & Co.,	"					
329	7	Sharp Mountain,	Pottsville,	Evans & Geisweil,	"	1,517				
330	7	Oak Hill,	Wadesville,	Thos. Wren,	"	67				
331	7	New Castle,	Mt. Lafayette,	B. F. Palm & Son,	"	6,728				
332	7	Shelly,	New Castle,	Draper & Wittich,	"	380	2,006	2,126		
333	7	Tamaqua,	Tamaqua,	Shelly & Confair,	"	554				
334	7	Chamberlain,	Minersville,	Thompson & Co.,	"				21,102	22,368
G	7	Milford,	St. Clair,	Docket & Bowman,	"				1,081	1,145
H	7		Middleport,			337,706	384,140	424,352	529,758	562,111

15. West Schuylkill District.

335	7	Otto,	Branchdale,	P. & R. C. & I. Co., ..	P. & R. R. R.,	56,078	55,129	64,579	69,301	73,459
336	7	Phenix Park No. 3,	Phenix Park,	"	"	37,042	55,507	59,707	47,073	49,897
337	7	Forestville,	Forestville,	"	"	37,084	440	540		
338	7	Glendower,	Glendower,	"	"	41,553	45,672	55,672	77,800	82,498

15. West Schuylkill District. Continued.

Map number.	No. of inspector's district.	NAME OF COAL- LIERY, 1994.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
230	7	Richards,.....	Glen Carbon,.....	P. & R. C. & I. Co.,....	P. & R. R. R.,.....	72,496	102,431	111,131	99,048	104,990
240	7	Thompson,.....	Hockschersville,.....	C. Wood,.....	" " " " " "	100,259	190,362	139,362	107,616	113,965
241	7	Wool,.....	Swatara,.....	W. H. Harris,.....	" " " " " "	1,000
242	7	Peach Mountain,.....	Minersville,.....	J. K. Seigfried,.....	" " " " " "	2,040	975	1,084
243	7	Herline,.....	" " " " " "	" " " " " "	" " " " " "	37,731	85,203	37,315	35,508	37,698
244	7	Wolf Creek Big Diamond,.....	" " " " " "	J. F. Donahue,.....	" " " " " "	1,567
245	7	Little Diamond,.....	" " " " " "	J. Lawrence,.....	" " " " " "	2,941	3,000	3,180	2,490	2,639
246	7	Ellsworth,.....	New Castle,.....	John R. Doyle,.....	" " " " " "	12,149	12,447	13,194	8,062	5,545
247	7	Black Valley,.....	Minersville,.....	Edward Hookins,.....	" " " " " "	1,273
248	7	Jugular,.....	New Castle,.....	J. S. Heppner,.....	" " " " " "	1,129
249	7	Crystal,.....	" " " " " "	Joseph Brady,.....	" " " " " "	5,077	4,604	4,890	5,344	5,964
250	7	Kirklin,.....	Thompson,.....	P. O. Connor,.....	" " " " " "	3,071	5,800	6,148	3,600	3,710
251	7	Newtown,.....	Newtown,.....	Moscow Diggles & Co.,.....	" " " " " "	407	4	4	8,000	3,180
252	7	Miner Hill Gap,.....	Minersville,.....	P. & R. C. & I. Co.,....	" " " " " "	68,686
253	7	Swatara No. 2,.....	Swatara,.....	John D. Polty,.....	" " " " " "	1,428
254	7	" " " " " "	" " " " " "	Dix & Edwards,.....	" " " " " "	1,104
						445,720	451,604	406,776	454,030	448,153

16. Lanthier District.

Map number.	No. of inspector's district.	NAME OF COAL- LIERY, 1994.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
255	7	Collet,.....	Donnison,.....	P. & R. C. & I. Co.,....	P. & R. R. R.,.....	33,360	26	26
256	7	East Franklin,.....	Upper Hausch Creek,.....	" " " " " "	" " " " " "	93	5,590	10,991	7,195	7,628
257	7	Middle Creek,.....	Middle Creek,.....	" " " " " "	" " " " " "	58,926	70,408	77,008	73,077	77,481
258	7	Hausch Creek,.....	Tremont twp.,.....	" " " " " "	" " " " " "	3,754	6	4,278
						98,072	76,026	92,301	80,272	85,067

17. *Lykens Valley District.*

359	West Brookside.	Portertownship.	P. & R. C. & I. Co.,...	P. & R. R. R.,...	330,000	330,200	290,471	302,471	274,917	291,308
360	Kalinda,	Orwin,	" "	" "	72,204	80,571	82,571	74,002	78,100
361	Lincoln,	Trenont twp.,...	" "	" "	64,151	86,308	102,308	125,017	133,154
362	New Lincoln,	Fralley twp.,...	Levi Miller & Co.,...	" "	44,081	154,807	165,566	154,566	163,853
363	Williamstown,	Williamstown,...	Summit Br. R. R. Co.,	N. C. R. R.,.....	336,128	389,917	314,575	344,450	167,517	183,799
364	Short Mountain,...	Lykens town, ...	Lykens Valley C. Co.,	" "	185,623	212,082	189,579	217,174	175,833	214,065
365	Lykens Valley,...	" "	James Fennel,	1,940	1,940
	Big Run Gap,...	Williams Valley,			1,057,438	1,181,871	1,219,080	972,962	1,074,917

LOYALSOCK FIELD.

18. *Loyalsock District.*

266	Barnboa,	c	S. L. & S. R. R. Co.,...	L. V. R. R.,	84,551	86,018	73,117	75,011	56,331	61,767
-----	----------------	---	--------------------------	--------------------	--------	--------	--------	--------	--------	--------

Table of Areas.

No exact determination has been made of the area of the different anthracite coal basins. The general estimates contained in the following table will serve to give an idea as to their relative size :

Area and total production of individual coal fields.

FIELD.	Square miles (approximate).	1882.		1883.		1884.		1885.		1886.	
		Tons.	Percentage.	Tons.	Percentage.	Tons.	Percentage.	Tons.	Percentage.	Tons.	Percentage.
Northern.....	200	14,945,066	47.66	16,570,424	48.80	16,411,277	50.28	17,215,066	50.29	18,247,875	52.36
Southern.....	140	2,838,370	9.05	3,161,719	9.31	3,149,471	9.05	3,455,927	10.10	3,427,435	9.63
Western Middle.....	90	8,185,509	26.09	8,562,915	25.19	7,896,049	24.19	8,162,577	23.82	8,122,639	23.30
Eastern Middle.....	40	5,314,091	16.36	5,596,397	16.45	5,068,684	15.63	5,629,407	15.57	4,963,381	14.33
Western Northern.....	Unknown.	77,196	0.25	84,376	0.25	88,018	0.26	75,011	0.22	61,707	0.18
Totals,	470+	31,353,264	100.00	33,955,831	100.00	32,641,499	100.00	34,228,548	100.00	34,833,077	100.00

Total production and shipment from the Inspectors' districts for the years 1885 and 1886 with the colliery and local consumption.

Number of district under law of June 30, 1885.	Name of Inspector.	1885.			1886.		
		Shipment.	Colliery and local consumption.	Total production.	Shipment.	Colliery and local consumption.	Total production.
First,	Patrick Blewitt,	Long tons, 6,323,977	Long tons, 423,776	Long tons, 7,358,753	Long tons, 6,631,226	Long tons, 481,053	Long tons, 7,112,279
Second,	Hugh McDonald,	8,686,686	161,854	3,844,549	4,124,573	116,498	4,241,071
Third,	G. M. Williams,	6,086,884	145,891	6,182,775	6,682,552	244,758	6,927,310
Fourth,	James E. Roderick,	5,035,407	628,509	5,388,616	4,916,310	441,003	5,357,313
Fifth,	William Stein,	4,498,075	276,005	4,799,040	4,570,145	402,356	4,972,501
Sixth,	James Ryan,	3,965,959	238,663	4,204,622	3,463,265	281,262	3,744,527
Seventh,	Samuel Gay,	2,197,424	183,759	2,381,183	2,941,687	141,410	3,083,097
Total production of all anthracites.....	32,265,421	1,963,127	34,228,548	32,764,710	2,088,367	34,853,077

5. Plymouth District.

Map number.	No. of Inspector's district.	NAME OF COL- LIERY—1884.	Location.	Operator.	Shipping Rail- road.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
137	3	Salem,	Salem twp.,	Salem Coal Co.,	L. & B. R. R., ...	20,037	42,940	32,596	53,086	10,491	13,822
138	3	Susquehanna, No. 3,	W. Nanticoke,	Susquehanna Coal Co.,	" "	159,638	150,373	145,737	140,970	148,830	146,386
139	3	Avondale,	Plymouth twp.,	D. L. & W. R. R. Co.,	" "	17,103	167,463	151,190	151,190	172,011	172,011
140	3	Chamacey,	" "	T. P. MacFarlane,	" "	155,196	18,033	17,600	18,430	15,228	15,628
141	3	Dedson,	Plymouth,	Gaylord Coal Co.,	D. & H. L. & B. R. R.,	124,772	163,501	160,527	170,249	173,012	179,356
142	3	Perrish,	" "	Plymouth Coal Co.,	L. & B. R. R., ...	1,834	134,178	137,905	150,730	136,855	149,189
143	3	Lance No. 11,	" "	Perrish Coal Co.,	" "	"	87,512	140,174	153,249	205,102	209,033
144	3	Nottingham No. 15,	" "	Lehigh & W. R. C. Co.,	" "	"	942,688	130,180	125,432	182,452	182,452
145	3	Reynolds No. 16,	" "	" "	" "	"	123,088	386,225	371,925	436,622	444,519
146	3	Plymouth No. 2,	" "	Del. & Hud. Canal Co.,	D. & H. L. & B. R. R.,	111,895	111,895	20,025	20,025	142,994	144,994
147	3	" " " 4,	Plymouth twp.,	" "	" "	167,373	160,124	162,374	163,346	164,839	166,962
148	3	" " " 5,	" "	" "	" "	100,738	110,663	104,822	104,822	124,089	124,089
149	3	" " " 6,	Plymouth,	" "	" "	155,459	159,952	173,674	173,674	166,067	166,067
150	3	Boston,	Plymouth twp.,	" "	" "	142,900	142,900	149,304	149,304	128,516	128,516
151	3	Kingston No. 1,	Edwardsville bor.,	Kingston Coal Co.,	L. & B. R. R., ...	239,440	268,441	187,014	184,082	205,750	217,627
152	3	" " " 2,	" "	" "	" "	"	173,618	279,462	280,462	321,537	321,537
153	3	East Boston,	Kingston twp.,	W. G. Payne & Co.,	" "	64,557	117,000	112,371	114,191	99,546	101,655
154	3	Mill Hollow,	" "	Haddock & Steel,	" "	53,000	62,631	62,642	104,030	107,985	121,180
155	3	Harry E.,	Luzerne bor.,	Thos. Wadell & Co.,	" "	76,318	68,091	60,000	60,000	51,912	57,007
156	3	Forty Fort,	Kingston twp.,	Wyom. Val. Coal Co.,	" "	84,919	98,963	78,000	90,400	62,000	74,000
157	3	Maitby,	Wyoming,	Lehigh Val. Coal Co.,	L. V. R. R.,	31,508	87,670	106,600	118,350	128,000	138,700
158	3						2,875,409	2,894,860	3,121,183	3,137,662	3,408,651

EASTERN MIDDLE COAL FIELD.
6. Green Mountain District.

160	4	Up. Lehigh No. 2	Upper Lehigh.	Up. Lehigh Coal Co.	L. & S. R. R.,	166,139	182,849	162,650	182,830	170,780	194,138
161	4	" " No. 4	" "	" "	" "	184,981	177,317	182,786	190,671	183,950	190,942
162	4	Pond Creek,	Pond Creek,	M. S. Kemmerer,	" "	47,372	50,750	42,582	45,494	46,332	49,496
						382,492	410,916	387,969	418,985	401,071	434,546

7. Black Creek District.

163	4	Sandy Run,	Sandy Run,	M. S. Kemmerer & Co.	L. & S. R. R.,	137,448	147,174	149,283	159,720	133,078	146,344
164	4	Cross Creek No. 1	Drifton,	Coxe Bros. & Co.,	L. V. and L. & S.,	198,028	236,521	201,681	223,487	183,487	492,582
165	4	" " No. 2	" "	" "	" "	184,777	187,777	184,450	202,530	453,258	
166	4	" " No. 3	" "	" "	" "	1,310	1,878	173	2,228		
167	4	Tomblicken,	Tomblicken,	" "	S. H. & W. R. R.,	63,830	69,259	79,184	87,425	76,354	82,460
168	4	Derringer,	Derringer,	" "	" "	73,632	78,974	96,007	102,983	276,022	288,185
169	4	Gowen,	Gowen,	" "	" "	121,618	127,158	180,224	192,696	198,668	188,668
170	4	Highland No. 1	Highland,	G. B. Markle & Co.,	L. V. R. R.,	108,179	116,833	92,143	99,514	128,397	138,366
171	4	" " No. 2	" "	" "	" "	46,254	54,254	91,027	98,309	126,365	138,366
172	4	Oakdale No. 1	Jeddo,	" "	" "	85,595	84,432	88,940	96,053	113,296	128,360
173	4	" " No. 2	" "	" "	" "	57,656	54,667	66,996	104,675	104,815	113,300
174	4	Council Ridge	Eckley,	Coxe Bros. & Co.,	L. V. & L. & S. R. R.	139,025	158,493	188,670	205,984	33,012	36,499
175	4	Council Ridge	" "	" "	" "	188,594	194,646	188,835	201,013	125,574	137,637
176	4	Ebervale,	Ebervale,	Ebervale Coal Co.,	L. & S. R. R.,	134,703	173,907	115,329	130,339		
177	4	Black Ridge,	Conyngham,	J. S. Wenz & Co.,	" "	8,251	98,302	76,515	10,866	52,522	56,723
178	4	Harleigh, No. 1	Harleigh,	Kemmerer & Co.,	" "	62,531	71,689	21,008	86,003	5,780	6,467
179	4	Latimer, No. 1	Latimer,	Pardee Bros.,	" "	78,274	71,689	71,008	21,951	75,953	98,784
180	4	" " No. 2	" "	" "	" "	73,536	70,442	71,689	79,751	94,025	100,497
181	4	" " No. 3	" "	" "	" "	60,766	70,902	89,464	101,951	100,015	108,016
182	4	Minersville Nos. 6 and 7,	Minersville,	Stout Coal Co.,	" "	80,577	100,410	84,607	94,249	110,363	119,384
183	4	Hollywood,	Hollywood,	C. Pardee & Co.,	" "	2,013,314	2,248,384	2,154,775	2,362,487	2,009,663	2,184,182

8. Hazleton District.

Map number.	No. of Inspector's district.	NAME OF COL-LIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL-ROAD.	1884.		1885.		1886.	
						Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.
184	4	East Sugar Loaf No. 1.....	Stockton,	Linderm'n Skeer & Co.	L. V. R. R.,	56,497	61,480	96,555	104,279	4,545	7,818
185	4	East Sugar Loaf No. 2.....	"	"	"	54,492	59,896	56,560	61,072	80,395	85,219
186	4	East Sugar Loaf No. 3.....	"	"	"	104,086	113,453	110,573	119,417	104,648	110,926
187	4	East Sugar Loaf No. 5.....	"	"	"	111,340	121,359	70,519	76,160	94,814	101,523
188	4	Humboldt.....	Humboldt,	"	"	64,839	70,864	73,727	79,624	76,290	80,794
189	4	Hazlebrook.....	Lumber Yard,	J. S. Wentz & Co.,	"	16,530	20,285	45,812	50,081	36,065	38,965
190	4	S. Sugar Loaf.....	Hazleton	A. Pardee & Co.,	"	35,578	37,006	46,024	52,290	52,038	55,278
191	4	Laurel Hill.....	"	"	"	81,973	96,399	135,383	143,544	39,671	46,584
192	4	Hazleton No. 1.....	"	"	"	96,946	108,280	151,870	157,624	113,426	118,691
193	4	" No. 3.....	"	"	"	55,564	50,406	85,673	101,681	65,791	71,726
194	4	" No. 6.....	"	"	"	92,559	106,647	34,109	40,433	116,459	117,809
195	4	Sugar Loaf.....	"	"	"	30,152	35,909	106,969	114,930	124,033	133,299
196	4	Cranberry.....	"	"	"	73,132	78,057	8,835	11,400	132,925	149,136
197	4	Crystal Ridge.....	"	"	"	30,055	32,620	130,223	146,226	1,041,030	1,116,749
198	4	Mt. Pleasant.....	"	Pardee Sons & Co.,	"	129,741	139,131	1,037,838	1,167,669		
						1,024,494	1,129,172				

9. Bearer Meadow District.

Map number.	No. of Inspector's district.	NAME OF COL-LIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL-ROAD.	1884.		1885.		1886.	
						Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.
199	4	Bearer Meadow Coleraine No. 1.....	Bearer Meadow,	Coxe Bros. & Co.,	L. V. R. R.,	120,508	127,544	120,384	138,139	181,373	189,324
200	4	" No. 2.....	"	W. T. Carter & Co.,	"	131,950	169,650	112,000	128,552	88,030	94,846
201	4	Spring Mt. No. 1.....	Joanesville,	J. E. Haydon & Co.,	"	91,089	102,089	109,967	120,567	101,148	112,273

202	"	"	"	"	102, 160	111, 759	124, 559	125, 793	139, 786
203	4	"	"	"	123, 175	143, 497	169, 115	162, 281	178, 012
204	4	Beaver Br'k No. 1	C. M. Dodson & Co.,	"	81, 090	89, 925	94, 810	96, 069	71, 069
205	4	Spring Br'k No. 5	Geo. Myers & Co.,	"	91, 638	77, 581	94, 383	95, 255	107, 280
206	4	"	"	"	33, 553	101, 757	94, 383	95, 255	107, 280
207	5	Honey Br'k No. 1	Lehigh & W. B. C. C.,	"	44, 792	58, 275	68, 947	70, 035	27, 414
208	5	Authenticated No. 2	"	"	121, 492	94, 180	107, 637	112, 002	71, 025
209	5	"	"	"	158, 076	166, 142	150, 638	152, 482	135, 482
210	5	"	"	"	116, 420	123, 907	173, 182	5, 500	8, 500
F	5	Silver Brook,	Silver Br'k Coal Co.,	"	1, 172, 514	1, 223, 657	1, 860, 516	1, 142, 312	1, 257, 886

WESTERN MIDDLE COAL FIELD.

10. East Mahanoy District.

210	5	Ellan gowan,	P. & R. C. & I. Co.,	P. & R. R. R.,	278, 377	353, 724	390, 925	384, 603	405, 603
211	5	Knickerbocker,	"	"	165, 578	205, 565	210, 365	228, 214	240, 214
212	5	St. Nicholas,	"	"	73, 402	11	6, 011
213	5	Tunnel Ridge,	"	"	79, 431	25	7, 255
214	5	Elmwood,	"	"	79, 654	93, 407	98, 377	128, 061	140, 461
215	5	Mahanoy City,	"	"	103, 164	128, 901	124, 901	129, 016	145, 006
216	5	North Mahanoy,	"	"	50, 196	119, 164	123, 265	146, 825	161, 825
217	5	Schuylkill,	"	"	83, 650	127, 328	131, 528	116, 944	124, 944
218	5	Suffolk,	"	"	114, 573	149, 981	154, 441	150, 889	161, 889
219	5	Glendon,	J. C. Haydon & Co.,	L. V. R. R.,	113, 573	108, 020	118, 673	101, 709	104, 703
220	5	Primrose,	Nevilla & Co.,	"	42, 485	61, 505	62, 505	71, 079	80, 079
221	5	Park No. 1,	Leitz, Lilly & Co.,	"	85, 79	4, 987	6, 967	2, 405	2, 740
222	5	Park No. 2,	"	"	85, 79	85, 927	98, 927	151, 316	171, 793
223	7	Middle Lehigh,	Middle Lehigh C. Co.,	"	100, 610	126, 059	123, 653	120, 560	127, 733
224	5	Buck Mountain,	Buck M't'n Coal Co.,	"	1, 000	80, 432	86, 530	90, 386	90, 945
					1, 832, 565	1, 685, 036	1, 719, 583	1, 821, 489	1, 963, 267

11. West Mahanoy District.

225	6	Alaska shaft,	P. & R. C. & I. Co.,	P. & R. R. R.,	167, 115	203, 363	210, 269	70, 408	74, 639
226	6	Reliance,	"	"	91, 127	115, 204	118, 503	97, 190	102, 947
227	6	Locust Spring,	"	"	80, 407	104, 663	112, 282	117, 986	124, 946
228	6	Merriam,	"	"	86, 283	114, 649	121, 349	101, 974	171, 662

11. West Mahanoy District—Continued.

Map number.	No. of Inspector's district.	NAME OF COL- LIER.	Location.	Operator.	Shipping Rail- road.	1884.		1885.		1886.	
						Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
220	6	Potts,	Locust Dale,	P. & R. C. & I. Co.,	P. & R. R. R.,	13,331	14,182	2	2	4	4
220	6	Keystone,	"	"	"	60,672	64,312	2	3,002	47,567	50,421
221	6	Tunnel,	Ashland,	"	"	91,119	93,327	128,846	131,346	66,127	62,615
222	6	"	Big Mine Run,	"	"	82,309	87,247	106,191	123,961	78,728	81,451
223	6	North Ashland,	Dark Corner,	"	"	102,127	108,235	35,966	37,069	67,637	71,684
224	6	Preston Nos. 1, 2,	Girardville,	"	"	54,119	61,907	45,940	51,640	88,555	93,808
225	6	Girard,	"	"	"	71,598	75,694	78,718	85,318	10,149	12,149
226	6	Hammond,	"	"	"	59,593	63,765	69,853	73,944	124,173	132,173
227	6	Connor,	"	"	"	135,968	138,968	114,142	119,642	68,494	70,494
228	6	Girard Mammoth,	Raven Run,	"	"	66,703	69,703	67,237	69,637	130,007	132,007
229	6	Turkey Run,	Shenandoah,	"	"	111,999	119,999	140,519	144,719	134,262	142,262
230	6	W. Shenandoah,	"	"	"	107,697	117,697	117,657	124,257	241,896	261,896
231	6	Shenandoah city,	"	"	"	139,265	139,265	188,383	202,183	198,799	212,623
232	6	Indian Ridge,	"	"	"	93,982	93,982	177,498	186,799	70,284	70,709
233	6	Gilberton,	"	"	"	222,163	222,163	89,796	94,296	96,237	104,237
234	6	Boston Run,	St. Nicholas,	"	"	101,398	107,398	102,649	107,449	182,114	188,114
235	6	Plank Ridge,	"	"	"	93,313	93,313	134,255	139,955	91,865	97,377
236	6	Locust Gap,	Locust Gap,	"	"	66,424	70,409	55,916	60,716	142,279	150,815
237	6	Monitor,	"	"	"	93,543	96,156	134,326	140,326	170,170	182,170
238	6	Kohinor,	Shenandoah,	"	"	122,307	122,307	168,809	177,309	67,849	75,849
239	6	East Bear Ridge,	Mahanoy Plane,	"	"	55,388	55,388	51,649	58,249	117,310	124,310
240	6	West Bear Ridge,	"	"	"	45,029	45,029	126,748	129,964	94,934	97,934
241	6	Stanton,	Maizeville,	"	"	140,579	140,579	22,805	24,455	80,403	80,403
242	6	Mt. Carmel,	Mt. Carmel,	T. M. Righter & Co.,	P. & R. N. C. & L. V. R.,	33,008	34,208	102,005	105,985	159,528	163,957
243	6	"	"	Schwenk, Robertson	"	86,112	88,812	96,102	96,768	150,275	150,275
244	6	Black Diamond,	"	& Co.,	"	136,657	142,068	146,751	150,275	94,934	97,934
245	6	Morris Ridge,	Centralla,	Isaac May & Co.,	L. V. & N. C. R. R.,	33,008	34,208	102,005	105,985	80,403	80,403
246	6	Bellmore,	Mt. Carmel,	S. S. Bickel & Co.,	L. V. R. R.,	136,657	142,068	146,751	150,275	159,528	163,957
247	6	Big Mine Run,	Big Mine Run,	Jeremiah Taylor,	P. & R. R. R.,	136,657	142,068	146,751	150,275	159,528	163,957

259	Hazel Dell,	Centralla,	L. A. Riley & Co.,	L. V. R. R.,	156,386	178,062	188,112	160,824	174,467
260	Centralla,	"	"	"	216,149	199,711	212,316	201,356	217,641
261	Logan,	"	"	"	90,605				
262	Continental,	"	"	"	31,132				
263	Packer No. 1,	Colorado,	L. V. C. Co.,	"	31,806		3,264		2,900
264	" " 2,	Last Creek,	"	"	127,756	80,903	152,163	170,391	182,618
265	" " 3,	Brownsville,	"	"	117,231	144,164	212,074	227,726	
266	" " 4,	Lost Creek,	"	"	210,606	208,310	214,160	63,112	73,056
267	" " 5,	Rapahannock,	"	"		1,892	2,125		
268	Cuyler,	Raven Run,	S. M. Heaton & Co.,	P. & R. R.,	131,886	25,223	23,853	235,000	255,000
269	William Penn,	Shaft Post-office,	Wm. Penn Coal Co.,	"	232,000	240,067	242,109		
270	Locust m'n,	Shenandoah,	W. J. Lloyd	"	13,885	13,885	15,016		
271	Kehey Run,	"	Thomas Coal Co.,	"	110,288	106,730	108,898	116,418	119,649
272	Cambridge,	"	"	"	12,607	8,981	8,981	6,753	6,953
273	N. Laurel Ridge,	Gilberton,	S. H. Barrett,	"	17,579	17,529	17,829	30,689	31,039
274	S. Laurel Ridge,	"	"	"	5,883	16,108	16,408	11,655	11,405
275	Lawrence,	Mahanoy Plane,	Lawrence & Brown,	"	73,262	94,590	96,873	105,669	125,379
276	Draper,	Gilberton,	Oliver Ditson,	"	113,448	130,515	162,354	115,608	129,406
277	Ben Franklin,	Doutyville,	Douty & Baumgar't,	"	14,442	14,782			
278	Hausch Gap,	Valley View,	Israel Nye,	"	1,831				
					4,649,081	4,597,422	4,868,799	4,403,081	4,745,564

12. Shamokin District.

279	N. Franklin No. 1, R. Ash,	Trevorton,	P. & R. C. & I. Co.,	P. & R. R.,	83,817	108,709	111,709	111,822	118,563
280	N. Franklin No. 2, W. Ash,	"	"	"	76,273	92,867	99,467	84,307	89,366
281	Bear Valley,	Shamokin,	"	"	83,631	92,867	97,426	101,910	108,025
282	Burnside,	Carbon Run,	"	"	64,163	63,825	46,162	62,307	66,045
283	Peerless,	Shamokin,	"	"	19,194	20,346			
284	Buck Ridge,	"	"	"	6,886	6,782			
285	Greenback,	Greenback,	"	"	43,039	45,621			
286	Cameron,	Shamokin,	Mineral R.R. & M. Co.,	N. C. R. R.,	207,833	230,004	245,436	176,461	192,831
287	Luke Fidler,	Coal Run,	"	"	124,826	139,846	146,876	104,448	115,728
288	Hickory Ridge,	"	"	"	32,017	34,790	44,855	36,322	43,252
289	Pennsylvania,	Green Ridge,	"	"	28,740	61,250	66,011	63,522	67,942
290	"	"	Union Coal Co.,	"	120,249	146,010	108,189	217,976	226,976
291	Royal Oak,	Coal Run,	Smith & Keeler,	"	19,900	20,208	7,904	7,413	7,623
292	Lancaster,	Shamokin,	Tillett & Bro.,	P. & R. R.,	3,119	3,396	4,279	1,071	1,135
293	Sterling,	Carbon Run,	P. & R. C. & I. Co.,	"	104,401	110,665	86,944	18,314	18,413
294	Henry Clay,	Shamokin,	"	"	55,629	56,795	86,669	62,063	65,787
295	Star,	"	Chas. Hutchinson,	"	4,940	6,615	6,815		

12. Shamokin District—Continued.

Map number.	NAME OF COAL-LIERY—1884.	Location.	Operator.	Shipping rail-road.	1884.		1885.		1886.	
Number of Inspector's district.					Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.
296	Big Mountain,...	Shamokin,.....	P. & R. C. & I. Co.,...	P. & R. R. R.,....	180,742	141,841	155,570	162,235
297	Excelsior,.....	Excelsior,.....	Excelsior Coal M. Co.,	P. & R. and N. C.	137,097	145,322	167,149	177,178	161,424	171,109
298	Enterprise,.....	"	Baumgardner & Co.,	P. & R. and N. C.	107,375	112,892	127,367	132,851	103,084	110,726
299	Garfield,.....	Shamokin,.....	Garfield Coal Co.,...	P. & R. R. R.,....	4,383	4,601	19,466	20,243	7,466	8,317
300	Big M'tain No. 2,	Centralia,.....	John Q. Williams,...	1,255	1,255
301	Pioneer,.....	Ashland,.....	David Vaughan,.....	737	774
302	McAuley,.....	McAuley,.....	Allen Mann,.....	353	353
					1,419,211	1,508,931	1,484,274	1,564,305	1,322,442	1,418,838

SOUTHERN COAL FIELD.

13. Panther Creek District.

Map number.	Cullery No. 3.	Location.	Operator.	Shipping rail-road.	1884.		1885.		1886.	
Number of Inspector's district.					Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.	Shipment—long tons.	Production—long tons.
303	4	Nesquehoning,...	Lehigh C. & N. Co.,...	L. & S. R. R.,....	126,126	126,126	165,459	165,459	143,778	170,318
304	4	Jamestown,.....	"	"	112,651	141,326	144,326	144,326	146,477	160,194
305	4	Andrewsville,...	"	"	76,990	118,614	118,614	118,614	134,805	166,868
306	4	"	"	"	68,310	24,863	24,863	24,863	135,998	144,049
307	4	Coaldale,.....	"	"	107,613	135,065	135,065	135,065	159,462	172,217
308	4	"	"	"	112,152	142,173	142,173	142,173	164,760	174,645
309	4	Bull Run,.....	"	"	124,115	154,117	154,117	154,117	184,760	174,645
310	11	"	"	"	108,187	124,954	124,954	124,954	112,033	118,776

311	7	"	" 12	Condale,	"	"	89,430	91,405	96,204	101,976
312	7	"	" 13	Tamqua,	"	"	80,550	10,114	20,163	21,404
	7	Leased mines,...		9,681	7,221
							968,844	1,127,391	1,224,468	1,113,028	1,219,167

14. East Schuylkill District.

					P. & R. C. & I. Co., ..	P. & R. R. R., ..					
313	7	Beechwood,		Mt. Lafayette,			185	13,856	18,657	60,442	64,068
314	7	Wadesville shaft,		Wadesville,			29,555	6	6,006
315	7	Pottsville,		Pottsville,			12,450	2,152	5,152
316	7	Pine Forest,		St. Clair,	"	"	31,000	25	6,025
317	7	Eagle Hill shaft,		Cumbola,	"	"	82,245	142,020	149,827	215,175	228,637
318	7	Eagle,		St. Clair,	"	"	84,310	45,104	47,704	40,319	42,738
319	7	Repplier,		New Castle,	"	"	3,403	4,801	5,062	1,070	1,134
320	7	Monitor,		Wadesville,	"	"	6,500	4,700	4,982	6,580	6,974
321	7	Cumtice,		St. Clair,	"	"	1,354
322	7	Hucker,		New Philadelphia,	"	"	3,136	4,969	4,949	8,650	9,169
323	7	Palmer Vein,		Middleport,	"	"	61,812	48,844	51,775	425	450
324	7	Coal Hill,		Hythe township,	"	"	52,310	101,833	107,332	159,063	168,628
325	7	East Lehigh,		Tamqua,	"	"	879
326	7	Pine Dale,		Middleport,	"	"	3,805	4,150	4,399	4,683	4,964
327	7	Elbow,		New Castle,	"	"	5,077	9,175	9,728	11,148	11,816
328	7	Elbow Orchard,		Wadesville,	"	"	1,517
329	7	Shuylkill Mountain,		Pottsville,	"	"	61
330	7	Oak Hill,		St. Clair,	"	"	6,728
331	7	New Castle,		Mt. Lafayette,	"	"	360
332	7	Tamqua,		New Castle,	"	"	2,000	2,120
333	7	Shelly,		Tamqua,	"	"	554
334	7	Chamberlain,		Shelly & Confair,	"	"
U	7		Thompson & Co.,	"	"	21,102	22,368
H	7	Millford,		Docker & Bowman,	"	"	1,061	1,145
							357,706	384,140	424,352	529,758	562,111

15. West Schuylkill District.

					P. & R. C. & I. Co., ...	P. & R. R. R., ...					
335	7	Otto,		Branchdale,	"	"	56,078	55,129	64,579	69,301	73,459
336	7	Phoenix Park No. 3,		Phoenix Park,	"	"	37,642	55,507	59,707	47,073	49,897
337	7	Forestville,		Forestville,	"	"	37,034	440	540
338	7	Glendower,		Glendower,	"	"	41,553	45,672	55,672	77,800	82,468

15. West Schuylkill District—Continued.

Map number.	NAME OF COL- LIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
					Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
339	Richardson,.....	Glen Carbon,....	P. & R. C. & I. Co.,...	P. & R. R. R.,....	72,498	102,431	111,131	99,048	104,990
340	Thomaston,.....	Heckschersville,...	" " " " " " " "	" " " " " " " "	100,239	130,862	138,362	107,515	113,965
341	Wood,.....	Swatara,.....	C. Wood,.....	" " " " " " " "	2,600
342	Peach Mountain,...	Minersville,....	W. H. Harris,.....	" " " " " " " "	2,060	975
343	Ferburne,.....	" " " " " " " "	J. K. Seigfried,.....	" " " " " " " "	37,781	36,326	37,815	35,506	37,656
344	Wolf Creek Big Diamond,.....	" " " " " " " "	" " " " " " " "	" " " " " " " "
345	Little Diamond,...	New Castle,.....	J. F. Donahue,.....	" " " " " " " "	1,597
346	Ellsworth,.....	Minersville,....	J. Lawrence,.....	" " " " " " " "	2,941	3,000	3,180	2,490	2,639
347	Black Valley,.....	New Castle,.....	John R. Davies,.....	" " " " " " " "	12,149	12,447	13,194	8,052	8,545
348	Jugular,.....	" " " " " " " "	Edward Hoskins,.....	" " " " " " " "	1,273
349	Crystal,.....	New Castle,.....	J. S. Hager,.....	" " " " " " " "	1,129	4,604	4,890	5,844	5,664
350	Kirkline,.....	Thomaston,.....	Joseph Brady,.....	" " " " " " " "	8,977	5,600	6,148	8,600	8,710
351	Newtown,.....	Newtown,.....	P. O. Connor,.....	" " " " " " " "	3,671	4	4	8,000	8,180
352	Mine Hill Gap,....	Minersville,....	Miesse Diggies & Co.,	" " " " " " " "	68,896
353	Swatara No. 2,....	Swatara,.....	P. & R. C. & I. Co.,	" " " " " " " "	1,428
354	John D. Felty,.....	" " " " " " " "	108
			Dix & Edwards,....	" " " " " " " "
			498,729	451,604	495,778	458,630	449,153

16. Lorberry District.

Map number.	NAME OF COL- LIERY, 1884.	LOCATION.	OPERATOR.	SHIPPING RAIL- ROAD.	1884.		1885.		1886.	
					Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.	Shipment— long tons.	Production— long tons.
355	Colket,.....	Donaldson,.....	P. & R. C. & I. Co.,...	P. & R. R. R.,....	33,369	26
356	East Franklin,....	Upper Rausch Creek,.....	" " " " " " " "	" " " " " " " "	93	5,360	10,991	7,195	7,629
357	Middle Creek Shaft,.....	Middle Creek,....	" " " " " " " "	" " " " " " " "	58,856	70,408	77,008	73,077	77,461
358	Rausch Creek,....	Tremont twp.,...	" " " " " " " "	" " " " " " " "	3,754	6	4,278
			96,072	76,029	92,301	90,272	95,067

17. Lykens Valley District.

329	West Brookside.	Portertownship.	P. & R. C. & I. Co.,...	P. & R. R.,...	320,000	330,200	290,471	302,471	274,817	291,308
330	Kelms.	Orwin.	"	"	72,206	86,571	86,571	84,471	74,702	78,760
331	Lincoln.	Tremont twp.,...	"	"	69,155	99,268	99,268	102,368	125,417	133,154
332	New Lincoln.	Felley twp.,...	Levi Miller & Co.,...	"	49,081	154,407	154,407	163,566	154,546	163,423
333	Williamstown.	Williamstown.	Summit Br. R. Co.,...	N. C. R. R.,...	350,128	380,917	314,575	344,480	167,817	193,769
334	Short Mountain.	Williamstown.	Lykens Valley C. Co.,	"	185,623	212,062	189,579	217,174	175,838	214,065
335	Lykens Valley.	Lykens Valley.	James Fennel,	1,940	1,940
	Big Run Gap.	Williams Valley.	1,067,438	1,131,871	1,219,030	972,932	1,074,917

LOYALSOCK FIELD.

18. Loyalsock District.

205	Bernice,	C.	S. L. & S. R. R. Co.,...	L. V. R. R.,	84,551	86,018	73,117	75,011	56,331	61,767
-----	----------------	----	--------------------------	--------------------	--------	--------	--------	--------	--------	--------

The number of tons of coal transported by each of the different railroad companies from 1870 to 1886, inclusive, is shown in the following table:

Railroad division of shipments, 1870 to 1886, inclusive.

TRANSPORTING COMPANIES.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.
Philadelphia and Reading R. R. Co.*	4,160,707	5,350,863	5,645,103	5,868,848	5,598,601	4,782,311	4,831,754	6,842,105	5,112,219
Lehigh Valley R. R. Co.,	3,608,567	2,891,263	3,650,118	4,121,734	3,980,821	3,285,265	3,965,351	4,447,881	3,403,318
Central R. R. Co. of New Jersey,*	1,606,469	1,985,550	2,253,614	2,618,119	2,704,007	2,465,062	2,778,086	2,887,500	2,294,979
Del., Lacka. & West. R. R. Co.,	2,117,612	1,730,242	2,230,270	2,682,941	2,351,539	2,853,670	1,998,654	2,089,523	2,190,673
Delaware and Hudson Canal Co.,	2,318,073	1,855,737	2,882,479	2,782,267	2,361,791	2,844,229	1,900,180	1,787,470	2,046,295
Pennsylvania R. R. Co.,	1,225,733	912,835	1,084,084	1,519,711	1,642,474	1,773,719	1,023,335	1,530,644	1,384,674
Pennsylvania Coal Co.,	1,136,010	844,635	1,296,762	1,297,601	1,398,326	1,436,377	1,143,922	1,118,011	1,657,652
N. Y., L. E. & W. R. R.,	55,598	83,298	36,723	197,562	333,039	230,709	175,085	278,132
Total,	16,182,191	15,690,721	19,669,778	21,227,832	20,145,121	19,712,472	18,501,011	20,828,179	17,605,262

TRANSPORTING COMPANIES.	1879.	1880.	1881.	1882.	1883.	1884.	1885.	1886.
Philadelphia and Reading R. R. Co.,*	7,442,617	5,835,823	6,940,283	7,000,113	12,232,402	11,163,920	11,680,780	11,690,433
Lehigh Valley R. R. Co.,	4,405,953	4,304,538	5,721,870	5,938,740	6,271,773	5,885,254	6,107,445	6,134,456
Central R. R. Co. of New Jersey,*	3,825,553	3,470,141	4,065,424	4,211,032
Del., Lacka. & West. R. R. Co.,	3,937,405	3,550,348	4,398,970	4,638,717	5,079,123	5,304,262	4,987,934	5,172,023
Delaware and Hudson Canal Co.,	3,014,117	2,674,705	3,211,496	3,263,168	8,512,971	3,492,690	3,301,573	3,440,687
Pennsylvania R. R. Co.,	1,682,108	1,944,032	2,211,363	2,332,974	2,773,419	3,169,267	3,363,085	3,478,865
Pennsylvania Coal Co.,	1,427,150	1,138,693	1,475,380	1,499,821	1,541,145	1,307,945	1,500,086	1,388,179
N. Y., L. E. & W. R. R.,	477,783	411,091	495,230	380,511	382,194	494,844	651,226	731,049
Total,	26,142,699	23,437,242	28,500,016	29,120,066	31,793,027	30,716,293	31,623,529	32,126,362

* From June, 1883, to December, 1886, inclusive, the tonnage of the Central Railroad of New Jersey is included in that of the Philadelphia and Reading Railroad Company.

The distribution of the shipments of anthracite coal by the different railroad companies from 1882 to 1885 is shown in the following table:

Distribution of Shipments.

	1882.		1883.		1884.		1885.	
	Tons.	Percentage.	Tons.	Percentage.	Tons.	Percentage.	Tons.	Percentage.
To Pennsylvania, New York and New Jersey,...	19,937,739	68.54	21,830,504	68.68	20,654,907	67.24	21,132,179	68.32
" New England States,	6,064,176	17.39	2,337,700	10.93	5,112,825	16.64	5,112,824	16.63
" Western States,	2,313,107	7.60	2,337,174	7.86	2,736,049	8.40	3,023,385	9.33
" Southern States, including Del., Md. and D. C.,	1,168,730	4.01	1,234,063	4.04	1,338,070	4.30	1,362,900	4.31
" Pacific coast,	48,066	0.17	24,638	0.08	8,539	0.03	10,700	0.03
" Dominion of Canada,	616,875	2.12	680,468	2.17	837,168	2.73	674,177	2.13
" Foreign ports,	49,735	0.17	83,423	0.12	30,973	0.11	37,624	0.12
Total,	29,120,076	100.00	31,796,027	100.00	30,718,238	100.00	31,633,629	100.00

The county boundaries of that portion of the State in which the Anthracite region is located, are not recognized by the coal trade in the classification of either the coal-fields, or the coals which they produce. Neither are they recognized as distinct counties in the division of the field into inspector's districts. The production of coal, however, in the individual counties is of interest in showing the relative importance of the anthracite mining industry, to the counties in which it is located. This production is shown in the following table:

Total production of the coal fields by counties.

NAME OF COUNTY.	1882.		1883.		1884.		1885.		1886.	
	Production.	Percentage.	Production.	Percentage.	Production.	Percentage.	Production.	Percentage.	Production.	Percentage.
Luzerne.....	13,318,084	42.47	14,176,487	41.75	12,382,912	41.00	14,329,845	41.86	14,092,506	42.83
Schuylkill.....	7,176,498	22.89	7,759,811	22.45	7,105,532	21.98	7,100,045	22.49	7,105,150	22.71
Lackawanna.....	6,108,648	19.43	7,023,241	20.46	7,032,110	21.73	7,174,304	22.18	7,270,693	23.18
Northumberland.....	2,545,323	8.12	2,467,801	7.30	2,931,118	9.14	2,485,644	7.25	2,530,922	8.49
Carbon.....	877,846	2.77	1,007,419	2.97	1,132,018	3.54	1,210,524	3.63	1,304,124	4.74
Columbia.....	677,086	2.10	774,755	2.25	745,820	2.28	810,552	2.37	807,729	2.72
Dauphin.....	572,300	1.82	623,696	1.77	605,039	1.83	561,654	1.64	467,794	1.73
Susquehanna.....	18,523	0.05	30,945	0.09	77,038	0.24	64,460	0.24	87,072	0.25
Sullivan.....	77,186	0.25	84,376	0.25	86,018	0.25	75,011	0.22	81,767	0.17
Totals.....	31,368,264	100.00	33,955,831	100.00	22,641,499	100.00	34,228,548	100.00	84,863,077	100.00

Various classifications have been made of the coal produced in the anthracite fields. This subject is referred to in the Annual Report for 1885, p. 300, and in a paper read before the American Institute of Mining Engineers, see Transactions, Vol. XI, pp. 136-158, on the Classification and Composition of Pennsylvania Anthracites.

The coals from the region have been classified by Mr. Joseph S. Harris in referring to the characteristics of the coals produced from the properties of the Philadelphia and Reading Coal and Iron Company.

He refers to the coals as follows :

(1) *Hard white-ash*.—"It is in great request for blast furnace and locomotive purposes, having, to an unusual degree, the qualities of resisting change of form under high heat and pressure, and, owing to its high percentage of carbon, it is valuable for producing steam ; but for domestic use on a small scale, and for open-grate fires, it does not ignite readily enough to be a favorite."

(2) *Free-burning white-ash*.—"The distinction between it and the hard-burning white-ash coal is that under such a fire as is ordinarily used for smelting metals or producing steam the impurities melt or clinker, which is not the case with the harder coal. This practical test is not, however, a very exact one. Some of the anthracites can be clinkered with a strong draught and with a thick bed of fire, and would, by a person who used them under such circumstances, be classed as free burning, while another, whose method of burning was more economical, would call them hard. Analysis shows that the free-burning white ash coals are quite as rich in fixed carbon, and that they have even higher heating power, as tested by the amount of water evaporated, than the harder variety, but their limited range of usefulness, which is due to their clinkering, prevents their price rising as high as the hard white-ash coals."

(3) *Schuylkill red-ash*.—"It is easily ignited, easy to keep burning, and where used in open grates makes less floating dust than white-ash coal, because its ash is composed of larger particles, and on account of the oxide of

iron, which constitutes its coloring matter, has greater specific gravity than the ash of the white."

(4) *Shamokin*.—"It follows in hardness and in ease of ignition next after the free burning white ash coals, and is used still more, especially for domestic purposes, its lower percentage of carbon making it ill-adapted for purposes requiring intense heat."

(5) *Lorberry red-ash*.—"It burns with a little flame, and is much in request for domestic uses in the eastern markets."

(6) *Lykens Valley red-ash*.—"It burns with considerable flame, is greatly liked in the eastern market for open grates, or other domestic uses, and for steam and heating purposes, wherever quick heat is required."

(7) *Trevorton or North Franklin white-ash*.—"The coal is pure, but its heating properties are rather low, and it is of so friable a nature that it does not stand transportation well."

(8) The Wyoming red-ash, (9) Lehigh red-ash, and (10) Loyalsock white-ash are not referred to in Mr. Harris's report. The Wyoming red-ash is similar in its general characteristics to the Schuylkill red-ash. The Lehigh red-ash is very similar to the hard white ash produced from the same region, with the exception of the color of the ash, due to the presence of iron, the same as in the softer red ash from Schuylkill, while the Bernice white ash, as a fuel, is rated by many coal men as being similar to the Lykens Valley coal, except in the color of the ash. The geological structure and physical characteristics of the Bernice and Lykens Valley beds are, however, quite different.

The following table shows the amount of the different kinds of coal produced in the different fields, the number of producing collieries in each field from which the different varieties of coals come, and the proportion produced, both in tons and per cent. of total production :

COAL FIELD.	Character of Coal.	1884.			1885.			1886.		
		Number of collieries.	Production — tons.	Percentage of total production.	Number of collieries.	Production — tons.	Percentage of total production.	Number of collieries.	Production — tons.	Percentage of total production.
Northern,	Free-burning White-ash.	155	14,083,312	44.98	131	15,485,033	45.24	123	16,336,301	46.67
	Wyoming Red-ash.	14	1,727,965	5.30	14	1,730,033	5.06	14	1,981,674	5.69
	Total.	169	16,411,277	50.28	145	17,215,066	50.29	137	18,317,975	52.36
Eastern Middle,	Hard White-ash.	44	3,598,190	10.99	39	3,715,997	10.85	38	3,470,719	9.96
	Lehigh Red-ash.	11	1,510,494	4.63	11	1,613,710	4.72	11	1,522,642	4.37
	Total.	55	5,098,684	15.62	50	5,329,707	15.57	49	4,993,361	14.33
Western Middle,	Hard White-ash.	46	4,572,782	14.01	46	4,780,671	13.97	40	5,123,309	14.70
	Free-burning White-ash.	20	1,796,738	5.50	17	1,807,961	5.28	15	1,889,082	4.55
	Shamokin.	29	1,409,854	4.32	16	1,452,996	4.24	15	1,596,275	3.72
	Trevorton.	2	116,695	.36	1	111,709	.33	1	118,563	.34
	Total.	97	7,896,049	24.19	80	8,152,337	23.82	71	8,122,639	23.31
Southern,	Lykens Valley Red-ash.	8	1,145,008	3.50	6	1,219,050	3.56	6	1,074,917	3.08
	Hard White-ash.	15	1,045,697	3.20	12	1,299,023	3.77	14	1,563,312	4.49
	Free-burning White-ash.	38	620,473	1.93	17	619,213	1.81	11	547,041	1.57
	Schuylkill Red-ash.	14	227,467	.71	8	224,360	.69	8	157,073	0.45
	Lorberry Red-ash.	4	101,836	.31	4	12,301	.27	2	83,067	0.24
	Total.	79	3,149,471	9.65	47	3,455,927	10.10	41	3,427,435	9.82
Western Northern,	Lykens Valley White-ash.	1	86,018	0.26	1	75,011	.22	1	61,767	0.18
	Grand total.	401	32,641,499	100.00	323	34,228,548	100.00	304	34,833,077	100.00

It is found in practice that after the coal is passed through the breaker and screened into different sizes for shipment, the purity of the different sizes, as regards fixed carbon and ash, is very different. This is indicated by the following analysis of specimens collected from the Hauto screen-building of the Lehigh Coal and Navigation Company :

KIND OF COAL.	Water.	Volatile matter.	Fixed carbon.	Sulphur.	Ash.	Total.	Color of ash.
	<i>Per cent.</i>	<i>Per cent.</i>	<i>Per cent.</i>	<i>Per cent.</i>	<i>Per cent.</i>	<i>Per cent.</i>	
Egg,	1.722	8.518	88.489	.609	8.682	100	Light cream.
Stove,	1.426	4.156	88.672	.572	10.174	100	Cream.
Chestnut,	1.732	4.046	80.715	.841	12.686	100	Cream.
Pea,	1.700	8.894	79.045	.697	14.604	100	Cream.
Buckwheat, ..	1.690	4.068	76.918	.714	16.620	100	Cream.

These coals are separated into different sizes according to the mesh of the screen over which they pass. The sizes noted in the above table passed over and through sieve meshes of the following dimensions :

	Through.	Over.
	<i>Inches.</i>	<i>Inches.</i>
Broken or Grate,	4	2.5
Egg,	2.5	1.75
Stove,	1.75	1.25
Chestnut, ..	1.25	.75
Pea,75	.50
Buckwheat,50	.25

The amount of different kinds of coal under this classification produced by the different consumers and the number of collieries producing each kind of coal for 1884, 1885 and 1886, are shown in the following table :

CHARACTER OF COAL.	1884.			1885.			1886.		
	1884.			1885.			1886.		
	1884.			1885.			1886.		
	Percentage of total production.	Production—tons.	Number of collieries.	Percentage of total production.	Production—tons.	Number of collieries.	Percentage of total production.	Production—tons.	Number of collieries.
1. Free-burning White-ash,	52.41	17,109,523	213	52.33	17,912,307	165	52.79	18,308,734	154
2. Hard White-ash,	23.20	9,209,039	105	23.59	9,785,591	97	29.14	10,157,940	92
3. Wyoming Red-ash,	6.30	1,727,965	14	6.05	1,730,083	14	6.69	1,961,474	14
4. Lehigh Red-ash,	4.63	1,510,494	11	4.72	1,613,710	11	4.37	1,622,042	11
5. Shamokin,	4.32	1,409,854	20	4.24	1,452,596	16	3.72	1,535,275	15
6. Lykens Valley Red-ash,	3.50	1,145,038	6	3.56	1,219,030	6	3.06	1,074,917	6
7. Schuylkill Red-ash,71	227,467	8	.69	236,380	8	0.45	157,078	8
8. Trevorton,86	116,685	1	.38	111,709	1	0.34	118,583	1
9. Lorberry Red-ash,31	101,898	4	.27	82,301	4	0.24	85,087	2
10. Bernice White-ash,26	86,018	1	.22	75,011	1	..	61,767	1
	100.00	32,641,499	401	100.00	34,228,548	323	100.00	34,853,077	304

A comparative idea of the value of the different kinds of anthracite may be had from the following table :

Prices of Anthracite at New York city in 1882, 1883, 1884, 1885 and 1886.

GRADES.	Lamp.	Grate.	Reg.	Stove.	Nut.
1882.					
Free-burning (lowest.)	\$7.90	\$7.90	\$3.90	\$4.00	\$7.90
Free-burning (highest.)	4.30	4.30	4.55	4.85	4.75
Hard White-ash (lowest.)	4.85	4.35	4.25	4.25	3.90
Hard White-ash (highest.)	5.15	4.50	4.70	4.90	4.70
1883.					
Free-burning (lowest.)	3.90	3.90	4.00	4.20	4.20
Free-burning (highest.)	4.30	4.30	4.55	4.85	4.75
Hard White-ash (lowest.)	4.85	4.10	4.10	4.35	4.10
Hard White-ash (highest.)	5.15	4.50	4.70	4.90	4.70
1884.					
Free-burning (lowest.)	3.80	3.80	3.80	4.15	4.00
Free-burning (highest.)	3.80	3.80	3.80	4.40	4.15
Hard White-ash (lowest.)	4.75	4.10	4.10	4.15	4.00
Hard White-ash (highest.)	4.75	4.10	4.10	4.40	4.15
1885.					
Free-burning (lowest.)	3.30	3.00	3.00	3.50	3.10
Free-burning (highest.)	3.45	3.25	3.40	4.10	3.60
Hard White-ash (lowest.)	4.25	3.35	3.25	4.00	3.40
Hard White-ash (highest.)	4.75	3.50	3.40	4.25	3.75
1886.					
Free-burning (lowest.)	3.25	2.80	2.85	3.00	3.00
Free-burning (highest.)	3.45	3.55	3.40	4.15	3.85
Hard White-ash (lowest.)	4.25	3.35	3.35	3.65	3.00
Hard White-ash (highest.)	4.25	3.75	4.00	4.15	3.65

In the latter part of 1883 suits were entered by the Commonwealth of Pennsylvania against the various railroads and coal companies forming what was known as the trunk line pool and the coal combination for certain alleged infringements of the conditions of the charters of the companies forming these pools and violations of the State Constitution.

On the 28th of December Mr. Joseph S. Harris, president of the Lehigh Coal and Navigation Company, the oldest and one of the most important mining companies in the anthracite region, made an affidavit before the common pleas court of Dauphin county, in regard to the condition of the anthracite coal trade, the history of its development and the necessity and advantages of concerted action on the part of the mining and transportation companies.

This affidavit contains important facts of interest to the

general public. On account of its special value to parties interested in anthracite mining it is quoted in this place.

Mr. Harris says :

“The production for the year 1886 was the largest ever attained in the history of the trade, and prices have been lower during this year than the average of any year since 1862, excepting the year 1879, and, in point of fact, anthracite and bituminous coals are almost the only commodities which have not shared in the general advance of prices which have taken place during the last year. An attempt was made to secure an advance of 25 cents a ton in March 1886, but it did not prove immediately successful. The incidental advantages of a large output are so great that there is always the strongest incentive to ship more coal than the market will take, and the net results of April, May and June were, with my own company, and, I believe, with the trade in general less satisfactory than for the first three months of the year. This was to some extent owing to the necessity of having contracts ahead for the sale of coal, but there was no substantial improvement in the trade until after July 1st and I believe it to be true of the whole trade, and down to that period the owners of the anthracite mines of Pennsylvania mined, transported and sold about 15,000,000 tons of that coal without getting back the cost of production and transportation, and this without any allowance for the value of coal in the ground, or interest on the capital invested.

“The mining of anthracite is attended with very large outlays of capital, especially in the Southern coal fields, in which the Lehigh Coal and Navigation Company’s property is situated, where the beds of coal are of great thickness, are steeply inclined, and have been worked to great depths, so that, not counting the investment in coal lands, the money that must be spent in developing the mines alone, has for some years stood at the figure of from \$2 50 to \$3 00 per ton of annual capacity or from \$2,400,000 to \$3,000,000 for a productive capacity of 1,000,000 tons per annum. The element of expense in producing coal, which may be called “fixed cost” that is, cost which goes on whether there is

any production or not, such as keeping the mines in repair, keeping the water pumped out, feeding horses and mules, paying foremen &c., is larger in mining than in almost any other business, and larger at the mines of the Lehigh Coal and Navigation Company for the reasons given, than in most other mines, having been as shown by a careful analysis, \$33,150 per month in 1884, and \$27,568 per month in 1885, or an average for these two years of say \$30,355 per month.

“If the mines are worked to a capacity of say 50,000 tons per month, this fixed cost would be a charge of \$0.607 per ton while if they are producing 120,000 tons per month, about their present capacity, the item of fixed cost would be reduced to \$0.2530 per ton, making a saving in cost of \$0.354 in this item alone.

“That this is not an exaggerated estimate is proved by the fact that in 1884, in the three months January to March inclusive, when the average monthly production was 42,823 tons, the average cost per ton was \$2.10, while for the three months September to November inclusive, the average monthly production was 98,690 tons, and the average cost \$1.38 per ton, a reduction of 72 cents per ton in cost. Again, in 1885, in the three months January to March inclusive, the average monthly production was 63,262 tons, and the average cost per ton \$1.62 while in the three months August to October inclusive, the average production was 119,630 tons, and the cost \$1.24 per ton, a reduction of 38 cents per ton; and in 1886 the average production from April to June inclusive was 67,704 tons and the cost \$1.82 per ton, while in the three months August to October inclusive, the average production was 106,675 tons, and the average cost \$1.38 per ton, a reduction of 44 cents per ton. In each year the three consecutive months of lowest production have been compared with the three consecutive months of highest production.

From this statement two results necessarily follow; that it is to the advantage of the Lehigh Coal and Navigation Company, as well as to the advantage of its customers, that it should develop its property, so that it should be capable of a large production, and that the production should be kept up as steadily as possible. The gain by large production is so

great that it is the plainest dictate of self interest to get out of the mine every ton that can be sold. Therefore this company, in common with all other companies, has gone on developing its mines until, from a monthly capacity of 67,290 tons in 1877, it reached in 1885 a monthly capacity of 118,964 tons, an increase of 77 per cent. in eight years. The growth in the demand for anthracite in the same period has risen about 51 per cent., so that it is on this account less possible now than it was eight years ago to keep the mines steadily employed.

"Careful investigation leads me to conclude that in 1883 the mines then opened had an annual productive capacity of 34,875,000 tons, and that those opened in 1884 had an annual capacity of 38,129,000 tons, while the requirement of the market in those years was 31,798,000 tons for 1883 and 30,718,000 tons for 1884, showing a surplus of capacity of 3,082,000 tons in 1883 and 7,411,000 tons in 1884, or an average for the two years of say 5,250,000 tons surplus of capacity over actual demand. This surplus capacity was not excessive, as we must be prepared at all times to meet a suddenly increased demand. The production of anthracite increased from 17,605,262 tons in 1878 to 26,142,689 tons in 1879, and when a similar increase shall again be demanded the production cannot be increased at will, nor in a short time.

"There are now, December, 1886, mines in the Hazleton region which were drowned last winter which are not yet recovered; and to open a new mine in the deeper part of the anthracite basin requires two or three years, so that no amount of capital can be relied on to increase quickly the productive capacity of the anthracite region to a great extent, and the work must be kept ahead of the demands of the market if the price is to be kept from making sudden advances. But the capacity of the mines must be kept above the average requirements, without regard to any provision for a largely increased demand, on account of the different needs of different seasons of the year. The monthly demand in the four years 1882 to 1885 inclusive, has averaged, in the three

months January to March inclusive, 1,974,000 tons, and in the three months September to November inclusive, 3,110,000 tons; whence it follows that it is necessary that mines of a monthly capacity of nearly 3,000,000 tons must be kept ready for operation, though the average monthly demand for these years was only 2,564,000 tons.

“That the mining capacity is not greatly in excess of the actual requirements is shown by the fact that in no year has there failed to be a full demand in some month for all that the mines could supply, and in some months of fullest work the stocks were drawn down. Under no system that could be devised, therefore, would it be possible to have just enough mines open to supply the demand and keep the men steadily employed.

“In this respect our present practice is much better than that which obtained years ago. The miners of the Lehigh Coal and Navigation Company, until within twenty years, had to stop work from December to the following April, four months every year, during which navigation on the canals was closed, and that they are not steadily employed is a hardship which they share with every mason, bricklayer and brickmaker in the country. Competition, by lessening profits, has compelled every mine owner to do all in his power to work his mines steadily and largely, and no pressure that can be put upon the mine owner by any governmental authority can greatly increase his desire in these respects.

“The problem that presented itself to the managers of the mining companies in 1884 was this. Under the then existing methods of working the mines, whenever the supply of coal began to press heavily upon the means of storing it, all parties suspended work, usually for three days in each week, until the demand began to draw down the visible supply. This led each producer to desire to produce as much coal as possible in the days in which work was done and thus to increase the productive capacity of his mines, until, whereas in 1881, 42 days stoppage was enough to keep the shipping collieries in working condition, in 1882, 48 days were necessary, and this grew to 60 days in 1883, and 102 days in 1884 so that one-third of the time of the work-

men was unemployed, and the capacity of the mines had grown to nearly 20 per cent. above the requirements of the market. Experience has shown that for some years back under all systems of working the larger producing interests have varied but little in the percentage of the total output provided by each, and it was thought that, if while allowing the market to take what coal it would, each party would provide but its usual share of the total, regulating its production as best might suit itself, coal could be produced cheaper, the incentive to constantly increase capacity would be lessened, the men could be more steadily employed, and the production and demand could more readily adjust themselves to each other. The different interests agreed to try this experiment for the year 1885; some parties shut up mines that could be profitably closed, and the productive capacity of the mines fell from 38,129,000 ton in 1884 to 36,482,400 tons in 1885, or from an excess over demand of 19.4 per cent. in 1884 to an excess of 13.3 per cent. in 1885. It was estimated in the beginning of the year that the market would require 30,000,000 tons of coal, but no attempt was made to keep the output below the demand, and it actually took 31,623,530 tons.

“After making allowance for the increase or diminution of the stock of coal at the shipping points, the amount which went into consumption for several years past has been as follows: In 1883, 31,606,813 tons; in 1884, 30,630,644 tons; in 1885, 31,743,666 tons, and in 1886, probably 32,250,000 tons, showing that during the last two years, in which restriction of output is charged, more coal was marketed than during the two preceding years, and in fact more than was ever marketed before.

“So, too, the amount of coal shipped by the Lehigh Coal and Navigation Company was in 1883, 907,126 tons; in 1884, 969,366 tons; in 1885, 1,068,840 tons, and will be in 1886, about 1,100,000 tons.

“That the output has never been restricted below the requirements of the market is shown by the fact that there has always been a large unsold supply on hand. In the ordinary workings of the anthracite trade every producer sells

all the coal that he can throughout the country to what is called the 'line trade' and only sells to the stocking grounds such coals as he cannot otherwise dispose of, because the coal costs about 20 cents per ton to stock and pick up, and stock coal generally sells for less than fresh mined coal. The coal in stock at any time therefore, represents the amount for which no immediate sale can be found. In 1883, this stock varied from 502,159 tons to 748,330 tons; in 1884 it varied from 588,229 tons to 885,715 tons; while in 1885 it ranged from 420,564 tons to 988,782 tons, and in 1886 from 393,202 tons to 996,946 tons, so that this average stock unsold has not diminished in the last two years.

"The price at which coal should be marketed has never been discussed at any meeting of the representatives of the anthracite producers, nor has any action ever been taken thereon at any such meeting except at the one held March 22d. 1886. The rates of transportation have never at any time been discussed, and in fact there is no concert whatever between the transporting companies as to rates except within limited areas. The greater part of the coal is carried to market at rates which are not the subject of agreement or conference between the different companies. But it is not true, as alleged in the Commonwealth's bill, that the prices of coal and of transportation have been advanced to an unjust extent or to any extent.

"In March, 1883, the rail rate on coal from Mauch Chunk to Philadelphia was \$1.80 per ton. In August 1883, this rate was advanced to \$1.90 per ton. In October 1883, it was advanced to \$2.00 per ton. In March 1884, it was reduced to \$1.80 per ton. In July 1885 it was reduced to \$1.60 per ton, and in March 1886 to \$1.50 per ton, which is the present rate; so that since the beginning of 1885 the reduction has been 30 cents per ton.

"Similarly the rate on coal from the Lehigh region to New York tide via the Central Railroad of New Jersey, which in 1883 varied from \$1.60 to \$1.67 per ton, and in 1884 from \$1.41 to \$1.64 per ton, ruled in 1885, from \$1.28 to \$1.37 per ton, and in 1886, from \$1.11 to \$1.40 per ton, showing that in the last two years the rates to New York tide were con-

siderable lower than in the previous years. To the rates here named must be added for wharfage and shipping, a sum varying in the years named from 14 cents to 20 cents, to get the free on board price, and a further sum of 15 cents to 20 cents to put the coal alongside the piers' in New York.

"As to the price realized for coal: the average price realized for the Lehigh Coal and Navigation Company's coal 'free on board' in New York harbor, has fallen each year since 1881, being, in that year, down to and including pea coal \$3.95 per ton, while in 1882 the average was \$3.89, in 1883 it was \$3.74, in 1884 it was \$3.48, in 1885 it was \$3.07, while in 1886 to the end of October the latest date to which accounts are completed, it is about \$2.80.

"The great fall in prices realized for coal was accompanied by a reduction in the wages of the miners of about 10 per cent but they were so much benefited by the steady work given under the present system, that the earnings per capita of the men and boys employed on the Lehigh Coal and Navigation Company's property averaged more in 1885 than in 1884, and notwithstanding all the influences that have been brought to bear on the workmen during the past year or two to make them dissatisfied, they have in the main continued steadily at work; and while they have shared with their employers lower prices, they have, as already stated, earned more per capita in the year 1885, the first of the years as to which complaint is made, than in the year 1884; and speaking from an intimate knowledge of their conditions, I assert that the community engaged in anthracite mining show from year to year that they are improving in intelligence, sobriety and material comfort.

"The reduction in cost has only been brought about by the economies which were rendered possible by concerted action. To show that the public has had at least its share of the benefits resulting from this lowering of cost, it will be sufficient to state that the profit realized on the mining of coal by the Lehigh Coal and Navigation Company in 1885, was about 28 cents per ton, which profit has fallen this year so that it will not exceed 15 cents per ton, and may not reach that amount."

CHAPTER V.

Sections in the Northern Anthracite coal field.

Section of Bennett Shaft from Surface to Bennett Bed.

Waddell & Co.

(Measured by Geological Survey.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses per- pendicular to dip.
1.	Sand and clay, { Crib-	50' 0" to 50' 0"	50' 0" to 50' 0"
2.	Sandstone, { bing.	10' 0" to 60' 0"	10' 0" to 60' 0"
3.	Sandstone, flat, . . .	104' 0" to 164' 0"	104' 0" to 164' 0"
4.	Hard slate,	20' 0" to 184' 0"	20' 0" to 184' 0"
5.	COAL,	7" to 184' 7"	7" to 184' 7"
6.	Hard slate,	43' 11" to 228' 6"	43' 11" to 228' 6"
7.	Slate bone and coal,	5' 11" to 234' 5"	5' 11" to 234' 5"
8.	Hard slate,	12' 0" to 246' 5"	12' 0" to 246' 5"
9.	Sandstone,	15' 7" to 262' 0"	15' 7" to 262' 0"
10.	COAL,	5" to 262' 5"	5" to 262' 5"
11.	Slate,	18' 8" to 281' 1"	18' 8" to 281' 1"
12.	COOPER BED,	9' 6" to 290' 7"	9' 6" to 290' 7"
13.	Slate,	4' 1" to 294' 8"	4' 1" to 294' 8"
14.	Sandstone,	24' 7" to 319' 3"	24' 7" to 319' 3"
15.	BENNETT BED,	4' 9" to 324' 0"	4' 9" to 324' 0"

See Columnar Section Sheet No. I and Mine Sheet No. VIII. Atlas Northern Coal Field Part I.

Section of Pine Ridge shaft from surface through Lower Baltimore bed.

D. & H. C. Co.

(Reported by I. A. Stearns, M. E.)

No. of Strata.	Description.	Thicknesses measured vertically.	Thicknesses per- pendicular to dip.
1.	Quicksand and fire- clay,	44' 0" to 44' 0"	44' 0" to 44' 0"
2.	Sandstone and slate,	40' 0" to 84' 0"	40' 0" to 84' 0"
3.	COAL BED, soft, . .	9' 0" to 93' 0"	9' 0" to 93' 0"
4.	Slate, flat,	42' 0" to 135' 0"	42' 0" to 135' 0"
5.	HILLMAN BED? . .	10' 0" to 145' 0"	10' 0" to 145' 0"

No. of Strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
6.	Blue sandstone, . .	82' 0" to 227' 0"	82' 0' to 227' 0"
7.	Slate and fire-clay,	77' 0" to 304' 0"	77' 0" to 304' 0"
8.	COAL,	6" to 304' 6"	6" to 304' 6"
9.	Slate and fire-clay,	30' 0" to 334' 6"	30' 0" to 334' 6"
10.	COAL,	1' 2" to 335' 8"	1' 2' to 335' 8"
11.	Slate,	3' 0" to 338' 8"	3' 0" to 338' 8"
12.	Hard blue sandstone,	17' 0" to 355' 8"	17' 0" to 355' 8"
13.	Slate,	11' 0" to 366' 8"	11' 0" to 366' 8"
14.	COAL,	11' 0" to 377' 8"	11' 0' to 377' 8"
15.	Slate,	17' 0" to 394' 8"	17' 0" to 394' 8"
16.	COAL,	7' 0" to 401' 8"	7' 0' to 401' 8"
		BATH-MORE BED.	
17.	Slate,	14' 0" to 415' 8"	14' 0" to 415' 8"

See Columnar Section Sheet No. 1, and Mine Sheet No. VIII. Atlas Northern Anthracite Field, Part I.

Section of Rope Drill bore hole near Mill Creek Breaker, from surface through coal bed at 142' 6" into fire-clay.

D. & H. C. Co.

(Reported by I. A. Stearns, M. E.)

No. of Strata,	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	6' 6" to 6' 6"	6' 6" to 6' 6"
2.	Slate,	3' 3" to 9' 9"	3' 1" to 9' 7"
3.	Sandstone, dip 12° S.,	18' 9" to 28' 6"	18' 3" to 27' 10"
4.	Slate,	1' 0" to 29' 6"	11" to 28' 6"
5.	Mica sandstone, . .	23' 4" to 52' 10"	22' 9" to 51' 6"
6.	Sandstone,	13' 5" to 66' 3"	13' 4" to 64' 10"
7.	Slate,	6' 8" to 72' 11"	6' 7" to 71' 5"
8.	COAL,	3' 10" to 76' 9"	3' 9" to 75' 2"
9.	Fire-clay,	5' 10" to 82' 7"	5' 8" to 80' 10"
10.	Mica sandstone, . .	10' 2" to 92' 9"	9' 10" to 90' 8"
11.	Sandstone,	26' 8" to 116' 5"	26' 1" to 116' 9"
12.	Black slate,	2' 1" to 121' 6"	2' 6" to 118' 9"
13.	Sandstone,	10' 1" to 131' 7"	9' 10" to 128' 7"
14.	Blue slate,	1' 11" to 133' 6"	1' 16" to 130' 5"
15.	Sandstone,	6' 0" to 139' 6"	5' 10" to 136' 2"
16.	Slate,	3' 4" to 142' 10"	3' 2" to 138' 5"
17.	COAL,	3' 2" to 146' 0"	3' 1" to 142' 6"
18.	Fire-clay,	3' 11" to 149' 11"	3' 10" to 146' 4"

See Columnar Section Sheet No. 1, and Mine Sheet No. VIII. Atlas Northern Anthracite Field, Part I.

*Section of Enterprise shaft, slope and Jump Drill bore
hole from surface to Four Foot bed.*

A. Langdon & Co.

(Reported by W. B. Hick, M. E.)

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses mea- sured vertically.</i>		<i>Thicknesses per- pendicular to dip.</i>	
1.	Surface,	14' 0''	to 14' 0''	14' 0''	to 14' 0''
2.	Soft shaly sand- stone,	40' 0''	to 54' 0''	40' 0''	to 54' 0''
3.	HILLMAN OR MITCHELL BED,	7' 11'	to 61' 11''	7' 11''	to 61' 11''
4.	Soft sand rock, .	74' 0''	to 135' 11''	74' 0''	to 135' 11''
5.	Bone,	2' 0''	to 137' 11''	2' 0''	to 137' 11''
6.	COAL,	4' 0''	to 141' 11''	4' 0''	to 141' 11''
7.	Fire clay, . . .	5' 0''	to 146' 11''	5' 0''	to 146' 11''
8.	COAL,	1' 2''	to 148' 1'	1' 2''	to 148' 1''
9.	Slate rock, . . .	27' 3''	to 27' 3''	14' 1''	to 162' 2''
10.	COAL,	4' 7''	to 31' 10''	2' 10''	to 165' 0''
11.	Coal and slate, .	10' 10''	to 42' 8''	5' 8''	to 170' 8''
12.	Hard rock, . . .	17' 0''	to 59' 8''	8' 11''	to 179' 7''
13.	COAL,	2' 3''	to 61' 11''	1' 0''	to 180' 7''
14.	Hard rock, . . .	62' 0''	to 123' 11''	32' 1''	to 212' 8''
15.	Dark slaty rock,	22' 10''	to 146' 9''	12' 0''	to 224' 8''
16.	Slate,	55' 0''	to 201' 9''	28' 1''	to 252' 9''
17.	COAL,	11' 9''	to 213' 6''	6''	to 253' 3''
18.	Sand slate, . . .	111' 0''	to 324' 6''	5' 6''	to 258' 9''
19.	Hard rock, . . .	12' 0''	to 336' 6''	57' 8''	to 310' 5''
20.	Slate and Iron balls,	7' 6''	to 344' 0''	6' 2''	to 322' 7''
21.	Fire clay, . . .	5' 0''	to 349' 0''	3' 10''	to 326' 5''
22.	COAL, rider to Baltimore, . .	29' 0''	to 378' 0''	2' 6''	to 328' 11''
23.	Hard sand slate,	27' 0''	to 405' 0''	14' 10''	to 343' 9''
24.	UPPER BALTI- MORE BED, . .	8' 3''	to 8' 3''	8' 3''	to 352' 0''
25.	Fire clay, . . .	14' 6''	to 22' 9''	14' 6''	to 366' 6''
26.	LOWER BALTI- MORE BED, . .	8' 6''	to 31' 3''	8' 6''	to 375' 0''
27.	Rock,	33' 0''	to 33' 0''	33' 0''	to 408' 0''
28.	COAL,	1' 8''	to 34' 8''	1' 8''	to 409' 8''
29.	Rock,	48' 0''	to 82' 8''	48' 0''	to 457' 8''
30.	FOUR FOOT BED,	6' 0''	to 88' 8''	6' 0''	to 463' 8''

See Columnar Section Sheet No. 1, and Mine Sheet No. VII, Atlas North-
ern Anthracite Field, Part I.

Section of Henry shaft from surface to Upper Baltimore bed.

L. V. C. Co.

(Measured by Geological Survey.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Cribbing,	99' 7" to 99' 7"	99' 7" to 99' 7"
2.	Fire-clay,	9' to 100' 4"	9' to 100' 4"
3.	Hard sandstone. Dip 17° N.,	16' 8" to 116' 10"	15' 8" to 116' 0"
4.	Fire-clay,	8' 0" to 124' 10"	7' 7" to 123' 7"
5.	Slate,	7' 8" to 132' 8"	7' 4" to 130' 11"
6.	COAL,	4" to 132' 10"	3" to 131' 2"
7.	Slate,	3' 5" to 136' 3"	3' 3" to 134' 5"
8.	COAL BED. Dip 19° N.,	8' 11" to 145' 2"	8' 4" to 142' 9"
9.	Hard slate,	6' 6" to 151' 8"	6' 2" to 148' 11"
10.	COAL BED,	4' 8" to 156' 4"	5' 11" to 154' 10"
11.	Bastard slate, . . .	10' 8" to 167' 0"	10' 2" to 165' 0"
12.	Sandstone, very hard. Dip 18° N.,	20' 5" to 187' 5"	19' 5" to 184' 5"
13.	Bastard sandstone, very hard,	15' 8" to 203' 1"	14' 11" to 199' 4"
14.	Slate with iron ore balls,	10' 4" to 213' 5"	9' 10" to 209' 2"
15.	Sandstone, hard. Dip 21° S.,	60' 5" to 273' 10"	57' 5" to 266' 7"
16.	Slate,	13' 6" to 287' 4"	12' 10" to 279' 5"
17.	Sandstone and slate,	51' 6" to 338' 10"	49' 0" to 328' 5"
18.	UPPER BALTIMORE BED,*		8' 0" to 336' 5"

See Columnar Section No. I, and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

*The actual vertical measurement of the Upper Baltimore bed is not given in the shaft, owing to the abnormal condition of the strata at that point.

Section of Henry colliery Air shaft from surface to Lower Baltimore bed.

L. V. C. Co.

(Reported by I. A. Stearns, M. E.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Earth,	21' 0" to 21' 0"	21' 0" to 21' 0"
2.	Blue clay,	22' 0" to 43' 0"	21' 4" to 42' 4"
3.	Quicksand,	11' 0" to 54' 0"	10' 8" to 53' 0"

<i>No. of Strata</i>	<i>Description</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
4.	COAL BED, dip 14°		
	N.,	5' 0" to 59' 0"	4' 11" to 57' 11"
5.	Slate,	12' 0" to 71' 0"	11' 8" to 69' 7"
6.	Fire clay,	2' 0" to 73' 0"	1' 11" to 71' 6"
7.	Sandstone,	121' 6" to 194' 6"	117' 16" to 189' 4"
8.	COAL,	6" to 145' 0"	6" to 139' 10"
9.	Slate,	4' 0" to 199' 0"	4' 11" to 194' 9"
10.	COAL and slate,	1' 6" to 200' 6"	1' 5" to 196' 2"
11.	Sandstone,	47' 0" to 247' 6"	44' 7" to 240' 9"
12.	Slate,	15' 0" to 252' 6"	14' 7" to 255' 4"
13.	UPPER BALTI-MORE BED,	8' 0" to 270' 6"	7' 9" to 263' 1"
14.	Sandstone,	41' 6" to 312' 0"	40' 3" to 303' 4"
15.	LOWER BALTI-MORE BED,	6' 6" to 318' 6"	6' 5" to 309' 9"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Wyoming shaft, Test shaft and Jump Drill bore hole from surface to Ross bed.

J. H. Swoyer.

(Reported by J. H. Swoyer.)

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	20' 0" to 20'	20' 0" to 20' 6"
2.	Soft shelly sandstone,	14' 6" to 34' 6"	14' 0" to 34' 0"
3.	COAL,	6' 0" to 40' 0"	6' 6" to 46' 0"
4.	Slate,	5' 0" to 45' 0"	5' 6" to 45' 6"
5.	COAL,	1' 8" to 46' 8"	1' 8" to 46' 8"
6.	Hard Sandstone,	211' 0" to 257' 8"	211' 6" to 257' 8"
7.	UPPER BALTI-MORE BED,	9' 3" to 266' 11"	9' 3" to 266' 11"
8.	Sandstone,	31' 0" to 297' 11"	31' 6" to 297' 11"
9.	LOWER BALTI-MORE BED,	7' 0" to 304' 11"	7' 6" to 304' 11"
10.	Soft slaty rock,	29' 0" to 333' 11"	29' 0" to 333' 11"
11.	COAL,	2' 0" to 335' 11"	2' 0" to 335' 11"
12.	Sandstone,	34' 0" to 369' 11"	34' 0" to 369' 11"
13.	FOUR-FOOT BED,	4' 0" to 373' 11"	4' 0" to 373' 11"
14.	Slate,	10' 0" to 383' 11"	10' 0" to 383' 11"
15.	Sandstone,	2' 0" to 385' 11"	2' 0" to 385' 11"
16.	Slate,	5' 0" to 390' 11"	5' 6" to 390' 11"
17.	COAL,	1' 6" to 392' 5"	1' 6" to 392' 5"
18.	Hard sandstone,	31' 6" to 423' 11"	31' 4" to 423' 9"
19.	COAL,	1' 6" to 425' 5"	1' 6" to 425' 3"

No. of Strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
20.	Hard sandstone,	23' 0" to 448' 5"	22' 11" to 448' 2"
21.	Slate.	1' 0" to 449' 5"	1' 0" to 449' 2"
22.	Hard sandstone,	18 9" to 468' 2"	18' 8" to 467' 10"
23.	COAL,	1' 3" to 469' 5"	1' 3" to 469' 1"
24.	Slate,	11' 0" to 480' 5"	11' 0" to 480' 1"
25.	Sandstone, . . .	1' 8" to 481' 1"	1' 8" to 481' 9"
26.	ROSS BED, . . .	13' 5" to 495' 6"	13' 4" to 495' 1"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Laurel Run Rope Drill bore hole 400' north of Breaker from surface through small coal bed at 164' 9"

D. & H. C. Co.

(Reported by I. A. Stearns, M. E.)

No. of Strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	35' 2" to 35' 2"	35' 2" to 35' 2"
2.	Slate. Dip 27° N.,	3' 3" to 38' 5"	2' 10" to 38' 0"
3.	Sandstone,	2' 2" to 40' 7"	1 10" to 39' 10"
4.	Rock,	68 11" to 109' 6"	61' 5" to 101' 3"
5.	Slate,	14' 0" to 123' 6"	12 6" to 113' 9"
6.	Slate with bony COAL, . . .	2' 3" to 125' 9"	2' 0" to 115' 9"
7.	Slate,	1' 0" to 126' 9"	11" to 116' 8"
8.	Sandstone, light,	5' 0" to 131' 9"	4 5" to 121' 1"
9.	Slate and sandstone (dark),	8' 3" to 140' 0"	7' 4" to 128' 5"
10.	Slate, quite black,	2' 3" to 142' 3"	2' 0" to 130' 5"
11.	Slate with COAL,	1' 3" to 143' 6"	1' 1" to 131' 6"
12.	COAL BED,	8' 6" to 152' 0"	8' 5" to 139' 11"
13.	Sandstone and slate,	21' 6" to 173' 6"	18' 3" to 158' 2"
14.	Slate and bony COAL, . . .	2' 0" to 175' 6"	1' 9" to 159' 11"
15.	COAL BED,	5' 6" to 181' 0"	4' 10" to 164' 9"
16.	Fire clay,	1 3" to 182' 3"	1' 1" to 165' 10"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Rope Drill bore hole at Mineral Spring from surface through coal bed at 156' 6" into fire-clay 159' 11".

L. V. C. Co.

(Reported by I. A. Stearna, M. E.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	2' 6" to 2' 6"	2' 6" to 2' 6"
2.	Brown sandstone. Dip 12° N.,	12' 0" to 14' 6"	11' 9" to 14' 3"
3.	Blue sandstone,	48' 3" to 60' 9"	45' 2" to 59' 5"
4.	Black slate,	3' 0" to 63' 9"	2' 11" to 62' 4"
5.	Fire-clay,	8" to 64' 5"	8" to 63' 0"
6.	Sandstone and slate,	2' 6" to 66' 11"	2' 5" to 65' 5"
7.	Fire-clay,	2' 3" to 69' 2"	2' 2" to 67' 7"
8.	Blue slate,	6' 7" to 75' 9"	6' 5" to 74' 0"
9.	Brown sandstone,	10' 0" to 85' 9"	9' 10" to 83' 10"
10.	Blue sandstone,	18' 0" to 103' 9"	17' 7" to 101' 5"
11.	Slate,	4" to 104' 1"	4" to 101' 9"
12.	Blue sandstone,	2' 6" to 106' 7"	2' 5" to 104' 2"
13.	COAL,	2" to 106' 9"	2" to 104' 4"
14.	Slate,	6" to 107' 3"	6" to 104' 10"
15.	Blue sandstone,	10' 3" to 117' 6"	9' 11" to 114' 9"
16.	COAL BED,	11' 2" to 128' 8"	10' 11" to 125' 8"
17.	Blue Slate,	15' 0" to 143' 8"	14' 8" to 140' 4"
18.	COAL BED,	16' 0" to 149' 8"	5' 10" to 146' 2"
19.	Slate,	4' 0" to 153' 8"	3' 11" to 150' 1"
20.	COAL BED,	6' 7" to 160' 9"	6' 5" to 156' 6"
21.	Fire-clay,	3' 6" to 163' 9"	3' 5" to 159' 11"

See Columnar Section Sheet No. I and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Rope Drill bore-hole near Slope No. 1, from bottom slate of Red Ash bed, Katydid Colliery, Red Ash Coal Co.

(Reported by Red Ash Coal Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Bottom slate of RED ASH BED,	3' 0" to 3' 0"	2' 10" to 2' 10"
2.	A BED. Dip 20° N,	3' 0" to 6' 8"	2' 10" to 5' 8"
3.	Slate and sandstone,	12' 0" to 18' 0"	11' 3" to 16' 11"
4.	Conglomerate,	102' 8" to 120' 8"	98' 6" to 113' 5"
5.	Green sandstone,	44' 0" to 164' 8"	41' 3" to 154' 8"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
6.	Green and black sandstone, . . .	12' 11" to 177' 7"	12' 2" to 166' 10"
	Record of hole below 12' 2" stratum,		
7.	Red slate,	203' 4" to 380' 11"	191' 2" to 358' 0"
8.	Green sandstone, .	32' 0" to 412' 11"	30' 0" to 388' 0"
9.	Green sandstone and red shale, .	37' 11" to 450' 10"	35' 7" to 423' 7"
10.	Green sandstone, .	8' 11" to 459' 9"	8' 5" to 432' 0"
11.	Red shale,	109' 7" to 569' 4"	103' 1" to 535' 1"
12.	Green sandstone, .	19' 0" to 588' 4"	17' 10" to 552' 11"
13.	Green sandstone and red shale, .	4' 0" to 592' 4"	3' 9" to 556' 8"
14.	Red Shale,	108' 6" to 700' 10"	102' 1" to 658' 9"
15.	Hard quartz rock, .	8' 0" to 708' 10"	7' 6" to 668' 3"

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Oakwood Shaft from surface to coal bed at 659'

10", L. V. C. Co.

(Reported by I. A. Stearns, M. E.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Strata	158' 0" to 158' 0"	143' 2" to 143' 2"
2.	ABBOTT BED. Dip 26° S,	6' 6" to 164' 6"	5' 11" to 149' 1"
3.	Sandstone,	84' 6" to 249' 0"	76' 7" to 225' 8"
4.	BOWKLEY BED, . .	7' 0" to 256' 0"	6' 4" to 232' 0"
5.	Sandstone,	50' 0" to 306' 0"	45' 4" to 277' 4"
6.	HILLMAN BED, . .	11' 0" to 317' 0"	10' 0" to 287' 4"
7.	Sandstone,	98' 0" to 415' 0"	88' 10" to 376' 2"
8.	COAL BED,	5' 6" to 420' 6"	5' 0" to 381' 2"
9.	Sandstone,	175' 6" to 596' 0"	159' 0" to 540' 2"
10.	UPPER BALTIMORE BED, . . .	13' to 609' 0"	11' 9' to 551' 11"
11.	Sandstone,	18' to 627' 0"	16' 4" to 568' 3"
12.	LOWER BALTIMORE BED, . . .	5' to 632' 0"	4' 7" to 572' 10"
13.	Sandstone,	90' to 722' 0"	81' 7" to 654' 5"
14.	COAL BED,	6' to 728' 0"	5' 5" to 659' 10"

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

*Section of Tunnel from surface to Red Ash bed, Katydid**Colliery, Red Ash Coal Co.*

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone. Dip 6°		
	N,	129' 0" to 129' 0"	13' 9" to 13' 9"
2.	Dirt,	4" to 129' 4"	2" to 13' 11"
3.	Shaly sandstone,	99' 2" to 228' 6"	8' 10" to 22' 9"
4.	Slate,	19' 2" to 247' 8"	2' 0" to 24' 9"
5.	ROSS BED,	85' 6" to 336' 2"	9' 3" to 34' 0"
6.	Sandstone. Dip 6°		
	N,	50' 6" to 396' 8"	5' 6" to 39' 6"
7.	Slate. Dip 4° N,	31' 3" to 417' 11"	3' 6" to 43' 0"
8.	COAL,	2' 1" to 420' 0"	11" to 43' 11"
9.	Slate,	54' 2" to 474' 2"	6' 0" to 49' 11"
10.	SIX-FOOT BED,	87' 8" to 561' 10"	9' 2" to 59' 1"
11.	Bastard slate and fire clay,	108' 10" to 670' 8"	31' 10" to 90' 11"
12.	RED ASH BED.* Dip 22° N,		13' 4" to 104' 3"

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

*The Red Ash bed was measured alone here in detail, perpendicular to dip.

*Section of Prospect Shaft from surface through Baltimore bed.**L. V. C. Co.*

(Reported by I. A. Stearns, M. E.)

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	20' 0" to 20' 0"	20' 0" to 20' 0"
2.	Slate and soft rock,	58' 0" to 78' 0"	55' 9" to 75' 9"
3.	BOWKLEY BED. Dip 16° S.,	7' 3" to 85' 3"	7' 0" to 82' 9"
4.	Sandstone,	81' 0" to 166' 3"	77' 9" to 160' 6"
5.	HILLMAN BED,	17' 0" to 183' 3"	16' 4" to 176' 10"
6.	Sandstone,	39' 0" to 222' 3"	37' 6" to 214' 4"
7.	COAL,	6' 0" to 228' 3"	5' 9" to 220' 1"
8.	Sandstone,	77' 0" to 305' 3"	74' 0" to 294' 1"
9.	COAL,	4' 6" to 309' 9"	4' 4" to 298' 5"
10.	Sandstone,	7' 0" to 316' 9"	6' 9" to 305' 2"
11.	COAL,	5' 0" to 321' 9"	4' 10" to 310' 0"
12.	Sandstone,	230' 0" to 551' 9"	221' 0" to 531' 0"
13.	Slate, COAL, &c.,	4' 0" to 555' 9"	3' 10" to 534' 10"
14.	Sandstone,	2' 0" to 557' 9"	1' 11" to 538' 9"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses per- pendicular to dip.</i>
15.	COOPER BED (Up- per Baltimore),	20' 0'' to 577' 9''	19' 3'' to 556' 0''
16.	Sandstone,	3' 0'' to 580' 9''	2' 11'' to 558' 11''
17.	BENNETT BED (Lower Balti- more),	5' 0'' to 585' 9''	4' 10'' to 563' 9''
18.	Sandstone,	7' 0'' to 592' 9''	6' 9'' to 570' 6''

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas North-
ern Anthracite Field, Part I.

*Section of Rope Drill bore hole, between Conyngham shaft
and Young's slope, from surface to Hillman bed.*

D. & H. C. Co.

(Reported by D. & H. C. Co.)

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Gravel,	31' 9'' to 31' 9''	31' 9'' to 31' 9''
2.	Sandstone,	16' to 47' 9''	16' 0'' to 47' 9''
3.	HILLMAN BED.		

See Columnar Section Sheet No. I, and Mine Sheet No. VIII, Atlas North-
ern Anthracite Field, Part I.

*Section of Old Baltimore tunnel from surface to Balti-
more bed.*

D. & H. C. Co.

(Reported by D. & H. C. Co.)

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Sandstone. Dip 34° N.,	31' 0'' to 81' 0''	20' 0'' to 20' 0''
2.	Hard pebble rock. Dip 25½° N.,	59' 0'' to 90' 0''	29' 6'' to 49' 6''
3.	Gray sandstone,	15' 0'' to 105' 0''	6' 3'' to 55' 9''
4.	Fine sandstone. Dip 26½° N.,	27' 0'' to 132' 0''	11' 6'' to 67' 3''
5.	Hard pebble rock. Dip 12½° N.,	30' 0'' to 162' 0''	8' 5'' to 75' 8''
6.	Sandstone, Dip 18° N., .	8' 0'' to 170' 0''	2' 3'' to 77' 11''
7.	Hard pebble rock, . . .	118' 0'' to 250' 0''	23' 0'' to 100' 11''
8.	COAL, (First) Dip 15° N.,	11' 0'' to 261' 0''	4' 7'' to 106' 6''
9.	Fire clay,	12' 0'' to 273' 0''	3' 0'' to 108' 6''
10.	Gray sandstone,	21' 0'' to 294' 0''	5' 3'' to 113' 9''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
11.	Hard black slate,	28' 0" to 320' 0"	7' 2" to 120' 11"
12.	Bone,	2" to 320' 2"	1" to 121' 0"
13.	White fire clay,	18' 0" to 338' 2"	3' 8" to 124' 8"
14.	Hard white pebble rock.		
	Dip 16° N.,	202' 0" to 540' 2"	68' 6" to 193' 2"
15.	Hard blue sandstone, . .	64' 0" to 604' 2"	27' 0" to 220' 2"
16.	Hard blue slate. Dip		
	24° N.,	13' 0" to 617' 2"	4' 8" to 224' 10"
17.	Hard grey rock,	114' 0" to 731' 2"	46' 6" to 270' 10"
18.	Slate,	4' 0" to 735' 2"	1' 5" to 272' 3"
19.	COAL, (Second),	11' 0" to 746' 2"	4' 8" to 276' 11"
20.	Dark fire clay,	10' 0" to 756' 2"	3' 6" to 280' 5"
21.	Hard black rock,	65' 0" to 821' 2"	28' 2" to 308' 7"
22.	Gray sandstone,	4' 0" to 825' 2"	1' 6" to 310' 1"
23.	Hard black rock,	5' 0" to 830' 2"	4' 0" to 314' 1"
24.	Bone,	2" to 830' 4"	1" to 314' 2"
25.	Bone and fire clay. Dip		
	17° N.,	38' 0" to 868' 4"	11' 2" to 325' 4"
26.	Hard gray sandstone, . .	45' 0" to 913' 4"	10' 7" to 335' 11"
27.	Soft sandstone,	18' 0" to 931' 4"	7' 8" to 343' 7"
28.	Hard quartz rock. Dip		
	34° N.,	16' 0" to 947' 4"	5' 3" to 348' 10"
29.	Hard gray rock,	81' 0" to 1028' 4"	28' 6" to 377' 4"
30.	BALTIMORE BED. Dip		
	14½° N.,		14' 5" to 391' 9"

See Columnar Section Sheet No. I and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Baltimore (inside) tunnel from Baltimore bed to Red Ash bed.

D. & H. C. Co.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	BALTIMORE BED. Dip		
	10° N.,		16' 0" to 16' 0"
2.	Fire clay and slate, . .	113' 0" to 113' 0"	19' 6" to 35' 6"
3.	Hard sandstone, . . .	294' 0" to 407' 0"	51' 6" to 87' 0"
4.	COAL,	10' 0" to 417' 0"	1' 6" to 88' 6"
5.	Fine conglomerate, . .	96' 0" to 513' 0"	27' 0" to 115' 6"
6.	Slate and fire clay, . .	85' 0" to 598' 0"	22' 0" to 137' 6"
7.	Hard sandstone, . . .	164' 0" to 762' 0"	50' 6" to 188' 0"
8.	Slate,	1' 0" to 763' 0"	8" to 189' 8"
9.	Hard sandstone, . . .	232' 0" to 995' 0"	72' 0" to 260' 8"
10.	COAL,	8' 0" to 1003' 0"	3' 0" to 263' 8"
11.	Slate,	24' 0" to 1027' 0"	7' 0" to 270' 8"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip,</i>
12.	Fine conglomerate, .	58' 2" to 1085' 2"	17' 0" to 287' 8"
13.	Slate,	1' 0" to 1086' 2"	6" to 288' 2"
14.	COAL,	10" to 1087' 0"	6" to 288' 8"
15.	Fine conglomerate, .	77' 0" to 1164' 0"	24' 0" to 312' 8"
16.	COAL,	1' 0" to 1165' 0"	6" to 313' 2"
17.	Sandstone,	198' 0" to 1363' 0"	62' 0" to 375' 2"
18.	RED ASH BED,		15' 3" to 390' 5"

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Diamond No. 1 shaft from surface to Baltimore bed.

L. & W. B. C. Co.

(Reported by L. & W. B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Cribbing,	39' 3" to 39' 3"	39' 3" to 39' 3"
2.	HILLMAN BED. Dip, 15° N.,	10' to 49' 3"	9' 7" to 48' 10"
3.	Hard sandstone, . .	34' 3" to 83' 6"	33' 1" to 81' 11"
4.	Slate,	10" to 84' 4"	10" to 82' 9"
5.	Bone,	3" to 84' 7"	3" to 83' 0"
6.	Slate,	1' 6" to 86' 1"	1' 5" to 84' 5"
7.	Bone,	6" to 86' 7"	6" to 84' 11"
8.	Slate,	6' 2" to 92' 9"	5' 11" to 90' 10"
9.	Sandstone,	12' 2" to 104' 11"	11' 9" to 102' 7"
10.	Slate,	8" to 105' 7"	8" to 103' 3"
11.	Sandstone.	54' 10" to 160' 5"	53' 0" to 156' 3"
12.	COAL BED,	4' 5" to 164' 10"	4' 3" to 160' 6"
13.	Fire clay,	2' to 166' 10"	1' 11" to 162' 5"
14.	Sandstone,	9' 8" to 176' 6"	9' 4" to 171' 9"
15.	Slate,	9" to 177' 3"	9" to 172' 6"
16.	Fire clay,	9' 2" to 186' 5"	8' 10" to 181' 4"
17.	Hard sandstone, . .	68' to 254' 5"	65' 8" to 247' 0"
18.	COAL,	1' 3" to 255' 8"	1' 2" to 248' 2"
19.	Hard sandstone, . .	53' 9" to 309' 5"	51' 11" to 300' 1"
20.	Slate,	5' 3" to 314' 8"	5' 1" to 305' 2"
21.	COAL BED,	4' 11" to 319' 7"	4' 10" to 310' 0"
22.	Slate,	5' 5" to 325'	5' 3" to 315' 3"
23.	Soft sandstone, . .	16' 5" to 341' 5"	15' 10" to 331' 1"
24.	Fire clay.	15' 4" to 356' 9"	14' 10" to 345' 11"
25.	BALTIMORE BED, . .	16' 3" to 373'	15' 10" to 361' 9"

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Hollenback shaft from surface to Baltimore bed.

L. & W B. C. Co.

(Reported by L. & W. B. C. Co.)

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	Cribbing,	30	8' to 30' 8"	30' 8"	to 30' 8"
2.	Fire-clay and soft sandstone,	46'	2" to 76' 10"	45' 10"	to 76' 6"
3.	SEVEN FOOT BED.				
	Dip 80° N.,	7'	0' to 83' 10"	6' 11"	to 83' 5"
4.	Slate,	5'	9" to 89' 7"	5' 8"	to 89' 1"
5.	Soft sandstone,	77'	0" to 166' 7"	76' 2"	to 165' 3"
6.	KIDNEY BED,	8'	9" to 175' 4"	8' 8"	to 173' 11"
7.	Slate and fire-clay,	1	9" to 177' 1"	1' 9"	to 175' 8"
8.	Soft sandstone,	9	0" to 186' 1"	8' 11"	to 184' 7"
9.	Hard sandstone,	22'	7" to 208' 8"	22' 4"	to 206' 11"
10.	Soft sandstone,	11'	0" to 219' 8"	10' 10"	to 217' 9"
11.	Slate,	12'	0" to 231' 8"	11' 10"	to 229' 7"
12.	Bone and slate,	5'	6" to 237' 2"	5' 5"	to 235' 0"
13.	HILLMAN BED,	10'	1" to 247' 3"	10' 0"	to 245' 0"
14.	Slate and fire-clay,	7'	0" to 254' 3"	6' 11"	to 251' 11"
15.	Hard sandstone,	34'	0" to 286' 3"	33' 8"	to 285' 7"
16.	Slate,	4'	0" to 292' 3"	3' 11"	to 289' 6"
17.	Bone and slate,	2'	0" to 294' 3"	2' 0"	to 291' 6"
18.	Hard sandstone,	31'	0" to 325' 3"	30' 8"	to 322' 2"
19.	Conglomerate rock,	8'	4" to 333' 7"	8' 3"	to 330' 5"
20.	Hard sandstone,	29'	11" to 363' 6"	29' 8"	to 360' 1"
21.	Slate,	7'	4" to 370' 10"	7' 3"	to 367' 4"
22.	COAL (rough,)	4'	to 374' 10"	3' 11"	to 371' 3"
23.	Slate and soft sandstone,	32'	8' to 407' 6"	32' 4"	to 403' 7"
24.	Hard sandstone,	29'	0" to 436' 6"	28' 8"	to 432' 3"
25.	Hard sandstone,	27'	0" to 463' 6"	26' 9"	to 459' 0"
26.	Slate,	1'	3" to 464' 9"	1' 3"	to 460' 3"
27.	Bone,		6" to 465' 3"	6"	to 460' 9"
28.	Slate,	1'	0" to 468' 3"	1' 0"	to 461' 9"
29.	Hard sandstone,	15'	3" to 481' 6"	15' 1"	to 476' 10"
30.	Bone,		4" to 481' 10"	4"	to 477' 2"
31.	Slate,	9'	4" to 491' 2"	9' 3"	to 486' 5"
32.	Bone,	2'	5" to 493' 7"	2' 5"	to 488' 10"
33.	Slate,	2'	7" to 496' 2"	2' 7"	to 491' 5"
34.	Hard sandstone,	65'	8" to 561' 10"	65' 0"	to 556' 5"
35.	Slate,	12'	1" to 573' 11"	12' 0"	to 568' 5"
36.	BALTIMORE BED,	18'	0" to 591' 11"	17' 9"	to 586' 2"

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

*Section of Baltimore Rope Drill bore hole 415' south of
Baltimore outcrop, from surface to conglomerate.*

D. & H. C. Co.

(Reported by D. & H. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses mea- sured vertically.</i>	<i>Thicknesses per- pendicular to dip.</i>
1.	Pipe,	26' 0" to 26' 0"	26' 0" to 26' 0"
2.	Sandstone. Dip 14½° N.,	23' 8" to 49' 8'	22' 10" to 48' 10"
3.	Dark sandstone, soft,	4' 4" to 54' 0"	4' 2" to 53' 0"
4.	Hard sandstone, . .	15' 0" to 69' 0"	14' 6" to 67' 6"
5.	Sandstone,	14' 0" to 83' 0"	13' 6" to 81' 0"
6.	Hard sandstone, . .	9' 5" to 92' 5"	9' 3" to 90' 3"
7.	Slate, bone and COAL,	1' 1" to 93' 6"	1' 0" to 91' 3"
8.	Sandstone,	29' 6" to 123' 0"	28' 8" to 119' 11"
9.	Rough pebble rock, .	5' 4" to 128' 4'	5' 2" to 125' 1"
10.	Pebble rock,	18' 8" to 147' 0"	18' 1" to 143' 2"
11.	Slate,	8' 0" to 155' 0"	7' 9" to 150' 11"
12.	Sandstone,	13' 0" to 168' 0"	12' 7" to 163' 6"
13.	Slate,	2' 0" to 170' 0"	1' 11" to 165' 5"
14.	COAL,	6" to 170' 6"	6" to 165' 11"
15.	Bone, slate and COAL,	6" to 171' 0"	6" to 166' 5"
16.	Bone and COAL, . .	6" to 171' 6"	6" to 166' 11"
17.	Slate,	6' 6" to 178' 0"	6' 4" to 173' 3"
18.	COAL,	1' 6" to 179' 6"	1' 5" to 174' 8"
19.	Slate,	6" to 180' 0"	5" to 175' 1"
20.	COAL,	6" to 180' 6"	6" to 175' 7"
21.	Slate,	3' 6" to 184' 0"	3' 5" to 179' 0"
22.	Sandstone,	27' 2" to 211' 2"	26' 4" to 205' 4"
23.	Slate,	6" to 211' 8"	6" to 205' 10"
24.	COAL,	6' to 212' 2"	6" to 206' 4"
25.	Slate,	14' 10" to 227' 0"	14' 4" to 220' 8"
26.	Hard pebble rock, .	45' 4" to 272' 4"	43' 10" to 264' 6"
27.	COAL,	9' 0" to 281' 4"	8' 8" to 273' 2"
28.	COAL & slate, . . .	5' 6" to 286' 10"	5' 4" to 278' 6"
29.	Sulphur, slate and COAL,	1' 0" to 287' 10"	11" to 279' 5"
30.	Sandstone and COAL,	6" to 288' 4"	6" to 279' 11"
31.	Sandstone,	26' 6" to 314' 10"	25' 8" to 305' 7"
32.	Sandstone and COAL,	1' 0" to 315' 10"	11" to 306' 6"
33.	Dark sandstone, . .	11' 0" to 320' 10"	10' 8" to 317' 2"
34.	Conglomerate, . . .	9' 3" to 336' 1"	8' 11" to 328' 1"

See Columnar Section Sheet No. 1 and Mine Sheet No. VIII, Atlas North-
ern Anthracite Field, Part I.

Section of Plymouth shaft No. 4, from surface to Red Ash bed.

D. & H. C. Co.

(Reported by D. & H. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	47' 7" to 47' 7"	47' 7" to 47' 7"
2.	Slate. Dip 21° 30' S., . . .	9' 11" to 57' 6"	9' 2" to 56' 9"
3.	Gray sandstone,	25' 1" to 82' 7"	23' 3" to 80' 0"
4.	Slate,	9' 5" to 92' 0"	8' 11" to 88' 11"
5.	BENNETT BED,	14' 0" to 106' 0"	13' 0" to 101' 11"
6.	Dark sandstone,	11' 7" to 117' 7"	10' 9" to 112' 8"
7.	Gray sandstone,	2' 2" to 119' 9"	1' 11" to 114' 7"
8.	Fire clay,	11' 3" to 131' 0"	10' 5" to 125' 0"
9.	Pebble rock,	46' 7" to 177' 7"	43' 4" to 168' 4"
10.	Dark sandstone,	19' 7" to 197' 2"	18' 3" to 186' 7"
11.	Gray sandstone,	10' 1" to 207' 3"	9' 4" to 195' 11"
12.	Dark sandstone,	12' 0" to 219' 3"	11' 2" to 207' 1"
13.	Slate,	4' 2" to 223' 5"	3' 10" to 210' 11"
14.	COAL,	1 10" to 225' 3"	1' 8" to 212' 7"
15.	Fire clay,	5' 9" to 231' 0"	5' 4" to 217' 11"
16.	Light slate,	2' 9" to 233' 9"	2' 7" to 220' 6"
17.	COAL,	1' 1" to 234' 10"	11" to 221' 5"
18.	Slate,	1' 5" to 236' 3"	1' 2" to 222' 7"
19.	Fire clay,	1" to 236' 4"	1" to 222' 8"
20.	Dark sandstone,	10' 5" to 246' 9"	9' 8" to 232' 4"
21.	Light slate,	6' 5" to 253' 2"	5' 10" to 238' 2"
22.	Dark sandstone,	3' 4" to 256' 6"	3' 1" to 241' 3"
23.	Slate,	11' 8" to 268' 2"	10' 10" to 252' 1"
24.	C or ROSS BED,	23' 0" to 291' 2"	20' 10" to 272' 11"
25.	Fire clay,	5' 4" to 296' 6"	4' 11" to 277' 10"
26.	Dark sandstone,	17' 6" to 314' 0"	16' 3" to 294' 1"
27.	B or RED-ASH BED,	44' 2" to 358' 2"	40' 9" to 334' 10"
28.	Fire clay,	3' 6" to 361' 8"	3' 3" to 338' 1"

See Columnar Section Sheet No. IV and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

Section of Lance shaft No. 11 from surface to Bennett bed.

L. & W B. C. Co.

(Measured by Geological Survey).

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thickness perpendicular to dip.</i>
1.	Slate, flat,	34' 0" to 34' 0"	34' 0" to 34' 0"
2.	HUTCHINSON BED,	5' 8" to 39' 8"	5' 8" to 39' 8"
3.	Fire clay,	10' 10" to 50' 6"	10' 10" to 50' 6"
4.	Fire clay and slate,	34' 0" to 84' 6"	34' 0" to 84' 6"
5.	Soft sandstone,	16' 6" to 101' 0"	16' 6" to 101' 0"

<i>No of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>		<i>Thickness perpen- dicular to dip.</i>	
6.	Slate,	1'	3" to 102' 3"	1'	3" to 102' 3"
7.	COAL,	1'	5" to 103' 8"	1'	5" to 103' 8"
8.	Slate,	10'	7" to 114' 3"	10'	7" to 114' 3"
9.	Sandstone (soft), .	12'	11" to 127' 2"	12'	11" to 127' 2"
10.	Sandstone (hard), .	17'	2" to 144' 4"	17'	2" to 144' 4"
11.	Fire clay,	4'	2" to 148' 6"	4'	2" to 148' 6"
12.	Clod fire clay, . . .	1'	6" to 150' 0"	1'	6" to 150' 0"
13.	LANCE BED,	6'	0" to 156' 0"	6'	0" to 156' 0"
14.	Fire clay,	3'	6" to 159' 6"	3'	6" to 159' 6"
15.	Hard sandstone, . .	23'	9" to 183' 3"	23'	9" to 183' 3"
16.	Slate,	4'	9" to 188' 0"	4'	9" to 188' 0"
17.	COAL,	0'	8" to 188' 8"	0'	8" to 188' 8"
18.	Fire clay,	12'	4" to 201' 0"	12'	4" to 201' 0"
19.	Sandstone,	11'	0" to 212' 0"	11'	0" to 212' 0"
20.	Fire clay,	20'	0" to 232' 0"	20'	0" to 232' 0"
21.	Bone,	1'	4" to 233' 4"	1'	4" to 233' 4"
22.	HILLMAN BED, . . .	8'	8" to 242' 0"	8'	8" to 242' 0"
23.	Fire clay,	6'	0" to 248' 0"	6'	0" to 248' 0"
24.	Hard sandstone, . .	39'	0" to 287' 0"	39'	0" to 287' 0"
25.	Slate,	6'	4" to 293' 4"	6'	4" to 293' 4"
26.	Bone,	1'	11" to 295' 3"	1'	11" to 295' 3"
27.	Fire clay,	4'	9" to 300' 0"	4'	9" to 300' 0"
28.	OLD BENNETT BED, .	11'	4" to 311' 4"	11'	4" to 311' 4"
29.	Fire clay with small boulders,	24'	8" to 336' 0"	24'	8" to 336' 0"
30.	Hard sandstone, . .	23'	8" to 364' 8"	23'	8" to 364' 8"
31.	Soft sandstone, . .	1'	8" to 366' 4"	1'	8" to 366' 4"
32.	Hard sandstone, . .	8'	2" to 374' 6"	8'	2" to 374' 6"
33.	Hard fire clay, . . .	1'	4" to 375' 10"	1'	4" to 375' 10"
34.	COAL (rough), . . .	1'	6" to 377' 4"	1'	6" to 377' 4"
35.	Slate and fire clay, .	19'	5" to 396' 9"	19'	5" to 396' 9"
36.	FIVE-FOOT BED, . .	5'	3" to 402' 0"	5'	3" to 402' 0"
37.	Slate,	13'	10" to 415' 10"	13'	10" to 415' 10"
38.	COAL (rough), . . .	0'	9" to 416' 7"	0'	9" to 416' 7"
39.	Hard sandstone, . .	17'	11" to 434' 6"	17'	11" to 434' 6"
40.	Slate and fire clay, .	1'	1" to 435' 7"	1'	1" to 435' 7"
41.	COOPER BED,	7'	9" to 443' 4"	7'	9" to 443' 4"
42.	Hard fire clay, . . .	6'	8" to 450' 0"	6'	8" to 450' 0"
43.	Hard sandstone, . .	44'	0" to 494' 0"	44'	0" to 494' 0"
44.	Slate, fire clay and COAL (badly mixed),	11'	0" to 505' 0"	11'	0" to 505' 0"
45.	BENNETT BED in roll.				

See Columnar Section Sheet No. IV, and Mine Sheet No. V, Atlas North-
ern Anthracite Field, Part I.

Section of Gaylord (inside) tunnel from Bennett to Ross bed.

Gaylord Coal Co.

(Measured by Geological Survey.)

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to the dip.</i>
1.	BENNETT BED,	7' 2" to 7' 2"
2.	Slate and sandstone. Dip 12° S.,	to 94' 0"	32' 8" to 39' 8"
3.	CHECKER BED,	3' 8" to 43' 4"
4.	Bastard slate, . .	to 128' 0"	13' 0" to 56' 4"
5.	Hard sandstone. Dip at 150' is 28° S.,	128' 0" to 187' 0"	20' 9" to 77' 1"
6.	COAL. Dip 12° S.,	. . .	1' 8" to 78' 9"
7.	Sandstone, (At 245' anticlinal axis, at 260', dip 6° N. at 280' synclinal.)	to 211' 0"	5' 0" to 83' 9"
8.	Hard micaceous sandstone, . . .	to 358' 0"	29' 0" to 112' 9"
9.	COAL. Dip 16° S.,	. . .	1' 10" to 114' 7"
10.	Sandstone, (At 530' dip 10° S. at 555' anticlinal axis dip 10° N.)	to 508' 0"	30' 0" to 144' 7"
11.	Slate and coal. Dip 10° N., (At 624' dip 24° N. at 678' synclinal dip 10° S.)	to 590' 0"
12.	Hard sandstone, .	to 713' 0"	
13.	Slate and coal. Dip 11° S. (At 825' dip 12° S.)	to 750' 0"	8' 0" to 152' 7"
14.	Hard sandstone, .	to 918' 0"	34' 6" to 187' 1"
15.	COAL,	1' 3" to 188' 4"
16.	Sandstone,	to 1089' 0"	31' 0" to 219' 4"
17.	Slate,	to 1101' 0"	3' 0" to 222' 4"
18.	ROSS BED,	8' 2" to 230' 6"

See Columnar Section Sheet No. IV, and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

NOTE.—The coal beds only were measured perpendicular to dip. Owing to irregularities of dip; No. 11 and No. 13 are identical, as are also No. 10 and No. 12, Nos. 11 and 12 being on N. dip and Nos. 10 and 13 on S. dip.

Section of Gaylord shaft from surface to Red Ash bed.
Gaylord Coal Co.

(Reported by Gaylord Coal Co.)

<i>No of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.		31' 7" to 31' 7"	31' 7" to 31' 7"
2.	ORCHARD BED, flat, .	8' 5" to 40' 0"	8' 5" to 40' 0"
3.	Fire clay and slate,	27' 0" to 67' 0"	27' 0" to 67' 0"
4.	Soft sandstone and slate,	11' 0" to 78' 0"	11' 0" to 78' 0"
5.	FIVE-FOOT BED, .	38' 0" to 116' 0"	38' 0" to 116' 0"
6.	Bastard sandstone, .	5' 0" to 121' 0"	5' 0" to 121' 0"
7.	Soft sandstone, .	8' 0" to 129' 0"	8' 0" to 129' 0"
8.	Hard sandstone, .	8' 0" to 137' 0"	8' 0" to 137' 0"
9.	Slate (hard), . .	25' 0" to 162' 0"	25' 0" to 162' 0"
10.	Hard sandstone, .	5' 0" to 167' 0"	5' 0" to 167' 0"
11.	Hard slate, . . .	29' 0" to 196' 0"	29' 0" to 196' 0"
12.	Hard slate, . . .	1' 0" to 197' 0"	1' 0" to 197' 0"
13.	COAL and bone COOPER BED, .	11' 0" to 208' 0"	11' 0" to 208' 0"
14.	Curly sandstone and slate,	22' 0" to 230' 0"	22' 0" to 230' 0"
15.	BENNETT BED, .	8' 0" to 238' 0"	8' 0" to 238' 0"
16.	Hard slate, . . .	15' 0" to 253' 0"	15' 0" to 253' 0"
17.	CHECKER BED, .	3' 0" to 256' 0"	3' 0" to 256' 0"
18.	Sandstone and slate,	25' 0" to 281' 0"	25' 0" to 281' 0"
19.	Hard sandstone, .	36' 0" to 317' 0"	36' 0" to 317' 0"
20.	Soft sandstone, .	13' 0" to 330' 0"	13' 0" to 330' 0"
21.	Hard sandstone, .	24' 0" to 354' 0"	24' 0" to 354' 0"
22.	Slate and fire clay, .	11' 0" to 365' 0"	11' 0" to 365' 0"
23.	Sandstone, . . .	42' 0" to 407' 0"	42' 0" to 407' 0"
24.	Black slate, . . .	3' 0" to 410' 0"	3' 0" to 410' 0"
25.	ROSS BED, . . .	8' 0" to 418' 0"	8' 0" to 418' 0"
26.	Soft sandstone, .	9' 0" to 427' 0"	9' 0" to 427' 0"
27.	Fine conglomerate,	75' 0" to 502' 0"	75' 0" to 502' 0"
28.	Hard sandstone, .	10' 0" to 512' 0"	10' 0" to 512' 0"
29.	Fine conglomerate,	11' 0" to 523' 0"	11' 0" to 523' 0"
30.	Slate,	9' 0" to 532' 0"	9' 0" to 532' 0"
31.	Bastard fire-clay and slate,	4' 0" to 536' 0"	4' 0" to 536' 0"
32.	RED ASH BED, .	27' 0" to 563' 0"	27' 0" to 563' 0"
33.	Hard fine conglomerate,	12' 0" to 575' 0"	12' 0" to 575' 0"

See Columnar Section Sheet No. IV and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

*Section of Dodson shaft, from surface to Baltimore bed.
Plymouth Coal Co.*

(No. 1 to No. 15 reported by L. & W. B. C. Co. No. 16 to No. 24 measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Cribbing,	9' 2" to 9' 2"	9' 2" to 9' 2"
2.	SS. Dip 5° S., . .	31' 0" to 40' 2"	30' 11" to 40' 1"
3.	Fire clay,	0' 10" to 41' 0"	10" to 40' 11"
4.	COAL BED,	5' 10" to 46' 10"	5' 10" to 46' 8"
5.	Sandstone,	24' 3" to 71' 1"	24' 2' to 70' 11"
6.	Slate,	6" to 71' 7"	6" to 71' 5"
7.	Bone,	6" to 72' 1"	6" to 71' 11"
8.	Sandstone,	58' 8" to 130' 9"	58' 5" to 130' 4"
9.	Rock,	16' 8" to 147' 5"	16' 7" to 146' 11"
10.	Fire clay,	3' 7" to 151' 0"	3' 7" to 150' 6"
11.	HILLMAN BED, . .	9' 3" to 160' 3"	9' 3" to 159' 9"
12.	Slate,	1' 8" to 161' 11"	1' 8" to 161' 5"
13.	Sandstone,	35' 2" to 197' 1"	35' 0" to 196' 5"
14.	Slate,	5' 3" to 202' 4"	5' 3" to 201' 8"
15.	OLD BENNETT BED,	15' 6" to 217' 10"	15' 6" to 217' 2"
16.	Hard sandstone, .	67' 9" to 284' 10"	64' 8" to 281' 10"
17.	COAL,	1' 5" to 286' 3"	1' 4" to 283' 2"
18.	Sandy slate, . . .	20' 7" to 306' 10"	19' 11" to 303' 1"
19.	FIVE-FOOT BED, .	5' 0" to 311' 10"	4' 10" to 307' 11"
20.	Slate,	7' 0" to 318' 10"	6' 9" to 314' 8"
21.	Sandstone,	39' 4" to 358' 2"	38' 0" to 352' 8"
22.	Slate,	10' 4" to 368' 6"	9' 11" to 362' 7"
23.	Slaty sandstone, .	19' 11" to 388' 5"	9' 3" to 381' 10"
24.	BALTIMORE BED, .	14' 6" to 402' 11"	14' 0" to 395' 10"

See Columnar Section Sheet No. IV and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

Section of Avondale shaft, from surface to Red Ash bed.

D. L. & W. R. F. Co.

(Reported by D. L. & W. R. F. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	SS. Dip 5° S., . .	80' 0" to 80' 0"	79' 8" to 79' 8"
2.	ROSS BED,	5' 0" to 85' 0"	5' 0" to 84' 8"
3.	Sandstone,	90' 0" to 175' 0"	89' 8" to 174' 4"
4.	COAL,	2' 0" to 177' 0"	2' 0" to 176' 4"
5.	Sandstone,	60' 0" to 237' 0"	59' 9" to 236' 1"
6.	RED ASH BED, . . .	22' 0" to 259' 0"	21' 11" to 258' 0"

See Columnar Section Sheet No. IV and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Slaty SS. Dip. 8° S.,	50' 0" to 50' 0"	7' 5" to 7' 5"
2.	Hard sandstone, . . .	79' 0" to 129' 0"	11' 7" to 19' 0"
3.	Slaty sandstone, . . .	101' 0" to 230' 0"	18' 4" to 37' 4"
4.	Slate,	14' 4" to 244' 4"	2' 0" to 39' 4"
5.	Ross Bkd. Flat to 293' 6", then dip 9° S.,	49' 2" to 293' 6"	3' 5" to 42' 9"
6.	Sandstone,	63' 6" to 357' 0"	9' 5" to 52' 2"
7.	CoAL,	6" to 357' 6"	6" to 52' 8"
8.	Sandstone, { In tunnel to head of slope. . . { In slope dipping 18° N.,	662' 2" to 1019' 8" 143' 0"	165' 2" to 217' 10"

Section of Nottingham shaft No. 15, from surface to Red Ash bed.

See Columnar Section Sheet No. IV and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

Section of Plymouth Diamond Drill bore-hole, from surface through coal bed at 368' 7".

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	Wash,	80'	6" to 80'	77'	9" to 77'
2.	COAL, slate and SS.,	1'	6" to 82'	1'	6" to 79'
3.	COAL. Dip 15° S.,	1'	0" to 83'	1'	0" to 80'
4.	Slate,	7'	to 90'	6'	9" to 87'
5.	Sandstone,	14'	3" to 104'	13'	9" to 100'
6.	Slate,	4'	3" to 108'	4'	1" to 104'
7.	COAL BED,	5'	7" to 114'	5'	4" to 110'
8.	Slate,	3'	7" to 117'	3'	5" to 113'
9.	Fine sandstone,	6'	2½" to 123'	6'	0" to 119'
10.	Fine sandstone,	7½"	to 124'	7½"	to 120'
11.	Sandstone,	32'	7½" to 157'	31'	6" to 151'
12.	COAL and slate,	5"	to 157'	5"	to 152'
13.	Sandstone,	10'	11" to 168'	10'	6" to 162'
14.	Slate,	2'	6" to 171'	2'	5" to 165'
15.	COAL BED,	13'	6½" to 184'	13'	2" to 178'
16.	Slate,	7"	to 185'	7"	to 178'
17.	COAL BED,	2'	8" to 187'	2'	7" to 181'
18.	Gray rock,	32'	7½" to 220'	31'	7" to 212'
19.	COAL BED,	2'	0" to 222'	1'	11" to 214'
20.	Slate,	8'	5" to 230'	8'	3" to 223'
21.	Sandstone,	7'	2½" to 238'	7'	0" to 230'
22.	Gray rock,	17'	1" to 255'	16'	6" to 246'
23.	Sandstone,	1'	6½" to 256'	1'	5" to 248'
24.	Gray rock,	1'	0" to 257'	1'	0" to 249'
25.	COAL BED,	6"	to 258'	6"	to 249'
26.	Sandstone,	11'	0" to 269'	10'	7" to 260'
27.	Gray rock,	27'	9" to 296'	26'	10" to 286'
28.	Slate,	13'	5" to 310'	13'	0" to 299'
29.	Sandstone,	1'	8" to 312'	1'	7" to 301'
30.	Sandstone,	14'	6" to 320'	14'	0" to 315'
31.	Gray rock,	4'	0" to 330'	3'	10" to 319'
32.	COAL BED,	3½"	to 330'	3½"	to 319'
33.	Slate,	2'	2½" to 333'	2'	1" to 321'
34.	Dark sandstone,	9'	0" to 342'	8'	8" to 330'
35.	Gray rock,	1'	6" to 343'	1'	5" to 331'
36.	Dark sandstone,	7'	11" to 351'	7'	7" to 339'
37.	Slate,	2'	11" to 354'	2'	10" to 342'
38.	COAL BED,	2'	8" to 357'	2'	7" to 344'
39.	Slate,	2'	10" to 359'	2'	8" to 347'
40.	Sandstone,	9'	8" to 369'	9'	4" to 356'
41.	Gray rock,	10"	to 370'	10"	to 357'

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
42.	Slate,	9' 2" to 379' 6"	8' 10" to 366' 6"
43.	COAL BED,	2' 1" to 381' 7"	2' 1" to 368' 7"
44.	Slate,	5" to 382' 0"	5" to 369' 0"

See Columnar Section Sheet No. IV and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

Section of Wanamie No. 18 tunnel, from Baltimore bed to Red Ash bed.

L. & W B. C. Co.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	BALTIMORE BED,		6' 2" to 6' 2"
2.	Slate and bone,		1' 4" to 7' 6"
3.	Slate,		9" to 8' 3"
4.	Slate and bone,		1' 2" to 9' 5"
5.	Slate,		2' 2" to 11' 7"
6.	COAL BED,		1' 5" to 13' 0"
7.	Soft sandstone,	30' 5" to 30' 5"	9' 6" to 22' 6"
8.	Black slate,	14' 0" to 44' 5"	4' 6" to 27' 0"
9.	Soft sandstone,	89' 0" to 133' 5"	27' 9" to 54' 9"
10.	Sandy slate,	52' 8" to 186' 1"	16' 3" to 71' 0"
11.	Fire clay,	3' 11" to 190' 0"	1' 6" to 72' 6"
12.	COAL. Dip. 18° N.,	7' 5" to 197' 5"	1' 9" to 74' 3"
13.	Sandy slate,	30' 6" to 227' 11"	9' 6" to 83' 9"
14.	Slaty sandstone,	50' 0" to 277' 11"	14' 9" to 98' 6"
15.	UPPER ROSS BED.		
	Dip 18° N.	21' 3" to 299' 2"	7' 10" to 106' 4"
16.	Hard sandy slate,		
	at 350' dip is 19° N.	249' 7" to 548' 9"	81' 6" to 187' 10"
17.	COAL. Dip 20° N.,	11' 2" to 559' 11"	2' 8" to 190' 6"
18.	Slate,	16' 6" to 576' 5"	5' 6" to 196' 0"
19.	BOTTOM ROSS BED.		
	Dip. 19° N.	13' 0" to 589' 5"	5' 0" to 201' 0"
20.	Sandstone,	107' 0" to 696' 5"	37' 9" to 238' 9"
21.	RED ASH BED. Dip 22° N.,		8' 0" to 246' 9"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Northern Anthracite Field, Part I.

No. 1, 2, 3, 4, 5, 6 and 21 were measured perpendicular to the dip only. The continued section therefore begins at No. 6 and ends at No. 20.

*Section of Tunnel, from surface to D bed, Alden colliery.**Alden Coal Company.*

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	SS. Dip 20° N., . .	78' 5" to 78' 5"	26' 8" to 26' 8"
2.	Slate,	2' 9" to 81' 2"	8" to 27' 4"
3.	COAL and slate. Dip 14° N.,	12' 10" to 94' 0"	2' 7" to 29' 11"
4.	Slate,	16' 00" to 110' 0"	7' 10" to 37' 9"
5.	Sandstone,	22' 6" to 132' 6"	6' 11" to 44' 8"
6.	Slate,	10' 0" to 142' 6"	2' 2" to 46' 10"
7.	Sandstone,	40' 6" to 183' 0"	9' 10" to 56' 8"
8.	Slate. Dip 14° N.,	1' 0" to 184' 0"	6" to 57' 2"
9.	Sandstone,	14' 0" to 193' 0"	3' 3" to 60' 5"
10.	Slate,	4' 0" to 202' 0"	1' 0" to 61' 5"
11.	Slate and SS.,	24' 4" to 228' 4"	4' 10" to 66' 3"
12.	COAL. Dip 14° N.,	1' 0" to 227' 4"	6" to 66' 9"
13.	Slate,	7' 1" to 234' 5"	1' 8" to 68' 5"
14.	Sandstone,	59' 4" to 293' 9"	15' 0" to 83' 5"
15.	Slate,	3' 11" to 297' 8"	1' 3" to 84' 8"
16.	Sandstone,	61' 4" to 359' 0"	15' 0" to 99' 8"
17.	Slate. Dip 12° N.,	19' 6" to 378' 6"	4' 2" to 103' 10"
18.	BENNETT OR E BED,	19' 2" to 397' 8"	4' 6" to 108' 4"
19.	Slate,	16' 4" to 414' 0"	4' 0" to 112' 4"
20.	Sandstone,	36' 0" to 450' 0"	7' 6" to 119' 10"
21.	Slate,	1' 0" to 451' 0"	1' 0" to 120' 10"
22.	Sandstone,	29' 3" to 480' 3"	5' 6" to 126' 4"
23.	COAL,	2' 0" to 482' 3"	1' 5" to 127' 9"
24.	Slate,	12' 9" to 495' 0"	2' 6" to 130' 3"
25.	SS. Dip 12° N.,	289' 0" to 784' 0"	59' 6" to 189' 9"
26.	Slate,	6" to 784, 6"	9" to 190' 6"
27.	TWIN OR D BED,	54' 11" to 839' 5"	6' 8" to 197' 2"

See Columnar Section Sheet No. IV and Mine Sheet No. III.

*Section of Alden shaft, Alden, Pa.**Alden Coal Co.*

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip</i>
1.	Clay,	8' 7" to 8' 7"	8' 7" to 8' 7"
2.	Quicksand,	39' 11" to 48' 6"	39' 11" to 48' 6"
3.	Hard pan,	20' 0" to 68' 6"	20' 0" to 68' 6"
4.	SS. Dip 18° N.,	6' 11" to 75' 5"	6' 7" to 75' 1"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
5.	Hard sandstone, . 37'	2'' to 112' 7''	35' 4'' to 110' 5''
6.	COAL,	9'' to 113' 4''	9'' to 111' 2''
7.	Slate,	1' 3'' to 114' 7''	1' 2'' to 112' 4''
8.	Hard sandstone, . 21'	10'' to 138' 5''	20' 9'' to 133' 1''
9.	Slate,	10' 3'' to 146' 8''	9' 9'' to 142' 10'
10.	Sandstone,	2' 5'' to 149' 1''	2' 3'' to 145' 1''
11.	COAL,	9'' to 149' 10''	9'' to 145' 10''
12.	Hard slate with fire balls,	30' 7'' to 180' 5''	29' 2'' to 175' 0''
13.	BENNETT BED, . 5'	1'' to 185' 6''	4' 10'' to 179' 10''
14.	Slaty sandstone, . 23'	9'' to 209' 3''	22' 6'' to 202' 4''
15.	Hard sandstone, . 41'	10'' to 251' 1''	39' 9'' to 242' 1''
16.	Slate,	4' 0'' to 255' 1''	3' 10'' to 245' 11''
17.	TWIN BED,	9' 4'' to 264' 5''	7' 1'' to 258' 0''

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Northern Anthracite Field, Part I.

Section of Tunnel and Rock slope, from surface to Red Ash bed, Chauncey Colliery.

T. P. Macfarlane.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone. Dip 12° S., .	23' 4'' to 23' 4''	5' 0'' to 5' 0''
2.	ROSS BED,	19' 0'' to 42' 4''	4' 0'' to 9' 0''
3.	Sandstone,	69' 8'' to 112' 0''	15' 6'' to 24' 6''
4.	COAL,	7' 0'' to 119' 0''	1' 6'' to 26' 0''
5.	Sandstone, { In tunnel, 333' 6'' to 452' 6'' In slope N. dip 18°, . 264' 0''		180' 0'' to 206' 0''
6.	COAL,	RED ASH BED.*	15' 10'' to 221' 10''
7.	Sandstone,		4' 0'' to 225' 10''
8.	COAL,		8' 2'' to 234' 0''

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Northern Anthracite Field, Part I.

* Measured perpendicular to dip only.

Section of Espy or Hanover tunnel No. 17, No. 17 colliery.

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>		<i>Thicknesses perpendicular to the dip.</i>	
1.	COAL BED. Dip 59° north,	9' 0"	to 9' 0"	8' 0"	to 8' 0"
2.	Strata,	231' 6"	to 240' 6"	176' 0"	to 184' 0"
3.	COAL BED. Dip 39½°,	21' 0"	to 261' 6"	13' 6"	to 197' 6"
4.	Strata,	199' 6"	to 461' 0"	128' 0"	to 325' 6"
5.	COAL BED. Dip 43°,	10' 0"	to 471' 0"	7' 0"	to 332' 6"
6.	Strata,	225' 0"	to 696' 0"	163' 0"	to 495' 6"
7.	COAL BED. Dip 51°,	10' 0"	to 706' 0"	7' 0"	to 502' 6"
8.	Strata,	183' 0'	to 889' 0"	142' 0"	to 644' 6"
9.	COAL BED. Dip 45°,	3' 6"	to 892' 6"	2' 6"	to 647' 0"
10.	Strata,	100' 0"	to 992' 6"	71' 0"	to 718' 0"
11.	COAL BED. Dip 44°,	5' 0"	to 997' 6"	3' 6"	to 721' 6"
12.	Strata,	36' 0"	to 1033' 6"	27' 0"	to 748' 6"
13.	COAL BED. Dip 50°,	12' 0"	to 1045' 6"	10' 0"	to 758' 6"
14.	Strata,	111' 0"	to 1156' 6"	81' 0"	to 839' 6"
15.	COAL BED. Dip 43°,	2' 0"	to 1158' 6"	1' 6"	to 841' 0"
16.	Strata,	105' 0"	to 1263' 6"	72' 0"	to 913' 0"
17.	COAL BED. Dip 44°,	6' 6"	to 1270' 0"	5' 0"	to 918' 0"
18.	Strata,	47' 0"	to 1317' 0"	32' 0"	to 950' 0"
19.	COAL BED. Dip 35°,	1' 6"	to 1318' 6"	1' 0"	to 951' 0"
20.	Strata,	145' 0"	to 1463' 6"	93' 0"	to 1044' 0"
21.	COAL BED,	7' 0"	to 1470' 6"	4' 3"	to 1048' 3"
22.	Strata,	98' 0"	to 1568' 6"	56' 0"	to 1104' 3"
23.	COAL BED,	6' 0"	to 1574' 6"	3' 4"	to 1107' 7"
24.	Strata,	100' 0"	to 1674' 6"	58' 0"	to 1165' 7"
25.	COAL BED. Dip 35°,	3' 6"	to 1678' 0"	2' 0"	to 1167' 7"
26.	Strata,	58' 0"	to 1736' 0"	35' 0"	to 1202' 7"

See Columnar Section Sheet No. IV and Mine Sheet No. VI, Atlas Northern Coal Field, Part I.

*Section of Upper Lift tunnel from E bed to B bed,
Warrior Run colliery.*

A. J. Davis.

(Measured by Geological Survey.)

No. of strata.	Description.	Thicknesses measured horizontally	Thicknesses perpendicular to dip.
1.	E BED. Dip 25° N.		19' 2" to 19' 2"
2.	Slate and fire clay. Dip N. 27°,	16' 0" to 16' 0'	7' 0" to 28' 2"
3.	Hard sandstone,	44' 6" to 60' 6"	19' 0" to 45' 2"
4.	Slate,	48' 0" to 108' 6"	22' 0" to 67' 2"
5.	D BED,	22' 6" to 131' 0"	7' 1" to 74' 3"
6.	Slate,	4' 4" to 135' 4"	5' 6" to 79' 9"
7.	Fire clay,	8' 4" to 143' 8"	4' 9" to 84' 6"
8.	Sandstone,	110' 4" to 254' 0"	50' 0" to 134' 6"
9.	Fine conglomerate	35' 6" to 289' 6"	17' 0" to 151' 6"
10.	C BED. Dip 30° N.,	10' 6" to 300' 0"	9' 10" to 161' 4"
11.	Micaceous sandstone,	75' 4" to 375' 4"	36' 0" to 197' 4"
12.	Fine conglomerate,	11' 8" to 387' 0"	6' 0" to 203' 4"
13.	B BED. Dip 32° N.		10' 2" to 213' 6"

See Columnar Section Sheet No. IV and Mine Sheet No. IV, Atlas Northern Coal Field, Part I.

NOTE.—Nos. 1 and 13 were measured perpendicular to dip only. The continued section, in the third column, therefore begins with No. 2 and ends with No. 12.

*Section of Lower Lift tunnels, Warrior Run colliery,
from C to E bed.*

A. J. Davis.

(Measured by Geological Survey.)

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
Tunnel from C Tunnel from D to E Bed. to D Bed.	1. E BED,		19' 2" to 19' 2"
	2. Slate and fire clay,	8' 0" to 8' 0"	4' 0" to 23' 2"
	3. SS. Dip 32° N.,	51' 6" to 59' 6"	27' 0" to 50' 2"
	4. Slate,	1' 0" to 60' 6"	1' 0" to 51' 2"
	5. Sandstone,	27' 6" to 88' 0"	15' 0" to 66' 2"
	6. Slate,	30' 0" to 118' 0"	11' 0" to 77' 2"
	7. D BED,		7' 1" to 84' 3"
	8. Slate. Dip 23° N.,	4' 4" to 4' 4"	2' 0" to 86' 3"
	9. Fire clay,	9' 4" to 13' 8"	3' 9" to 90' 0"
	10. Mica sandstone,	103' 0" to 116' 8"	43' 0" to 133' 0"
	11. Fine conglomerate	61' 6" to 178' 2"	26' 0" to 159' 0"
	12. C BED,		10' 10" to 169' 10"

See Columnar Section Sheet No. IV and Mine Sheet No. IV, Atlas Northern Anthracite Field, Part I.

The tunnel in which the upper part of this section (Strata No. 1 to 7 inclusive) was measured is several hundred feet west of the tunnel in which the lower part (Strata Nos. 7 to 12 inclusive) was measured. Strata No. 7 is cut in both tunnels.

Section of Maltby tunnel, from Four-foot bed through Coal seam at 328' 5" into sandstone at 338' 5".

L. V. C. Co.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	FOUR-FOOT BED. Dip 53° S.,	21' 6" to 21' 6"	4' 6" to 4' 6"
2.	Slate,	4' 6" to 26' 0"	2' 6" to 7' 0"
3.	Sandstone,	20' 6" to 46' 6"	19' 0" to 26' 0"
4.	Sandstone. Dip 60° S. 22' 6" to 69' 0"	22' 6" to 69' 0"	18' 0" to 44' 0"
5.	Slate,	44' 7" to 113' 7"	32' 7' to 76' 7"
6.	Slate,	10' 3" to 123' 10"	7' 0" to 84' 1"
7.	SIX-FOOT BED,	8' 2" to 132' 0"	6' 0" to 90' 1"
8.	Slate,	4' 6' to 136' 6"	3' 6" to 93' 7"
9.	Sandstone,	82' 0" to 218' 6"	53' 0" to 146' 7"
10.	Slate,	11' 0" to 229' 6"	7' 6" to 154' 1"
11.	COOPER OR ELEVEN-FOOT BED,	17' 0' to 246' 6"	9' 6" to 163' 7"
12.	Hard slate. Dip 40° S., 15' 0" to 261' 6"	15' 0" to 261' 6"	8' 6" to 172' 1"
13.	Sandstone,	39' 0" to 300' 6"	20' 0" to 192' 1"
14.	BENNETT OR NINE-FOOT BED,	17' 0" to 317' 6"	6' 0" to 198' 1"
15.	Slate,	9' 0" to 326' 6"	4' 6" to 202' 7"
16.	Sandstone,	73' 0" to 399' 6"	36' 6" to 239' 1"
17.	Slate,	1' 0" to 400' 6"	7' to 239' 8"
18.	COAL,	5' 0" to 405' 6"	2' 0" to 241' 8"
19.	Slate,	2' 0" to 407' 6"	1' 2" to 242' 10"
20.	Sandstone,	17' 0" to 424' 6"	8' 3" to 251' 1"
21.	Slaty sandstone,	7' 0" to 431' 6"	3' 6" to 256' 7"
22.	Sandstone. Dip 30° S., 61' 6" to 493' 0"	61' 6" to 493' 0"	30' 0" to 284' 7"
23.	Slate,	4' 6" to 497' 6"	3' 0" to 287' 7"
24.	ROSS BED,	13' 0" to 510' 6"	6' 7" to 294' 2"
25.	Slate,	4' 6" to 515' 0"	2' 7' to 296' 9"
26.	Sandstone,	56' 6" to 571' 6"	27' 8" to 324' 5"
27.	Slate,	5' 6" to 577' 0"	3' 0" to 327' 5"
28.	COAL and slate,	1' 6" to 578' 6"	1' 0" to 328' 5"
29.	Sandstone,	20' 0" to 598' 6"	10' 0" to 338' 5"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Mallby shaft No. 2, from surface to Eleven-foot bed.

L. V. C. Co.

(Reported by I. A. Stearns, M. E.)

No. of strata.	Description.	Thickness measured vertically.	Thickness perpendicular to the dip.
1.	Surface and broken rock,	34' 9" to 34' 9"	34' 9" to 34' 9"
2.	Sandstone,	28' 0" to 62' 9"	27' 7" to 62' 4"
3.	Slate,	6' 4" to 69' 1"	6' 3" to 68' 7"
4.	BONY COAL,	2' 2" to 71' 3"	2' 2" to 70' 9"
5.	Slate,	10' 4" to 81' 7"	10' 2" to 80' 11"
6.	FOUR-FOOT BED,	5' 7" to 87' 2"	5' 7" to 86' 6"
7.	Slate,	3' 0" to 90' 2"	2' 11" to 89' 5"
8.	Sandstone,	66' 3" to 156' 5"	65' 3" to 154' 8"
9.	Slate,	3' 6" to 159' 11"	3' 5" to 158' 1"
10.	SIX-FOOT BED,	6' 0" to 165' 11"	5' 11" to 164' 0"
11.	Fire clay,	2' 0" to 167' 11"	2' 0" to 166' 0"
12.	Sandstone,	59' 0" to 226' 11"	58' 9" to 224' 9"
13.	COAL,	1' 0" to 227' 11"	1' 0" to 225' 9"
14.	Fire clay,	16' 0" to 243' 11"	16' 0" to 241' 9"
15.	Sandstone,	9' 0" to 252' 11"	9' 0" to 250' 9"
16.	COAL,	3" to 253' 2"	3" to 251' 0"
17.	Slate,	5' 9" to 258' 11"	5' 9" to 256' 9"
18.	COAL,	5" to 259' 4"	5" to 257' 2"
19.	Slate,	17' 0" to 276' 4"	17' 0" to 274' 2"
20.	ELEVEN-FOOT BED,	10' 0" to 286' 4"	9' 11" to 284' 1"

See Columnar Section No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Mallby shaft No. 1, from surface to Nine-foot or Bennett bed.

L. V. C. Co.

(Reported by J. H. Swoyer.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
1.	Surface,	10' 0" to 10' 0"	10' 0" to 10' 0"
2.	Sandstone,	28' 0" to 38' 0"	27' 7" to 37' 7"
3.	FOUR-FOOT BED,	4' 5" to 42' 5"	4' 4" to 41' 11"
4.	Sandstone,	64' 0" to 106' 5"	63' 0" to 104' 11"
5.	Slate,	7' 8" to 114' 1"	7' 6" to 112' 5"
6.	SIX-FOOT BED,	6' 1" to 120' 2"	6' 0" to 118' 5"
7.	Sandstone,	54' 0" to 174' 2"	53' 2" to 171' 7"
8.	COAL,	1' 3" to 175' 5"	1' 2" to 172' 9"

No. of strata.	Description.	Thicknesses measured vertically.				Thicknesses perpendicular to the dip.			
		20	10	5	2	20	10	5	2
1	Baltimore red.	10	10	10	10	10	10	10	10
2	10' 10" F. 10' 10" 10'								
	COOPER BED.	+	+	+	+	+	+	+	+
3	Shale.	20	10	10	10	20	10	10	10
4	10' 10" 10' 10' 10'								
5	10' 10" 10' 10' 10'	+	+	+	+	+	+	+	+
	RED.								

See Columnar Section No. III and Mine Sheet No. VII, Atlas
Northern Allegheny No. 1, Part I.

Section of Forty Fort shaft, from surface to Eleven-foot bed.

J. H. Swoyer.

(Reported by J. H. Swoyer.)

No. of strata.	Description.	Thicknesses measured vertically.				Thicknesses perpendicular to the dip.			
		20	10	5	2	20	10	5	2
1	10' 10" 10' 10' 10'								
2	10' 10" 10' 10' 10'	10	10	10	10	10	10	10	10
3	Shale.	20	10	10	10	20	10	10	10
4	10' 10" 10' 10' 10'								
5	10' 10" 10' 10' 10'	10	10	10	10	10	10	10	10
6	10' 10" 10' 10' 10'	10	10	10	10	10	10	10	10
7	10' 10" 10' 10' 10'	10	10	10	10	10	10	10	10
8	10' 10" 10' 10' 10'	10	10	10	10	10	10	10	10

See Columnar Section No. III and Mine Sheet No. VII, Atlas
Northern Allegheny No. 1, Part I.

Section of Forty Fort shaft, from surface to Eleven-foot bed.

J. H. Swoyer.

(Reported by J. H. Swoyer.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
1	Surface,	15' 0" to 15' 0"	15' 0" to 15' 0"
2	Shaly sandstone,	21' 0" to 36' 0"	21' 0" to 36' 0"
3	FOUR-FOOT, COOPER OR UPPER BALTIMORE BED,	4' 0" to 40' 0"	4' 0" to 40' 0"
4	Shaly sandstone,	49' 0" to 89' 0"	49' 0" to 89' 0"
5	SIX-FOOT, BENNETT OR LOWER BALTIMORE BED,	7' 0" to 96' 0"	7' 0" to 96' 0"

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
6.	Hard sandstone,	50' 0'' to 146' 0''	50' 0'' to 146' 0''
7.	COAL,	1' 6'' to 147' 6''	1' 6'' to 147' 6''
8.	Hard sandstone,	46' 0'' to 193' 6''	46' 0'' to 193' 6''
9.	ELEVEN-FOOT BED, . . .	11' 3'' to 204' 9''	11' 3'' to 204' 9''

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Diamond drill bore-hole, near Forty Fort Breaker, from surface to conglomerate.

(Reported by J. H. Swoyer.)

No. of strata	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
1.	Gravel,	4' 0'' to 4' 0''	4' 0'' to 4' 0''
2.	Sand and clay, .	5' 0'' to 9' 0''	5' 0'' to 9' 0''
3.	Stone and gravel,	10' 0'' to 19' 0''	10' 0'' to 19' 0''
4.	Clay and gravel, 9'	10'' to 28' 10''	9' 10'' to 28' 10''
5.	Quicksand, . . .	9' 3½'' to 38' 1½''	9' 3½'' to 38' 1½''
6.	Sand and clay, .	12' 10½'' to 51' 0''	12' 10½'' to 51' 0''
7.	Clay,	14' 00'' to 65' 0''	14' 0'' to 65' 0''
8.	Coarse sand and COAL,	4' 9½'' to 69' 9½''	4' 9½'' to 69' 9½''
9.	Quicksand, . . .	9' 8½'' to 79' 6''	9' 8½'' to 79' 6''
10.	Coarse sand, . . .	1' 10'' to 81' 4''	1' 10'' to 81' 4''
11.	COAL BED,	3' 8'' to 85' 0''	3' 8'' to 85' 0''
12.	Slate,	1' 6'' to 86' 6''	1' 6'' to 86' 6''
13.	Slate and SS. . .	11'' to 87' 5''	11'' to 87' 5''
14.	Sandstone,	21' 3'' to 108' 8''	21' 3'' to 108' 8''
15.	SS. with seams of slate and COAL,	4' 4'' to 113' 0''	4' 4'' to 113' 0''
16.	SS. and cong. . .	7' 0'' to 120' 0''	7' 0'' to 120' 0''
17.	Sandstone,	1' 0'' to 121' 0''	1' 0'' to 121' 0''
18.	SS. and cong. . .	10' 7'' to 131' 7''	10' 7'' to 131' 7''
19.	Sandstone,	2' 0'' to 133' 7''	2' 0'' to 133' 7''
20.	Slate and COAL, .	3' 1'' to 136' 8''	3' 1'' to 136' 8''
21.	COAL,	11'' to 137' 7''	11'' to 137' 7''
22.	SS. and slate, . .	7' 7'' to 145' 2''	7' 7'' to 145' 2''
23.	Sandstone,	22' 0'' to 167' 2''	22' 0'' to 167' 2''
24.	Sandstone with seams of COAL, .	4' 0'' to 171' 2''	4' 0'' to 171' 2''
25.	Sandstone,	11' 10'' to 183' 0''	11' 10'' to 183' 0''
26.	COAL,	2'' to 183' 2''	2'' to 183' 2''
27.	Sandstone,	8'' to 183' 10''	8'' to 183' 10''
28.	Slate,	4' 6'' to 188' 4''	4' 6'' to 188' 4''
29.	COAL,	3' 7'' to 191' 11''	3' 7'' to 191' 11''
30.	Slate,	3' 1'' to 195' 00''	3' 1'' to 195' 0''

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
9.	Sandstone,	50' 9" to 226' 2"	50' 0" to 222' 9"
10.	ELEVEN-FOOT OR COOPER BED,		
		8' 11" to 235' 1"	8' 9" to 231' 6"
11.	Slate,	28' 0" to 263' 1"	27' 7" to 259' 1"
12.	NINE-FOOT OR BENNETT BED,		
		8' 10' to 271' 11"	8' 8" to 267' 9"

See Columnar Section No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Rope Drill bore-hole, 500 feet north of Mount Thomas drift, Forty Fort.

J. H. Swoyer.

(Reported by J. H. Swoyer.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
Put down and used for artesian well.	1. Surface,	29' 0" to 29' 0"	29' 0" to 29' 0"
	2. COAL and slate. Dip 23° S.,	7' 0" to 36' 0"	6' 7" to 35' 7"
	3. Sandstone,	77' 0" to 113' 0"	72' 5" to 108' 0"
	4. COAL,	2' 6" to 115' 6"	2' 4" to 110' 4"
	5. Sandstone,	122' 6" to 238' 0"	115' 1" to 225' 5"
	6. Conglomerate,	100' 0" to 338' 0"	94' 0" to 319' 5"
	7. Green shale,	205' 0" to 543' 0"	192' 7" to 512' 0"
	8. Red shale,	10' 8" to 553' 8"	10' 0" to 522' 0"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Forty Fort shaft, from surface to Eleven-foot bed.

J. H. Swoyer.

(Reported by J. H. Swoyer.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
1.	Surface,	15' 0" to 15' 0"	15' 0" to 15' 0"
2.	Shaly sandstone,	21' 0" to 36' 0"	21' 0" to 36' 0"
3.	FOUR-FOOT, COOPER OR UPPER BALTIMORE BED,		
		4' 0" to 40' 0"	4' 0" to 40' 0"
4.	Slaty sandstone,	49' 0" to 89' 0"	49' 0" to 89' 0"
5.	SIX-FOOT, BENNETT OR LOWER BALTIMORE BED,		
		7' 0" to 96' 0"	7' 0" to 96' 0"

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
6.	Hard sandstone,	50' 0" to 148' 0"	50' 0" to 148' 0"
7.	COAL,	1' 8" to 147' 6"	1' 8" to 147' 6"
8.	Hard sandstone,	46' 0" to 193' 6"	46' 0" to 193' 6"
9.	ELEVEN-FOOT BED, . .	11' 3" to 204' 9"	11' 3" to 204' 9"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Diamond drill bore-hole, near Forty Fort Breaker, from surface to conglomerate.

(Reported by J. H. Swoyer.)

No. of strata	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
1.	Gravel,	4' 0" to 4' 0"	4' 0" to 4' 0"
2.	Sand and clay, . .	5' 0" to 9' 0"	5' 0" to 9' 0"
3.	Stone and gravel,	10' 0" to 19' 0"	10' 0" to 19' 0"
4.	Clay and gravel, . .	9' 10" to 28' 10"	9' 10" to 28' 10"
5.	Quicksand,	9' 3 1/2" to 38' 1 1/2"	9' 3 1/2" to 38' 1 1/2"
6.	Sand and clay, . .	12' 10 1/2" to 51' 0"	12' 10 1/2" to 51' 0"
7.	Clay,	14' 00" to 65' 0"	14' 0" to 65' 0"
8.	Coarse sand and COAL,	4' 9 1/2" to 69' 9 1/2"	4' 9 1/2" to 69' 9 1/2"
9.	Quicksand,	9' 8 1/2" to 79' 8 1/2"	9' 8 1/2" to 79' 8 1/2"
10.	Coarse sand, . . .	1' 10" to 81' 4"	1' 10" to 81' 4"
11.	COAL BED,	3' 8" to 85' 0"	3' 8" to 85' 0"
12.	Slate,	1' 6" to 86' 8"	1' 6" to 86' 8"
13.	Slate and SS. . .	11" to 87' 5"	11" to 87' 5"
14.	Sandstone,	21' 3" to 108' 8"	21' 3" to 108' 8"
15.	SS. with seams of slate and COAL,	4' 4" to 113' 0"	4' 4" to 113' 0"
16.	SS. and cong. . .	7' 0" to 120' 0"	7' 0" to 120' 0"
17.	Sandstone,	1' 0" to 121' 0"	1' 0" to 121' 0"
18.	SS. and cong. . .	10' 7" to 131' 7"	10' 7" to 131' 7"
19.	Sandstone,	2' 0" to 133' 7"	2' 0" to 133' 7"
20.	Slate and COAL, . .	3' 1" to 136' 8"	3' 1" to 136' 8"
21.	COAL,	11" to 137' 7"	11" to 137' 7"
22.	SS. and slate, . .	7' 7" to 145' 2"	7' 7" to 145' 2"
23.	Sandstone,	22' 0" to 167' 2"	22' 0" to 167' 2"
24.	Sandstone with seams of COAL, . .	4' 0" to 171' 2"	4' 0" to 171' 2"
25.	Sandstone,	11' 10" to 183' 0"	11' 10" to 183' 0"
26.	COAL,	2" to 183' 2"	2" to 183' 2"
27.	Sandstone,	8" to 183' 10"	8" to 183' 10"
28.	Slate,	4' 6" to 188' 4"	4' 6" to 188' 4"
29.	COAL,	3' 7" to 191' 11"	3' 7" to 191' 11"
30.	Slate,	3' 1" to 195' 00"	3' 1" to 195' 00"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>		<i>Thicknesses perpendicular to the dip.</i>	
31.	COAL,	5'	10½'' to 200'	10½'' 5'	10½'' to 200' 10½''
32.	Slate.	7'	9½'' to 208'	8'' 7'	9½'' to 208' 8''
33.	Bony COAL, . .		4'' to 209'	0''	4'' to 209' 0''
34.	Slate,	4'	0'' to 213'	0'' 4'	0'' to 213' 0''
35.	Slate and SS. .	12'	3'' to 225'	3'' 12'	3'' to 225' 3''
36.	COAL BED, . . .	9'	8½'' to 234'	11½'' 9'	8½'' to 234' 11½''
37.	SS. and slate, .	8'	2½'' to 243'	2' 8'	2½'' to 243' 2''
38.	Sandstone, . .	8'	0½'' to 251'	2½'' 8'	0½'' to 251' 2½''
39.	Sandstone, . .	9'	0'' to 200'	1½'' 9'	0'' to 200' 2½''
40.	SS. with COAL, 6'	8''	to 266'	10½'' 6'	8'' to 266' 10½''
41.	Coarse SS. . .	1'	2'' to 268'	00½' 1'	2'' to 268' 0½''
42.	SS. with COAL, 13'	1''	to 281'	1½'' 13'	1'' to 281' 1½''
43.	Slate,	2'	3'' to 283'	4½'' 2'	3'' to 283' 4½''
44.	COAL and bone, 1'	5''	to 284'	9½'' 1'	5'' to 284' 9½''
45.	Slate,	1'	7½'' to 286'	5' 1'	7½'' to 286' 5''
46.	Slate and bone, 5'	9½''	to 292'	2½'' 5'	9½'' to 292' 2½''
47.	Slate and COAL, 1'	0''	to 293'	2½'' 1'	0'' to 293' 2½''
48.	Slate,	5'	2'' to 298'	4½'' 5'	2'' to 298' 4½''
49.	Bony COAL, . .		4'' to 298'	8½''	4'' to 298' 8½''
50.	Slate,	2'	6'' to 301'	2½'' 2'	6'' to 301' 2½''
51.	Slate with COAL, 9'	10½''	to 311'	1'' 9'	10½'' to 311' 1''
52.	Slate with SS. .	8'	8½'' to 319'	9½'' 8'	8½'' to 319' 9½''
53.	Sandstone, . . .	8'	6'' to 328'	3½'' 8'	6'' to 328' 3½''
54.	SS. and cong. .	2'	9½'' to 331'	1'' 2'	9½'' to 331' 1''
55.	Sandstone, . . .	5'	0'' to 336'	1'' 5'	0'' to 336' 1''
56.	SS. and slate, .	3'	1'' to 339'	2'' 3'	1'' to 339' 2''
57.	COAL BED, . . .	6'	0'' to 345'	2'' 6'	0'' to 345' 2''
58.	Slate and SS. .	1'	11'' to 347'	1'' 1'	11'' to 347' 1''
59.	Sandstone, . . .	17'	5'' to 364'	6'' 17'	5'' to 364' 6''
60.	Sandstone, . . .	7'	7'' to 372'	1'' 7'	7'' to 372' 1''
61.	Fine cong. . . .	2'	3½'' to 374'	4½'' 2'	3½'' to 374' 4½''
62.	SS. and cong. .	7'	2'' to 381'	6½'' 7'	2'' to 381' 6½''
63.	SS. and cong. .	1'	0'' to 382'	6½'' 1'	0'' to 382' 6½''
64.	COAL BED, . . .	2'	3½'' to 384'	10'' 2'	3½'' to 384' 10''
65.	Slate,	3'	0'' to 387'	10' 3'	0'' to 387' 10''
66.	Sandstone, . . .	2'	8½'' to 390'	6½'' 2'	8½'' to 390' 6½''
67.	Sandstone with seams of slate, 23'	3''	to 413'	9½'' 23'	3'' to 413' 9½''
68.	Sandstone, . . .	13'	8'' to 427'	5½'' 13'	8'' to 427' 5½''
69.	SS. with cong. .	7'	11'' to 435'	4½'' 7'	11'' to 435' 4½''
70.	Conglomerate, .	11'	1'' to 446'	5½'' 11'	1'' to 446' 5½''

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Northern Anthracite Field, Part I.

*Section of Diamond Drill bore-hole, on line between
Swoyer & Malby properties, 540 feet north of D. L. &
W. R. R.*

J. H. Swoyer.

(Reported by J. H. Swoyer.)

No. of strata.	Description.	Thicknesses meas- ured vertically.		Thicknesses per- pendicular to the dip.	
1.	Sand,	6'	0'' to 6' 0''	6'	0'' to 6' 0''
2.	Gravel, . . .	4'	0'' to 10' 0''	4'	0'' to 10' 0''
3.	Sand,	2'	0'' to 12' 0''	2'	0'' to 12' 0''
4.	Gravel, . . .	19'	0'' to 31' 0''	19'	0'' to 31' 0''
5.	Sand,	20'	0'' to 51' 0''	20'	0'' to 51' 0''
6.	Quicksand, .	15'	0'' to 66' 0''	15'	0'' to 66' 0''
7.	Clay,	46'	0'' to 112' 0''	46'	0'' to 112' 0''
8.	Quicksand, .	18'	0'' to 130' 0''	18'	0'' to 130' 0''
9.	Quicksand and clay, . .	14'	3'' to 144' 3''	14'	3'' to 144' 3''
10.	Sandstone, .	55'	0'' to 199' 3''	55'	0'' to 199' 3''
11.	COAL BED, .	6'	0½'' to 205' 3½''	6'	0½'' to 205' 3½''
12.	Sandstone, .	43'	7'' to 248' 10½''	43'	7'' to 248' 10½''
13.	Sandstone with slate seams, . . .	4'	0'' to 252' 10½''	4'	0'' to 252' 10½''
14.	SS. and slate, .	6'	0'' to 258' 10½''	6'	0'' to 258' 10½''
15.	Sandstone, .	2'	6'' to 261' 4½''	2'	6'' to 261' 4½''
16.	Slate,	2'	8'' to 264' 0½''	2'	8'' to 264' 0½''
17.	COAL BED, .	5'	6'' to 269' 6½''	5'	6'' to 269' 6½''
18.	Slate,	1'	4'' to 270' 10½''	1'	4'' to 270' 10½''
19.	Sandstone, .	49'	8½'' to 320' 7''	49'	8½'' to 320' 7''
20.	COAL,	1'	3½'' to 321' 10½''	1'	3½'' to 321' 10½''
21.	Slate,	7'	10'' to 329' 8½''	7'	10'' to 329' 8½''
22.	Sandstone, .	24'	9'' to 354' 5½''	24'	9'' to 354' 5½''
23.	Slate,	4''	to 354' 9½''	4''	to 354' 9½''
24.	COAL,	1'	6'' to 356' 3½''	1'	6'' to 356' 3½''
25.	Slate,	3'	0'' to 359' 3½''	3'	0'' to 359' 3½''
26.	Sandstone, .	9'	10'' to 369' 1½''	9'	10'' to 369' 1½''
27.	SS. and slate, .	4'	0'' to 373' 1½''	4'	0'' to 373' 1½''
28.	Sandstone, .	4'	6'' to 377' 7''	4'	6'' to 377' 7''
29.	SS. and slate, .	6'	0'' to 383' 7½''	6'	0'' to 383' 7½''
30.	Slate with COAL seams, .	3'	11'' to 387' 6½''	3'	11'' to 387' 6½''
31.	COAL BED, .	4'	7½'' to 392' 2''	4'	7½'' to 392' 2''
32.	Slate,	1'	3½'' to 393' 5½''	1'	3½'' to 393' 5½''
33.	Slate and SS. .	1'	0'' to 394' 5½''	1'	0'' to 394' 5½''
34.	Slate,	11'	4'' to 405' 9½''	11'	4'' to 405' 9½''
35.	Slate and COAL,	11''	to 406' 8½''	11''	to 406' 8½''
36.	Slate and SS. .	26'	9'' to 433' 5½''	26'	9'' to 433' 5½''
37.	COAL and bone,	1'	10'' to 435' 3½''	1'	10'' to 435' 3½''

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
38. Slate and SS.	5' 6"	to 440' 9½"	5' 6" to 440' 9½"
39. SS. with COAL seams,	20' 2"	to 460' 11½"	20' 2" to 460' 11½"
40. Sandstone, . .	24' 0"	to 484' 11½"	24' 0" to 484' 11½"
41. Slate,	11' 7"	to 496' 6½"	11' 7" to 496' 6½"
42. COAL,	2' 5"	to 498' 11½"	2' 5" to 498' 11½"
43. Slate,	5' 7"	to 504' 6½"	5' 7" to 504' 6½"
44. Slate and SS.	7' 3"	to 511' 9½"	7' 3" to 511' 9½"
45. Sandstone, . .	2' 6"	to 514' 3½"	2' 6" to 514' 3½"
46. SS. and slate, 9'	6"	to 523' 9½"	9' 6" to 523' 9½"
47. Slate,	5' 0"	to 528' 9½"	5' 0" to 528' 9½"
48. COAL BED, . .	14' 9½"	to 543' 7"	14' 9½" to 543' 7"
49. Slate,	15' 5"	to 559' 0"	15' 5" to 559' 0"
50. Sandstone, . .	12' 5½"	to 571' 5½"	12' 5½" to 571' 5½"
51. COAL with slate,	19' 11"	to 591' 4½"	19' 11" to 591' 4½"
52. Slate,	1' 9"	to 593' 1½"	1' 9" to 593' 1½"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of "Harry E" tunnel, from surface to small coal seam at 288' 10".

J. H. Swoyer.

(Measured by Geological Survey.)

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to the dip.
1. Slaty sandstone, . .	208' 3"	to 208' 3"	55' 0" to 55' 0"
2. COAL,	1' 5"	to 209' 8"	1' 0" to 56' 0"
3. Fine dark SS. . . .	108' 4"	to 318' 0"	30' 6" to 86' 6"
4. ELEVEN-FOOT BED.			
Bed in roll,	60' 6"	to 378' 6"	12' 7" to 99' 1"
5. Hard sandstone, . .	153' 0"	to 531' 6"	38' 5" to 137' 6"
6. COAL,	13' 0"	to 544' 6"	4' 0" to 141' 6"
7. Slate,	3' 0"	to 547' 6"	1' 8" to 143' 2"
8. Hard sandstone, . .	104' 0"	to 651' 6"	37' 6" to 180' 8"
9. Slate,	3' 0"	to 654' 6"	10" to 181' 6"
10. COAL,	8' 0"	to 662' 6"	3' 0" to 184' 6"
11. Hard sandstone, . .	32' 0"	to 694' 6"	12' 0" to 196' 6"
12. Slate,	14' 0"	to 708' 6"	5' 8" to 202' 2"
13. ROSS BED.	31' 0"	to 739' 6"	14' 2" to 216' 4"
14. Strata, (14 to 17 taken on north side of roll.)			51' 6" to 267' 10"
15. COAL,	BEDDASH BED.		3' 2" to 271' 0"
16. Strata,			15' 0" to 286' 0"
17. COAL,			2' 10" to 288' 10"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

NOTE.—Horizontal measurements could not be continued beyond No. 13 on account of roll in strata.

Section of "Harry E" shaft and Diamond Drill bore-hole, from surface to Red Ash bed.

J. H. Swoyer.

(Reported by J. H. Swoyer.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
1.	Surface,	85' 0" to 85' 0"	85' 0" to 85' 0"
2.	COAL (trace.)		
3.	SS. Dip 40° S., . . .	8' 0" to 93' 0"	7' 11" to 92' 11"
4.	COAL,	9' to 93' 9"	9' to 93' 8"
5.	Slate,	8' 0" to 101' 9"	7' 11" to 101' 7"
6.	Sandstone,	62' 6" to 164' 3"	62' 2" to 163' 9"
7.	ELEVEN-FOOT BED, . .	10' 3" to 174' 6"	10' 3" to 174' 0"
8.	Sandstone and slate, . .	11' 0" to 185' 6"	10' 11" to 184' 11"
9.	Sand slate,	4' 0" to 189' 6"	3' 11" to 188' 10"
10.	Sandstone,	2' 0 $\frac{1}{2}$ " to 191' 6 $\frac{1}{2}$ "	1' 11" to 190' 9"
11.	Sandstone and slate, . .	15' 0" to 206' 6 $\frac{1}{2}$ "	14' 11" to 205' 8"
12.	Bony COAL,	3" to 206' 9 $\frac{1}{2}$ "	3" to 205' 11"
13.	Sandstone and slate, . .	2' 8" to 209' 5 $\frac{1}{2}$ "	2' 7" to 208' 6"
14.	Slate with COAL seams,	6' 8" to 216' 1 $\frac{1}{2}$ "	6' 7" to 215' 1"
15.	Bony COAL,	2' 0" to 218' 1 $\frac{1}{2}$ "	2' 0" to 217' 1"
16.	Sandstone,	19' 10" to 237' 11 $\frac{1}{2}$ "	19' 8" to 236' 9"
17.	Conglomerate,	11' 9" to 249' 8 $\frac{1}{2}$ "	11' 7" to 248' 4"
18.	Sandstone,	4' 11" to 254' 7 $\frac{1}{2}$ "	4' 10" to 253' 2"
19.	Fine conglomerate, . .	6' 7" to 261' 2 $\frac{1}{2}$ "	6' 6" to 259' 8"
20.	COAL,	1' 4" to 262' 6 $\frac{1}{2}$ "	1' 4" to 261' 0"
21.	Slate,	3" to 262' 9 $\frac{1}{2}$ "	3" to 261' 3"
22.	Sandstone,	3' 6" to 266' 3 $\frac{1}{2}$ "	3' 5" to 264' 8"
23.	Sandstone and slate, . .	5' 9" to 272' 0 $\frac{1}{2}$ "	5' 8" to 270' 4"
24.	Sandstone,	21' 7" to 293' 7 $\frac{1}{2}$ "	21' 5" to 291' 9"
25.	Sandstone and slate, . .	3' 0" to 296' 7 $\frac{1}{2}$ "	2' 11" to 294' 8"
26.	Slate,	8' 9" to 305' 4 $\frac{1}{2}$ "	8' 8" to 303' 4"
27.	ROSS BED,	17' 10 $\frac{1}{2}$ " to 323' 3 $\frac{1}{2}$ "	17' 6" to 320' 10"
28.	Sandstone and slate, . .	2' 0" to 325' 3 $\frac{1}{2}$ "	2' 0" to 322' 10"
29.	Slate,	4' 2 $\frac{1}{2}$ " to 329' 5 $\frac{1}{2}$ "	4' 2" to 327' 0"
30.	Sandstone,	49' 0" to 378' 5 $\frac{1}{2}$ "	48' 8" to 375' 8"
31.	RED ASH BED,	9' 0 $\frac{1}{2}$ " to 387' 6 $\frac{1}{2}$ "	8' 10" to 384' 6"
32.	Slate,	8' 6" to 396' 0 $\frac{1}{2}$ "	8' 5" to 392' 11"
33.	Sandstone,	1' 6" to 397' 6 $\frac{1}{2}$ "	1' 6" to 394' 5"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Tripp Farm Rope Drill bore-hole No. 1, from surface through wash.

J. H. Swoyer.

(Reported by J. H. Swoyer.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
1.	Sand and gravel, .	25' 0" to 25' 0"	25' 0" to 25' 0"
2.	Quicksand,	70' 0" to 95' 0"	70' 0" to 95' 0"
3.	Soft clay,	100' 0" to 195' 0"	100' 0" to 195' 0"
4.	Water and gravel, .	10' 0" to 205' 0"	10' 0" to 205' 0"
5.	Boulders and broken rock,	10' 0" to 215' 0"	10' 0" to 215' 0"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Tripp Farm Rope Drill bore-hole No. 2, near Mill Hollow, from surface through coal bed at 590' 2" into quartz rock at 638' 2"

J. H. Swoyer.

(Reported by I. A. Stearns, M. E.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
1.	Gravel and quicksand,	30' 0" to 30' 0"	30' 0" to 30' 0"
2.	Quicksand,	60' 0" to 90' 0"	60' 0" to 90' 0"
3.	Soft blue clay, . .	60' 0" to 150' 0"	60' 0" to 150' 0"
4.	Hard,	2' 0" to 152' 0"	2' 0" to 152' 0"
5.	Hard blue clay, . .	20' 0" to 172' 0"	20' 0" to 172' 0"
6.	Soft blue clay, . .	15' 0" to 187' 0"	15' 0" to 187' 0"
7.	Gravel,	4' 6" to 191' 6"	4' 6" to 191' 6"
8.	Soft sandstone, . .	5' 0" to 196' 6"	5' 0" to 196' 6"
9.	Coarse sandstone, .	24' 0" to 220' 6"	24' 0" to 220' 6"
10.	Fine sandstone, . .	23' 0" to 243' 6"	23' 0" to 243' 6"
11.	Coarse sandstone, .	15' 0" to 258' 6"	15' 0" to 258' 6"
12.	Slate,	1' 0" to 259' 6"	1' 0" to 259' 6"
13.	COAL BED,	5' 1" to 264' 7"	5' 1" to 264' 7"
14.	Soft sandstone, . .	4' 0" to 268' 7"	4' 0" to 268' 7"
15.	Quartz,	8' 0" to 276' 7"	8' 0" to 276' 7"
16.	Soft slate,	9' 0" to 285' 7"	9' 0" to 285' 7"
17.	Fire clay,	68' 0" to 353' 7"	68' 0" to 353' 7"
18.	Hard sandstone, . .	159' 0" to 512' 7"	159' 0" to 512' 7"
19.	Fire clay and SS. . .	8' 0" to 520' 7"	8' 0" to 520' 7"
20.	Hard sandstone, . .	4' 0" to 524' 7"	4' 0" to 524' 7"
21.	Soft sandstone, . .	44' 0" to 568' 7"	44' 0" to 568' 7"
22.	Fire clay,	4' 9" to 573' 4"	4' 9" to 573' 4"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
23.	Slate,	9' to 574' 1"	9' to 574' 1"
24.	COAL,	9' to 574' 10"	9' to 574' 10"
25.	Sandstone,	3' 0" to 577' 10"	3' 0" to 577' 10"
26.	COAL,	1' 9" to 579' 7"	1' 9" to 579' 7"
27.	Sandstone,	6' 0" to 585' 7"	6' 0" to 585' 7"
28.	Slate,	6" to 586' 1"	6" to 586' 1"
29.	COAL BED,	4' 1" to 590' 2"	4' 1" to 590' 2"
30.	Fireclay,	8' 3" to 598' 5"	8' 3" to 598' 5"
31.	Soft sandstone,	15' 0" to 613' 5"	15' 0" to 613' 5"
32.	Quartz rock,	24' 9" to 638' 2"	24' 9" to 638' 2"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Trip Farm Rope Drill bore-hole No. 3, near Mill Hollow, from surface to conglomerate.

J. H. Swoyer.

(Reported by Thomas H. Broderick.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
1.	Surface,	87' 0" to 87' 0"	87' 0" to 87' 0"
2.	Dark SS. Dip 80° S.,	31' 0" to 118' 0"	30' 7" to 117' 7"
3.	Quartz rock,	8' 0" to 126' 0"	7' 11" to 125' 6"
4.	Gritty slate,	25' 0" to 151' 0"	24' 8" to 150' 2"
5.	White flint rock,	17' 0" to 168' 0"	16' 9" to 166' 11"
6.	COAL BED,	10' 0" to 178' 0"	9' 10" to 176' 9"
7.	Slate,	8' 0" to 186' 0"	7' 11" to 184' 8"
8.	Mica sandstone,	42' 0" to 228' 0"	41' 5" to 226' 1"
9.	Black slate with seams of COAL,	11' 0" to 239' 0"	10' 10" to 236' 11"
10.	Hard quartz rock,	47' 0" to 286' 0"	46' 4" to 283' 3"
11.	Slate and COAL seams,	11" to 286' 11"	11" to 284' 2"
12.	Dark sandstone,	7' 1" to 294' 0"	7' 0" to 291' 2"
13.	Hard coarse rock,	19' 0" to 313' 0"	18' 9" to 309' 11"
14.	Sand rock,	3' 9' to 316' 9"	3' 8" to 313' 7"
15.	Slate,	1' 6" to 318' 3"	1' 6" to 315' 1"
16.	COAL BED,	4' 5" to 322' 8"	4' 4" to 319' 5"
17.	Sandstone,	1' 2" to 323' 10"	1' 2" to 320' 7"
18.	Slate,	18' 6" to 342' 4"	18' 3" to 338' 10"
19.	COAL BED,	5' 2" to 347' 6"	5' 1" to 343' 11"
20.	Slate,	2' 0" to 349' 8"	2' 0" to 345' 11"
21.	Hard quartz rock,	19' 0" to 369' 6"	18' 9" to 361' 8"
22.	Sandstone and COAL seams,	5' 0" to 373' 6"	4' 11" to 369' 7"
23.	Quartz rock,	22' 0" to 395' 6"	21' 8" to 391' 3"
24.	Sandstone,	3' 7" to 399' 1"	3' 6" to 394' 9"
25.	COAL BED,	8' 8" to 407' 9"	8' 6" to 403' 3"
26.	Slate,	4' 4" to 412' 1"	4' 3" to 407' 6"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
27.	Hard sandstone, . .	25' 5" to 437' 6"	25' 1" to 432' 7"
28.	Slate,	11' 0" to 448' 6"	10' 10" to 443' 5'
29.	Conglomerate, . . .	18' 6" to 467' 0"	18' 3" to 461' 8"
30.	Hard quartz rock, . .	3' 6" to 470' 6"	3' 5" to 465' 1"
31.	Conglomerate, . . .	6' 0" to 476' 6"	5' 11" to 471' 0"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Mill Hollow shaft, from surface to Ross bed.
Waddle & Waster.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
1.	Surface,	60' 0" to 60' 0"	60' 0" to 60' 0"
2.	Soft slate. Dip 3° S.,	38' 0" to 98' 0"	37' 11" to 97' 11"
3.	COOPER BED, . . .	7' 11" to 105' 11"	7' 10" to 105' 9"
4.	Dark soft slate, . . .	9' 0" to 114' 11"	8' 11" to 114' 8"
5.	Hard sandstone, . .	63' 8" to 178' 7"	63' 6" to 178' 2"
6.	Black slate,	2' 0" to 180' 7"	2' 0" to 180' 2"
7.	BENNETT BED, . . .	12' 7" to 193' 2"	12' 7" to 192' 9"
8.	Slate. Dip 11° S., .	25' 10" to 219' 0"	24' 6" to 217' 3"
9.	Slate, COAL and bone,	2' 8" to 221' 8"	2' 8" to 219' 11"
10.	Slate,	1' 1" to 222' 9"	1' 1" to 221' 00"
11.	Slate, COAL and bone,	8' 3" to 231' 0"	8' 2" to 229' 2"
12.	Hard gray SS. . . .	19' 3" to 250' 3"	19' 1" to 248' 3"
13.	Slate,	1' 10" to 252' 1"	1' 10" to 250' 1"
14.	Slate and bone, . . .	1' 10" to 253' 11"	1' 10" to 251' 11"
15.	Hard bastard SS. .	34' 4" to 288' 3"	24' 0" to 275' 11"
16.	Hard gray SS. with cong. seams, . . .	66' 5" to 354' 8"	65' 7" to 341' 6"
17.	Slate,	3' 6" to 358' 2"	3' 6" to 345' 0"
18.	Sandstone,	9' 1" to 367' 3"	9' 0" to 354' 0"
19.	Slate,	18' 6" to 385' 9"	18' 3" to 372' 0"
20.	COAL BED (Rider),	2' 2" to 387' 11"	2' 2" to 374' 5"
21.	Slate,	12' 9" to 400' 8"	12' 7" to 387' 0"
22.	COAL,	3' 0" to 403' 8"	3' 0" to 390' 0"
23.	Slate,	1' 2" to 404' 10"	1' 2" to 391' 2"
24.	COAL,	6' 9" to 411' 7"	6' 8" to 397' 10"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Black Diamond shaft from surface to Bennett bed.

Haddock and Steele.

(Reported by I. A. Stearns, M. E.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	70' 0" to 70' 0"	70' 0" to 70' 0"
2.	Loose SS. Dip 6°		
	S.,	20' 0" to 90' 0"	19' 9" to 89' 9"
3.	LANCE BED,	7' 0" to 97' 0"	6' 11" to 96' 8"
4.	Sandstone,	68' 0" to 165' 0"	67' 3" to 163' 11"
5.	COOPER BED,	8' 0" to 173' 0"	7' 11" to 171' 10"
6.	Sandstone,	46' 3" to 219' 3"	45' 11" to 217' 9"
7.	BENNETT BED,	12' 4" to 231' 7"	12' 3" to 230' 0"

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of East Boston shaft, from surface to Red Ash bed.

W. G. Payne & Co.

(Nos. 1—17 reported by E. F. Payne. Nos. 18—40 measured by Geological Survey.)

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip
1.	Surface,	15' 0" to 15' 0"	15' 0" to 15' 0"
2.	Sandstone,	51' 7" to 66' 7"	51' 7" to 66' 7"
3.	Slate,	9" to 67' 4"	9" to 67' 4"
4.	ORCHARD BED,	4' 0" to 71' 4"	4' 0" to 71' 4"
5.	Slate,	4' 5" to 75' 9"	4' 5" to 75' 9"
6.	Hard sandstone,	34' 10" to 110' 7"	34' 10" to 110' 7"
7.	Slaty sandstone,	23' 5" to 134' 0"	23' 5" to 134' 0"
8.	LANCE BED,	5' 2" to 139' 2"	5' 2" to 139' 2"
9.	Hard sandstone,	23' 7" to 162' 9"	23' 7" to 162' 9"
10.	COAL,	1' 6" to 164' 3"	1' 6" to 164' 3"
11.	Slate,	4' 5" to 168' 8"	4' 5" to 168' 8"
12.	COOPER BED,	6' 0" to 174' 8"	6' 0" to 174' 8"
13.	Sandstone,	79' 8" to 254' 4"	79' 8" to 254' 4"
14.	Slate,	1' 6" to 255' 10"	1' 6" to 255' 10"
15.	COAL,	2' 0" to 257' 10"	2' 0" to 257' 10"
16.	Fire clay,	9" to 258' 7"	9" to 258' 7"
17.	BENNETT BED,	10' 0" to 268' 7"	10' 0" to 268' 7"
18.	Slate,	5' 10" to 274' 5"	5' 10" to 274' 5"
19.	COAL,	1' 9" to 276' 2"	1' 9" to 276' 2"
20.	Hard sandstone,	25' 10" to 302' 0"	25' 10" to 302' 0"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
21.	Slate,	16' 2" to 318' 2"	16' 2" to 318' 2"
22.	Slate, bone and COAL,	9' 6" to 327' 8"	9' 6" to 327' 8"
23.	Sandstone,	21' 1" to 348' 9"	21' 1" to 348' 9"
24.	Conglomerate,	15' 1" to 363' 10"	15' 1" to 363' 10"
25.	Hard sandstone,	16' 0" to 379' 10"	16' 0" to 379' 19"
26.	Slate,	5' 8" to 385' 6"	5' 8" to 385' 6"
27.	SS. and cong.,	37' 3" to 422' 9"	37' 3" to 422' 9"
28.	White pebbles,	10" to 423' 7"	10" to 423' 7"
29.	Sandstone,	11' 0" to 434' 7"	11' 0" to 434' 7"
30.	Bone and slate,	6" to 435' 1"	6" to 435' 1"
31.	Conglomerate,	18' 0" to 453' 1"	18' 0" to 453' 1"
32.	Slate,	24' 0" to 477' 1"	24' 0" to 477' 1"
33.	COAL,	2' 6" to 479' 7"	2' 6" to 479' 7"
34.	Slate,	8" to 480' 3"	8" to 480' 3"
35.	COAL,	7' 6" to 487' 9"	7' 6" to 487' 9"
36.	Slate, } ROSS BED,	10" to 488' 7"	10" to 488' 7"
37.	COAL, }	4' 6" to 493' 1"	4' 6" to 493' 1"
38.	Sandstone and slate,	2' 6" to 495' 7"	2' 6" to 495' 7"
39.	Sandstone,	43' 5" to 539' 0"	43' 5" to 539' 0"
40.	Slate,	11' 6" to 550' 6"	11' 6" to 550' 6"
41.	RED ASH BED,		

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

No. 41 was not measured; being covered with water at time section was taken.

*Section of Kingston No. 1 shaft from surface through
Checker bed at 347' 4' into sandstone 349' 10'.*

Kingston Coal Co.

(Reported by Kingston Coal Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	17' 0" to 17' 0"	17' 0" to 17' 0"
2.	SS. Dip 60° S.,	82' 0" to 99' 0"	81' 6" to 98' 6"
3.	COAL BED,	5' 0" to 104' 0"	5' 0" to 103' 6"
4.	Slate,	2' 0" to 106' 0"	2' 0" to 105' 6"
5.	Sandstone,	17' 6" to 123' 6"	17' 5" to 122' 11"
6.	Slate,	8' 6" to 132' 0"	8' 5" to 131' 4"
7.	Fire clay,	5' 0" to 137' 0"	5' 0" to 136' 4"
8.	Sandstone,	26' 6" to 163' 6"	26' 4" to 162' 8"
9.	Sandstone,	30' 6" to 194' 0"	30' 4" to 193' 0"
10.	Fire clay,	6' 0" to 200' 0"	6' 0" to 199' 0"
11.	Hard slate,	12' 0" to 212' 0"	12' 0" to 211' 0"
12.	LANCE BED,	7' 0" to 219' 0"	7' 0" to 218' 0"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
13.	Sandstone,	47' 0'' to 266' 0'	46 9'' to 264' 9''
14.	Slate,	5' 6'' to 271' 6''	5' 6'' to 270' 3''
15.	COOPER BED,	9' 6'' to 281 0''	9' 5'' to 279' 8''
16.	Sandstone,	52' 6'' to 333' 6''	52' 2'' to 331' 10''
17.	BENNETT BED,	7' 0'' to 340' 6''	7' 0'' to 338' 10''
18.	Slate,	3' 6'' to 344' 0''	3' 6'' to 342' 4'
19.	COAL,	5' 0'' to 349' 0''	5' 0'' to 347' 4''
20.	Sandstone,	2' 6'' to 351' 6''	2' 6' to 349' 10'

See Columnar Section Sheet No. III and Mine Sheet No. VII, Atlas Northern Anthracite Field, Part I.

Section of Boston shaft from surface to Baltimore bed.

D. & H. C. Co.

(Reported by D. L. & W. R. R. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	25' 0'' to 25' 0'	25' 0' to 25' 0''
2.	Sandstone,	33' 0'' to 58' 0''	33' 0' to 58' 0''
3.	LANCEBED,	7' 10'' to 65' 10'	7' 10'' to 65' 10''
4.	Sandstone,	4' 0'' to 69' 10''	4' 0'' to 69' 10''
5.	Slate,	8' 0'' to 77' 10''	8' 0'' to 77' 10''
6.	Sandstone,	42' 0'' to 119' 10''	42' 0'' to 119' 10''
7.	Slate,	20' 0'' to 139' 10''	20' 0'' to 139' 10''
8.	BALTIMORE BED, 24' 3	to 164' 1''	24' 3'' to 164' 1''

See Columnar Section Sheet No. III and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

Section of Rope Drill bore-hole near Boston mines, from surface to Cooper bed.

D. & H. C. Co.

(Reported by D. L. & W. R. R. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	25' 0'' to 25' 0''	25' 0'' to 25' 0''
2.	Sandstone,	51' 0'' to 76 0''	51' 0'' to 76 0''
3.	Slate,	10' 6'' to 86' 6''	10' 6'' to 86' 6''
4.	COAL BED,	7' 10'' to 94' 4''	7' 10'' to 94' 4''
5.	Sandstone,	46' 0' to 140' 4''	46' 0' to 140' 4'
6.	Slate,	17' 9'' to 158' 1''	17' 9'' to 158 1''
7.	COOPER BED,	9' 6'' to 167' 7''	9' 6'' to 167' 7''
8.	Slate,	4 9'' to 172' 4''	4' 9'' to 172' 4''

See Columnar Section Sheet No. III and Mine Sheet No. V, Atlas Northern Anthracite Field, Part I.

Section of Dorrance shaft near Wilkes Barre, from surface to Hillman Bed.

L. V. C. Co.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Cribbing,	15' 4" to 15' 4"	15' 4" to 15' 4"
2.	Slate. Dip 38° S., . .	45' 10" to 61' 2"	36' 1" to 51' 5"
3.	COAL and dirt, . . .	3' 6" to 64' 8"	2' 10" to 54' 3"
4.	Slate. Dip 39° S., . .	9' 1" to 73' 9"	7' 2" to 61' 5"
5.	Sandstone, soft, . . .	2' 7" to 76' 4"	2' 1" to 63' 6"
6.	Slate with ore balls, 26'	10" to 103' 2"	21' 1" to 84' 7"
7.	Sandstone,	6' 11" to 110' 1"	5' 5" to 90' 0"
8.	Slate. Dip 37° S., . .	4' 4" to 114' 5"	3' 4" to 93' 4"
9.	Sandstone, hard, . . .	14' 1" to 123' 6"	11' 1" to 104' 5"
10.	Slate,	2' 4" to 130' 10"	1' 10" to 106' 3"
11.	COAL,	1' 11" to 132' 9"	1' 10" to 108' 1"
12.	Bastard sandstone, 52'	0" to 184' 9"	41' 0" to 149' 1"
13.	Sandstone,	21' 1" to 205' 10"	16' 8" to 165' 9"
14.	Slate, soft,	1' 11" to 207' 9"	1' 6" to 167' 3"
15.	Slate, hard,	16' 0" to 223' 9"	12' 7" to 179' 10"
16.	COAL,	2' 8" to 226' 5"	1' 10" to 181' 8"
17.	Sandstone, hard, . . .	13' 10" to 240' 3"	11' 0" to 192' 8"
18.	Slate and sandstone, 9'	5" to 249' 8"	7' 5" to 200' 1"
19.	Sandstone,	16' 7" to 266' 3"	13' 1" to 213' 2"
20.	Slate and fire clay, . .	2' 10" to 269' 1"	2' 2" to 215' 4"
21.	Bastard sandstone, . .	31' 4" to 300' 5"	24' 9" to 240' 1"
22.	Sandstone,	18' 6" to 318' 11"	14' 7" to 254' 8"
23.	Slate,	7' 2" to 326' 1"	7' 0" to 261' 8"
24.	ROCK BED,	10' 0" to 336' 1"	7' 2" to 268' 10"
25.	Slate,	2' 4" to 338' 5"	3' 2" to 272' 0"
26.	COAL,	3' 6" to 341' 11"	2' 6" to 274' 6"
27.	Bastard sandstone, . .	15' 5" to 357' 4"	12' 2" to 286' 8"
28.	Sandstone, hard, . . .	37' 4" to 394' 8"	29' 5" to 316' 1"
29.	Slate,	10' 10" to 405' 6"	8' 6" to 324' 7"
30.	ABBOTT BED. Dip 24° S.,	6' 6" to 412' 0"	5' 6" to 330' 1"
31.	Sandstone,	37' 9" to 451' 9"	36' 0" to 366' 1"
32.	Fire clay,	6' 4" to 458' 0"	5' 9" to 371' 10"
33.	Sandstone,	5' 1" to 463' 1"	4' 7" to 376' 5"
34.	Slate,	8' 4" to 471' 4"	7' 6" to 383' 11"
35.	Slaty sandstone, . . .	16' 6" to 487' 10"	14' 11" to 398' 10"
36.	BOWKLEY BED,	5' 4" to 493' 2"	7' 7" to 406' 5"
37.	Slate, hard,	15' 5" to 508' 7"	13' 11" to 420' 4"
38.	Sandstone,	52' 0" to 560' 7"	47' 1" to 467' 5"
39.	Slate,	5' 7" to 566' 2"	5' 1" to 472' 6"
40.	HILLMAN BED,	13' 5" to 579' 7"	13' 5" to 485' 11"

See Columnar Section Sheet No. II and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Empire shaft No. 4 from surface to Hillman bed.

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	Cribbing, . .	35' 8'	to 35' 8"	35' 8"	to 35' 8"
2.	Hard SS., . .	72' 3"	to 107' 11"	72' 3"	to 107' 11"
3.	Slate,	1' 8"	to 109' 7"	1' 8"	to 109' 7"
4.	Bone and slate,	3' 7"	to 113' 2"	3' 7"	to 113' 2"
5.	COAL (Checked),	2 10"	to 116' 0"	2' 10"	to 116' 0"
6.	Soft SS., . .	12' 0"	to 128' 0"	12' 0"	to 128' 0"
7.	Black slate, . .	7' 0"	to 135' 0"	7' 0"	to 135' 0"
8.	Soft SS., . .	6' 0"	to 141' 0"	6' 0"	to 141' 0"
9.	Black slate, . .	4' 10"	to 145' 10"	4' 10"	to 145' 10"
10.	Hard SS., . .	51' 0"	to 196' 10"	51' 0"	to 196' 10"
11.	Soft SS., . .	6' 6"	to 203' 4"	6' 6"	to 203' 4"
12.	Black slate, . .	1' 6"	to 204' 10"	1' 6"	to 204' 10"
13.	Bone,	3"	to 205' 1"	6' 3"	to 205' 1"
14.	Black slate, . .	4 3"	to 209' 4"	4' 3"	to 209' 4"
15.	COAL,	9"	to 210' 1"	9"	to 210' 1"
16.	Black slate, . .	7' 0"	to 217' 1"	7' 0"	to 217' 1"
17.	Fire clay, . .	1' 2'	to 218' 3"	1' 2"	to 218' 3"
18.	KIDNEY BED, . .	4' 5"	to 222' 8"	4' 5"	to 222' 8"
19.	Hard SS., . .	61' 8"	to 284' 4"	61' 8"	to 284' 4"
20.	HILLMAN BED,	12' 9½"	to 297' 1½"	12' 9½"	to 297' 1½"

See Columnar Section Sheet No. II and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Hillman Vein shaft near Wilkes Barre, from surface to Hillman bed.

Hillman Vein Coal Co.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	Cribbing,	40' 5'	to 40' 5"	40' 5"	to 40' 5"
2.	SS. Dip 23° S., . .	18' 10"	to 59' 3"	17' 4"	to 57' 9"
3.	Slate,	13' 3"	to 72' 6"	12' 2"	to 69' 11"
4.	COAL,	6"	to 73' 0"	6"	to 70' 5"
5.	Slate,	2' 9"	to 75' 9"	2' 6"	to 72' 11"
6.	HILLMAN BED, . .	8 8'	to 84' 5"	8' 8"	to 81' 7"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
7.	Hard sandstone, . .	41' 0" to 125' 5"	37' 9" to 119' 4"
8.	Slate,	4' 6" to 130' 0"	4' 1" to 123' 5"
9.	Sandstone,	13' 0" to 143' 0"	12' 0" to 135' 5"
10.	Slate and bone, . .	6' 0" to 149' 0"	5' 6" to 140' 11"
11.	Sandstone, hard, . .	120' 0" to 269' 0"	110' 5' to 251' 4"
12.	Slate and bone, . .	10' 5" to 279' 4"	9' 7" to 260' 11"
13.	COAL BED,	4' 0" to 283' 4"	4' 0" to 264' 11"

See Columnar Section Sheet No. II and Mine Sheet No. VIII, Atlas North ern Anthracite Field, Part I.

*Section of Kidder Diamond Drill bore-hole from sur-
face to Baltimore bed.*

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	49' 3" to 49' 3"	49' 3" to 49' 3"
2.	SS. Dip. 10 $\frac{1}{2}$ ° N., . .	167' 1" to 216' 4"	164' 1" to 213' 4"
3.	Slate,	8' 0" to 224' 4"	7' 10" to 221' 2"
4.	CoAL and dirt, . .	13' 0" to 237' 4'	12' 7" to 233' 9"
5.	Slate,	46' 0" to 283' 4"	45' 2" to 278' 11"
6.	Gray sandstone, . .	33' 8" to 317' 0"	33' 1" to 312' 0"
7.	Mica sandstone, . .	10' 8" to 327' 8"	10' 6" to 322' 6"
8.	Blue sandstone, . .	9' 4" to 337' 0"	9' 2" to 331' 8"
9.	Gray sandstone, . .	17' 0" to 354' 0"	16' 8" to 348' 4"
10.	BALTIMORE BED, . .	15' 0" to 369' 0"	14' 8" to 363' 0"

See Columnar Sheet No. II and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

*Section of Grant Street Rope Drill bore-hole, from sur-
face to Baltimore bed.*

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	56' 6" to 56' 6"	56' 6" to 56' 6"
2.	Soft sandstone, . .	11' 4" to 67' 10"	11' 4" to 67' 10"
3.	Blue slate,	3' 7" to 71' 5"	3' 7" to 71' 5"
4.	CoAL,	1' 9" to 73' 2"	1' 9" to 73' 2"
5.	Dark sandstone, . .	8' 10" to 82' 0"	8' 10" to 82' 0"
6.	Fire clay,	5' 0" to 87' 0"	5' 0" to 87' 0"
7.	Sandstone,	7' 0" to 94' 0"	7' 0" to 94' 0"

<i>No. of Strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
8.	Fire clay,	15' 0'' to 109' 0'	15' 0'' to 109' 0''
9.	Sandstone,	11' 0'' to 120' 0''	11' 0'' to 120' 0''
10.	Fire clay,	3' 0'' to 123' 0''	3' 0'' to 123' 0''
11.	Dark sandstone,	4' 0'' to 127' 0''	4' 0'' to 127' 0''
12.	Hard sandstone,	66' 2'' to 193' 2''	66' 2'' to 193' 2''
13.	SEVEN-FOOT BED,	7' 11'' to 201' 1''	7' 11'' to 201' 1''
14.	Slate,	5' 11'' to 207' 0''	5' 11'' to 207' 0''
15.	Soft sandstone,	27' 0'' to 234' 0''	27' 0'' to 234' 0''
16.	Hard sandstone,	44' 0'' to 278' 0''	44' 0'' to 278' 0''
17.	Black slate,	2' 1'' to 280' 1''	2' 1'' to 280' 1''
18.	COAL,	4' 7'' to 284' 8''	4' 7'' to 284' 8''
19.	Slate,	4'' to 285' 0''	4'' to 285' 0''
20.	Fire clay,	20' 0'' to 305' 0''	20' 0'' to 305' 0''
21.	Soft sandstone,	38' 0'' to 343' 0''	38' 0'' to 343' 0''
22.	Slate and COAL,	8' 0'' to 351' 0''	8' 0'' to 351' 0''
23.	Soft sandstone,	9' 0'' to 360' 0''	9' 0'' to 360' 0''
24.	KIDNEY BED,	8' 8'' to 368' 8''	8' 8'' to 368' 8''
25.	Black sandstone,	40' 3'' to 408' 11''	40' 3'' to 408' 11''
26.	Hard sandstone,	17' 2'' to 426' 1''	17' 2'' to 426' 1''
27.	COAL and slate,	10'' to 426' 11''	10'' to 426' 11''
28.	Soft sandstone,	15' 3'' to 442' 2''	15' 3'' to 442' 2''
29.	HILLMAN BED,	11' 3'' to 453' 5''	11' 3'' to 453' 5''
30.	Fire clay,	5' 0'' to 458' 5''	5' 0'' to 458' 5''
31.	Sandstone,	21' 6'' to 479' 11''	21' 6'' to 479' 11''
32.	COAL and slate,	1' 6'' to 481' 5''	1' 6'' to 481' 5''
33.	Blue slate,	3' 6'' to 484' 11''	3' 6'' to 484' 11''
34.	Hard sandstone,	7' 0'' to 491' 11''	7' 0'' to 491' 11''
35.	Gray sandstone,	21' 0'' to 512' 11''	21' 0'' to 512' 11''
36.	Slate,	12' 0'' to 524' 11''	12' 0'' to 524' 11''
37.	COAL,	3' 6'' to 528' 5''	3' 6'' to 528' 5''
38.	Slate,	6'' to 528' 11''	6'' to 528' 11''
39.	Fire clay,	9' 0'' to 537' 11''	9' 0'' to 537' 11''
40.	Sandstone,	85' 0'' to 622' 11''	85' 0'' to 622' 11''
41.	Fire clay,	11' 8'' to 634' 7''	11' 8'' to 634' 7''
42.	COAL BED,	10' 2'' to 644' 9''	10' 2'' to 644' 9''
43.	Fire clay,	6' 2'' to 650' 11''	6' 2'' to 650' 11''
44.	Sandstone,	17' 0'' to 667' 11''	17' 0'' to 667' 11''
45.	Hard sandstone,	51' 0'' to 718' 11''	51' 0'' to 718' 11''
46.	Soft sandstone,	5' 3'' to 724' 2''	5' 3'' to 724' 2''
47.	Slate,	4'' to 724' 6''	4'' to 724' 6''
48.	COAL,	8'' to 725' 2''	8'' to 725' 2''
49.	Soft blue clay,	15' 0'' to 740' 2''	15' 0'' to 740' 2''
50.	COAL,	1' 4'' to 741' 6''	1' 4'' to 741' 6''
51.	Slate,	4'' to 741' 10''	4'' to 741' 10''
52.	Fire clay,	7' 9'' to 749' 7''	7' 9'' to 749' 7''

See Columnar Section Sheet No. II and Mine Sheet No. VIII, Atlas Northern Anthracite Field, Part I.

Section of Inside tunnel from Baltimore bed to Red Ash bed, Ashley No. 6 Colliery.

L. & W B. C. Co.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	BALTIMORE BED, . . .	20' 0" to 20' 0"	15' 11" to 15' 11"
2.	Slate. Dip 38° N., . . .	3' 6" to 23' 6"	2' 2" to 18' 1"
3.	Sandstone,	111' 6" to 135' 0"	57' 6" to 75' 7"
4.	COAL. Dip 25° N., . . .	3' 0" to 138' 0"	1' 3" to 78' 10"
5.	Slate,	7' 0" to 145' 0"	3' 0" to 79' 10"
6.	Soft sandstone,	10' 0" to 155' 0"	4' 0" to 83' 10"
7.	Fire clay,	2' 0" to 157' 0"	1' 0" to 84' 10"
8.	Soft sandstone,	13' 0" to 170' 0"	5' 8" to 90' 4"
9.	Hard SS. Dip 22° N., . .	47' 0' to 217' 0"	17' 6" to 107' 10"
10.	Fire clay,	63' 6" to 280' 6"	23' 0" to 130' 10"
11.	Slate. Dip 12° N., . . .	11' 6" to 292' 0"	4' 0" to 134' 10"
12.	Sandstone,	23' 0" to 315' 0"	8' 0" to 142' 10"
13.	Slate,	14' 0" to 329' 0"	2' 0" to 144' 10"
14.	ROSS BED. Dip 20° N., . .	60' 6" to 389' 6"	24' 9" to 169' 7"
15.	Slate,	11' 7" to 401' 1"	4' 0" to 173' 7"
16.	COAL,	4' 5" to 405' 6"	1' 9" to 175' 4"
17.	Sandstone,	157' 0' to 562' 6"	83' 0" to 258' 4"
18.	COAL. Dip 24° N., . . .	5' 8" to 568' 2"	3' 9" to 262' 1"
19.	Fire clay,	17' 0" to 701' 6"	7' 3" to 269' 4"
20.	Sandstone,	45' 0" to 746' 6"	19' 0" to 283' 4"
21.	COAL,	1' 0" to 747' 6"	6" to 288' 10"
22.	Fine conglomerate, . . .	31' 0" to 778' 6"	12' 9" to 301' 7"
23.	Slate and fire clay, . . .	4' 0" to 782' 6"	2' 0" to 303' 7"
24.	RED ASH BED,	33' 0' to 815' 6"	13' 7" to 317' 2"
25.	Slate and conglomerate, .	2' 6" to 818' 0"	1' 3" to 318' 5"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

Section of Empire shaft No. 2 from surface to Red Ash bed.

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	7' 0" to 7' 0"	7' 0" to 7' 0"
2.	Black SS. Dip 12° N., . .	13' 2" to 20' 2"	12' 11" to 19' 11"
3.	Slate,	1' 6" to 21' 8"	1' 6" to 21' 5"
4.	Black sandstone,	77' 0" to 98' 8"	75' 4" to 96' 9"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
5.	Slate,	5' to 99' 1"	5' to 97' 2"
6.	COAL BED,	5' 5' to 104' 6"	5' 4' to 102' 8"
7.	Sandstone,	26' 10" to 131' 4"	26' 3" to 128' 9"
8.	COAL BED,	3' 2' to 134' 6"	3' 1' to 131' 10"
9.	Slate,	2' 0' to 136' 6"	1' 11" to 133' 9"
10.	Hard sandstone,	86' 0" to 222' 6"	84' 1" to 217' 10"
11.	Black slate and fire clay,	6' 0" to 228' 6"	5' 10" to 223' 8"
12.	ROSS BED,	9' 2' to 237' 8"	8' 10" to 232' 6"
13.	Hard SS. and cong.,	65' 5" to 303' 1"	64' 1" to 296' 7"
14.	Black slate,	1' 5" to 304' 6"	1' 5" to 298' 0"
15.	RED ASH BED (TOP SPLIT),	6' 10" to 311' 4"	6' 9" to 304' 9"
16.	Soft sandstone,	35' 3" to 346' 4"	34' 3" to 339' 0"
17.	RED ASH BED (BOTTOM SPLIT),	12' 8" to 359' 0"	12' 4" to 351' 4"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

Section of Stanton Rope Drill bore-hole from surface through the Baltimore bed to sandstone at 680 feet.

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	71' 6" to 71' 6"	71' 6" to 71' 6"
2.	COAL BED,	5' 6" to 77' 0"	5' 6" to 77' 0"
3.	Soft sandstone,	166' 0" to 243' 0"	166' 0" to 243' 0"
4.	KIDNEY BED,	3' 0" to 246' 0"	3' 0" to 246' 0"
5.	Sandstone,	58' 0" to 304' 0"	58' 0" to 304' 0"
6.	HILLMAN BED,	5' 0" to 309' 0"	5' 0" to 309' 0"
7.	Soft sandstone,	52' 0" to 361' 0"	52' 0" to 361' 0"
8.	LODGMET BED,	7' 0" to 368' 0"	7' 0" to 368' 0"
9.	Soft sandstone,	112' 0" to 480' 0"	112' 0" to 480' 0"
10.	COAL,	10" to 480' 10"	10" to 480' 10"
11.	Slate,	2" to 481' 0"	2" to 481' 0"
12.	Sandstone,	104' 0" to 585' 0"	104' 0" to 585' 0"
13.	COAL and slate,	7' 0" to 592' 0"	7' 0" to 592' 0"
14.	Sandstone,	40' 0" to 632' 0"	40' 0" to 632' 0"
15.	Slate,	26' 0" to 658' 0"	26' 0" to 658' 0"
16.	BALTIMORE BED,	16' 8" to 674' 8"	16' 8" to 674' 8"
17.	Slate,	2' 4" to 677' 0"	2' 4" to 677' 0"
18.	Sandstone,	3' 0" to 680' 0"	3' 0" to 680' 0"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

Section of Stanton air shaft from surface to Baltimore bed.

L. & W B. C. Co.

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Strata,	27' 0" to 27' 0"	27' 0" to 27' 0"
2.	COAL,	1' 0" to 28' 0"	1' 0" to 28' 0"
3.	Strata,	64' 0" to 92' 0"	64' 0" to 92' 0"
4.	COAL,	1' 6" to 93' 6"	1' 6" to 93' 6"
5.	Strata,	180' 6" to 274' 0"	180' 6" to 274' 0"
6.	COAL BED,	10' 0" to 284' 0"	10' 0" to 284' 0"
7.	Strata,	70' 0" to 354' 0"	70' 0" to 354' 0"
8.	SEVEN-FOOT BED,	5' 11" to 359' 11"	5' 11" to 359' 11"
9.	Strata,	62' 1" to 422' 0"	62' 1" to 422' 0"
10.	COAL BED,	2' 0" to 424' 0"	2' 0" to 424' 0"
11.	Strata,	30' 0" to 454' 0"	30' 0" to 454' 0"
12.	KIDNEY BED,	5' 0" to 459' 0"	5' 0" to 459' 0"
13.	Strata,	57' 0" to 516' 0"	57' 0" to 516' 0"
14.	HILLMAN BED,	9' 0" to 525' 0"	9' 0" to 525' 0"
15.	Strata,	86' 0" to 611' 0"	86' 0" to 611' 0"
16.	COAL BED,	6' 0" to 617' 0"	6' 0" to 617' 0"
17.	Strata,	29' 0" to 646' 0"	29' 0" to 646' 0"
18.	COAL BED,	6' 0" to 652' 0"	6' 0" to 652' 0"
19.	Strata,	93' 0" to 745' 0"	93' 0" to 745' 0"
20.	COAL BED,	5' 0" to 750' 0"	5' 0" to 750' 0"
21.	Strata,	55' 0" to 805' 0"	55' 0" to 805' 0"
22.	BALTIMORE BED,	22' 0" to 827' 0"	22' 0" to 827' 0"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

Section of South WilkesBarre shaft from surface to Hillman bed.

L. & W B. C. Co.

(Measured by Geological Survey).

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Cribbing,	44' 0" to 44' 0"	44' 0" to 44' 0"
2.	Hard SS. Dip 80° S.,	28' 0" to 72' 0"	27' 8" to 71' 8"
3.	Slate,	11' 0" to 83' 0"	10' 11" to 82' 7"
4.	COAL,	2' 5" to 85' 5"	2' 5" to 85' 0"
5.	Hard slate,	12' 7" to 98' 0"	12' 5" to 97' 5"
6.	Soft sandstone,	6' 3" to 104' 3"	6' 3" to 103' 8"
7.	COAL,	6" to 104' 9"	6" to 104' 2"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
8.	Hard sandstone, . .	45' 3" to 150' 0"	44' 9" to 148' 11"
9.	COAL,	1' 0" to 151' 0"	1' 0" to 149' 11"
10.	Slate,	3' 6" to 154' 6"	3' 6" to 153' 5"
11.	COAL,	1' 6" to 156' 0"	1' 6" to 154' 11"
12.	Slate,	14' 0" to 170' 0"	13' 10" to 168' 9"
13.	Micaceous sandstone, 31'	0" to 201' 0"	30' 8" to 199' 5"
14.	Hard slate,	4' 0" to 205' 0"	4' 0" to 203' 5"
15.	Soft sandstone, . . .	29' 0" to 234' 0"	28' 8" to 232' 1"
16.	Fire clay,	10' 0" to 244' 0"	9' 11" to 242' 0"
17.	Hard sandstone, . .	40' 0" to 284' 0"	39' 8" to 281' 8"
18.	Slate and fire clay, .	7' 0" to 291' 0"	6' 11" to 288' 7"
19.	Slate,	29' 0" to 320' 0"	28' 8" to 317' 3"
20.	COAL,	6" to 320' 6"	6" to 317' 9"
21.	Hard slate,	24' 6" to 345' 0"	24' 3" to 342' 0"
22.	Hard sandstone, . .	58' 0" to 403' 0"	57' 6" to 399' 6"
23.	Slate,	2' 0" to 405' 0"	2' 0" to 401' 6"
24.	SEVEN-FOOT (OR LODGMENT BED), . .	5' 3" to 410' 3"	5' 2" to 406' 8"
25.	Fire clay. Dip 8°, S.,	5' 0" to 415' 3"	4' 11" to 411' 7"
26.	Sandstone,	73' 8" to 488' 11"	72' 11" to 484' 6"
27.	Slate,	2' 7" to 491' 6"	2' 7" to 487' 1"
28.	COAL (BONY), . . .	2' 0" to 493' 6"	2' 0" to 489' 1"
29.	Sandstone,	39' 1" to 532' 7"	38' 8" to 527' 9"
30.	Fire clay,	1' 0" to 533' 7"	1' 0" to 528' 9"
31.	KIDNEY BED,	5' 9" to 539' 4"	5' 8" to 534' 5"
32.	Hard fire clay, . . .	11' 11" to 551' 3"	8' 0" to 542' 5"
33.	SS. and fire clay, . .	67' 0" to 618' 3"	59' 0" to 601' 5"
34.	Slate and fire clay, .	42' 0" to 660' 3"	41' 11" to 643' 4"
35.	HILLMAN BED, . . .	14' 8" to 674' 11"	14' 7" to 657' 11"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

Section of No. 3 Inside tunnel, No. 9 shaft, Sugar Notch.

L. & W B. C. Co.

(Measured by Geological Survey).

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	ROSS BED.		
2.	Slate,	33' 0" to 33' 0"	14' 5" to 14' 5"
3.	Hard sandstone, . .	63' 0" to 96' 0"	27' 6" to 41' 11"
4.	Slate,	2' 0" to 98' 0"	8" to 42' 7"
5.	Hard sandstone, . .	98' 0" to 196' 0"	42' 9" to 85' 4"
6.	COAL BED. Dip 26°		
	N.,	28' 0" to 224' 0"	12' 3" to 97' 7"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
7.	Hard sandstone, . . .	124' 0" to 348' 0"	60' 0" to 157' 7"
8.	RED ASH BED,		8' 8" to 166' 3"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

NOTE.—The measurements for this section began at No. 2 and stopped at No. 7. No. 8 was, however, measured perpendicular to dip.

Section of Franklin Upper tunnel from Baltimore bed to Red Ash bed.

Franklin Coal Co.

(Reported by I. A. Stearns, M. E.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	BALTIMORE BED.		
2.	Hard sandstone, . . .	220' 0" to 220' 0"	116' 6" to 116' 6"
3.	Slate,	50' 0" to 270' 0"	138' 6" to 155' 0"
4.	Hard sandstone, . . .	8' 0" to 278' 0"	7' 0" to 162' 0"
5.	COAL BED,	3' 6" to 281' 0"	2' 4" to 164' 4"
6.	Hard sandstone, . . .	5' 0" to 286' 6"	2, 3' to 166' 7"
7.	COAL,	2' 6" to 289' 0"	1' 0" to 167' 7"
8.	Sandstone,	4' 0" to 293' 0"	1' 8" to 169' 3"
9.	COAL (BONY),	2' 0" to 295' 0"	1' 0" to 170' 3"
10.	Soft sandstone, . . .	43' 0" to 338' 0"	17' 0" to 187' 3"
11.	Hard sandstone, . . .	10' 0" to 348' 0"	7' 0" to 194' 3"
12.	Fire clay,	3' 0" to 351' 0"	2' 0" to 196' 3"
13.	COAL BED,	12' 0" to 363' 0"	7' 3" to 203' 6"
14.	Fire clay,	6' 6" to 369' 6"	10' 0" to 213' 6"
15.	COAL BED,	14' 6" to 384' 0"	7' 9" to 221' 3"
16.	Soft sandstone, . . .	37' 0" to 421' 0"	19' 6" to 240' 9"
17.	Hard sandstone, . . .	21' 0" to 442' 0"	11' 0" to 251' 9"
18.	Very hard SS., . . .	3' 7" to 445' 7"	2' 6" to 254' 3"
19.	Sandstone,	47' 10" to 493' 5"	35' 6" to 289' 9"
20.	COAL BED,	29' to 522' 5"	12' 6" to 302' 3"
21.	Fire clay,	6' 7" to 529' 0"	4' 2" to 306' 5"
22.	COAL BED,	10' to 539' 0"	5' 9" to 312' 2"
23.	Fire clay,	6' 6" to 545' 6"	4' 0" to 316' 2"
24.	COAL BED,	27' to 572' 6"	15' 5" to 331' 7"
25.	Sandstone,	142' to 714' 6"	87' 0" to 418' 7"
26.	RED ASH BED (TOP SPLIT),	12' to 726' 6"	6' 11" to 425' 6"
27.	Slate,	7' to 733' 6"	4' 6" to 430' 0"
28.	RED ASH BED (BOTTOM SPLIT),	16' 6" to 750' 0"	11' 2" to 441' 2"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

Section of Franklin lower tunnel from slate and sandstone (confused) next below Baltimore bed to Red Ash bed.

Franklin Coal Co.

(Measured by Geological Survey).

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thickness perpendicular to dip.</i>
1.	Slate and SS. Dip confused.		
2.	Sandstone,	189' 9" to 189' 9"	39' 9" to 39' 9"
3.	COAL,	28' 3" to 218' 0"	2' 6" to 42' 3"
4.	Sandstone,	68' 0" to 286' 0"	36' 0" to 78' 3"
5.	COAL,	33' 0" to 319' 0"	5' 0" to 83' 3"
6.	Slate,	7' 0" to 326' 0"	3' 0" to 86' 3"
7.	Hard sandstone,	29' 6" to 355' 6"	20' 0" to 106' 3"
8.	COAL BED. Dip 28° N.,	41' 0" to 396' 6"	5' 0" to 111' 3"
9.	Fire clay,	11' 6" to 408' 0"	14' 0" to 125' 3"
10.	COAL dirt and slate. Dip 12° N.,	34' 0" to 442' 0"	5' 0" to 130' 3"
11.	Fire clay,	5' 0" to 447' 0"	3' 0" to 133' 3"
12.	Sandstone,	299' 11" to 746' 11"	138' 0" to 271' 3"
13.	Dirt. N. dip confused,	3' 3" to 750' 2"	2' 0" to 273' 3"
14.	COAL,	4' 10" to 755' 0"	3' 0" to 276' 3"
15.	SS. Dip 38° N.,	92' 4" to 847' 4"	64' 0" to 340' 3"
16.	Slaty SS. Dip 49° N.,	5' 0" to 852' 4"	3' 6" to 343' 9"
17.	Sandstone,	62' 8" to 915' 0"	48' 0" to 391' 9"
18.	RED ASH BED (TOP SPLIT),		8' 10" to 400' 7"
19.	Fire clay,		5' 0" to 405' 7"
20.	RED ASH BED (BOTTOM SPLIT),		15' 1" to 420' 8"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

NOTE.—No. 2 begins the connected section. Nos. 18, 19 and 20 were measured perpendicular to the dip alone.

Section of Jersey tunnel Sugar Notch colliery No. 9 from surface to Ross bed.

L. & W. B. C. Co.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone,	80' 0" to 80' 0"	22' 0" to 22' 0"
2.	COAL BED,	32' 0" to 112' 0"	8' 8" to 30' 8"
3.	Fire clay,	31' 0" to 143' 0"	8' 5" to 39' 1"
4.	COAL BED,	36' 0" to 179' 0"	11' 7" to 50' 8"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
5.	Slate,	10' 6" to 189' 6"	3' 9" to 54' 5"
6.	COAL BED,	1' 0" to 190' 6"	6" to 54' 11"
7.	Slate,	65' 6" to 256' 0"	24' 6" to 79' 5"
8.	COAL BED. Dip 22°		
	N.,	20' 0" to 276' 0"	7' 6" to 86' 11"
9.	Slate and fire clay with iron balls, . .	26' 0" to 302' 0"	14' 5" to 101' 4"
10.	Sandstone,	48' 0" to 350' 0"	26' 8" to 128' 0"
11.	Slate,	10' 0" to 360' 0"	5' 6" to 133' 6"
12.	Sandstone,	10' 6" to 370' 6"	5' 8" to 139' 2"
13.	Slate. Dip 34° N., . .	3' 6" to 374' 0"	1' 8" to 140' 10"
14.	Hard sandstone, . .	18' 0" to 392' 0"	8' 4" to 149' 2"
15.	Fire clay. Dip 28°		
	N.,	19' 0" to 411' 0"	8' 9" to 157' 11"
*16.	ROSS BED,		8' 1" to 166' 0"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

*No. 16 was measured perpendicular to dip only.

*Section of Mountain tunnel from surface to Red Ash bed.
Franklin Coal Co.*

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Slate and bone,	2' 4' to 2' 4"	
2.	COAL,	2' 2' to 4' 6"	
3.	Hard slate,	2' 11" to 7' 5"	
4.	COAL BED,	12' 6" to 19' 11"	
5.	Slate,	6' 2" to 26' 1"	
6.	COAL BED,	7' 4" to 33' 5"	
7.	Slate,	5' 8" to 39' 1"	
8.	COAL BED,	17' 2" to 56' 3"	
9.	Slate,	13' 0" to 13' 0"	6' 11" to 63' 2"
10.	Hard sandstone, . .	52' 0" to 65' 0"	27' 0" to 90' 2"
11.	Slate and dirt, . . .	1' 0" to 66' 0"	6" to 90' 8"
12.	Hard sandstone at 111'. Dip 32° N., . .	95' 0" to 161' 0"	50' 4" to 141' 0"
13.	COAL BED,	12' 4" to 153' 4"	
14.	Fire clay,	1' 6" to 154' 10"	
15.	Slate and bone, . . .	1' 8" to 156' 6"	
16.	COAL BED,	9' 0" to 165' 6"	

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

Nos. 1 to 8 and 13 to 16 were measured perpendicular to dip only.

*Section of Sugar Notch shaft No. 9 from surface to Coal bed, at 299' 3".**L. & W B. C. Co.*

(Reported by L. & W B. C. Co.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Cribbing,	42' 0" to 42' 0"	42' 0" to 42' 0"
2.	Gray SS. Dip 18° N.,	24' 0" to 66' 0"	22' 10" to 64' 10"
3.	Slate,	9" to 66' 9"	9' to 65' 7"
4.	BALTIMORE BED		
	(TOP BENCH), . . .	3' 10" to 70' 7"	3' 8" to 69' 3"
5.	Slate,	5' 11" to 76' 6"	5' 8" to 74' 11"
6.	Sandstone,	29' 6" to 166' 0"	28' 1" to 163' 0"
7.	Slate,	18' 0" to 124' 0"	17' 1" to 120' 1"
8.	BALTIMORE BED		
	(BOTTOM BENCH), .	7' 11" to 131' 11"	7' 6" to 127' 7"
9.	Hard sandstone, . .	36' 5" to 168' 4"	34' 8" to 162' 3"
10.	Granite (sandstone),	2' 9" to 171' 1"	2' 7" to 164' 10'
11.	Hard sandstone, . .	9' 8" to 180' 9"	9' 2" to 174' 0"
12.	Soft sandstone, . . .	8' 6" to 189' 3"	8' 1" to 182' 1"
13.	Granite (sandstone),	29' 10" to 219' 1"	28' 4" to 210' 5"
14.	Hard sandstone, . .	5' 6" to 224' 7"	5' 3" to 215' 8"
15.	Slate,	13' 9" to 238' 4"	13' 1" to 228' 9"
16.	COAL,	1' 0" to 239' 4"	11" to 229' 8"
17.	Slate,	3' 5" to 242' 9"	3' 3" to 232' 11"
18.	Sandstone,	62' 9" to 305' 6"	59' 9" to 292' 8"
19.	Slate,	10" to 306' 4"	9" to 293' 5"
20.	COAL BED,	6' 1" to 312' 5"	5' 10" to 299' 3"

See Columnar Section Sheet No II and Mine Sheet No. 6.

*Section of Shaft Level tunnel from Shaft bed to Red Ash bed, No. 9 shaft, Sugar Notch.**L. & W B. C. Co.*

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	SHAFT BED,		6' 0" to 6' 0"
2.	Slate,	43' 0" to 43' 0"	13' 3" to 19' 3"
3.	COAL BED,	23' 0" to 66' 0"	5' 10" to 25' 1"
4.	Fire clay,	45' 0" to 111' 0"	13' 9" to 38' 10"
5.	Sandstone,	81' 0" to 192' 0"	25' 0" to 63' 10"
6.	Fire clay,	59' 0" to 251' 0"	18' 2" to 82' 0"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to the dip.</i>
7.	ROSS BED. Dip 18°	33' 0" to 284' 0"	8' 3" to 90' 3"
8.	Soft sandstone, . . .	13' 0" to 297' 0"	4' 0" to 94' 3"
9.	Hard sandstone, . .	473' 0" to 770' 0"	122' 2" to 216' 5"
10.	COAL BED. Dip 12°		
	N.,	12' 0" to 782' 0"	3' 6" to 219' 11"
11.	Hard sandy slate, . .	41' 0" to 823' 0"	9' 9" to 229' 8"
12.	Hard sandstone, . .	157' 0" to 980' 0"	38' 0" to 267' 8"
13.	RED ASH BED. Dip		
	14° N.,		11' 9" to 279' 5"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

(No. 13 was measured perpendicular to dip only.)

Section of Long tunnel, No. 10 slope, Sugar Notch.

L. & W B. C. Co.

(Measured by Geological Survey).

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	KIDNEY BED. Dip N. 10°,		5' 10" to 5' 10"
2.	Fire clay and iron balls,	42' 6" to 42' 6"	21' 7" to 27' 5"
3.	Hard sandstone, . .	21' 4" to 63' 10"	12' 0" to 39' 5"
4.	Hard fire clay and iron balls,	15' 2" to 79' 0"	9' 4" to 48' 9"
5.	Hard sandstone, . .	11' 0" to 90' 0"	6' 10" to 55' 7"
6.	Fire clay and iron balls,	27' 6" to 117' 6"	18' 3" to 73' 10"
7.	Slate. Dip 44° N., .	8' 6" to 126' 0"	5' 11" to 79' 9"
8.	Fire clay and iron balls,	33' 0" to 159' 0"	24' 0" to 103' 9"
9.	HILLMAN BED, . . .	7' 9" to 166' 9"	6' 0" to 109' 9"
10.	Fire clay and iron balls,	49' 9" to 216' 6"	31' 8" to 141' 5"
11.	Hard sandstone, . .	37' 6" to 254' 0"	31' 8" to 173' 1"
12.	Slate,	30' 8" to 284' 8"	25' 5" to 198' 6"
13.	COAL BED,	3' 2" to 287' 10"	2' 0" to 200' 6"
14.	Slate,	4' 6" to 292' 4"	3' 10" to 204' 4"
15.	COAL BED,	5' 5" to 297' 9"	4' 2" to 208' 9"
16.	Fire clay,	34' 3" to 332' 0"	28' 5" to 237' 2"
17.	Sandstone,	19' 0" to 351' 0"	14' 1" to 251' 3"
18.	Slate,	2' 0" to 353' 0"	1' 6" to 252' 9"
19.	COAL. Dip 56° N., .	5' 0" to 358' 0"	4' 2" to 256' 11"
20.	Slate,	39' 0" to 397' 0"	26' 10" to 283' 9"
21.	COAL BED,	6' 0" to 403' 0"	5' 3" to 289' 0"

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to the dip.
22.	Fire clay,	42' 6" to 445' 6"	11' 7" to 300' 7"
23.	Sandstone,	8' 0" to 453' 6"	2' 2" to 302' 9"
24.	Fire clay and slate, .	13' 6" to 467' 0"	3' 7" to 306' 4"
25.	Sandstone,	46' 6" to 513' 6"	12' 8" to 319' 0"
26.	Slate,	11' 6" to 525' 0"	3' 1" to 322' 1"
27.	COAL BED,	21' 2" to 546' 2"	7' 3" to 329' 4"
28.	Slate,	17' 10" to 564' 0"	8' 4" to 337' 8"
29.	Sandstone,	12' 0" to 576' 0"	5' 7" to 343' 3"
30.	Slate,	39' 4" to 615' 4"	18' 5" to 361' 8"
31.	COAL BED,	3' 4" to 618' 8"	2' 9" to 364' 5"
32.	Slate,	10' 3" to 628' 11"	4' 9" to 369' 2"
33.	COAL BED,	14' 9" to 643' 8"	6' 8" to 375' 10"
34.	Fire clay,	10' 4" to 654' 0"	4' 9" to 380' 7"
35.	COAL BED,	11' 6" to 665' 6"	4' 1" to 384' 8"
36.	Fire clay,	39' 6" to 705' 0"	18' 6" to 403' 2"
37.	Slate,	42' 0" to 747' 0"	19' 8" to 422' 10"
38.	COAL. Dip 28° N., .	15' 8" to 762' 8"	7' 0" to 429' 10"
39.	Slate,	11' 4" to 774' 0"	5' 4" to 435' 2"
40.	Hard sandstone, . .	50' 10" to 824' 10"	23' 10" to 459' 0"
41.	Fire clay,	7' 6" to 832' 4"	3' 6" to 462' 6"
42.	COAL,	9" to 833' 1"	4" to 462' 10"
43.	Hard sandstone, . .	22' 11" to 856' 0"	10' 8" to 473' 6"
44.	ROSS BED.		

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

NOTE.—No. 1 was measured perpendicular to dip only. No. 44 was not measured.

Section of Hanover Coal Company's tunnel, Sugar Notch, from surface to Red Ash bed.

H. C. Co.

(Measured by Geological Survey.)

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Sandstone,	68' 7" to 68' 7"	67' 0" to 67' 0"
2.	Slate. Dip 80° N.,	4" to 68' 11"	4" to 67' 4"
3.	Sandstone,	9" to 69' 8"	6" to 67' 10"
4.	Slate,	4" to 70' 0"	5" to 68' 3"
5.	Hard sandstone, .	18' 5" to 88' 5"	16' 4" to 84' 7"
6.	Soft sandstone, . .	3' 6" to 91' 11"	3' 2" to 87' 9"
7.	Hard sandstone, .	35' 11" to 127' 10"	32' 4" to 120' 1"
8.	COAL. Dip 68° N., .	3' 6" to 131' 4"	2' 3" to 122' 4"
9.	SS. Dip 63° N., . .	74' 8" to 206' 0"	66' 2" to 188' 6"
10.	RED ASH BED, . .	16' 2" to 222' 2"	11' 4½" to 199' 10½"

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Northern Anthracite Field, Part I.

CHAPTER VI.

Sections in the Eastern Middle Anthracite Coal field.

Section of bore-hole, No. 8, about 3800 feet west of slope No. 7, Woodside basin.

<i>No. of strata.</i>	<i>Description. Dip 22° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Surface,	54' 6" to 54' 6"	50' 6" to 50' 6"
2.	Dark sand rock, . .	17' 2" to 71' 8"	15' 11" to 66' 5"
3.	Coal,	2' 6" to 74' 2"	2' 4" to 68' 9"
4.	Slate,	3" to 74' 5"	3" to 69' 0"
5.	Gray sandstone, . .	14' 6" to 88' 11"	13' 5" to 82' 5"
6.	Light gray rock, . .	35' 6" to 124' 5"	32' 11" to 115' 4"
7.	Light gray SS., . .	15' 3" to 139' 8"	14' 2" to 129' 6"
8.	Coal,	1' 6" to 141' 2"	1' 5" to 130' 11"
9.	Slate,	6" to 141' 8"	6" to 131' 5"
10.	Gray sandstone, . .	9' 9" to 151' 5"	9' 0" to 140' 5"
11.	Light pebble rock, .	38' 6" to 189' 11"	35' 8" to 176' 1"
12.	Dark pebble rock, .	1' 10" to 191' 9"	1' 8" to 177' 9"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No 7, about 100 feet south of mouth of Woodside slope No 4.

Woodside basin.

<i>No. of strata.</i>	<i>Description. (Dip 19° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Wash, clay and red shale,	34' 6" to 34' 6"	32' 8" to 32' 8"
2.	Red pebble rock, .	25' 6" to 60' 0"	24' 1" to 56' 9"
3.	Dark slate,	5' 6" to 65' 6"	5' 2" to 61' 11"
4.	Hard, coarse, SS.,	17' 6" to 83' 0"	16' 7" to 78' 6"
5.	Conglomerate, . .	82' 0" to 165' 0"	77' 7" to 156' 1"
6.	Green shale, . . .	14' 0" to 179' 0"	13' 3" to 169' 4"
7.	Conglomerate, . .	67' 6" to 246' 6"	63' 10" to 233' 2"
8.	Green shale, . . .	29' 6" to 276' 0"	27' 11" to 261' 1"
9.	Green sandstone, .	55' 0" to 331' 0"	52' 0" to 313' 1"
10.	Red shale,	11' 0" to 342' 0"	10' 5" to 323' 6"
11.	Green shale, some- times grayish, .	33' 0" to 375' 0"	31' 3" to 354' 9"
12.	Red shale,	26' 0" to 401' 0"	24' 7" to 379' 4"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole at Highland colliery, about 200' south of slope No. 2.

Cross Creek basin.

Estimated position of Buck Mountain coal bed, above top of bore-hole 90 feet.

No. of strata.	Description. (Dip about 37° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Red sandstone, . .	90' 0" to 90' 0"	72' 0" to 72' 0"
2.	Conglomerate, . .	76' 0" to 166' 0"	61' 0" to 133' 0"
3.	Green sandstone, .	20' 0" to 186' 0"	16' 0" to 149' 0"
4.	Red shale,	14' 0" to 200' 0"	11' 0" to 160' 0"
5.	Green sandstone, .	100' 0" to 300' 0"	80' 0" to 240' 0"
6.	Red shale,	26' 0" to 326' 0"	21' 0" to 261' 0"
7.	Sandstone,	15' 0" to 341' 0"	12' 0" to 273' 0"
8.	Red shale,	12' 0" to 353' 0"	10' 0" to 283' 0"
9.	Green sandstone, .	49' 0" to 402' 0"	39' 0" to 322' 0"
10.	Red sandstone, . .	15' 0" to 417' 0"	12' 0" to 334' 0"
11.	Conglomerate, . .	10' 0" to 427' 0"	8' 0" to 342' 0"
12.	Green sandstone, .	50' 0" to 477' 0"	40' 0" to 382' 0"
13.	Red sandstone, . .	30' 0" to 507' 0"	24' 0" to 406' 0"
14.	Reddish sandstone, .	10' 0" to 517' 0"	8' 0" to 414' 0"
15.	Reddish sandstone, .	5' 0" to 522' 0"	4' 0" to 418' 0"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 1, at Drifton colliery, about 100' south of mouth of slope No. 2.

Cross Creek basin.

No. of strata.	Description. (Dip 17° 30' S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Gravel and clay, . .	17' 0" to 17' 0"	16' 3" to 16' 3"
2.	Sand rock,	20' 0" to 37' 0"	19' 1" to 35' 4"
3.	Buck Mountain bed, .	12' 0" to 49' 0"	11' 5" to 46' 9"
4.	Hard pebble rock, .	36' 6" to 85' 6"	34' 10" to 81' 7"
5.	Slate,	2' 6" to 88' 0"	2' 4" to 83' 11"
6.	Hard pebble rock, .	24' 0" to 112' 0"	22' 11" to 106' 10"
7.	Coarser sandstone, .	3' 0" to 115' 0"	2' 10" to 109' 8"
	Quartz (bastard conglomerate),	8' 0" to 123' 0"	7' 8" to 117' 4"
9.	Sandstone,	2' 6" to 125' 6"	2' 4" to 119' 8"
10.	Slate,	1' 6" to 127' 0"	1' 5" to 121' 1"
11.	Coal,	4' 0" to 131' 0"	3' 10" to 124' 11"
12.	Sandstone,	4' 6" to 135' 6"	4' 4" to 129' 3"
13.	Conglomerate, . . .	10' 6" to 146' 0"	10' 0" to 139' 3"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

CHAPTER VI.

Sections in the Eastern Middle Anthracite Coal field.

Section of bore-hole, No. 8, about 3800 feet west of slope No. 7, Woodside basin.

<i>No. of strata.</i>	<i>Description. Dip 22° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Surface,	54' 6" to 54' 6"	50' 6" to 50' 6"
2.	Dark sand rock, . .	17' 2" to 71' 8"	15' 11" to 66' 5"
3.	Coal,	2' 6" to 74' 2"	2' 4" to 68' 9"
4.	Slate,	3" to 74' 5"	3" to 69' 0"
5.	Gray sandstone, . .	14' 6" to 88' 11"	13' 5" to 82' 5"
6.	Light gray rock, . .	35' 6" to 124' 5"	32' 11" to 115' 4"
7.	Light gray SS., . .	15' 3" to 139' 8"	14' 2" to 129' 6"
8.	Coal,	1' 6" to 141' 2"	1' 5" to 130' 11"
9.	Slate,	6" to 141' 8"	6" to 131' 5"
10.	Gray sandstone, . .	9' 9" to 151' 5"	9' 0" to 140' 5"
11.	Light pebble rock, .	38' 6" to 189' 11"	35' 8" to 176' 1"
12.	Dark pebble rock, .	1' 10" to 191' 9"	1' 8" to 177' 9"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No 7, about 100 feet south of mouth of Woodside slope No 4.

Woodside basin.

<i>No. of strata.</i>	<i>Description. (Dip 19° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Wash, clay and red shale,	34' 6" to 34' 6"	32' 8" to 32' 8"
2.	Red pebble rock, .	25' 6" to 60' 0"	24' 1" to 56' 9"
3.	Dark slate,	5' 6" to 65' 6"	5' 2" to 61' 11"
4.	Hard, coarse, SS.,	17' 6" to 83' 0"	16' 7" to 78' 6"
5.	Conglomerate, . .	82' 0" to 165' 0"	77' 7" to 156' 1"
6.	Green shale, . . .	14' 0" to 179' 0"	13' 3" to 169' 4"
7.	Conglomerate, . .	67' 6" to 246' 6"	63' 10" to 233' 2"
8.	Green shale, . . .	29' 6" to 276' 0"	27' 11" to 261' 1"
9.	Green sandstone, .	55' 0" to 331' 0"	52' 0" to 313' 1"
10.	Red shale,	11' 0" to 342' 0"	10' 5" to 323' 6"
11.	Green shale, some- times grayish, . .	33' 0" to 375' 0"	31' 3" to 354' 9"
12.	Red shale,	26' 0" to 401' 0"	24' 7" to 379' 4"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole at Highland colliery, about 200' south of slope No. 2.

Cross Creek basin.

Estimated position of Buck Mountain coal bed, above top of bore-hole 90 feet.

No. of strata.	Description. (Dip about 37° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Red sandstone, . .	90' 0" to 90' 0"	72' 0" to 72' 0"
2.	Conglomerate, . .	76' 0" to 166' 0"	61' 0" to 133' 0"
3.	Green sandstone, .	20' 0" to 186' 0"	16' 0" to 149' 0"
4.	Red shale,	14' 0" to 200' 0"	11' 0" to 160' 0"
5.	Green sandstone, .	100' 0" to 300' 0"	80' 0" to 240' 0"
6.	Red shale,	26' 0" to 326' 0"	21' 0" to 261' 0"
7.	Sandstone,	15' 0" to 341' 0"	12' 0" to 273' 0"
8.	Red shale,	12' 0" to 353' 0"	10' 0" to 283' 0"
9.	Green sandstone, .	49' 0" to 402' 0"	39' 0" to 322' 0"
10.	Red sandstone, . .	15' 0" to 417' 0"	12' 0" to 334' 0"
11.	Conglomerate, . .	10' 0" to 427' 0"	8' 0" to 342' 0"
12.	Green sandstone, .	50' 0" to 477' 0"	40' 0" to 382' 0"
13.	Red sandstone, . .	30' 0" to 507' 0"	24' 0" to 406' 0"
14.	Reddish sandstone, .	10' 0" to 517' 0"	8' 0" to 414' 0"
15.	Reddish sandstone, .	5' 0" to 522' 0"	4' 0" to 418' 0"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 1, at Drifton colliery, about 100' south of mouth of slope No. 2.

Cross Creek basin.

No. of strata.	Description. (Dip 17° 30' S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Gravel and clay, . .	17' 0" to 17' 0"	16' 3" to 16' 3"
2.	Sand rock,	20' 0" to 37' 0"	19' 1" to 35' 4"
3.	Buck Mountain bed, .	12' 0" to 49' 0"	11' 5" to 46' 9"
4.	Hard pebble rock, .	36' 6" to 85' 6"	34' 10" to 81' 7"
5.	Slate,	2' 6" to 88' 0"	2' 4" to 83' 11"
6.	Hard pebble rock, .	24' 0" to 112' 0"	22' 11" to 106' 10"
7.	Coarse red sandstone, .	3' 0" to 115' 0"	2' 10" to 109' 8"
	Quartz (bastard conglomerate),	8' 0" to 123' 0"	7' 8" to 117' 4"
9.	Sandstone,	2' 6" to 125' 6"	2' 4" to 119' 8"
10.	Slate,	1' 6" to 127' 0"	1' 5" to 121' 1"
11.	Coal,	4' 0" to 131' 0"	3' 10" to 124' 11"
12.	Sandstone,	4' 6" to 135' 6"	4' 4" to 129' 3"
13.	Conglomerate, . . .	10' 6" to 146' 0"	10' 0" to 139' 3"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole No. 6, at Drifton colliery, at mouth
of slope No. 1.*

Cross Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 19° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Coal, bottom of Buck Mountain bed,	4' 0" to 4' 0"	3' 9" to 3' 9"
2.	Sandstone,	25' 4" to 29' 4"	24' 0" to 27' 9"
3.	Coal,	1' 2" to 30' 6"	1' 1" to 28' 10"
4.	Slate,	1' 6" to 32' 0"	1' 5" to 30' 3"
5.	Sand rock,	9' 6" to 41' 6"	9' 0" to 39' 3"
6.	Black conglomerate, . .	16' 6" to 58' 0"	15' 7" to 54' 10"
7.	Sandstone,	8' 6" to 66' 6"	8' 1" to 62' 11"
8.	Conglomerate,	9' 0" to 75' 6"	8' 6" to 71' 5"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole No. 5, at Drifton colliery, near south
end of Long Rock tunnel from slope No. 2.*

Cross Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 5° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Surface,	15' 0" to 15' 0"	14' 11" to 14' 11"
2.	Gray slate,	12' 3" to 27' 3"	12' 2" to 27' 1"
3.	Soft dark slate,	3" to 27' 6"	3" to 27' 4"
4.	Wharton coal bed, . . .	8' 6" to 36' 0"	8' 6" to 35' 10"
5.	Dark bluish slate, . . .	4' 0" to 40' 0"	4' 0" to 39' 10"
6.	Gray sandstone,	35' 0" to 75' 0"	34' 10" to 74' 8"
7.	Dark slate,	16' 0" to 91' 0"	15' 11" to 90' 7"
8.	Dark pebble rock, . . .	24' 0" to 115' 0"	23' 11" to 114' 6"
9.	Gray slate,	37' 0" to 152' 0"	36' 10" to 151' 4"
10.	Dark sandstone,	17' 0" to 169' 0"	16' 11" to 168' 3"
11.	Bluish slate,	10' 0" to 179' 0"	10' 0" to 178' 3"
12.	Dark sandstone,	7' 0" to 186' 0"	7' 0" to 185' 3"
13.	Gray sandstone,	16' 0" to 202' 0"	15' 11" to 201' 2"
14.	Dark pebble rock, . . .	7' 0" to 209' 0"	7' 0" to 208' 2"
15.	Dark sandstone,	11' 0" to 220' 0"	10' 11" to 219' 1"
16.	Dark pebble rock, . . .	24' 5" to 244' 5"	24' 4" to 243' 5"
17.	Buck Mountain coal bed. (Top bench.)		

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 2, at Drifton colliery, about 250' north of mouth of slope No. 2.

Cross Creek basin.

No. of strata.	Description. (Dip 19° 30' S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	25' 10" to 25' 10"	24' 4" to 24' 4"
2.	Top bench of conglomerate, . . .	133' 2" to 159' 0"	125' 7" to 149' 11"
3.	Green sandstone, .	2' 0" to 161' 0"	1' 11" to 151' 10"
4.	Bottom bench of conglomerate, . .	33' 0" to 194' 0"	31' 1" to 182' 11"
5.	Green shale, . . .	12' 0" to 206' 0"	11' 4" to 194' 3"
6.	Red shale,	12' 0" to 218' 0"	11' 4" to 205' 7"
7.	Green sandstone, .	53' 0" to 271' 0"	50' 0" to 255' 7"
8.	Red shale,	7' 0" to 278' 0"	6' 7" to 262' 2"
9.	Green shale, . . .	11' 0" to 289' 0"	10' 4" to 272' 6"
10.	Red shale,	37' 8" to 326' 8"	35' 6" to 308' 0"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 8, at Drifton colliery, 1767' N. 38° W. from top of slope No. 1, on west side of road.

Cross Creek basin.

No. of strata.	Description. (Dip S. 65°)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	30' 9" to 30' 9"	30' 9" to 30' 9"
2.	Coal,	8" to 31' 5"	3" to 31' 0"
3.	Slate,	2" to 31' 7"	1" to 31' 1"
4.	Coal,	1' 8" to 33' 3"	8" to 31' 9"
5.	Dark slate,	5" to 33' 8"	2" to 31' 11"
6.	Dark sandstone, . .	4' 9" to 38' 5"	2' 0" to 33' 11"
7.	Dark slate,	2' 8" to 41' 1"	11" to 34' 10"
8.	Coal,	3" to 41' 4"	1" to 34' 11"
9.	Slate,	4' 6" to 45' 10"	1' 11" to 36' 10"
10.	Coal,	6' 6" to 52' 4"	2' 9" to 39' 7"
11.	Slate,	8" to 53' 0"	3" to 39' 10"
12.	Coal,	7' 6" to 60' 6"	3' 2" to 43' 0"
13.	Slate,	8" to 61' 2"	2" to 43' 2"
14.	Coal,	2' 3" to 63' 5"	1' 0" to 44' 2"
15.	Sandstone,	52' 6" to 115' 11"	39' 4" to 83' 6"
16.	Coal,	6" to 116' 5"	6" to 84' 0"
17.	Slate,	6" to 116' 11"	6" to 84' 6"
18.	Coal,	2' 8" to 119' 7"	2' 7" to 87' 1"
19.	Slate. Dip. 12°, . .	1' 2" to 120' 9"	1' 2" to 88' 3"
20.	Gray sandstone, . .	57' 10" to 178' 7"	56' 8" to 144' 11"

<i>No. of strata.</i>	<i>Description. (Dip S. 65°)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
21.	Dark slate,	45' 4" to 223' 11"	44' 5" to 189' 4"
22.	Sandstone. Dip 10°,	11' 0" to 234' 11"	10' 9" to 200' 1"
23.	SS. with pebbles,	7' 8" to 242' 7"	7' 6" to 207' 7"
24.	Coal,	10' 9" to 253' 4"	10' 6" to 218' 1"
25.	Slate,	1' 7" to 254' 11"	1' 7" to 219' 8"
26.	Coal,	12' 7" to 267' 6"	12' 4" to 232' 0"
27.	Slate,	2' 3' to 269' 9"	2' 1" to 234' 1"
28.	Coal,	8' 4" to 278' 1"	8' 2" to 242' 3"
29.	Slate,	11' 7" to 289' 8"	11' 4" to 253' 7"
30.	Coal,	1' 0" to 290' 8"	1' 0" to 254' 7"
31.	Slate,	6" to 291' 2"	6" to 255' 1"
32.	Coal,	10" to 292' 0"	10" to 255' 11"
33.	Slate,	1' 1" to 293' 1"	1' 1" to 257' 0"
34.	Coal,	6' 6" to 299' 7"	6' 4" to 263' 4"
35.	Slate,	8' 10" to 308' 5"	8' 8" to 272' 0"
36.	Gray SS. Dip 10°,	64' 9" to 373' 2"	63' 5" to 335' 5"
37.	Coal,	9" to 373' 11"	9" to 336' 2"
38.	Sandstone,	23' 0" to 396' 11"	22' 6" to 358' 8"
39.	Coal,	1' 0" to 397' 11"	1' 0" to 359' 8"
40.	Slate,	6" to 398' 5"	6" to 360' 2"
41.	Coal,	11" to 399' 4"	11" to 361' 1"
42.	Slate,	5' 9" to 405' 1"	5' 8" to 366' 9"
43.	Coal,	2' 8" to 407' 9"	2' 7" to 369' 4"
44.	Slate,	8' 10" to 416' 7"	8' 8" to 378' 0"
45.	Dark rock,	9' 7" to 426' 2"	9' 5" to 387' 5"
46.	Sandstone,	3' 10" to 430' 0"	3' 9" to 391' 2"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 4, at Drifton colliery, about 400' south of mouth of slope No. 1.

Cross Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 6° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Surface,	10' 0" to 10' 0"	9' 11" to 9' 11"
2.	Sandstone,	32' 0" to 42' 0"	31' 10" to 41' 9"
3.	Top bench of cong.,	52' 0" to 94' 0"	51' 9" to 93' 6"
4.	Bottom bench cong.,	107' 0" to 201' 0"	106' 6" to 200' 0"
5.	Green shale,	29' 0" to 230' 0"	28' 10" to 228' 10"
6.	Sandstone,	18' 0" to 248' 0"	17' 11" to 246' 9"
7.	Red shale,	22' 0" to 270' 0"	21' 11" to 268' 8"
8.	Green sandstone,	17' 0" to 287' 0"	16' 11" to 285' 7"
9.	Red shale,	23' 0" to 310' 0"	22' 11" to 308' 6"
10.	Green sandstone,	54' 0" to 364' 0"	53' 9" to 362' 3"
11.	Green sandstone, coarse and hard,	17' 0" to 381' 0"	16' 11" to 379' 2"

Hill.] SECTIONS, EASTERN MIDDLE FIELD. CHAP. VI. 1117

<i>No. of strata.</i>	<i>Description. (Dip 6° N.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
12.	Hard greenish cong.	31' 0'' to 412' 0''	30' 10'' to 410' 0''
13.	Green sandstone, .	4' 6'' to 416' 6''	4' 6'' to 414' 6''
14.	Red shale,	13' 0'' to 430' 0''	13' 5'' to 427' 11''
15.	Greenish shale. . .	14' 0'' to 444' 0''	13' 11'' to 441' 10''
16.	Hard greenish SS.,	12' 0'' to 456' 0''	11' 11'' to 453' 9''
17.	Cong. fine, greenish with quartz pebbles,	23' 0'' to 479' 0''	22' 11'' to 476' 8''
18.	Cong. fine, with larger pebbles, .	9' 0'' to 488' 0''	8' 11'' to 485' 7''
19.	Strata,	7' 0'' to 496' 0''	6' 11'' to 492' 6''

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 1, at Lattimer colliery, about 1000' south-west of slope No. 1.

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 20° N.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sand and clay, .	11' 0'' to 11' 0''	10' 4'' to 10' 4''
2.	Sand and fine pebble rock, . . .	10' 7'' to 21' 7''	9' 11'' to 20' 3''
3.	Coal,	1' 1'' to 22' 8''	1' 0'' to 21' 3''
4.	Slate,	1' 5'' to 24' 1''	1' 4'' to 22' 7''
5.	Coal,	6' 8' to 30' 9''	6' 3'' to 28' 10''
6.	Sand rock, . . .	6' 6'' to 37' 3''	6' 1'' to 34' 11''
7.	Black sand rock, .	4' 10'' to 42' 1''	4' 6'' to 39' 5''
8.	Dark sand rock, .	3' 8'' to 45' 9''	3' 5'' to 42' 10''
9.	Sandy slate, . . .	5' 0'' to 50' 9''	4' 8'' to 47' 6''
10.	Blue rock, hard,	15' 1'' to 65' 10''	14' 2'' to 61' 8''
11.	Coal,	1'' to 65' 11''	1'' to 61' 9''
12.	Black slate, . . .	4' 3'' to 70' 2''	4' 0'' to 65' 9''
13.	Coal,	2' 3'' to 72' 5''	2' 1'' to 67' 10''
14.	Black slate with streaks of sulphur,	11' 6'' to 83' 11''	10' 10'' to 78' 8''
15.	Black slate, . . .	7' 5½'' to 88' 4½''	4' 2'' to 82' 10''
16.	Coal,	7½'' to 89' 0''	7'' to 83' 5''
17.	Black slate, . . .	1' 0'' to 90' 0''	11'' to 84' 4''
18.	Pebble rock, hard,	18' 1½'' to 108' 1½''	17' 1'' to 101' 5''
19.	Blue rock with fine pebbles, .	10' 4'' to 118' 5½''	9' 9'' to 111' 2''
20.	Black slate, . . .	1' 3½'' to 119' 9''	1' 3'' to 112' 5''
21.	Blue rock with pebbles, . . .	17' 9'' to 137' 6''	16' 8'' to 129' 1''

<i>No. of strata.</i>	<i>Description. (Dip 20° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
22.	Black slate, . . .	5' to 137' 11"	5' to 129' 6"
23.	Coal,	1' 8½" to 139' 7½"	1' 7" to 131' 1"
24.	Sandy slate, . . .	4' 5" to 144' 0½"	4' 2" to 135' 3"
25.	Blue rock, . . .	11' 7" to 155' 7½"	10' 11" to 146' 2"
26.	Fine pebble rock, 3'	1" to 158' 8½"	2' 11" to 149' 1"
27.	Coal,	1' 0" to 159' 8½"	11" to 150' 0"
28.	Black slate, . . .	5' 3" to 164' 11½"	4' 11" to 154' 11"
29.	Black sand rock, 10'	8½" to 175' 8"	10' 1" to 165' 0"
30.	Fine pebble rock, 4'	7" to 180' 3"	4' 4" to 169' 4"
31.	Black rock with small pebbles, 33	2" to 213' 5"	31' 2" to 200' 6"
32.	Sandy slate, . . .	4' 0" to 217' 5"	3' 9" to 204' 3"
33.	Black rock, . . .	8' 11" to 226' 4"	8' 5" to 212' 8"
34.	Pebble rock, . . .	9' 6" to 235' 10"	8' 11" to 221' 7"
35.	Black rock, hard, 50'	7" to 286' 5'	47' 7" to 269' 2"
36.	Pebble rock, . . .	5' 9" to 292' 2"	5' 5" to 274' 7"
37.	Coal,	7" to 292' 9"	7" to 275' 2"
38.	Black slate, . . .	2' 5" to 295' 2"	2' 3" to 277' 5"
39.	Black sand rock, 5'	8" to 300' 10"	5' 4" to 282' 9"
40.	Gray rock, . . .	4' 0" to 304' 10"	3' 9" to 286' 6"
41.	Pebble rock, . . .	11' 0" to 315' 10"	10' 4" to 296' 10"
42.	Conglomerate, 10'	9" to 326' 7"	10' 1" to 306' 11"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole at pump house, Lattimer colliery, about
1500' south of mouth of slope No. 1.*

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 20° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Surface,	23' 0" to 23' 0"	22' 0" to 22' 0"
2.	Rock,	72' 0" to 95' 0"	68' 0" to 90' 0"
3.	Conglomerate, . . .	95' 0" to 190' 0"	89' 0" to 179' 0"
4.	Soft sandstone, . . .	20' 0" to 210' 0"	19' 0" to 198' 0"
5.	Green conglomerate, 46'	0" to 256' 0"	43' 0" to 241' 0"
6.	Sandstone,	26' 0" to 282' 0"	25' 0" to 266' 0"
7.	Red shale,	13' 0" to 295' 0"	12' 0" to 278' 0"
8.	Green shale,	13' 0" to 308' 0"	12' 0" to 290' 0"
9.	Green sandstone, . .	63' 0" to 371' 0"	59' 0" to 349' 0"
10.	Green conglomerate, 11'	0" to 382' 0"	10' 0" to 359' 0"
11.	Soft slate,	2' 0" to 384' 0"	2' 0" to 361' 0"
12.	Red shale,	19' 0" to 403' 6"	18' 0" to 379' 0"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole No. 2, at Lattimer colliery, about
2250' west of slope No. 2.*

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 50° S.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Clay and sand, . .	8' 0" to 8' 0"	5' 2" to 5' 2"
2.	Clay, sand and stones,	4' 0" to 12' 0"	2' 7" to 7' 9"
3.	Soft slate,	4' 6" to 16' 6"	2' 11" to 10' 8"
4.	Black slate, . . .	7' 8" to 24' 2"	4' 11" to 15' 7"
5.	Coal,	2' 0" to 28' 2"	1' 3" to 16' 10"
6.	Soft slate,	16' 3" to 42' 5"	10' 5" to 27' 3"
7.	Blue sand rock, . .	9' 4" to 51' 9"	6' 0" to 33' 3"
8.	Black slate, . . .	11' 7" to 63' 4"	7' 5" to 40' 8"
9.	Pebble rock, . . .	16' 2" to 79' 6"	10' 5" to 51' 1"
10.	Coal (good), . . .	1' 3" to 80' 9"	10" to 51' 11"
11.	Coal, shelly, . . .	9" to 81' 6"	6" to 52' 5"
12.	Slate,	2' 5" to 83' 11"	1' 7" to 54' 0"
13.	Coal, good,	1' 11" to 85' 10"	1' 3" to 55' 3"
14.	Black slate, . . .	8' 11" to 94' 9"	5' 9" to 61' 0"
15.	Sand rock with white pebbles, . .	31' 2" to 125' 11"	20' 0" to 81' 0"
16.	Coal, good,	3' 6" to 129' 5"	2' 3" to 83' 3"
17.	Coal, with slate, .	2' 0" to 131' 5"	1' 3" to 84' 6"
18.	Blue rock,	7' 9" to 139' 2"	5' 0" to 89' 6"
19.	Blue sand rock with pebbles, . .	15' 8" to 154' 10"	10' 1" to 99' 7"
20.	Blue rock, very hard,	12' 8½" to 167' 6½"	8' 2" to 107' 9"
21.	Blue rock,	6' 3" to 173' 9½"	4' 0" to 111' 9"
22.	Blue rock with pebbles,	11' 9" to 185' 6½"	7' 7" to 119' 4"
23.	Blue rock with white spar and pebbles,	37' 5½" to 223' 0"	24' 1" to 143' 5"
24.	Soft mushy coal with slate,	3' 2" to 225' 2"	2' 0" to 145' 5"
25.	Blue rock with white spar and pebbles,	11' 8" to 236' 10"	7' 6" to 152' 11"
26.	Pebble rock,	3' 3" to 240' 1"	2' 1" to 155' 0"
27.	Coal, shelly, . . .	6' 0" to 246' 1"	3' 10" to 158' 10"
28.	Black slate,	6' 6½" to 252' 7½"	4' 2" to 163' 0"
29.	Pebble rock, . . .	10' 8½" to 263' 4"	6' 11" to 169' 11"
30.	Iron conglomerate rock,	36' 10½" to 300' 2½"	23' 8" to 193' 7"
31.	Blue rock with white spar and pebbles,	13' 6" to 313' 8½"	8' 8" to 202' 3"

<i>No. of strata.</i>	<i>Description.</i> (Dip 50° S.)	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
32.	Black slate with coal,	8' 6" to 322' 2½"	5' 6" to 207' 9"
33.	Pebble rock, . . .	1' 2" to 323' 4½"	9" to 209' 6"
34.	Black pebble rock, . . .	13' 0" to 336' 4½"	8' 4" to 216' 10"
35.	Blue rock with pebbles,	12' 6" to 348' 10½"	8' 0" to 224' 10"
36.	Blue rock, sand, soft,	13' 4½" to 363' 3"	8' 7" to 233' 5"
37.	Blue rock with pebbles,	22' 11" to 385' 2"	14' 9" to 248' 2"
38.	Coal,	4" to 385' 6"	3" to 248' 5"
39.	Blue rock,	10" to 385' 4"	6" to 248' 11"
40.	Pebble rock,	2' 7" to 388' 11"	1' 8" to 250' 7"
41.	Coal and slate, . . .	1' 4" to 390' 3"	10" to 251' 5"
42.	Blue rock,	3" to 390' 6"	2" to 251' 7"
43.	Coal,	2' 0" to 392' 6"	1' 3" to 252' 10"
44.	Blue slate and clot, . . .	22' 11½" to 415' 5½"	14' 9" to 267' 7"
45.	Blue rock with pebbles,	69' 5" to 484' 10½"	44' 8" to 312' 3"
46.	Blue and pebble rock,	24' 8" to 509' 6½"	15' 11" to 328' 2"
47.	Blue rock with pebbles,	8' 0" to 517' 6½"	5' 2" to 333' 4"
48.	Coal,	7" to 518' 1½"	5" to 333' 9"
49.	Blue rock,	18' 10" to 536' 11½"	12' 1" to 345' 10"
50.	Black rock with coal,	4' 0" to 540' 11½"	2' 7" to 348' 5"
51.	Black slate,	2' 4" to 543' 3½"	1' 6" to 349' 11"
52.	Gray rock,	10' 1" to 553' 4½"	6' 6" to 356' 5"
53.	Fine pebble rock, . . .	9' 1" to 562' 5½"	5' 10" to 362' 3"
54.	Coal, good,	1' 6½" to 564' 0"	1' 0" to 363' 3"
55.	Coal and slate, . . .	2' 0" to 566' 0"	1' 3" to 364' 6"
56.	Black slate,	7' 0" to 573' 0"	4' 6" to 369' 0"
57.	Blue rock,	9' 5" to 582' 5"	6' 1" to 375' 1"
58.	Pebble rock,	10' 9" to 593' 2"	6' 11" to 382' 0"
59.	Hard conglomerate, . . .	27' 5" to 620' 7"	17' 8" to 399' 8"
60.	Blue rock with streaks of slate, . . .	13' 6" to 634' 1"	8' 8" to 406' 4"
61.	Blue rock with large pebbles, . . .	6' 0" to 640' 1"	3' 10" to 412' 2"
62.	Hard conglomerate, . . .	6' 0" to 646' 1"	3' 10" to 416' 0"
63.	Blue sand rock, . . .	3' 2" to 649' 3"	2' 0" to 418' 0"
64.	Conglomerate,	6' 2" to 655' 5"	4' 0" to 422' 0"
65.	Green sand rock, . . .	38' 4" to 693' 9"	24' 8" to 446' 8"
66.	Green cong.,	59' 0" to 752' 9"	37' 11" to 484' 7"
67.	Green sand rock, . . .	7' 11" to 760' 8"	5' 1" to 489' 8"
68.	Green sand rock and red shale, . . .	14' 4" to 775' 0"	9' 3" to 493' 11"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of the Buck Mountain bed, at Drifton colliery, in the flat S. W. workings adjoining the north line of the Black Creek Improvement Company's property, showing split in the coal.

Cross Creek basin.

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1. Coal,			4' 11" to 4' 11"
2. Slate,			8" to 5' 7"
3. Bone,			10' to 6' 5"
4. Slate,			5" to 6' 10"
5. Coal,			1' 0" to 7' 10"
6. Sandstone,			5' 0" to 12' 10"
7. Coal (clean),			4' 0" to 16' 10"
	Total coal,	9' 11"	
	Total thickness,	16' 10"	

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 5, at Milnesville colliery, near railroad switch, about 800' west of slope No. 6.

Little Black Creek basin.

No. of strata.	Description. (Dip 30° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1. Sand and clay,		12' 0" to 12' 0"	10' 5" to 10' 5"
2. Shelly coal and slate (mammoth coal bed),		31' 0" to 43' 0"	27' 0" to 37' 5"
3. Soft slate,		34' 10½" to 77' 11½"	30' 4" to 67' 9"
4. Coal,		8" to 78' 7½"	7" to 68' 4"
5. Black slate,		3' 0" to 81' 7½"	2' 7" to 70' 11"
6. Dark blue sand rock,		37' 2" to 118' 9½"	32' 4" to 103' 3"
7. Coal,		1' 3" to 120' 0½"	1' 1" to 104' 4"
8. Slate,		9" to 120' 9½"	8" to 105' 0"
9. Coal,		1' 6" to 122' 3½"	1' 4" to 106' 4"
10. Black slate,		17' 2" to 139' 5½"	14' 11" to 121' 3"
11. Fine black rock,		10' 3" to 149' 8½"	8' 11" to 130' 2"
12. Dark, fine sand rock,		4' 6" to 154' 2½"	3' 11" to 134' 1"
13. Black slate,		3" to 154' 5½"	3" to 134' 4"
14. Coal,		3' 0" to 157' 5½"	2' 7" to 136' 11"
15. Black slate,		2' 0" to 159' 5½"	1' 9" to 138' 8"
16. Black sand rock,		10' 3" to 169' 8½"	8' 11" to 147' 7"

<i>No. of strata.</i>	<i>Description. (Dip 30° N.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
17.	Pebble rock, . .	12' 6" to 182' 2½"	10' 11" to 158' 6"
18.	Dark blue sand rock,	11' 0" to 193' 2½"	9' 7" to 168' 1"
19.	Pebble rock, . .	62' 9" to 255' 11½"	54' 8" to 222' 9"
20.	Coal, good, . . .	10" to 256' 9½"	9" to 223' 6"
21.	Pebble rock, . .	6" to 257' 3½"	5" to 223' 11"
22.	Black slate, . .	10" to 258' 1½"	9" to 224' 8"
23.	Fine blue sand rock,	11' 3" to 269' 4½"	9' 9" to 234' 5"
24.	Blue sand rock with pebbles, .	25' 6" to 294' 10½"	22' 2" to 256' 7"
25.	Black slate, . .	6' 0" to 300' 10½"	5' 3" to 261' 10"
26.	Blue sand rock, .	2' 0" to 302' 10½"	1' 9" to 263' 7"
27.	Black slate, . .	3' 0" to 305' 10½"	2' 7" to 266' 2"
28.	Coal,	8" to 306' 6½"	7" to 266' 9"
29.	Black sandy slate,	7' 8" to 314' 2½"	6' 8" to 273' 5"
30.	Fine, dark blue rock,	7' 6" to 321' 8½"	6' 6" to 279' 11"
31.	Conglomerate, .	13' 6" to 335' 2½"	11' 9" to 291' 8"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Coal beds from Diamond drill hole No. 8, at Drifton colliery.

Cross Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 10° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
24. Coal,	Mammoth bed.	10' 9" to 253' 4"	10' 6" to 218' 1"
25. Slate,		1' 7" to 254' 11"	1' 7" to 219' 8"
26. Coal,		12' 7" to 267' 6"	12' 4" to 232' 0"
27. Slate,		2' 3" to 269' 9"	2' 1" to 234' 1"
28. Coal,	Parlor and Wharton beds.	8' 4" to 278' 1"	8' 2" to 242' 3"
29. Slate,		11' 7" to 289' 8"	11' 4" to 253' 7"
30. Coal,		1' 0" to 290' 8"	1' 0" to 254' 7"
31. Slate,		6" to 291' 2"	6" to 255' 1"
32. Coal,		10" to 292' 0"	10" to 255' 11"
33. Slate,		1' 1" to 293' 1"	1' 1" to 257' 0"
34. Coal,		6' 6" to 299' 7"	6' 4" to 263' 4"
Total coal,		39' 2"	
Total thickness, 55' 9"			

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole No. 4, at Milnesville slope No. 7, in
lowest lift 175' east of slope.*

Little Black Creek basin.

Driven southward at an angle of 45° with horizon.

<i>No. of strata.</i>	<i>Description. (Dip 56° N.)</i>	<i>Thicknesses measured perpendicular to dip.</i>
1. Slate,		6" to 6"
2. Coal,		3' 6" to 4' 0"
3. Bony coal,		3' 6" to 7' 6"
4. Coal,		3' 6" to 11' 0"
5. Sandy slate,		30' 5" to 41' 5"
6. Coal,		10" to 42' 3"
7. Slate,		9' 2" to 51' 5"
8. Coal,		3' 8" to 55' 1"
9. Slate,		5' 4" to 60' 5"
10. Coal,		4" to 60' 9"
11. Sandy slate,		10' 0" to 70' 9"
12. Dark sandstone with fine pebbles,		28' 9" to 99' 6"
13. Pebble rock,		10' 2" to 109' 8"
14. Slate with streaks of coal,		6' 1" to 115' 9"
15. Gray slate,		6' 1" to 121' 9"
16. Blue sandstone,		10' 6" to 123' 3"
17. Fine pebble rock,		8' 0" to 140' 3"
18. Coal (good),		2' 6" to 142' 9"
19. Sandy slate,		15' 1" to 157' 10"
20. Fine blue sandstone,		11' 0" to 168' 10"
21. Fine blue sandstone with pebbles,		79' 3" to 248' 1"
22. Pebble rock,		5' 2" to 253' 3"
23. Coal,		3' 2" to 256' 5"
24. Slate,		8" to 257' 1"
25. Block rock,		67' 4" to 324' 5"
26. Fine pebble rock,		13' 0" to 337' 5"
27. Dark sandstone,		10' 3" to 347' 8"
28. Conglomerate,		18' 4" to 366' 0"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*General section of coal beds as found in tunnel No. 5,
slope No. 1, west of Drifton.*

Cross Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
1. Coal,		4' 5" to 4' 5"
2. Slate,		4" to 4' 9"
3. Coal,		3' 5" to 8' 2"
4. Slate,		3" to 8' 5"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
5. Coal,		5' 6" to 13' 11"
6. Slate,		2" to 14' 1"
7. Coal,		4' 3" to 18' 4"
8. Slate,		1' 0" to 19' 4"
9. Coal,		1' 7" to 20' 11"
10. Slate,		5" to 21' 4"
11. Coal,		3' 11" to 25' 3"
12. Slate,		9' 0" to 34' 3"
13. Coal,		9" to 35' 0"
14. Slate,		4" to 35' 4"
15. Coal,		1' 4" to 36' 8"
16. Slate,		1' 3" to 37' 11"
17. Coal,		1' 0" to 38' 11"
18. Bone,		7" to 39' 6"
19. Coal,		2' 6" to 42' 0"
Total coal,		28' 8"
Total thickness,		42' 0"

See Columnar Section Sheet No. I and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 3, in lowest lift of Milnesville slope No. 7, 175' east of slope.

Little Black Creek basin.

<i>No. of strata. (Dip about 50° S.)</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1. Slate,		8' 0" to 8' 0"	6' 1" to 6' 1"
2. Coal,		2' 0" to 10' 0"	1' 6" to 7' 7"
3. Slate,		10" to 10' 10"	8" to 8' 3"
4. Coal,		3' 6" to 14' 4"	2' 8" to 10' 11"
5. Bone and slate,		1' 6" to 15' 10"	1' 2" to 12' 1"
6. Coal,		3' 0" to 18' 10"	2' 4" to 14' 5"
7. Slate,		3' 10" to 22' 8"	2' 11" to 17' 4"
8. Coal,		3' 4" to 26' 0"	2' 7" to 19' 11"
9. Sandy slate,		22' 6" to 48' 6"	17' 3" to 37' 2"
10. Slate,		3' 8" to 52' 2"	2' 10" to 40' 0"
11. Coal,		8" to 52' 10"	6" to 40' 6"
12. Slate,		9' 4" to 62' 2"	7' 2" to 47' 8"
13. Coal,		2' 0" to 64' 2"	1' 6" to 49' 2"
14. Slate,		4" to 64' 6"	3" to 49' 5"
15. Coal,		2' 0" to 66' 6"	1' 6" to 50' 11"
16. Slate,		6' 6" to 73' 0"	5' 0" to 55' 11"
17. Coal,		1' 2" to 74' 2"	11" to 56' 10"
18. Slate,		6' 0" to 80' 2"	4' 7" to 61' 5"
19. Gray rock,		19' 1" to 99' 3"	14' 7" to 76' 0"
20. Pebble rock,		2' 3" to 101' 6"	1' 9" to 77' 9"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
21.	Slate,	1' 6" to 103' 0"	1' 2" to 78' 11"
22.	Blue sandstone,	9' 11" to 112' 11"	7' 7" to 86' 6"
23.	Pebble rock,	7' 6" to 120' 5"	5' 9" to 92' 3"
24.	Block rock,	2' 6" to 122' 11"	1' 11" to 94' 2"
25.	Pebble rock,	15' 0" to 137' 11"	11' 6" to 105' 8"
26.	Block rock,	8' 0" to 145' 11"	6' 2" to 111' 10"
27.	Slate with sulphur, 10'	8" to 156' 7"	8' 2" to 120' 0"
28.	Fine pebble rock,	10' 10" to 167' 5"	8' 4" to 128' 4"
29.	Slate,	8" to 167' 8"	2" to 128' 6"
30.	Fine pebble rock,	1' 0" to 168' 8"	9" to 129' 3"
31.	Coal, good,	2' 6" to 171' 2"	1' 11" to 131' 2"
32.	Slate,	14' 7" to 185' 9"	11' 2" to 142' 4"
33.	Blue rock with fine pebbles,	43' 6" to 229' 3"	33' 4" to 175' 8"
34.	Pebble rock,	60' 10" to 290' 1"	46' 7" to 222' 3"
35.	Blue sandstone,	48' 9" to 338' 10"	37' 4" to 259' 7"
36.	Coal,	2' 10" to 341' 8"	2' 2" to 261' 9"
37.	Slate,	8' 6" to 350' 2"	6' 6" to 268' 3"
38.	Sandy slate,	6' 6" to 356' 8"	5' 0" to 273' 3"
39.	Dark sandstone,	10' 0" to 366' 8"	7' 8" to 280' 11"
40.	Pebble rock,	8' 0" to 374' 8"	6' 1" to 287' 0"
41.	Slate,	5' 9" to 380' 5"	4' 5" to 291' 5"
42.	Bluesandstone with fine pebbles,	50' 0" to 430' 5"	38' 4" to 329' 9"
43.	Coal, good,	2' 1" to 432' 6"	1' 7" to 331' 4"
44.	Slate,	6' 4" to 438' 10"	4' 10" to 336' 2"
45.	Fine sandstone,	26' 2" to 465' 0"	20' 1" to 356' 3"
46.	Coal,	2' to 465' 2"	2" to 356' 5"
47.	Pebble rock,	15' 6" to 480' 8"	11' 10" to 368' 3"
48.	Slate,	2' 1" to 482' 9"	1' 7" to 369' 10"
49.	Coal, shelly,	1' 0" to 483' 9"	9" to 370' 7"
50.	Rotten slate and coal,	15' 0" to 498' 9"	11' 6" to 382' 1"
51.	Conglomerate,	6' 8" to 505' 5"	5' 1" to 387' 2"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Mammoth Coal bed, at Milnesville colliery.

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
1.	Coal "top bench,"	6' 0" to 6' 0"
2.	Coal "four-foot bench,"	4' 0" to 10' 0"
3.	Coal,	2' 0" to 12' 0"
4.	Coal,	2' 0" to 14' 0"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
5. Coal,		7' 0" to 21' 0"
6. Coal,		2' 0" to 23' 0"
7. Coal,		4' 0" to 27' 0"
8. Coal "parlor,"		2' 0" to 29' 0"
9. Stone,		1' 0" to 30' 0"
10. Coal,		3' 6" to 33' 6"
11. Bone,		1' 6" to 35' 0"
12. Coal, "Wharton,"		3' 6" to 35' 6"
Total coal,		36' 0"
Total thickness,		38' 6"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 1, at Hollywood colliery, about 250' south of mouth of slope No. 2.

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
1. Surface,		14' 0" to 14' 0"
2. Mammoth coal bed,		23' 5" to 37' 5"
3. Slate,		10' 11" to 48' 4"
4. Coal,		10" to 49' 2"
5. Slate,		8' 2" to 57' 4"
6. Black slate,		14' 0" to 71' 4"
7. Coal,		2' 6" to 73' 10"
8. Slate,		11' 3" to 85' 1"
9. Sandy slate,		7' 1" to 92' 2"
10. Fire clay,		23' 0" to 115' 2"
11. Coal,		1' 6" to 116' 8"
12. Black slate,		11' 0" to 127' 8"
13. Sand rock,		15' 0" to 142' 8"
14. Hard rock,		12' 6" to 155' 2"
15. Blue rock,		10' 3" to 165' 5"
16. Coal and slate,		10' 9" to 178' 2"
17. Pebble rock,		1' 10" to 178' 0"
18. Blue rock,		4' 0" to 182' 0"
19. Pebble rock,		36' 4" to 218' 4"
20. Hard rock,		11' 7" to 229' 11"
21. Iron conglomerate rock,		18' 7" to 248' 6"
22. Blue sand rock,		37' 2" to 285' 8"
23. Sandy slate,		33' 3" to 318' 11"
24. Hard sand rock,		14' 8" to 333' 7"
25. Sandy slate,		7' 8" to 341' 3"
26. Blue sand rock,		5' 7" to 346' 10"
27. Slate,		3' 10" to 350' 8"
28. Black slate,		4' 0" to 354' 8"

Hill.] SECTIONS, EASTERN MIDDLE FIELD. CHAP. VI. 1127

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
29.	Slate and coal,	3' 0'' to 357' 8''
30.	Coal (good),	32' 1'' to 389' 9''
31.	Slate,	1' 1'' to 390' 10''
32.	Coal (good),	4' 9'' to 395' 7''
33.	Black slate,	22' 3'' to 417' 10''
34.	Coal shelly,	1' 6'' to 419' 4''
35.	Black slate,	4' 6'' to 423' 10''
36.	Hard rock,	3' 3'' to 427' 1'.
37.	Blue rock,	10' 0'' to 437' 1'
38.	Coal and slate,	7' 2'' to 444' 3''
39.	Blue rock,	12' 4'' to 456' 7''
40.	Black slate,	16' 0'' to 472' 7''
41.	Sandy slate,	16' 3'' to 488' 10''
42.	Sandy rock,	42' 2'' to 531' 0''
43.	Coal,	1' 8' to 532' 8''
44.	Black slate,	1' 4'' to 534' 0''
45.	Iron conglomerate,	34' 9'' to 568' 9''
46.	Blue sand rock,	57' 7'' to 626' 4''
47.	Hard conglomerate,	10' 9'' to 637' 1''
48.	Black slate,	1' 0'' to 638' 1''
49.	Sand rock,	4' 2'' to 642' 3''
50.	Conglomerate,	2' 0'' to 644' 3''
51.	Sand rock,	3' 3'' to 647' 6''
52.	Conglomerate,	10' 0' to 657' 6''
53.	Blue sand rock,	6' 1'' to 663' 7''
54.	Pebble rock,	4' 10'' to 668' 5''

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 2, at Hollywood colliery, about 200' south of mouth of slope No. 2.

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
1.	Surface,	14' 0'' to 14' 0''
2.	Slate,	9' 9'' to 23' 9''
3.	Coal,	5' 3'' to 29' 0''
4.	Slate,	40' 7'' to 69' 7''
5.	Mammoth coal bed,	23' 10'' to 93' 5''
6.	Slate,	12' 0'' to 105' 5''
7.	Coal,	9'' to 106' 2''
8.	Slate,	30' 5'' to 136' 7''
9.	Coal,	2' 0'' to 138' 7''
10.	Slate,	57' 0'' to 195' 7''
11.	Coal,	9'' to 196' 4''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
12. Slate,		29' 10" to 228' 2"
13. Coal,		6" to 228' 8"
14. Slate,		11' 7" to 238' 3"
15. Coal,		30' 6" to 268' 9"
16. Slate,		12' 9" to 281' 6"
17. Coal, bony,		7" to 282' 1"
18. Slate,		8' 3" to 290' 4"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 3 (?), at Hollywood colliery, about 650' west of slope No. 2.

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 37° S.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Clay and dirt, . .	17' 7" to 17' 7"	14' 1" to 14' 1"
2.	Black slate, . . .	5' 6" to 23' 1"	4' 5" to 18' 6"
3.	Coal, soft,	2' 6" to 25' 7"	2' 0" to 20' 6"
4.	Slate,	2' 5" to 28' 0"	1' 11" to 22' 5"
5.	Coal, good,	12' 10" to 40' 10"	10' 3" to 32' 8"
6.	Slate,	8" to 41' 6"	6" to 33' 2"
7.	Coal,	3' 11" to 45' 5"	3' 2" to 36' 4"
8.	Slate,	6" to 45' 11"	5" to 36' 9"
9.	Coal,	12' 7" to 58' 6"	9' 11" to 46' 8"
10.	Slate,	7" to 59' 1"	6" to 47' 2"
11.	Coal,	13' 4" to 72' 5"	10' 8" to 57' 10"
12.	Soft sulphur slate,	1' 2" to 73' 7"	1' 0" to 58' 10"
13.	Coal, good, . . .	2' 1" to 75' 8"	1' 8" to 60' 6"
14.	Slate,	7" to 76' 3"	6" to 61' 0"
15.	Coal,	9" to 77' 0"	7" to 61' 7"
16.	Slate,	1' 1" to 78' 1"	11" to 62' 6"
17.	Coal, good, . . .	5' 7" to 83' 8"	4' 6" to 67' 0"
18.	Slate and coal, .	1' 10" to 85' 6"	1' 6" to 68' 6"
19.	Coal,	9' 1" to 94' 7"	7' 3" to 75' 9"
20.	Slate,	13' 6" to 108' 1"	10' 10" to 86' 7"
21.	Sandy slate, . . .	6' 10" to 114' 11"	5' 6" to 92' 1"
22.	Coal and slate, .	6" to 115' 5"	5" to 92' 6"
23.	Sandy slate, . . .	21' 7" to 137' 0"	17' 3" to 109' 9"
24.	Slate,	15' 4" to 152' 4"	12' 3" to 122' 0"
25.	Coal, soft,	5' 6" to 157' 10"	4' 5" to 126' 5"
26.	Slate,	1' 3' to 159' 1"	1' 0" to 127' 5"
27.	Slate,	17' 8" to 176' 9"	14' 2" to 141' 7"
28.	Coal,	2' 9" to 176' 6"	2' 2" to 143' 9"
29.	Sandy slate, . . .	5' 6" to 185' 0"	4' 5" to 148' 2"
30.	Sandstone,	21' 4" to 206' 4"	17' 1" to 163' 3"

Hill.] SECTIONS, EASTERN MIDDLE FIELD. CHAP. VI. 1129

<i>No. of strata.</i>	<i>Description. (Dip 37° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
31.	Sandy cong, . . .	3' 10" to 210' 2"	3' 1" to 168' 4"
32.	Sandstone, dark, 13' 4" to 223' 6"		10' 8" to 179' 0"
33.	Gray sand rock, 24' 3" to 247' 9"		19' 5" to 198' 5"
34.	Cong. dark, . . .	2' 2" to 249' 11"	1' 9" to 200' 2"
35.	Sandstone, dark, 1' 6" to 251' 5"		1' 2" to 201' 4"

See Columnar Section Sheet No. I and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Rope Drill bore-hole No. 2, at underground
"diagonal" slope, Eckley colliery.*

Big Black Creek basin.

<i>No. of Strata.</i>	<i>Description. (Dip 18° 30' S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	18' 0" to 18' 0"	17' 1" to 17' 1"
2.	Slate,	24' 0" to 42' 0"	22' 9" to 39' 10"
3.	Hard sandstone, . .	15' 0" to 57' 0"	14' 3" to 54' 1"
4.	Coal,	3' 0" to 60' 0"	2' 10" to 56' 11"
5.	Slate and fire clay, .	24' 0" to 84' 0"	22' 9" to 79' 8"
6.	Coarse sandstone, .	13' 0" to 97' 0"	12' 4" to 92' 0"
7.	Black slate,	18' 0" to 115' 0"	17' 1" to 109' 1"
8.	Fire clay,	10' 0" to 125' 0"	9' 5" to 118' 6"
9.	Hard sandstone, . .	73' 0" to 198' 0"	69' 3" to 187' 9"
10.	Buck Mountain coal bed.		

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 1, at Eckley colliery, 1100' south of slope No. 5.

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 19° 30' N.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	30' 9" to 30' 9"	29' 0" to 29' 0"
2.	SS. and cong., . . .	9' 9" to 40' 6"	9' 2" to 38' 2"
3.	Sand rock,	18' 2" to 58' 8"	17' 2" to 55' 4"
4.	Dark sand rock, . .	3' 0" to 61' 8"	2' 10" to 58' 2"
5.	Fine conglomerate, .	6' 11" to 68' 7"	6' 6" to 64' 8"
6.	Gray rock and conglomerate,	8' 9" to 77' 4"	8' 3" to 72' 11"
7.	Sand rock,	1' 8" to 79' 0"	1' 7" to 74' 6"

No. of Sheet	Description. (Dip 19° 30' N)	Thicknesses meas- ured vertically.	Thicknesses perpen- dicular to dip.
8	Sand slate and seams of coal, . .	21' 0" to 100' 0"	19' 9" to 94' 3"
9	Slate and sand rock, . .	16' 4" to 116' 4"	15' 5" to 109' 8"
10	SS. and sand, . . .	12' 0" to 128' 4"	11' 4" to 121' 0"
11	Coal slate,	6' 7½" to 134' 11½"	6' 3" to 127' 3"
12	Slate,	11" to 135' 10½"	9" to 128' 0"
13	Slate and SS., . . .	12' 10" to 148' 8½"	12' 2" to 140' 2"
14	Coal slate,	5' 3½" to 154' 0"	5' 0" to 145' 2"
15	Coal and bone, . .	1' 10" to 155' 10"	1' 8" to 146' 10"
16	Slate,	9' 9" to 165' 7"	9' 3" to 156' 1"
17	Slate, bone and coal,	3' 11" to 169' 6"	3' 8" to 159' 9"
18	Sand slate and sul- phur,	1' 8" to 171' 2"	1' 7" to 161' 4"
19	Fine gray rock, . .	13' 0" to 184' 2"	12' 3" to 173' 7"
20	Fine conglomerate, .	1' 11" to 186' 1"	1' 10" to 175' 5"
21	Sand slate,	1' 10" to 187' 11"	1' 9" to 177' 2"
22	Coal, slate and bone,	1' 5" to 189' 4"	1' 3" to 178' 5"
23	Sand slate,	2' 2" to 191' 6"	2' 0" to 180' 5"
24	Slate with coal and sulphur,	1' 8" to 193' 2"	1' 8" to 182' 1"
25	Conglomerate, . . .	18' 7" to 211' 9"	17' 6" to 199' 7"
26	Gray sand slate, . .	1' 7" to 213' 4"	1' 6" to 201' 1"
27	Conglomerate, . . .	22' 6" to 235' 10"	21' 2" to 222' 3"
28	Coal with slate seams. (Buck Mountain bed.) . .	15' 2" to 251' 0"	14' 4" to 236' 7"
29	Sand slate,	3' 5" to 254' 5"	3' 3" to 239' 10"
30	Coarse gray rock, .	2' 4" to 256' 9"	2' 2" to 242' 0"
31	Sand slate,	4" to 257' 1"	4" to 242' 4"
32	Conglomerate, . . .	16' 2" to 273' 3"	15' 3" to 257' 7"
33	Sand slate,	5" to 273' 8"	5" to 258' 0"
34	Conglomerate, . . .	10' 8" to 284' 4"	10' 0" to 268' 0"
35	Dark gray rock, . .	4' 3" to 288' 7"	4' 0" to 272' 0"
36	Conglomerate, . . .	22' 4" to 310' 11"	21' 1" to 293' 1"
37	Dark gray rock, . .	5' 8" to 316' 7"	5' 4" to 298' 5"
38	Conglomerate, . . .	1' 2" to 317' 9"	1' 1" to 299' 6"
39	Waste,	1' 3" to 319' 0"	1' 2" to 300' 8"
40	White flint rock, . .	7' 10" to 326' 10"	7' 5" to 308' 1"
41	Conglomerate, . . .	2' 6" to 329' 4"	2' 4" to 310' 5"
42	Sandstone,	10' 0" to 339' 4"	9' 5" to 319' 10"
43	Conglomerate, . . .	25' 9" to 365' 1"	24' 3" to 344' 1"
44	Dark pebble rock, .	24' 8" to 389' 9"	23' 3" to 367' 4"
45	Gray sandstone, . .	16' 0" to 405' 9"	15' 1" to 382' 5"
46	Dark sandstone, . .	23' 6" to 429' 3"	22' 2" to 404' 7"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of the Muirhead drill-hole, at Jeddo colliery, 800' east of Ebervale Land line.

Big Black Creek basin.

No. of strata.	Description. (Dip 43° N.)	Thicknesses measured vertically.	Thickness perpendicular to dip.
1.	Surface,	64' 6" to 64' 6"	47' 2" to 47' 2"
2.	Sandstone,	2' 0" to 66' 6"	1' 6" to 48' 8"
3.	Black slate,	10' to 67' 4"	7" to 49' 3"
4.	Sandstone,	28' 4" to 93' 8"	19' 3" to 68' 6"
5.	Soft slate,	36' 6" to 130' 2"	26' 9" to 95' 3"
6.	Sandstone,	68' 2" to 198' 4"	49' 10" to 145' 1"
7.	Mammoth coal bed, .	67' 0" to 225' 4"	19' 9" to 164' 10"
8.	Slate,	10' to 226' 2"	7" to 165' 5"
9.	Sandstone,	15' 6" to 241' 8"	11' 4" to 176' 9"
10.	Soft slate,	5' 0" to 246' 8"	3' 8" to 180' 5"
11.	Parlor coal bed, . . .	5' 0" to 251' 8"	3' 8" to 184' 1"
12.	Sandstone,	45' 2" to 296' 10"	33' 1" to 217' 2"
13.	Wharton coal bed, .	2' 4' to 299' 2"	1' 8" to 218' 10"
14.	Slate,	1' 0" to 300' 2"	9" to 219' 7"
15.	Sandstone,	28' 0" to 328' 2"	20' 6" to 240' 1"
16.	Soft slate,	4' 6" to 332' 8"	3' 3" to 243' 4"
17.	Sandstone,	12' 0" to 344' 8"	8' 10" to 252' 2"
18.	Buck Mountain bed, 1'	0" to 345' 8"	9" to 252' 11"
19.	Slate,	2' 6" to 348' 2"	1' 9" to 254' 8"
20.	Sandstone,	12' 6" to 360' 8"	9' 2" to 263' 10"
21.	Pebble rock,	23' 8" to 384' 4"	17' 4" to 281' 2"
22.	Alpha coal bed, . . .	10" to 385' 2"	7" to 281' 9"
23.	Slate,	8' 6" to 393' 8"	6' 3" to 288' 0"
24.	Sandstone,	4' 0" to 397' 8"	2' 11" to 290' 11"
25.	Conglomerate,	7' 6" to 405' 2"	5' 6" to 296' 5"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole, at pump-house, Jeddo colliery, 2000± west of slope No. 3.

Big Black Creek basin.

No. of strata.	Description. (Dip about 10° S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	13' 3" to 13' 3"	13' 3" to 13' 3"
2.	Sandstone,	30' 0" to 43' 3"	29' 5" to 42' 8"
3.	Buck Mountain bed, 1'	6" to 44' 9"	1' 6" to 44' 2"
4.	Slate,	3' 0" to 47' 9"	2' 11" to 47' 1"
5.	Sandstone,	14' 6" to 62' 3"	14' 3" to 61' 4"
6.	Slate,	25' 6" to 87' 9"	25' 0" to 86' 4"
7.	Sandstone,	25' 0" to 112' 9"	24' 6" to 110' 10"

<i>No. of strata.</i>	<i>Description. (Dip about 10° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
8.	Pebble (cong.), . . .	18' 0'' to 130' 9''	17' 8'' to 128' 6''
9.	Slate,	1' 0'' to 131' 9''	1' 0'' to 129' 6''
10.	Coal,	8'' to 132' 5''	8'' to 130' 2''
11.	Slate,	4'' to 132' 9''	3' 11'' to 134' 1''
12.	Sandstone,	6' 4'' to 139' 1''	6' 2'' to 140' 3''
13.	Conglomerate,	81' 0'' to 220' 1''	79' 5'' to 219' 8''
14.	Sandstone,	12' 0'' to 232' 1''	11' 9'' to 231' 5''
15.	Conglomerate,	57' 6'' to 289' 7''	56' 4'' to 287' 9''
16.	Red sandstone,	8' 6'' to 298' 1''	8' 4'' to 296' 1''
17.	Conglomerate,	48' 0'' to 346' 1''	47' 0'' to 343' 1''
18.	Green shale,	4' 0'' to 350' 1''	3' 11'' to 347' 0''
19.	Red shale,	9' 0'' to 359' 1''	8' 10'' to 355' 10''
20.	Green sandstone, . . .	17' 0'' to 376' 1''	16' 8' to 372' 6''
21.	Red, shaly sandstone,	17' 6'' to 393' 7''	17' 2'' to 389' 8''
22.	Green sandstone, . . .	4' 0'' to 397' 7''	3' 11'' to 393' 7''
23.	Red shale,	11' 6'' to 409' 1''	11' 5'' to 406' 0''
24.	Green sandstone, . . .	16' 6'' to 425' 7''	16' 2'' to 421' 2''

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole at Jeddo colliery, about 30' west of breaker plane, at slope No. 4.

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip about 27½° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	21' 6'' to 21' 6''	19' 1'' to 19' 1''
2.	Slate,	18' 8'' to 40' 2''	18' 6'' to 35' 7''
3.	Coal,	5'' to 40' 7''	5'' to 36' 0''
4.	Slate,	1' 1'' to 41' 8''	11'' to 36' 11''
5.	Coal,	6' 6'' to 48' 2''	5' 5'' to 42' 4''
6.	Slate,	24' 6'' to 72' 8''	22' 0'' to 64' 4''
7.	Hard black SS., . . .	4' 8'' to 77' 4''	4' 1'' to 68' 5''
8.	Dark pebble rock, . .	9' 0'' to 86' 4''	8' 0'' to 76' 5''
9.	Hard flinty rock, . .	12' 8'' to 99' 0''	11' 3'' to 87' 8''
10.	Soft slate,	7' 0'' to 106' 0''	6' 2'' to 93' 10''
11.	Slate and bone, . . .	1' 0'' to 107' 0''	11'' to 94' 9''
12.	Fine sandstone, . . .	12' 8'' to 119' 8''	11' 3'' to 106' 0''
13.	Slate,	8'' to 120' 4''	7'' to 106' 7''
14.	Coal,	2' 4'' to 122' 8''	2' 1'' to 108' 8''
15.	Slate,	11' 10'' to 134' 6''	10' 6'' to 119' 2''
16.	Hard quartz rock, . .	10' 6'' to 145' 0''	9' 4'' to 128' 6''
17.	Soft dark sandstone,	3' 6'' to 148' 6''	3' 1'' to 131' 7''
18.	Sandstone, little coal,	1' 0'' to 149' 6''	10'' to 132' 5''
19.	Dark sandstone, . . .	6' 6'' to 156' 0''	5' 9'' to 138' 2''

No. of strata.	Description. (Dip about 27½° S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
20.	Hard rock,	20' 0" to 176' 0"	17' 9" to 155' 11"
21.	Coal,	6" to 176' 6"	5" to 156' 4"
22.	Slate,	1' 6" to 178' 0"	1' 4" to 157' 8"
23.	Dark hard rock, . . .	6' 6" to 184' 6"	5' 9" to 163' 5"
24.	Soft sandstone, . . .	35' 6" to 220' 0"	31' 6" to 194' 11"
25.	Coal,	2' 0" to 222' 0"	1' 9" to 196' 8"
26.	Coal,	1' 0" to 223' 0"	10" to 197' 6"
27.	Very soft slate, . . .	5' 0" to 228' 0"	4' 5" to 201' 11"
28.	Conglomerate,	6' 0" to 234' 0"	5' 4" to 207' 3"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole at dam near Trial slope, Jeddo colliery in Buck Mountain Coal bed on south side of Big Black Creek basin.

No. of Strata	Description. (Dip about 10° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Buck Mountain Coal bed.		
2.	Fire clay,	53' 0" to 53' 0"	51' 8" to 51' 8"
3.	Sandstone,	55' 0" to 108' 0"	53' 7" to 105' 3"
4.	Conglomerate,	69' 0" to 177' 0"	67' 4" to 172' 7"
5.	Green sandstone, . . .	28' 0" to 205' 0"	27' 4" to 199' 11"
6.	Conglomerate,	64' 0" to 269' 0"	62' 5" to 262' 4"
7.	Sandstone,	17' 0" to 286' 0"	16' 7" to 278' 11"
8.	Conglomerate,	64' 0" to 350' 0"	62' 5" to 341' 4"
9.	Dark sandstone, . . .	5' 0" to 355' 0"	4' 10" to 346' 2"
10.	Red shale,	16' 0" to 371' 0"	15' 7" to 361' 9"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 1, near mouth of slope No. 4, Ebervale colliery.

Big Black Creek basin.

No. of strata.	Description. (Dip 20° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	10' 0" to 10' 0"	9' 5" to 9' 5"
2.	Coal (Mammoth bed),	8' 6" to 18' 6"	8' 0" to 17' 5"
3.	Slate,	6" to 19' 0"	6" to 17' 11"
4.	Coal,	10" to 19' 10"	9" to 18' 8"
5.	Slate,	4" to 20' 2"	4" to 19' 0"
6.	Coal,	1' 6" to 21' 8"	1' 5" to 20' 5"
7.	Slate,	2' 10" to 24' 6"	2' 8" to 23' 1"
8.	Coal,	4' 1" to 28' 7"	3' 10" to 26' 11"
9.	Slate,	1' 8" to 30' 3"	1' 6" to 28' 5"
10.	Coal,	1' 4" to 31' 7"	1' 3" to 29' 8"

No. of strata.	Description. (Dip 20° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
11.	Slate,	4' 8" to 36' 3"	4' 5" to 34' 1"
12.	Blue rock,	48' 2" to 84' 5"	45' 3" to 79' 4"
13.	Coal and bone,	1' 0" to 85' 5"	11" to 80' 3"
14.	Black slate,	9' 10" to 95' 3"	9' 3" to 89' 6"
15.	Black rock,	11' 9" to 107' 0"	11' 0" to 100' 6"
16.	Black slate,	3' 6" to 110' 6"	3' 4" to 103' 10"
17.	Coal,	1' 1" to 111' 7"	1' 0" to 104' 10"
18.	Black slate,	8' 0" to 119' 7"	7' 6" to 112' 4"
19.	Black rock,	9' 3" to 128' 10"	8' 9" to 121' 1"
20.	Coal,	1' 9" to 130' 7"	1' 7" to 122' 8"
21.	Black slate,	5' 0" to 135' 7"	4' 9" to 127' 5"
22.	Black rock,	26' 4" to 161' 11"	24' 9" to 152' 2"
23.	Dark blue sand rock, . .	49' 1" to 211' 0"	46' 1" to 198' 3"
24.	Sandy slate,	6' 0" to 217' 0"	5' 8" to 203' 11"
25.	Dark blue sand rock, . .	151' 8" to 368' 8"	142' 6" to 346' 5"
26.	Black slate,	4' 6" to 373' 2"	4' 3" to 350' 8"
27.	Blue pebble rock, . . .	6' 8" to 379' 10"	6' 3" to 356' 11"
28.	Black slate,	12' 8" to 392' 6"	11' 11" to 368' 10"
29.	Blue pebble rock, . . .	20' 4" to 412' 10"	19' 1" to 387' 11"
30.	Black slate,	8" to 413' 6"	7" to 388' 6"
31.	Dark hard rock,	7' 0" to 420' 6"	6' 8" to 395' 2"
32.	Black slate,	1' 8" to 422' 2"	1' 6" to 396' 8"
33.	Gray rock,	2' 0" to 424' 2"	1' 11" to 398' 7"
34.	Coal,	8" to 424' 10"	7" to 399' 2"
35.	Black sand slate. (Dip 20°.)	12' 0" to 436' 10"	11' 4" to 410' 6"
36.	Gray rock,	3' 6" to 440' 4"	3' 3" to 413' 9"
37.	Conglomerate,	6' 4" to 446' 8"	6' 0" to 419' 9"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 3, at Ebervale colliery, 50' east of Harleigh land line.

Big Black Creek basin.

No. of strata.	Description. (Dip 43° S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	29' 0" to 29' 0"	21' 2" to 21' 2"
2.	Gray slate wash, . . .	3' 0" to 32' 0"	2' 3" to 23' 5"
3.	Block slate dirt, . . .	1' 0" to 33' 0"	9" to 24' 2"
4.	Mammoth coal bed, . .	21' 3" to 54' 3"	15' 6" to 39' 8"
5.	Coal and slate,	5' 4" to 59' 7"	3' 11" to 43' 7"
6.	Slate,	8' 5" to 68' 0"	6' 1" to 49' 8"
7.	Wharton coal bed, . .	15' 2" to 83' 2"	11' 2" to 60' 10"
8.	Block slate,	40' 3" to 123' 5"	29' 5" to 90' 3"

Hill.] SECTIONS, EASTERN MIDDLE FIELD. CHAP. VI. 1135

<i>No. of strata.</i>	<i>Description.</i> (Dip 43° S.)	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
9.	Coal, slate and bone,	1' 4" to 124' 9"	1' 0" to 91' 3"
10.	Sandstone,	22' 8" to 147' 5"	16' 7" to 107' 10"
11.	Coal and bone,	2' 10" to 150' 3"	2' 1" to 109' 11"
12.	Slate,	3' 10" to 154' 1"	2' 9" to 112' 8"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 2, at Ebervale colliery. 525' south of slope No. 4.

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i> (Dip 40° N.)	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	8' 0" to 8' 0"	6' 2" to 6' 2"
2.	Fine pebble rock, . .	4' 0" to 12' 0"	3' 0" to 9' 2"
3.	Slate,	4" to 12' 4"	3" to 9' 5"
4.	Fine sandstone, . .	6' 3" to 18' 7"	4' 10" to 14' 3"
5.	Coarse sandstone, .	15' 10" to 34' 5"	12' 1" to 26' 4"
6.	Slate with coal, . .	2' 0" to 36' 5"	1' 7" to 27' 11"
7.	Red and gray slate,	4' 0" to 40' 5"	3' 0" to 30' 11"
8.	Fine sandrock, . . .	27' 3" to 67' 8"	20' 11" to 51' 10"
9.	Black slate,	4' 5" to 72' 1"	3' 4" to 55' 2"
10.	Coal,	1' 1" to 73' 2"	10" to 56' 0"
11.	Sand slate,	2' 6" to 75' 8"	1' 11" to 57' 11"
12.	Hard fine pebble rock,	8' 4" to 84' 0"	6' 5" to 64' 4"
13.	Coal,	1' 10" to 85' 10"	1' 5" to 65' 9"
14.	Black slate,	5' 0" to 90' 10"	3' 10" to 69' 7"
15.	Hard blue rock, . .	14' 7" to 105' 5"	11' 2" to 80' 9"
16.	Pebble rock,	23' 10" to 120' 3"	18' 3" to 99' 0"
17.	Black slate,	12' 5" to 141' 8"	9' 6" to 108' 6"
18.	Fine dark sandrock,	6' 0" to 147' 8"	4' 7" to 113' 1"
19.	Fine hard pebble rock,	9' 6" to 157' 2"	7' 4" to 120' 5"
20.	Black slate,	4" to 157' 6"	3" to 120' 8"
21.	Dark sandrock, . . .	1' 0" to 158' 6"	9" to 121' 5"
22.	Coal,	2' 2" to 160' 8"	1' 8" to 123' 1"
23.	Black slate,	5" to 161' 1"	4" to 123' 5"
24.	Dark sandrock, . .	24' 3" to 185' 4"	18' 6" to 141' 11"
25.	Pebble rock and slate,	1' 6" to 186' 10"	1' 2" to 143' 1"
26.	Dark sandrock, . .	22' 11" to 209' 9"	17' 7" to 160' 8"
27.	Pebble and black rock,	4' 8" to 214' 5"	3' 7" to 164' 3"
28.	Dark bluesandrock,	9' 9" to 224' 2"	7' 5" to 171' 8"

No. of strata.	Description. (Dip 40° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
29.	Pebble and blue rock,	11' 0" to 235' 2"	8' 6" to 180' 2"
30.	Pebble rock and block slate,	1' 0" to 236' 2"	9" to 180' 11"
31.	Pebble rock,	9' 0" to 245' 2"	6' 10" to 187' 9"
32.	Dark blue rock, . .	3' 6" to 248' 8"	2' 9" to 190' 6"
33.	Fine pebble rock, .	19' 10" to 268' 6"	15' 2" to 205' 8"
34.	Black slate,	1' 0" to 269' 6"	9" to 206' 5"
35.	Dark blue rock, . .	6' 4' to 275' 10"	4' 10" to 211' 3"
36.	Hard slate,	7' 3" to 283' 1"	5' 8" to 218' 11"
37.	Coal,	1' 6" to 284' 7"	1' 0" to 217' 11"
38.	Black slate,	11' 10" to 296' 5"	9' 2" to 227' 1"
39.	Coal,	1' 2" to 297' 7"	10" to 227' 11"
40.	Slate,	10' 6" to 308' 1"	8' 1" to 236' 0"
41.	Pebble rock,	7' 6" to 315' 7"	5' 8" to 241' 8"
42.	Conglomerate, . . .	6' 0" to 321' 7"	4' 8" to 246' 4"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Rope Drill bore-hole No. 5, at Ebervale colliery,
about 1350' west of slope No. 2.*

Big Black Creek basin.

No. of strata.	Description. (Dip about 38° S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Clay,	10' 0" to 10' 0"	7' 11" to 7' 11"
2.	Wash,	10' 0" to 20' 0"	7' 11" to 15' 10"
3.	Coal (bottom Mammoth),	10' 0" to 30' 0"	7' 11" to 23' 9"
4.	Slate and coal, . . .	15' 0" to 45' 0"	11' 10" to 35' 7"
5.	Rock,	21' 0" to 66' 0"	16' 7" to 52' 2"
6.	Conglomerate, . . .	22' 6" to 88' 6"	17' 9" to 69' 11"
7.	Rock,	23' 6" to 112' 0"	18' 7" to 88' 6"
8.	Rock,	3' 0" to 115' 0"	2' 4" to 90' 10"
9.	Slate,	3' 0" to 118' 0"	2' 4" to 93' 2"
10.	Rock and slate, . .	12' 0" to 130' 0"	9' 6" to 102' 8"
11.	Coal,	2' 10" to 132' 10"	2' 3" to 104' 11"
12.	Slate,	6' 2" to 139' 0"	4' 10" to 109' 9"
13.	Rock,	11' 0" to 150' 0"	8' 8" to 118' 5"
14.	Slate,	1' 0" to 151' 0"	9" to 119' 2"
15.	Coal,	2' 10" to 153' 10"	2' 3" to 121' 5"
16.	Slate,	3' 2" to 157' 0"	2' 7" to 124' 0"
17.	Rock,	10' 0" to 167' 0"	7' 11" to 131' 11"
18.	Coal,	2' 3" to 169' 3"	1' 9" to 133' 8"
19.	Slate,	2' 11" to 172' 2"	2' 4" to 136' 0"
20.	Coal,	2' 8" to 174' 10"	2' 1" to 138' 1"

<i>No. of strata.</i>	<i>Description.</i> (Dip about 38° S.)	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
21.	Rock,	6' 0" to 180' 10"	4' 9" to 142' 10"
22.	Sandstone,	15' 0" to 195' 10"	11' 10" to 154' 8"
23.	Conglomerate,	20' 6" to 216' 4"	16' 2" to 170' 10"
24.	Rock,	4' 0" to 220' 4"	3' 2" to 174' 0"
25.	Slate and bone,	1' 6" to 221' 10"	1' 2" to 175' 2"
26.	Rock,	10' 6" to 232' 4"	8' 3" to 183' 5"
27.	Rock,	20' 0" to 252' 4"	15' 10" to 199' 3"
28.	Sandstone,	30' 0" to 282' 4"	23' 8" to 222' 11"
29.	Conglomerate,	30' 5" to 312' 9"	24' 0" to 246' 11"
30.	Rock,	12' 0" to 324' 9"	9' 6" to 256' 5"
31.	Conglomerate,	25' 3" to 350' 0"	19' 11" to 276' 4"
32.	Sandstone,	10' 0" to 360' 0"	7' 11" to 284' 3"
33.	Slate,	5' 0" to 365' 0"	3' 11" to 288' 2"
34.	Coal,	2' 3" to 367' 3"	1' 9" to 289' 11"
35.	Rock,	10' 0" to 377' 3"	7' 11" to 297' 10"
36.	Sandstone,	18' 0" to 395' 3"	14' 3" to 312' 1"
37.	Conglomerate,	16' 0" to 411' 3"	12' 8" to 324' 9"
38.	Sandstone,	10' 0" to 421' 3"	7' 11" to 332' 8"
39.	Rock,	4' 0" to 425' 3"	3' 2" to 335' 10"
40.	Slate,	3' 0" to 428' 3"	2' 4" to 338' 2"
41.	Coal,	2' 3" to 430' 6"	1' 9" to 339' 11"
42.	Slate,	5' 9" to 436' 3"	4' 7" to 344' 6"
43.	Sandstone,	16' 0" to 452' 3"	12' 8" to 357' 2"
44.	Conglomerate,	17' 0" to 469' 3"	13' 5" to 370' 7"
45.	Rock,	5' 0" to 474' 3"	3' 11" to 374' 6"
46.	Slate,	6' 0" to 480' 3"	4' 9" to 379' 3"
47.	Conglomerate,	30' 0" to 510' 3"	23' 8" to 402' 11"
48.	Conglomerate,	10' 0" to 520' 3"	7' 11" to 410' 10"
49.	Conglomerate,	40' 0" to 560' 3"	31' 7" to 442' 5"
50.	Conglomerate,	40' 0" to 600' 3"	31' 7" to 474' 0"

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole C, at Harleigh colliery,
500' ± west of slope No. 3.*

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i> (Dip 25° S.)	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	28' 6" to 28' 6"	25' 10" to 25' 10"
2.	Wharton coal bed,	3' 3" to 31' 9"	2' 11" to 28' 9"
3.	Slate,	11' 7" to 43' 4"	10' 6" to 39' 3"
4.	Blue rock,	10' 1" to 53' 5"	9' 2" to 48' 5"
5.	Coal,	1" to 53' 6"	1" to 48' 6"
6.	Blue rock,	19' 2" to 72' 8"	17' 4" to 65' 10"
7.	Black rock,	18' 0" to 90' 8"	16' 4" to 82' 2"
8.	Slate,	27' 1" to 117' 9"	24' 6" to 106' 8"
9.	Coal,	2' 6" to 120' 3"	2' 4" to 109' 0"
10.	Black slate,	7' 10" to 128' 1"	7' 1" to 116' 1"

<i>No. of strata.</i>	<i>Description. (Dip 25° S.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
11.	Blue slate,	2' 6" to 130' 7"	2' 3" to 118' 4"
12.	Coal,	4' 10" to 135' 5"	4' 4" to 122' 8"
13.	Black slate,	14' 5" to 149' 10"	13' 1" to 135' 9"
14.	Black rock,	1' 0" to 150' 10"	11" to 136' 8"
15.	Blue rock,	3' 4" to 154' 2"	3' 1" to 139' 9"
16.	Slate,	7' 8" to 161' 10"	6' 11" to 146' 8"
17.	Blue rock (Dip 25°),	24' 10" to 186' 8"	22' 6" to 169' 2"
18.	Conglomerate,	27' 7" to 214' 3"	25' 0" to 194' 2"
19.	Fine blue rock,	6' 0" to 220' 3"	5' 5" to 199' 7"
20.	Conglomerate,	6' 0" to 226' 3"	5' 5" to 205' 0"
21.	Black slate,	9' 0" to 235' 3"	8' 2" to 213' 2"
22.	Blue slate,	13' 5" to 248' 8"	12' 3" to 225' 5"
23.	Blue rock,	5' 0" to 253' 8"	4' 6" to 229' 11"
24.	Coal and black slate (Buck Mountain bed),	10' 9" to 264' 5"	9' 8" to 239' 7"
25.	Coal and black slate,	1' 3" to 265' 8"	1' 2" to 240' 9"
26.	Slate,	26' 3" to 291' 11"	23' 8" to 264' 7"
27.	Blue rock,	3' 6" to 295' 5"	3' 2" to 267' 9"
28.	Iron slate,	6' 0" to 301' 5"	5' 5" to 273' 2"
29.	Blue rock,	5' 0" to 306' 5"	4' 6" to 277' 8"
30.	Conglomerate,	27' 0" to 333' 5"	24' 6" to 302' 2"
31.	Sandstone,	6" to 333' 11"	5' to 302' 7"
32.	Conglomerate,	10' 6" to 344' 5"	9' 6" to 312' 1"
33.	Black rock,	1' 0" to 345' 5"	11" to 313' 0"
34.	Coal and slate,	3' 0" to 348' 5"	2' 9" to 315' 9"
35.	Black slate,	7' 4" to 355' 9"	6' 8" to 322' 5"
36.	Sandstone,	7' 0" to 362' 9"	6' 4" to 328' 9"
37.	Blue sandstone,	15' 11" to 378' 8"	14' 5" to 343' 2"
38.	Conglomerate,	3' 0" to 381' 8"	2' 9" to 345' 11"
39.	Fine conglomerate,	19' 3" to 400' 11"	17' 5" to 363' 4"
40.	Conglomerate,	9" to 401' 8"	8" to 364' 0"
41.	Blue rock,	4' 0" to 405' 8"	3' 8" to 367' 8"
42.	Conglomerate,	8' 0" to 413' 8"	7' 3" to 374' 11"
43.	Blue rock,	9' 0" to 422' 8"	8' 2" to 383' 1"
44.	Conglomerate,	9' 0" to 431' 8"	8' 2" to 391' 3"
45.	Blue rock,	8' 5" to 440' 1"	7' 7" to 398' 10"
46.	Conglomerate,	3' 0" to 443' 1"	2' 9" to 401' 7"
47.	Coal,	1" to 443' 2"	1" to 401' 8"
48.	Black slate,	3' 8" to 446' 10"	3' 4" to 405' 0"
49.	Blue rock,	4' 10" to 451' 8"	4' 5" to 409' 5"
50.	Slate,	2' 4" to 454' 0"	2' 1" to 411' 6"
51.	Conglomerate,	20' 11" to 474' 11"	19' 0" to 430' 6"
52.	Blue rock,	2' 1" to 477' 0"	1' 11" to 432' 5"
53.	Fine conglomerate,	20' 4" to 497' 4"	18' 5" to 450' 10"
54.	Pebble rock,	1' 5" to 498' 9"	1' 3" to 452' 1"
55.	Blue rock,	12' 2" to 510' 11"	11' 0" to 463' 1"
56.	Conglomerate,	20' 7" to 531' 6"	18' 8" to 481' 9"

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole A, at Harleigh colliery,
800' west of slope No. 1.*

Big Black Creek basin.

No. of strata.	Description. (Dip 45° S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	19' 0" to 19' 0"	13' 5" to 13' 5"
2.	Blue rock,	8' 9" to 27' 9"	6' 2" to 19' 7"
3.	Sandrock,	15' 0" to 42' 9"	10' 8" to 30' 3"
4.	Slate,	2" to 42' 11"	1' to 30' 4"
5.	Sandrock,	10' 1" to 53' 0"	7' 2" to 37' 6"
6.	Coal,	1' 6" to 54' 6"	1' 0" to 38' 6"
7.	Slate,	4' 5" to 58' 11"	3' 2" to 41' 8"
8.	Blue slate,	10' 1" to 69' 0"	7' 1" to 48' 9"
9.	Coal,	1' 10" to 70' 10"	1' 4" to 50' 1"
10.	Slate,	6' 8" to 77' 6"	4' 9" to 54' 10"
11.	Blue rock,	15' 1" to 92' 7"	10' 8" to 65' 6"
12.	Slate,	2' 0" to 94' 7"	1' 5" to 66' 11"
13.	Gray rock,	14' 1" to 108' 8"	9' 11" to 76' 10"
14.	Conglomerate,	35' 3" to 143' 11"	24' 11" to 101' 9"
15.	Slate,	2' 0" to 145' 11"	1' 5" to 103' 2"
16.	Black rock,	14' 1" to 160' 0"	10' 0" to 113' 2"
17.	Conglomerate,	18' 5" to 178' 5"	13' 0" to 126' 2"
18.	Black slate,	8" to 179' 1"	6" to 126' 8"
19.	Coal,	2' 0" to 181' 1"	1' 5" to 128' 1"
20.	Coal and slate,	2' 9" to 183' 10"	1' 11" to 130' 0"
21.	Slate,	3' 9" to 187' 7"	2' 8" to 132' 8"
22.	Coal and slate,	1' 4" to 188' 11"	11" to 133' 7"
23.	Coal,	2' 2" to 191' 1"	1' 6" to 135' 1"
24.	Slate,	1' 6" to 192' 7"	1' 1" to 136' 2"
25.	Coal,	11" to 193' 6"	8" to 136' 10"
26.	Conglomerate,	10' 7" to 204' 1"	7' 6" to 144' 4"
27.	Very hard cong.,	23' 5" to 227' 6"	16' 6" to 160' 10"
28.	Black rock,	3' 6" to 231' 0"	2' 6" to 163' 4"
29.	Conglomerate,	46' 0" to 277' 0"	32' 6" to 195' 10"
30.	Blue rock,	10' 0" to 287' 0"	7' 1" to 202' 11"
31.	Pebble rock,	7' 9" to 294' 9"	5' 6" to 208' 5"
32.	Slate,	6" to 295' 3"	4" to 208' 9"
33.	Hard conglomerate,	19' 3" to 314' 6"	13' 8" to 222' 5"
34.	Blue sandrock,	27' 1" to 341' 7"	19' 1" to 241' 6"
35.	Hard conglomerate,	4' 4" to 345' 11"	3' 1" to 244' 7"
36.	Blue rock,	10' 9" to 356' 8"	7' 7" to 252' 2"
37.	Coal,	3' 1" to 359' 9"	2' 3" to 254' 5"
38.	Slate,	5' 1" to 364' 10"	3' 7" to 258' 0"
39.	Sandy slate,	10' 0" to 374' 10"	7' 1" to 265' 1"
40.	Hard conglomerate,	3' 2" to 378' 0"	2' 2" to 267' 3"
41.	Hard pebble rock,	28' 0½" to 406' 0½"	20' 10" to 288' 1"
42.	Hard blue rock,	3' 10½" to 409' 11"	3' 10" to 291' 11"
43.	Hard pebble rock,	12' 2½" to 422' 1½"	7' 11" to 299' 10"
44.	Hard blue rock,	1' 0" to 423' 1½"	8" to 300' 6"

<i>No. of strata.</i>	<i>Description.</i> (Dip 45° S.)	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
45.	Hard pebble rock, . .	13' 6½" to 436' 8"	9' 10" to 310' 4"
46.	Hard blue rock, . . .	6' 0" to 442' 8"	4' 3" to 314' 7"
47.	Hard pebble rock, . .	4' 10" to 447' 6"	3' 7" to 318' 2"
48.	Green argillaceous sandstone,	51' 8½" to 499' 2½"	36' 7" to 354' 9"
49.	Coarse argillaceous sandstone,	16' 1" to 515' 3½"	11' 4" to 366' 1"
50.	Conglomerate rock, .	60' 3½" to 575' 7"	42' 8" to 408' 9"
51.	White and green conglomerate,	5' 0" to 580' 7"	3' 6" to 412' 3"
52.	Green sandstone, . .	18' 9" to 599' 4"	13' 3" to 425' 6"
53.	Green and red SS., . .	4' 0" to 603' 4"	2' 10" to 428' 4"
54.	Red shale,	8' 0" to 611' 4"	5' 8" to 434' 0"

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore hole, west of Harleigh
(probably No. 1).*

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
1.	Surface,	39' 0" to 39' 0"
2.	Coal,	4' 6" to 43' 6"
3.	White slate,	21' 1" to 64' 7"
4.	Sandrock,	18' 10" to 83' 5"
5.	Sand slate,	12' 2" to 95' 7"
6.	Sand rock,	13' 10" to 109' 5"
7.	Iron ore and slate,	5' 0" to 114' 5"
8.	Sandy slate,	2' 0" to 116' 5"
9.	Coal and bone,	3' 0" to 119' 5"
10.	Black slate,	28' 0" to 147' 5"
11.	Iron and slate,	6' 0" to 153' 5"
12.	Slate,	35' 1" to 188' 6"
13.	Slate and sandstone,	31' 3" to 219' 9"
14.	Black slate,	6' 0" to 225' 9"
15.	Coal (shelly),	1' 8" to 227' 5"
16.	Rock,	1' 1" to 228' 6"
17.	Slate,	1' 6" to 230' 0"
18.	Coal,	1' 6" to 231' 6"
19.	Slate,	3' 0" to 234' 6"
20.	Coal,	1' 0" to 235' 6"
21.	Black slate,	8' 0" to 243' 6"
22.	Sandrock,	19' 3" to 262' 9"
23.	Hard rock,	10' 10" to 273' 7"
24.	Slate,	18' 4" to 291' 11"
25.	Blue rock,	20' 0" to 311' 11"

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole, west of Harleigh
(probably No. 2).*

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured vertically.</i>
1.	Surface,	37' 10" to 37' 10"
2.	Sandrock,	44' 0" to 81' 10"
3.	Black slate,	2' 0" to 83' 10"
4.	Coal,	2' 10" to 86' 8"
5.	Slate,	43' 7" to 130' 3"
6.	Sandrock,	32' 9" to 163' 0"
7.	Slate,	15' 5" to 178' 5"
8.	Fine pebble rock,	7' 0" to 185' 5"
9.	Fine blue rock,	5' 0" to 190' 5"
10.	Fine pebble rock,	12' 11" to 203' 4"
11.	Fine blue rock,	8' 7" to 211' 11"
12.	Black slate,	9' 0" to 220' 11"
13.	Sandrock,	8' 3" to 229' 2"
14.	Slate,	4' 11" to 234' 1"
15.	Sandrock,	41' 1" to 275' 2"
16.	Slate,	5' 8" to 280' 10"
17.	Sandrock,	18' 0" to 298' 10"
18.	Fine pebble rock,	18' 0" to 318' 10"
19.	Slate,	43' 0" to 359' 10"
20.	Sandrock,	2' 0" to 361' 10"
21.	Black slate,	9' 0" to 370' 10"
22.	Sandrock,	39' 2" to 410' 0"
23.	Very hard rock,	28' 9" to 438' 9"
24.	Slate,	2' 0" to 440' 9"
25.	Blue rock,	5' 0" to 445' 9"
26.	Fine blue rock,	8' 4" to 454' 1"
27.	Coal,	1' 3" to 455' 4"
28.	Blue rock,	2' 0" to 457' 4"
29.	Conglomerate,	5' 0" to 462' 4"
30.	Pebble rock,	14' 0" to 476' 4"
31.	Green sandrock,	13' 9" to 490' 1"

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole, west of Harleigh
(probably No. 3).*

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 40° S.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Surface,	48' 10'' to 48' 10''	31' 5'' to 31' 5''
2.	Hard blue rock, . .	22' 4'' to 71' 2''	14' 4'' to 45' 9''
3.	Conglomerate, . .	9' 6'' to 80' 8''	6' 2'' to 51' 11''
4.	Black rock,	4' 9'' to 85' 5''	3' 1'' to 55' 0''
5.	Blue rock,	3' 3'' to 88' 8''	2' 1'' to 57' 1''
6.	Black rock,	5' 8'' to 94' 4''	3' 7'' to 60' 8''
7.	Conglomerate, . .	16' 0'' to 110' 4''	10' 4'' to 71' 0''
8.	Blue rock,	7' 4'' to 117' 8''	4' 8'' to 75' 8''
9.	Fine conglomerate, .	17' 3'' to 134' 11''	11' 1'' to 86' 9''
10.	Blue rock,	5' 3'' to 140' 2''	3' 4'' to 90' 1''
11.	Conglomerate, . .	2' 8'' to 142' 10''	1' 8'' to 91' 9''
12.	Blue rock,	3' 1'' to 145' 11''	2' 0'' to 93' 9''
13.	Conglomerate, . .	16' 9'' to 162' 8''	10' 10'' to 104' 7''
14.	Blue rock,	2' 5'' to 165' 1''	1' 6'' to 106' 1''
15.	Conglomerate, . .	21' 2'' to 186' 3''	13' 7'' to 119' 8''
16.	Black rock,	4' 1'' to 190' 4''	2' 7'' to 122' 3''
17.	Gray rock,	7' 8'' to 198' 0''	5' 0'' to 127' 3''
18.	Fine conglomerate, .	11' 5'' to 209' 5''	7' 4'' to 134' 7''
19.	Coal,	1' 2'' to 210' 7''	9'' to 135' 4''
20.	Conglomerate, . .	4' 6'' to 215' 1''	2' 10'' to 138' 2''
21.	Coal and slate, . .	6' 0'' to 221' 1''	3' 11'' to 142' 1''
22.	Conglomerate, . .	6' 0'' to 227' 1''	3' 11'' to 146' 0''
23.	Blue rock,	2' 0'' to 229' 1''	1' 3'' to 147' 3''
24.	Conglomerate, . .	1' 6'' to 230' 7''	1' 0'' to 148' 3''
25.	Blue rock,	2' 6'' to 233' 1''	1' 7'' to 149' 10''
26.	Conglomerate, . .	4' 10'' to 237' 11''	3' 1'' to 152' 11''
27.	Slate,	8'' to 238' 7''	5'' to 153' 4''
28.	Conglomerate, . .	16' 6'' to 255' 1''	10' 7'' to 163' 11''
29.	Dark sandstone, . .	12' 0'' to 267' 1''	7' 9'' to 171' 8''
30.	Black rock,	6' 0'' to 273' 1''	3' 10'' to 175' 6''
31.	Hard conglomerate, .	3' 7'' to 276' 8''	2' 4'' to 177' 10''
32.	Blue rock,	4' 10'' to 281' 6''	3' 1'' to 180' 11''
33.	Fine conglomerate, .	8' 1'' to 289' 7''	5' 2'' to 186' 1''
34.	Slate,	4' 0'' to 293' 7''	2' 7'' to 188' 8''
35.	Sandstone,	3' 11'' to 297' 6''	2' 6'' to 191' 2''
36.	Coal,	2'' to 297' 8''	2'' to 191' 4''
37.	Sandstone,	1' 2'' to 298' 10''	9'' to 192' 1''
38.	Fine conglomerate, .	4' 3'' to 303' 1''	2' 9'' to 194' 10''
39.	Hard conglomerate, .	8' 11'' to 312' 0''	5' 9'' to 200' 7''

See Columnar Section Sheet No. II. and Mine Sheet No. II.

Section of the Mammoth coal bed at Ebervale colliery.

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
1.	Coal refuse.	
2.	Slate,	8' 6" to 3' 6"
3.	COAL,	7' 0" to 10' 8"
4.	Slate,	7" to 11' 1"
5.	COAL,	2' 7" to 13' 8"
6.	Slate,	4" to 14' 0"
7.	COAL and slate,	2' 1" to 16' 1"
8.	COAL,	7' 0" to 23' 1"
9.	Slate,	4" to 23' 5"
10.	COAL,	2' 0" to 25' 5"
11.	Slate,	2" to 25' 7"
12.	COAL,	6' 2" to 31' 9"
13.	Slate.	
Total coal,		26' 10'
Total thickness,		31' 9"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

General section of the Mammoth coal bed at Jeddo colliery.

Little Black Creek basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
1.	COAL, six-foot bench,	6' 0" to 6' 0"
2.	COAL, four-foot bench (top),	4' 0" to 10' 0"
3.	COAL, poor man's bench,	2' 0" to 12' 0"
4.	COAL, poor man's bench,	2' 0" to 14' 0"
5.	COAL, seven-foot bench,	7' 0" to 21' 0"
6.	COAL, two-foot bench,	2' 0" to 23' 0"
7.	COAL, four-foot bench (bottom),	4' 0" to 27' 0"
Total thickness,		27' 0"

See Columnar Section Sheet No. II and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 4, at Ebervale colliery, 1600' west of slope No. 3.

Big Black Creek basin.

<i>No. of strata.</i>	<i>Description. (Dip 43° N.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	43' 0" to 43' 0"	31' 5" to 31' 5"
2.	Slate wash,	3' 0" to 46' 0"	2' 3" to 33' 8"
3.	MAMMOTH BED,	40' 0" to 86' 0"	29' 3" to 62' 11"
4.	Black slate,	1' 6" to 87' 6"	1' 1" to 64' 0"
5.	COAL and bone,	3' 8" to 91' 2"	2' 8" to 66' 8"
6.	Black slate,	12' 10" to 104' 0"	9' 5" to 76' 1"
7.	WHARTON BED,	7' 0" to 111' 0"	5' 1" to 81' 2"
8.	Black slate,	4' 2" to 115' 2"	3' 1" to 84' 3"
9.	Fine and dark sand rock,	10' 1" to 125' 3"	7' 4" to 91' 7"
		Total coal,	37' 0"
		Total thickness,	91' 7"

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole No. 1, near mouth of
Gravel run, Pennsylvania Railroad Company's tract.*

Big Black Creek basin.

No. of strata.	Drillers' Record.	Description.	Spec. No.
1.	Surface wash, 27' 10"		
2.	Dark slate, 1' 4"	No core but small quantity of black carbonaceous powder, 1' 4"	1
3.	COAL (with slate), 4' 0"	Black carbonaceous slate and coal, 4' 0"	*2
4.	Soft light gray sandy shale, 1' 0"	Dark gray sandy slate with specks of mica, 4' 8"	3
5.	Sand and pulverized rock, 2' 8"		
6.	Iron gray shale with graphite scales, 1' 6"	Powdered slate and coal dirt, 2' 0"	4
7.	Dark pulverized rock with particles of COAL, 2' 0"	Light argillaceous slate reduced to powder, 2' 8"	5
8.	Brown sandy clay and rock (pulverized), 2' 0"		
9.	Light red and buff shales, 3' 7"		
10.	Light gray SS. (fine), 1' 0"	Soft reddish yellow argillaceous sandstone, 3' 2"	6
		No core, 6"	
		Above sandstone, 11"	
11.	Silicious dark iron gray sandstone, 17' 6"	Fine-grained silicious sandstone with specks of mica, 17' 6"	7
12.	Coarse iron gray sandstone with pebbles, 20' 6"	Dark gray silicious sandstone (3' 5" in box 1), 6' 10"	8.
		No core, 6"	
		SS. as above, 1' 8"	
		No core, 3"	
		Sandstone as above, 10"	
		No core, 1' 0"	
		Sandstone as above, 9' 4½"	
13.	Iron gray homogeneous sandstone, 15' 8"	Fine dark silicious sandstone with specks of mica, 15' 8"	9.
14.	Coarse iron gray sandstone with fine pebbles, 2' 2"	Mustard seed conglomerate with black silicious matrix, 2' 2"	10
15.	Iron gray sandstone and COAL slate, 2' 11"	Black carbonaceous slate with streaks of coal, 6"	11
		No core, 4"	
		Light gray sandstone with specks of mica, 1½"	12

*Two pieces of sample.

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>sec. No.</i>
		Black carbonaceous slate with streaks of coal, . . .	7'' 13
		No core,	1' 1''
		No core,	5''
16.	Iron gray sandstone (coarse), 8' 0''	Fine-grained dark sili- cious sandstone, . . .	3' 8'' 14
17.	Iron gray sandstone pass- ing to slate, 10' 2½''	No core,	2' 0''
		Above sandstone, . .	12' 1½''
18.	Dark slate, 4 9	Very fine sandy slate, .	4' 5'' 15
		No core,	4''
19.	Iron gray sandstone coarse at bottom, . . . 5' 9½''	Dark gray silicious sand- stone with knife blades of coal in the last 6'', .	8'' 16
		No core,	4''
		Sandstone as above, . .	4' 9½''
20.	Iron gray sandstone conglomerate at bot- tom, 4' 2''	Mustard seed conglom- erate with occasional streaks of coal,	4' 2'' 17
21.	Fine iron gray sandstone with COAL seams, . . . 6' 8''	Fine-grained dark sili- cious sandstone with specks of mica and streaks of coal in the last 18'',	6' 8'' 18
22.	Coarse iron gray sand- stone with pebbles, . . 22' 4''	Dark gray very silicious sandstone with occa- sional pebbles,	22' 4'' 19
23.	Black slate with streak of COAL and 1'' SS., . . . 1' 8''	Black carbonaceous slate,	1' 8'' 20
24.	Dark slate and fine sand- stone, 9'	Slaty sandstone with streaks of coal and slate,	9'' 21
25.	Fine iron gray sandstone, 3' 8''	Dark silicious SS., . . .	2' 10½'' 22
26.	Fine conglomerate, . . . 1' 9''	Fine conglomerate with dark silicious matrix, .	3' 10'' 23
27.	Fine iron gray sandstone with pebbles, 1' 4'		
28.	Fine sandstone, 2' 0''	Dark gray silicious SS.,	2' 0'' 24
29.	Coarse iron gray sand- stone with pebbles, . . 9' 1½''	Fine conglomerate with very dark gray matrix, .	9' 1½'' 25
30.	Fine iron gray sandstone, 5''	Dark gray fine-grained silicious sandstone, . .	5'' 26
31.	Medium gray conglom- erate, 2' 7''	Pea conglomerate with dark gray silicious matrix,	2' 7'' 27
32.	Fine dark iron gray sand- stone with slate, . . . 8' 6''	Dark gray silicious sand- stone with small seams of slate in the last 2', .	8' 6'' 28
33.	Medium conglomerate, . . 2' 8''	Conglomerate with peb- bles from pea to hick- ory nut with gray sili- cious matrix,	25' 6'' 29
34.	Fine iron gray sandstone with pebbles, 2' 6''		

No. of strata.	Drillers' Record.	Description.	Spec. No.
35.	Medium light gray conglomerate, 2' 0"	No core,	9'
36.	Medium gray sandstone, 1' 8"		
37.	Conglomerate sandstone, 3 0"		
38.	White siliceous conglomerate, 16' 5"		

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 2, about 550' east of Lehigh Valley R. R. and 3200' south of confluence of Big Black and Cranberry creek, Pennsylvania R. R. Co.'s tract.

Stony Run basin.

No. of strata.	Drillers' Record.	Description.	Spec. No.
1.	Surface wash, 15' 7'	No core,	1' 11"
2.	Red sandstone with clay, 5' 7½"	Coarse argillaceous SS.,	1' 0"
		No core,	1' 11"
		SS. as above,	9½"
3.	Gray sandstone, 11' 2"	Dark gray, very siliceous sandstone with occasional large pebbles,	6' 0"
		No core,	10"
		SS. as above,	4' 4"
4.	Graysandrock, 8' 4"	Pea conglomerate with dark gray siliceous matrix,	8' 4"
5.	Sandstone, 4' 2½"	Fine-grained dark gray siliceous sandstone,	4' 2½"
6.	Conglomerate, 7' 8½"	Pea conglomerate with dark gray siliceous matrix, with some larger pebbles,	7' 8½"
7.	Fine conglomerate, 5' 6"	Fine-grained dark gray siliceous sandstone with some pebbles,	5' 6"
8.	Coarse conglomerate, 6' 10½"	Pea conglomerate with some larger pebbles and gray siliceous matrix,	6' 10"
9.	Fine conglomerate, 2' 10'	Fine-grained, dark gray siliceous sandstone,	2' 10'
10.	Coarse conglomerate, 4' 1"	Pea conglomerate with some larger pebbles and dark gray siliceous matrix,	4' 1"

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
11. Fine conglomerate,	2' 11''	Dark fine-grained silicious sandstone,	2' 11'' 10
12. Coarse conglomerate,	6' 8''	Pea conglomerate with some larger pebbles,	6' 8'' 11
13. Dark sandstone,	8''	Dark slaty sandstone with small seams of coal,	8' 12
14. Coarse conglomerate,	12' 9½''	Pea conglomerate with dark gray silicious matrix,	12' 9½'' 13
15. Fine conglomerate,	5' 5½''	Dark gray silicious SS.,	5' 5½'' 14
16. Coarse conglomerate,	6' 4½''	Pea conglomerate with occasional larger pebbles,	6' 4½'' 15
17. Sandstone,	4' 10½''	Very fine-grained dark gray silicious sandstone,	4' 10½'' 16
18. Conglomerate,	22' 10''	Conglomerate with pebbles half way between pea and hickory nut,	22' 4'' 17
		No core,	6''

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 3, about 850' west of Berwick turnpike and 450' north of Big Black creek, Pennsylvania R. R. Co.'s tract.

Big Black Creek basin.

<i>No of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
1. Surface wash,	16' 4''	No core,	1' 8''
		Light gray argillaceous SS.,	3' 3'' 1
2. Light gray sandstone with clay,	23' 10''	No core,	8''
		Fine-grained argillaceous SS. with specks of mica and occasional streaks of black slate,	2' 2' 2
		No core,	1' 11''
		Soft sandy slate with specks of mica,	1' 3'' 3
		No core,	5''
		Yellow ferruginous slate,	4½'' 4
		No core,	11,

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
		Light gray argillaceous sandstone with specks of mica,	5' 5½" 5
		No core,	10½" 6
		SS. as above,	9" 7
		No core,	1' 2½" 8
		SS. as above,	2' 11" 9
3.	Dark sandstone, 1' 9½"	Dark argillaceous SS. with specks of mica,	1' 9½" 6
4.	Reddish sandstone, 5' 2"	Loose argillaceous sand,	3' 5" 7
		Very argillaceous SS. with specks of mica,	1' 9" 8
5.	Gray sandstone, 5' 10½"	Gray micaceous SS.,	5' 10½" 9
6.	COAL, 1' 6"	Coal, (this is represented in the box by powder and a few small pieces of solid coal),	1' 6" 10
7.	Slate, 11"	Fine sandy slate,	11" 11
8.	Gray sandstone, 9' 6"	Very fine dark gray silicious sandstone,	3' 5" 12
		No core,	7" 13
		SS. as above,	5' 6" 14
9.	Rotten slate, 5' 8"	Loose argillaceous sand,	1' 0" 15
		No core,	2' 8" 16
		Dark sandy slate partially ground into powder with a few small pieces,	2' 0" 17
10.	Sandstone, 1' 0"	Fine-grained, dark gray silicious sandstone,	1' 0" 18
11.	Rotten slate, 4' 2½"	No core,	8" 19
		Black shaly slate with occasional streaks of coal. This is in powder mostly and in small pieces in box,	3' 6½" 20
12.	Sandstone, 4' 0½"	Very dark carbonaceous sandstone,	4' 0½" 21
13.	COAL, 7"	Powdered coal and sand,	7" 22
14.	Rotten sandstone, 10' 0"	Black slate,	3" 23
		Dark slaty sandstone (most of this core has been ground into sand except a few pieces representing the harder benches),	9' 9" 24
15.	Sandstone, 25' 9½"	Fine-grained dark gray silicious SS. with occasional streaks of slate,	7' 6½" 25

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
		Dark silicious SS. with a few conglomerate pebbles toward bottom, . . . 18' 3"	22
16. COAL,	1' 0'	Coal,	1' 0" 23
17. Slate,	10"	Dark sandy slate,	10" 24
18. Dark sandstone,	11' 9½"	Black carbonaceous SS. with specks of mica, . . . 11' 9½"	25
19. Sandstone,	4' 0"	Dark sandy slate with specks of mica, 4' 0"	26
20. COAL,	4"	Coal,	4" 27
21. Sand slate,	6' 3½"	Black carbonaceous sandy slate, 6' 3½"	28
22. Sandstone, dark and light,	36' 6½"	Fine-grained very hard silicious sandstone, . . . 5' 4½"	29
		Pea conglomerate with dark silicious matrix and occasional streaks of fine dark sandstone, 19' 2½"	30
		Fine dark grained SS. with specks of mica, . . 11' 11½"	31
23. Slate and bony COAL, . . . 1' 3½"		Carbonaceous slate, . . . 2"	32
		No core, 8"	
		Black carbonaceous slate with streaks of coal, . . . 5½"	
24. Conglomerate,	70' 5½"	Pea conglomerate with dark gray silicious matrix, 13' 6½"	33
		Light gray and very silicious sandstone, . . . 2' 3"	34
		Conglomerate with large and small pebbles and dark gray matrix, . . . 23' 9"	35
		Pea conglomerate with dark gray silicious matrix, 4' 10"	36
		Mustard seed conglomerate with black carbonaceous matrix and streaks of coal, 8"	37
		Pea conglomerate with light gray silicious matrix with pebbles increasing in size to hickory nut near bottom, 25' 1"	38
		No core, 4"	

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill hole No. 4, about 170' west of
Black Creek Hotel, Pennsylvania Railroad Company's
track.*

Big Black Creek basin.

<i>No. of strata. Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
1. Surface, 25' 0"		
2. Conglomerate, 7' 7½"	No core, 1' 3"	
	Pea conglomerate with light gray silicious matrix with gray streaks, 1' 8"	1
	No core, 4"	
	Above conglomerate, . . 2' 8½"	
	No core, 6½"	
	Above conglomerate, . . 1' 1½"	
3. Rotten slate, 1' 7"	Black argillaceous slate, 1' 3" is ground to powder.	2
4. Conglomerate, 18' 4½"	Massive quartz with ar- gillaceous streaks, . . . 7"	3
	No core, 6"	
	Quartz as above, 6"	
	No core, 9"	
	Above quartz, 8½"	
	Conglomerate with large and small pebbles, light gray silicious matrix and argilla- ceous streaks, 14' 3"	4
	No core, 6½"	
	Conglomerate as above, Dark gray silicious sand- stone with occasional large pebbles, 12' 8"	5
5. Gray rock, 13' 11'	No core, 6"	
	SS. as above, 9"	
6. Conglomerate, 12' 1"	Pea conglomerate with dark gray silicious matrix, 12' 1"	6
7. Fine conglomerate, . . . 6' 10"	Dark fine-grained sill- icious sandstone, . . . 6' 10"	7
8. Conglomerate, 24' 1"	Conglomerate with large and small pebbles and light gray silicious matrix, 13' 2"	8
	Conglomerate with large and small pebbles and very dark silicious matrix, 1'	9

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
		Conglomerate with large and small pebbles and dark gray silicious matrix,	9' 11' 10
9. Dark rock,	9''	Dark argillaceous SS., .	9'' 11
10. Conglomerate,	28' 9½''	Pea conglomerate with light gray silicious matrix,	26' 9½'' 12
11. Slate,	1' 2½''	Fine dark gray slate, . .	1' 2½'' 13
12. Conglomerate,	2½''	Conglomerate with gray argillaceous matrix, .	2½'' 14
13. Gray sandstone,	3' 11''	Fine gray micaceous sandstone,	3' 11'' 15
14. Slate,	3' 11''	Very fine slightly sandy slate,	3' 11'' 16
15. Gray sandstone,	11' 5½''	Light gray micaceous sandstone,	11' 5½'' 17
16. Slate,	3' 1½''	Fine gray slate,	3' 1½'' 18
17. Green sandstone,	40' 1½''	Soft, light green, slaty sandstone,	6' 7'' 19
		No core,	6'
		Above SS.,	7' 6''
		No core,	8''
		Above SS.,	1' 4½''
		No core,	2½''
		Above SS.,	10' 4''
		Light green fine-grained argillaceous and mica- ceous SS. with streaks of slate and a few peb- bles in the lower por- tion,	12' 11½'' 20
18. Slate,	9''	Fine light gray sandy slate,	9'' 21
19. Green conglomerate,	34' 10''	Very fine-grained con- glomerate with light greenish gray matrix, .	7' 2'' 22
		Pea conglomerate with dark greenish gray sili- cious matrix,	6''
		No core,	6½''
		Above conglomerate, .	11''
		No core,	1½''
		Above conglomerate, .	1' 7'' 23
		Light greenish gray very silicious sandstone, .	5' 0'' 24
		Very silicious pea con- glomerate with light green matrix,	19' 25

Hill.] SECTIONS, EASTERN MIDDLE FIELD. CHAP. VI. 1153

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
20.	Fine conglomerate, . . . 5' 1"	Very fine-grained silicious, micaceous sandstone, 5' 1"	26
21.	Coarse green conglomerate, 9' 11"	Very silicious pea conglomerate with some larger pebbles and light green matrix, . . . 10' 11"	27
22.	Green sandstone, . . . 4' 0"	Light green very silicious sandstone, . . . 2' 2"	28
23.	Red shale and green sandstone mixed, . . . 9' 5"	Red shale and green sandstone mixed, . . 11' 3"	29
		Bottom of hole.	

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 5, about 400' west of Berwick turnpike and 1200' south of Big Black creek. Pennsylvania Railroad Company's tract.

Big Black Creek basin.

<i>No. of strata.</i>	<i>Driller's record.</i>	<i>Description.</i>	<i>Spec. No.</i>
1.	Surface, 15' 8½"		
2.	Rotten slate and clod, . . 5' 10½"	Rotten slate and clod, . . 5' 10½"	1
3.	Sandstone, 49' 0"	Dark gray very silicious sandstone, 15' 0"	2
		Pea conglomerate with dark gray silicious matrix, 10' 10½"	3
		Dark gray very silicious sandstone, 21' 1½"	4
		Very dark micaceous sandstone with knife blades of COAL, 1' 0"	5
4.	Slate, 2' 2½"	Sand slate, core reduced to powder, 9"	6
		Dark slaty SS. with knife blades of COAL in lower portion, 1' 6"	7
5.	COAL, 1' 4"	COAL with 8" reduced to powder, 1' 4"	8
6.	Slate, 2' 7½"	Fine black sandy carboniferous slate, . . . 2' 7"	9
7.	Sandstone, 11' 4"	Dark gray very silicious sandstone, 11' 4"	10

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
8. Slate,	4'	Dark slaty SS. with knife blades of COAL,	4" 11
9. Sandstone,	10' 7½"	Dark gray very silicious sandstone,	10' 7½" 12
10. Dark sandstone,	5' 6½"	Dark sandy slate,	2' 6" 13
11. Gray sandstone,	2' 0"	Dark fine-grained SS., .	3' 0½" 14
12. Conglomerate,	11' 5"	Dark fine-grained silicious sandstone, . . .	3' 11" 15
		Pea conglomerate with gray silicious matrix, .	9' 0½" 16
		No core,	5½"

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 6, about 200' east of Little Black creek and 2580' north of proposed railroad, Pennsylvania Railroad Company's track.

Big Black Creek basin.

<i>No. of Strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
1. Surface,	10' 3"	No core,	1' 4"
2. Gray sandstone,	8' 8"	Pea conglomerate with quartz pebbles and dark gray matrix, . .	7' 4" 1
3. Reddish sandstone, . .	2' 4"	Very fine, soft, dark SS., reddish and slightly micaceous,	2' 4" 2
4. Gray sandstone,	11' 3"	Fine dark (almost black) sandstone, . .	11' 3" 3
5. Conglomerate,	36' 11"	Very silicious pea conglomerate,	10' 3" 4
		Fine dark sandstone (almost black), . . .	2' 4" 5
		Very silicious pea conglomerate,	5' 7" 6
		Very dark, fine-grained SS. streaked with coal, .	2' 0" 7
		Gray, very silicious, SS.,	7' 7" 8
		Hickory nut conglomerate,	6' 2" 9
		Small pea conglomerate, very dark matrix, . .	3' 0" 10

<i>No. of Strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
6. Slate,	8"	Very fine black carboniferous slate,	8" 11
7. Conglomerate,	5"	Fine conglomerate with very dark matrix and streaks of slate,	5" 12
8. Slate,	1½'	Very fine black slate,	1½" 13
9. Quartz,	1½"	White massive quartz,	1½" 14
10. Slate,	9"	No core,	8" .
11. Sandstone,	1' 6"	Fine black sandy slate,	1' 7" 15
12. Fine conglomerate,	1' 16"	Very dark silicious SS., fine-grained,	1' 10' 16
13. Coarse conglomerate,	40' 10"	Pea conglomerate with very dark-gray matrix,	5' 5" 17
		Very dark (almost black) slaty SS., fine-grained,	10" 18
		Dark-gray, very silicious sandstone,	3' 9" 19
		Pea conglomerate with dark-gray matrix and pebbles, increasing in size towards bottom,	26' 4" 20
		Dark fine-grained SS., slightly micaceous,	10' 5" 21
		Large pea conglomerate with dark silicious matrix,	3' 1" 22

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 7, near wagon road, about 960' northeast of Black Ridge Hotel, Pennsylvania R. R. Co.'s tract.

Big Black Creek basin.

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description</i>	<i>Spec. No.</i>
1. Surface,	23' 7"	Strata not in box.	
2. Sandstone,	9"		
3. Red shale,	3"		
4. Wash,	1' 3"		
5. Sandstone,	4"		
6. Wash,	5' 8½"		
7. Sandstone,	6½"		
8. Wash,	11½"		

<i>No. of strata.</i>	<i>Drillers' Record.</i>	<i>Description.</i>	<i>Spec. No.</i>
9.	Reddish sandstone, . . . 18' 1'	Reddish conglomerate with quartz pebbles with argil. matrix, . . . 2' 8½''	1
		Loose sand, 1' 8''	2
		Same as No. 1, 11' 7½''	
		Core lost, 2' 1''	
10.	Reddish conglomerate, . . 6' 9½''	Argil. congl. with slate and quartz pebbles, . . 6' 9½''	4
11.	Rotten seam, 2''	No core, 2½''	*
12.	Rusty greenish conglomerate, 14' 2½''	Greenish SS. very silicious, massive, . . . 14' 2½''	5
13.	Greenish sandstone, . . . 27' 4½''	Yellowish green argillaceous, micaceous SS., . 5' 8'	6
		Fine-grained, massive greenish conglomerate, 21' 8½''	7

*No sample.

See Columnar Section Sheet No. II and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 1, at Wentz's slope, Lumber Yard.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	41' 0'' to 41' 0'	28' 9'' to 28' 9''
2.	Mica sandrock, . . .	4' 0'' to 45' 0''	2' 9'' to 31' 6''
3.	Iron ore,	2'' to 45' 2''	2'' to 31' 8''
4.	Gray slate,	25' 5'' to 70' 7''	17' 10'' to 49' 6''
5.	COAL with slate, . . .	12' 9¾'' to 83' 4¾''	8' 11'' to 58' 5''
6.	Gray slate,	11' 10'' to 95' 2¾''	8' 4'' to 66' 9''
7.	Dark sandstone, . . .	18' 2½'' to 113' 5¼''	12' 9'' to 79' 6''
8.	Black slate,	6' 3'' to 119' 8¼''	4' 5'' to 83' 11''
9.	COAL, shelly,	9'' to 120' 5¼''	6'' to 84' 5''
10.	Black slate,	12' 1½'' to 132' 6¾''	8' 5'' to 92' 10''
11.	Dark blue rock, . . .	49' 6'' to 182' 0¾''	34' 9'' to 127' 7''
12.	Fine pebble rock, . . .	16' 7'' to 198' 7¾''	11' 7'' to 139' 2''
13.	Black slate,	1' 4'' to 199' 11¾''	1' 0'' to 140' 2''
14.	COAL bed,	9' 10'' to 209' 9¾''	6' 11'' to 147' 1'
15.	Black slate,	9' 11¼'' to 219' 9''	6' 11'' to 154' 0''
16.	COAL,	2' 6'' to 222' 3''	1' 9'' to 155' 9''
17.	Slate with COAL, . . .	11' 1'' to 233' 4''	7' 10'' to 163' 7''
18.	Blue rock,	14' 0'' to 247' 4''	9' 9'' to 173' 4''
19.	Black slate with coal,	10' 7'' to 257' 11''	7' 5'' to 180' 9''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
20.	Fine pebblerock, .	41' 6" to 299' 5"	29' 1" to 209' 10"
21.	CoAL with slate, .	7' 6" to 306' 11"	5' 3" to 215' 1"
22.	Black slate, . . .	5' 8" to 312' 7"	4' 0" to 219' 1"
23.	Fine dark sand-rock,	6' 6½" to 319' 1½"	4' 6" to 223' 7"
24.	CoAL with slate, .	2' 0½" to 321' 2"	1' 6" to 225' 1"
25.	Black slate with CoAL,	15' 3½" to 336' 5½"	10' 9" to 235' 10"
26.	Conglomerate, . .	3' 0" to 339' 5½"	2' 1" to 237' 11"

See Columnar Section Sheet No. III and Mine Sheet No. I, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 21, at Hazleton slope No. 4, third lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
1.	MAMMOTH BED,	25' 0" to 25' 0"
2.	Sandstone,	33' 2" to 58' 2"
3.	Bony CoAL, PARLOR BED,	3" to 58' 5"
4.	Sandstone,	6' 9" to 65' 2"
5.	Slate,	7" to 65' 9"
6.	WHARTON BED,	10' 0" to 75' 9"
7.	Slate,	22' 2" to 97' 11"
8.	Sandstone,	53' 0" to 150' 11"
9.	Slate,	33' 5" to 184' 4"
10.	CoAL,	3' 6" to 187' 10"
11.	Slate,	41' 11" to 229' 9"
12.	BUCK MOUNTAIN BED,	6' 0" to 235' 9"
13.	Slate,	42' 10" to 278' 7"
14.	Coarse sandstone,	32' 4" to 310' 11"
15.	Sandstone,	57' 9" to 368' 8"
16.	Slate,	1' 0" to 369' 8"
17.	Fine sandstone,	1' 8" to 371' 4"
18.	Fine conglomerate,	24' 0" to 395' 4"
19.	ALPHA BED,	1' 2" to 396' 6"
20.	Slate,	2' 10" to 399' 4"
21.	Sandstone,	46' 7" to 445' 11"
22.	Slate,	2' 10" to 448' 9"
23.	Fine sandstone,	9' 0" to 457' 9"
24.	Conglomerate,	38' 8" to 496' 5"
25.	Green sandstone,	4' 9" to 501' 2"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 34, at South Sugar Loaf colliery, about 150' west of slope, driven horizontally southward from 1st lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	Slate, (Dip 52° S.)	2''	to 2''	2''	to 2''
2.	MAMMOTH COAL BED,	6'	9' to 6' 11''	5' 4''	to 5' 6''
3.	Slate,	1'	2'' to 8' 1''	11''	to 6' 5''
4.	Sandstone,	11'	6'' to 19' 7''	9' 1''	to 15' 6''
5.	Fine gray rock,	10'	6'' to 30' 1''	8' 4''	to 23' 10''
6.	Slate,	1'	1'' to 31' 2''	10''	to 24' 8''
7.	COAL,	10''	to 32' 0''	8''	to 25' 4''
8.	Sandy slate,	8'	9'' to 40' 9''	6' 11''	to 32' 3''
9.	Fine gray rock,	7'	6'' to 48' 3''	5' 11''	to 38' 2''
10.	Slate,	7''	to 48' 10''	5''	to 38' 7''
11.	Fine conglomerate,	4'	8'' to 53' 6''	3' 8''	to 42' 3''
12.	WHARTON BED,	10'	6'' to 64' 0''	8' 4''	to 50' 7''
13.	Sandy slate,	10'	0'' to 74' 0''	7' 11''	to 58' 6''
14.	Fine gray rock,	19'	11'' to 93' 11''	15' 9''	to 74' 3''
15.	Sandstone,	26'	11'' to 120' 10''	21' 3''	to 95' 6''
16.	Fine gray rock,	18'	6'' to 139' 4''	14' 9''	to 110' 2''
17.	COAL,	1'	8'' to 141' 0''	1' 4''	to 111' 6''
18.	Slate,	4'	3'' to 145' 3''	3' 4''	to 114' 10''
19.	COAL,	1'	5'' to 146' 8''	1' 2''	to 116' 0''
20.	Slate,	4'	6'' to 151' 2''	3' 7''	to 119' 7''
21.	COAL,	2'	3'' to 153' 5''	1' 9''	to 121' 4''
22.	Sandy slate,	8'	0'' to 161' 5''	6' 4''	to 127' 8''
23.	Sandstone,	37'	11'' to 199' 4''	29' 11''	to 157' 7''
24.	Fine hard conglomerate,	20'	7'' to 219' 11''	16' 3''	to 173' 10''
25.	COAL,	7''	to 220' 6''	5''	to 174' 3''
26.	Sandstone,	2'	2'' to 222' 8''	1' 8''	to 175' 11''
27.	Fine conglomerate,	11'	8'' to 234' 4''	9' 3''	to 185' 2''
28.	COAL,	3'	to 234' 7''	2''	to 185' 4''
29.	Fine gray rock,	4'	8'' to 239' 3''	3' 8''	to 189' 0''
30.	Sandy slate,	14'	2'' to 253' 5''	11' 2''	to 200' 2''
31.	COAL, shelly,	2'	5' to 255' 10''	1' 11''	to 202' 1''
32.	Sandy slate,	5'	0'' to 261' 7''	4' 7''	to 206' 8''
33.	Gray rock,	30'	3'' to 291' 10''	23' 11''	to 230' 7''
34.	COAL,	1''	to 291' 11''	1''	to 230' 8''
35.	Conglomerate,	8'	4'' to 300' 3''	6' 7''	to 237' 3''
36.	Gray mica rock (Dip 72°),	23'	0'' to 323' 3''	18' 2''	to 255' 5''
37.	Hard gray rock,	3'	7'' to 326' 10''	2' 10''	to 258' 3''
38.	COAL,	8''	to 327' 6''	6''	to 258' 9''

Hill.] SECTIONS, EASTERN MIDDLE FIELD. CHAP. VI. 1159

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
39.	Slate.	7' 6" to 335' 0"	5' 11" to 284' 8"
40.	Gray rock,	17' 0" to 352' 0"	13' 5' to 278' 1"
41.	Fine conglomerate,	28' 8" to 380' 8"	22' 8" to 300' 9"
42.	Fine gray rock, . .	10' 0" to 390' 8"	7' 11" to 308' 8"
43.	Fine conglomerate,	6' 10" to 397' 6"	5' 5" to 314' 1"
44.	Sandstone,	7' 9" to 405' 3"	6' 1" to 320' 2"
45.	Fine gray spar rock,	21' 2" to 426' 5"	16' 9" to 336' 11"
46.	Slate,	1' 0" to 427' 5"	9" to 337' 8"
47.	Fine conglomerate,	16' 2" to 443' 7"	12' 9' to 350' 5"
48.	Gray rock,	4' 7" to 448' 2"	3' 7" to 354' 0"
49.	Conglomerate, . . .	14' 7" to 462' 9"	11' 6" to 365' 6"
50.	Gray rock,	2' 0" to 464' 9"	1' 7" to 367' 1"
51.	Slate,	7" to 465' 4"	6" to 367' 7"
52.	Coarse conglomerate,	80' 1" to 545' 5"	63' 3" to 430' 10"
53.	Gray rock,	1' 6" to 546' 11"	1' 2" to 432' 0"
54.	Coarse conglomerate,	15' 6" to 562' 5"	12' 3" to 444' 3"
55.	Fine blue rock, . .	6' 0" to 568' 5"	4' 9" to 449' 0"
56.	Coarse conglomerate,	20' 0" to 588' 5"	15' 10" to 464' 10"
57.	Gray rock,	2' 6" to 590' 11"	2' 0" to 466' 10"
58.	Fine conglomerate,	18' 6" to 609' 5"	14' 7" to 481' 5"
59.	Fine blue rock, . .	2' 0" to 611' 5"	1' 7" to 483' 0"
60.	Coarse gray rock, .	12' 0" to 623' 5"	9' 6" to 492' 6"
61.	Green sandstone, .	1' 0" to 624' 5"	10" to 493' 4"

See Columnar Section Sheet No. III, and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 40, at Hazleton slope No. 3, driven horizontally northward from west gangway A, 6th lift.

Hazleton basin.

No. of strata.	Description. (Dip 50° S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED.	—	—
2.	Sandy slate,	14' 0" to 14' 0"	10' 9" to 10' 9"
3.	Sandstone,	3' 0" to 17' 0"	2' 3" to 13' 0"
4.	Fine conglomerate, .	23' 2" to 40' 2"	17' 10" to 30' 10"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
5.	Fine gray rock, . . .	5' 0" to 45' 2"	3' 11" to 34' 9"
6.	Fine conglomerate, 2'	0' to 47' 2"	1' 6" to 36' 3"
7.	Fine gray rock, . . .	3' 8" to 50' 10"	2' 8" to 38' 11"
8.	WHARTON BED, . . .	10' 6" to 61' 4"	8' 0" to 46' 11"
9.	Sandy slate, . . .	6' 6" to 67' 10"	5' 0" to 51' 11"
10.	Sandstone, . . .	16' 0" to 83' 10"	12' 3" to 64' 2"
11.	Slate with seams of COAL,	2' 7" to 86' 5"	2' 0" to 66' 2"
12.	Sandstone,	8' 0" to 94' 5"	6' 1" to 72' 3"
13.	Fine gray rock, . . .	19' 3" to 113' 8"	14' 9" to 87' 0"
14.	Slate,	3' 2" to 116' 10"	2' 5" to 89' 5"
15.	COAL,	2' 4" to 119' 2"	1' 10" to 91' 3"
16.	Sandy slate,	4' 10" to 124' 0"	3' 8" to 94' 11"
17.	Gray rock,	8' 5" to 132' 5"	6' 6" to 101' 5"
18.	Sandy slate,	23' 0" to 155' 5"	17' 7" to 119' 0"
19.	Gray rock with spar,	10' 7" to 166' 0"	8' 2" to 127' 2"
20.	Sandstone,	2' 0" to 168' 0"	1' 6" to 128' 8"
21.	Fine conglomerate, 30'	4" to 198' 4"	23' 2" to 151' 10"
22.	BUCK MOUNTAIN BED,	9' 6" to 207' 10"	7' 4" to 159' 2"
23.	Slate,	1' 2" to 200' 0"	10" to 160' 0"
24.	Fine gray rock, . . .	17' 8" to 226' 8"	13' 7" to 173' 7"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 3, 575'± east of Hazleton slope No. 3, driven horizontally southward from 2d lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Gray rock,	1' 8" to 1' 8"	1' 5" to 1' 5"
2.	Slate,	10' 5" to 12' 1"	8' 9" to 10' 2"
3.	COAL,	5' 2" to 17' 3"	4' 4" to 14' 6"
4.	Slate,	1' 0" to 18' 3"	10" to 15' 4"
5.	COAL,	1' 3" to 19' 6"	1' 1" to 16' 5"
6.	Slate,	2' 4" to 21' 10"	2' 0" to 18' 5"
7.	Blue rock,	16' 0" to 37' 10"	13' 5" to 31' 10"
8.	Conglomerate, . . .	21' 4" to 59' 2"	17' 11" to 49' 9"
9.	Gray rock,	53' 5" to 112' 7"	44' 10" to 94' 7"
10.	Blue rock,	21' 5" to 134' 0"	18' 0" to 112' 7"
11.	Slate,	2' 11" to 136' 11"	2' 5" to 115' 0"
12.	Blue rock,	10' 0" to 146' 11"	8' 5" to 123' 5"
13.	Slate,	24' 2" to 171' 1"	20' 4" to 143' 9"
14.	MAMMOTH BED.		

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 2, at Hazleton slope No. 3, driven horizontally southward from 2d lift, about 150' east of slope.

Hazleton basin.

No. of strata.	Description. (Dip 33° S.)	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Soft sandrock, . . .	13' 7" to 13' 7"	11' 5" to 11' 5"
2.	Slate,	9' 6" to 23' 1"	8' 0" to 19' 5"
3.	COAL,	1' 6" to 24' 7"	1' 3" to 20' 8"
4.	Slate,	8" to 25' 3"	7" to 21' 3"
5.	COAL,	1' 0" to 26' 3'	10" to 22' 1"
6.	Slate with COAL, . .	2' 6" to 28' 9"	2' 1" to 24' 2"
7.	Slate with bony COAL,	4' 6" to 33' 3"	3' 10" to 28' 0"
8.	COAL,	2' 3" to 35' 6"	1' 11" to 29' 11"
9.	Slate,	5" to 35' 11"	4" to 30' 3"
10.	Blue rock,	3' 6" to 39' 5"	3' 0" to 33' 3"
11.	Gray rock,	55' 0" to 94' 5"	46' 2" to 79' 5"
12.	Conglomerate, . . .	4' 5" to 98' 10"	3' 9" to 83' 2"
13.	COAL,	5' 4" to 104' 2"	4' 9" to 87' 11"
14.	Slate,	3' 4" to 107' 6"	2' 10" to 90' 9"
15.	Blue rock,	5' 0" to 112' 6"	4' 2" to 94' 11"
16.	Conglomerate, . . .	19' 6" to 132' 0"	16' 5" to 111' 4"
17.	Gray rock,	11' 0" to 143' 0"	9' 3" to 123' 7"
18.	Slate,	1' 3" to 144' 3"	1' 1" to 121' 8"
19.	COAL,	5" to 144' 8"	4" to 122' 0"
20.	Slate,	4" to 145' 0"	3" to 122' 3"
21.	COAL,	1' 0" to 146' 0"	10" to 123' 1"
22.	Slate,	3" to 146' 3"	3" to 123' 4"
23.	Gray rock,	36' 11" to 183' 2"	31' 0" to 154' 4"
24.	Conglomerate, . . .	5' 4" to 188' 6"	4' 6" to 158' 10"
25.	Gray rock,	10' 6" to 199' 0"	8' 10" to 167' 8"
26.	Conglomerate, . . .	5" to 199' 5"	4" to 168' 0"
27.	Gray rock,	20' 6" to 219' 11"	17' 3" to 185' 3"
28.	COAL,	5' 0" to 224' 11"	4' 2" to 189' 5"
29.	Slate,	6" to 225' 5"	5" to 189' 10"
30.	COAL,	3' 10" to 229' 3"	3' 3" to 193' 1"
31.	Slate,	14' 8½" to 243' 11½"	12' 5" to 205' 6"
32.	Conglomerate, . . .	24' 5½" to 268' 5"	20' 6" to 226' 0"
33.	Gray rock,	56' 0" to 324' 5"	47' 0" to 273' 0"
34.	Blue rock,	6' 7" to 331' 0"	5' 7" to 273' 7"
35.	Gray rock,	3' 0" to 334' 0"	2' 6" to 281' 1"
36.	Blue rock,	2' 1" to 336' 1"	1' 9" to 282' 10"
37.	Gray rock,	7' 3" to 343' 4"	6' 1" to 288' 11"
38.	Blue rock,	9' 10" to 353' 2"	8' 3" to 297' 2"
39.	Slate,	15' 0" to 368' 2"	12' 7" to 309' 9"
40.	COAL,	4" to 368' 6"	3" to 310' 0"

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
41.	Slate,	3' 8" to 372' 2"	3' 1" to 312' 1"
42.	COAL,	5" to 372' 7"	4" to 313' 5"
43.	Slate,	30' 11" to 403' 6"	26' 0" to 339' 5"
44.	MAMMOTH BED.	— — — — —	— — — — —

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 4, at Hazleton slope No. 3, driven horizontally southward from 2d lift 475' west of slope.

Hazleton basin.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Gray rock,	6' 0" to 8' 0"	5" to 5"
2.	COAL, good,	4' 2" to 10' 2"	3' 6" to 3' 11"
3.	Bone and slate,	6" to 10' 8"	5" to 4' 4"
4.	COAL, shelly,	2' 8" to 13' 4"	2' 3" to 6' 7"
5.	Slate,	1' 0" to 14' 4"	10" to 7' 5"
6.	Blue rock,	13' 5" to 27' 9"	11' 3" to 18' 8"
7.	Gray rock,	9' 3" to 37' 0"	7' 9" to 26' 5"
8.	Conglomerate,	12' 5" to 49' 5"	10' 5" to 36' 10"
9.	Blue rock,	3' 9" to 53' 2"	3' 2" to 40' 0"
10.	Gray rock,	24' 1" to 77' 3"	20' 3" to 60' 3"
11.	Blue rock,	40' 3" to 117' 6"	33' 10" to 94' 1"
12.	Gray rock,	4' 6" to 122' 0"	3' 9" to 97' 10"
13.	Blue rock,	6' 6" to 128' 6"	5' 6" to 103' 4"
14.	Gray rock,	17' 5" to 145' 11"	14' 8" to 118' 0"
15.	Blue rock, hard,	20' 0" to 165' 11"	16' 11" to 134' 11"
16.	Gray rock,	42' 5" to 208' 4"	35' 8" to 170' 7"
17.	Clod, shelly,	3' 0" to 211' 4"	2' 6" to 173' 1"
18.	MAMMOTH BED.	— — — — —	— — — — —

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole, Hazleton slope No. 1, at boilers 1600'± south-west of L. V. R. R. station.

Hazleton basin.

No. of strata.	Description. (Dip about 35° S.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Conductor,	29' 0" to 29' 0"	29' 0" to 29' 0"
2.	Soft sandstone,	62' 0" to 91' 0"	51' 0" to 80' 0"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
3.	Slate with streaks of COAL,	3' 0'' to 94' 0''	2' 6'' to 82' 6''
4.	Sandstone,	16' 0'' to 110' 0''	13' 2'' to 95' 8''
5.	Slate,	4' 0'' to 114' 0''	3' 3'' to 98' 11''
6.	Slate with a little COAL,	2' 6'' to 116' 6''	2' 0'' to 100' 11''
7.	Dark sandstone and COAL,	23' 6'' to 140' 0''	19' 3'' to 120' 2''
8.	Slate,	1' 6'' to 141' 6''	1' 3'' to 121' 5''
9.	COAL,	1' 0'' to 142' 6''	10' to 122' 3''
10.	Hard sandstone,	5' 0'' to 147' 6''	4' 1'' to 126' 4''
11.	Soft sandstone,	38' 6'' to 188' 0''	31' 7'' to 157' 11''
12.	Soft sandstone,	13' 6'' to 199' 6''	11' 1'' to 169' 0''
13.	Slate,	13' 0'' to 212' 6''	10' 8'' to 179' 8''
14.	Slate,	11' 0'' to 223' 6''	9' 0'' to 188' 8''
15.	COAL, rough,	5' 0'' to 228' 6''	4' 1'' to 192' 9''
16.	Slate,	18' 0'' to 246' 6''	14' 9'' to 207' 6''
17.	Sandstone,	7' 6'' to 254' 0''	6' 2'' to 213' 8''
18.	Sandstone,	52' 0'' to 306' 0''	42' 9'' to 256' 5''
19.	Sandstone,	18' 0'' to 324' 0''	14' 9'' to 271' 2''
20.	Sandstone, hard,	139' 0'' to 463' 0''	114' 2'' to 385' 4''
21.	MAMMOTH BED.		

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 31, at Crystal Ridge colliery.

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip 9° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	13' 0'' to 13' 0''	12' 10'' to 12' 10''
2.	Sandstone,	41' 8'' to 54' 8''	41' 2'' to 54' 0''
3.	COAL BED,	3' 10'' to 58' 6''	3' 9'' to 57' 9''
4.	Slate,	5' 8'' to 64' 2''	5' 7'' to 63' 4''
5.	COAL,	1' 3'' to 65' 5''	1' 2'' to 64' 6''
6.	Slate,	3' 1'' to 68' 6''	3' 1'' to 67' 7''
7.	Conglomerate,	17' 7'' to 86' 1''	17' 5'' to 85' 0''
8.	Slate,	2' 2'' to 88' 3''	2' 2'' to 87' 2''
9.	Sandstone,	12' 10'' to 101' 1''	12' 8'' to 99' 10''
10.	Slate,	1' 2'' to 102' 3''	1' 2'' to 101' 0''
11.	MAMMOTH BED,	31' 2'' to 133' 5''	30' 9'' to 131' 9''
12.	Sandstone,	4' 11'' to 138' 4''	4' 10'' to 136' 7''

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole No. 33, at Crystal Ridge colliery.**Hazleton basin.*

<i>No. of strata.</i>	<i>Description. (Dip 9° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	17' 9' to 17' 9'	17' 6'' to 17' 8''
2.	Shelly COAL and slate,	1' 10'' to 19' 7''	1' 10'' to 19' 4''
3.	Sandstone,	12' 4'' to 31' 11''	12' 2'' to 31' 6''
4.	Shelly COAL and slate,	3' 1'' to 35' 0''	3' 0'' to 34' 6''
5.	Slate,	2' 11'' to 37' 11''	2' 11'' to 37' 5''
6.	Conglomerate,	14' 10'' to 52' 9''	14' 8'' to 52' 1''
7.	Sandstone,	12' 4'' to 65' 1''	12' 2'' to 64' 3''
8.	Slate,	1' 0'' to 66' 1''	1' 0'' to 65' 3''
9.	COAL,	13' 8'' to 79' 9''	13' 6'' to 78' 9''
10.	Slate, } MAMMOTH	11'' to 80' 8''	11'' to 79' 8''
11.	COAL, } BED (Dip	8' 3'' to 88' 11''	8' 2'' to 87' 10''
12.	Slate, } 40° N).	11'' to 89' 10''	10'' to 88' 8''
13.	COAL,	6' 6'' to 96' 4''	6' 5'' to 95' 1''
14.	Sandstone,	1' 0'' to 97' 4''	1' 0'' to 96' 1''

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole put down at head of reservoir on Hazle Creek, south of Hazleton shops.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
1.	Surface,	10' 6'' to 10' 6''
2.	Conglomerate,	137' 6'' to 148' 0''
3.	Dark sandstone,	1' 0'' to 149' 0''
4.	Green sandstone,	25' 0'' to 174' 0''
5.	Conglomerate,	28' 6'' to 202' 6''
6.	Sandstone,	3' 0'' to 205' 6''
7.	Green shale,	21' 6'' to 227' 0''
8.	Conglomerate,	33' 0'' to 260' 0''
9.	Sandstone,	5' 6'' to 265' 6''
10.	Conglomerate,	17' 0'' to 282' 6''
11.	Sandstone,	35' 6'' to 318' 0''
12.	Red shale,	20' 0'' to 338' 0''
13.	Sandstone,	17' 0'' to 355' 0''
14.	Conglomerate,	34' 0'' to 389' 0''
15.	Sandstone,	8' 0'' to 397' 0''
16.	Red shale,	1' 0'' to 398' 0''
17.	Sandstone,	18' 0'' to 416' 0''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
18.	Conglomerate,	15' 0" to 431' 0"
19.	Sandstone,	8' 0" to 439' 0"
20.	Red shale,	11' 0" to 450' 0"
21.	Conglomerate,	59' 0" to 509' 0"
22.	Sandstone,	3' 0" to 512' 0"
23.	Red shale,	29' 0" to 541' 0"
24.	Sandstone,	14' 0" to 555' 0"
25.	Quartz,	10' 0" to 565' 0"

See Columnar Section Sheet No. III, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 38, at Hazleton slope No. 3, driven horizontally southward from west gangway B, 6th lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>
1.	Sand slate,	16' 0" to 16' 0"
2.	Sandstone,	15' 0" to 31' 0"
3.	Sand slate,	4' 0" to 35' 0"
4.	Sandstone,	23' 0" to 58' 0"
5.	Slate,	4' 0" to 62' 0"
6.	Slate and bone,	7" to 62' 7"
7.	Slate,	6' 1" to 68' 8"
8.	COAL dirt,	4' 6" to 73' 2"
9.	Slate,	8" to 73' 10"
10.	Fine conglomerate,	33' 4" to 107' 2"
11.	Fine blue rock with spar,	6' 8" to 113' 10"
12.	COAL, soft and shelly,	5' 5" to 119' 3"
13.	Coarse conglomerate,	17' 0" to 136' 3"
14.	Gray rock,	2' 0" to 138' 3"
15.	Fine conglomerate,	3' 6" to 141' 9"
16.	Dark sand rock,	11' 4" to 153' 1"
17.	Fine conglomerate,	1' 8" to 154' 9"
18.	Dark sand rock,	4' 0" to 158' 9"
19.	Fine blue rock,	15' 1" to 173' 10"
20.	MAMMOTH BED,	49' 4" to 223' 2"
21.	Coarse conglomerate,	11' 9" to 234' 11"
22.	Fine conglomerate,	20' 7" to 255' 6"
23.	Coarse conglomerate,	2' 1" to 257' 7"
24.	Fine blue rock,	1' 0" to 258' 7"
25.	Fine conglomerate,	9' 0" to 267' 7"
26.	Fine gray rock,	8' 0" to 275' 7"
27.	Fine conglomerate,	28' 4" to 303' 11"
28.	Gray rock,	5' 2" to 309' 1"
29.	Sand slate,	16' 8" to 325' 9"

<i>No. of strata,</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>
30.	COAL,	3' 2" to 328' 11"
31.	Bony slate,	1' 3" to 330' 2"
32.	Slate,	21' 8" to 351' 10"
33.	COAL BED,	6' 5" to 358' 3"
34.	Slate,	7' 0" to 365' 3"
35.	Slate with COAL seams,	3' 0" to 368' 3"
36.	Slate,	4' 0" to 372' 3"
37.	Sand slate,	23' 8" to 395' 11"
38.	Fine gray rock,	22' 0" to 417' 11"
39.	Sandstone,	3' 0" to 420' 11"
40.	COAL, bony,	10" to 421' 9"
41.	Slate,	21' 3" to 443' 0"
42.	COAL BED,	74' 11" to 517' 11"
43.	Slate,	2' 0" to 519' 11"
44.	Light gray rock,	54' 6" to 574' 5"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 39, at Hazleton slope No. 3, driven horizontally southward from below 5th lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>
1.	Sand slate,	59' 10" to 59' 10"
2.	Fine gray rock,	30' 3" to 90' 1'
3.	Sandstone,	36' 10" to 128' 11"
4.	Fine gray rock,	2' 0" to 128' 11"
5.	Fine blue rock,	13' 6" to 142' 5"
6.	Sand slate,	76' 7" to 219' 0"
7.	Slate,	1' 0" to 220' 0"
8.	COAL,	5' 10" to 225' 10"
9.	Slate with seams of bony COAL,	15' 0" to 240' 10"
10.	Black slate,	6' 0" to 246' 10"
11.	Slate with seams of bony COAL,	10' 0" to 256' 10"
12.	Slate,	23' 2" to 280' 0"
13.	Sand slate,	113' 0" to 393' 0"
14.	Slate,	10' 3" to 403' 3"
15.	COAL, bony,	1' 9" to 405' 0"
16.	Slate,	6' 6" to 411' 6"
17.	COAL BED,	27' 8" to 439' 2"
18.	Gray rock,	3' 0" to 442' 2"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 19, at Hazleton slope, No. 6 colliery, 670'± east of slope.

Hazleton basin.

No. of strata.	Description. (Dip 28° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	16' 0'' to 16' 0''	14' 2'' to 14' 2''
2.	Light gray sandstone,	7' 9'' to 23' 9''	6' 9'' to 20' 11''
3.	Slate,	2' 6'' to 26' 3''	2' 3'' to 23' 2''
4.	Light gray sandstone,	45' 1'' to 71' 4''	39' 10'' to 63' 0''
5.	Clod and slate,	3' 6'' to 74' 10''	3' 1'' to 66' 1''
6.	MAMMOTH BED,	34' 8'' to 109' 6''	30' 7'' to 96' 8''
7.	Light gray sandstone,	58' 11'' to 168' 5''	51' 11'' to 148' 7''
8.	COAL PARLOR BED,	5'' to 168' 10''	5'' to 149' 0''
9.	Slate,	3' 2'' to 172' 0''	2' 10'' to 151' 10''
10.	Fine sandstone,	35' 11'' to 207' 11''	31' 8'' to 183' 6''
11.	Slate,	2' 6'' to 210' 5''	2' 3'' to 185' 9''
12.	COAL,	6'' to 210' 11''	5'' to 186' 2''
13.	Slate,	4' 0'' to 214' 11''	3' 6'' to 189' 8''
14.	COAL,	5' 5'' to 220' 4''	4' 10'' to 194' 6''
15.	Slate,	19' 7'' to 239' 11''	17' 4'' to 211' 10''
16.	Sandstone,	8' 8'' to 248' 7''	7' 8'' to 219' 6''
17.	Slate,	2' 1'' to 250' 8''	1' 10'' to 221' 4''
18.	COAL,	6'' to 251' 2''	5'' to 221' 9''
19.	Slate,	1' 3'' to 252' 5''	1' 1'' to 222' 10''
20.	COAL,	3' 2'' to 255' 7''	2' 10'' to 225' 8''
21.	Slate,	6' 0'' to 261' 7''	5' 3' to 230' 11''
22.	Sandstone,	1' 6'' to 263' 1''	1' 5'' to 232' 4''
23.	Slate,	5' 9'' to 268' 10''	5' 0'' to 237' 4''
24.	COAL,	1' 6'' to 270' 4''	1' 5'' to 238' 9''
25.	Slate,	12' 2'' to 282' 6''	10' 8'' to 249' 5''
26.	Fine sandstone,	17' 2'' to 299' 8''	15' 2'' to 264' 7''
27.	Coarse sandstone,	7' 7'' to 307' 3''	6' 8'' to 271' 3''
28.	Fine sandstone,	3' 1'' to 310' 4''	2' 9'' to 274' 0''
29.	Coarse sandstone,	25' 4'' to 335' 8''	22' 4'' to 296' 4''
30.	Slate,	10'' to 336' 6''	9'' to 297' 1''
31.	BUCK MOUNTAIN BED,	8' 10'' to 345' 4''	7' 10'' to 304' 11''
32.	Slate,	5' 1'' to 350' 5''	4' 5'' to 309' 4''
33.	Fine sandstone,	20' 0'' to 370' 5''	17' 8'' to 327' 0''
34.	Coarse sandstone,	10' 0'' to 380' 5''	8' 10'' to 335' 10''
35.	Fine sandstone,	2' 4'' to 382' 9''	2' 1'' to 337' 11''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
36.	Coarse sandstone,	10' 7" to 393' 4"	9' 4" to 347' 3"
37.	Sandstone and slate,	4' 9" to 398' 1"	4' 2" to 351' 5"
38.	Sandstone,	58' 2" to 456' 3"	51' 5" to 402' 10"
39.	Slate,	2' 2" to 458' 5"	1' 11" to 404' 9"
40.	Coarse sandstone,	2' 0" to 460' 5"	1' 9" to 406' 6"
41.	Fine sandstone, .	2' 2" to 462' 7"	1' 11" to 408' 5"
42.	Conglomerate, .	1' 6" to 464' 1"	1' 4" to 409' 9"
43.	Slate,	2' 6" to 466' 7"	2' 2" to 311' 11"
44.	Sandstone,	9' 4" to 475' 11"	8' 3" to 420' 2"
45.	Coarse sandstone,	14' 0" to 489' 11"	12' 5" to 432' 7"
46.	Slate,	3' 0" to 492' 11"	2' 7" to 435' 2"
47.	Conglomerate, .	84' 4" to 577' 3"	74' 6" to 509' 8"
48.	Sandstone,	27' 11" to 605' 2"	24' 8" to 534' 4"
49.	Slate,	6' 0" to 611' 2"	5' 3" to 539' 7"
50.	White conglomerate,	28' 0" to 639' 2"	24' 9" to 564' 4"
51.	Green sandstone,	2' 11" to 642' 1"	2' 6" to 566' 10"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 14, at slope No. 6 colliery, 312' east of slope.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>
1.	Surface,	10' 0" to 10' 0"
2.	Light gray sandstone,	53' 0" to 63' 0"
3.	COAL,	10" to 63' 10"
4.	Slate,	8' 10" to 72' 8"
5.	COAL, bony,	1' 0" to 73' 8"
6.	Slate,	2' 0" to 75' 8"
7.	Dark fine sandstone,	5' 4" to 81' 0"
8.	Coarse sandstone,	2' 0" to 83' 0"
9.	Very coarse sandstone,	9' 0" to 92' 0"
10.	Slate,	3' 6" to 95' 6"
11.	Fine sandstone,	12' 6" to 108' 0"
12.	Slate,	2' 8" to 110' 8"
13.	MAMMOTH BED,	32' 5" to 143' 1"
14.	Slate and bone,	5' 8" to 148' 9"
15.	Fine sandstone,	16' 10" to 165' 7"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of South Rock tunnel at Cranberry colliery.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1. MAMMOTH BED,		31' 8" to 31' 8"
2. Sandstone,		78' 4" to 110' 0"
3. Slate,		2' 6" to 112' 6"
4. Sandstone,		47' 4" to 159' 10"
5. Conglomerate,		2' 0" to 161' 10"
6. Sandstone,		56' 9" to 218' 7"
7. PARLOR BED,		3' 9" to 222' 4"
8. Sandstone,		8' 4" to 230' 8"
9. WHARTON BED,		5' 5" to 236' 1"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of North Rock tunnel at Cranberry colliery.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1. MAMMOTH BED,		31' 8" to 31' 8"
2. Sandstone,		80' 7" to 112' 3"
3. Slate,		2' 6" to 114' 9"
4. Sandstone,		42' 10" to 157' 7"
5. Conglomerate,		2' 0" to 159' 7"
6. Sandstone,		47' 3" to 206' 10"
7. PARLOR BED,		3' 10" to 210' 8"
8. Sandstone,		29' 0" to 239' 8"
9. WHARTON BED,		7' 0" to 246' 8"

See Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 1. at Humboldt colliery, 1110' northeast of slope No. 3.

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip 50° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1. Surface,	5' 0" to 5' 0"	3' 2" to 3' 2"	
2. Sandstone,	33' 7" to 38' 7"	21' 8" to 24' 10"	
3. Sandrock,	14' 11" to 53' 6"	9' 7" to 34' 5"	
4. Slate and COAL,	1' 3" to 54' 9"	8" to 35' 1"	
5. Sandstone,	3' 7" to 58' 4"	2' 5" to 37' 6"	
6. Slate,	1' 7" to 59' 11"	1' 0" to 38' 6"	

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
7.	Slate and coal, . . .	7' 9" to 67' 8"	5' 0" to 43' 6"
8.	Slate,	2' 0" to 69' 8"	1' 3" to 44' 9"
9.	Fine conglomerate, . . .	2' 4" to 72' 0"	1' 6" to 46' 3"
10.	Sandstone,	5' 0" to 77' 0"	3' 3" to 49' 6"
11.	Blue rock,	25' 6" to 102' 6"	18' 4" to 65' 10"
12.	Sandstone,	7' 3" to 109' 9"	4' 8" to 70' 6"
13.	Blue rock,	4' 6" to 114' 3"	2' 9" to 73' 3"
14.	Fine conglomerate, . . .	100' 7" to 214' 10"	64' 10" to 138' 1"
15.	Slate,	4' 8" to 219' 6"	3' 0" to 141' 1"
16.	PARLOR BED,	12' 6" to 232' 0"	8' 0" to 149' 1"
17.	Slate,	39' 6" to 271' 6"	25' 0" to 174' 1"
18.	WHARTON BED,	13' 5" to 284' 11"	9' 1" to 183' 2"
19.	Slate,	6' 0" to 290' 11"	3' 10" to 187' 0"
20.	Conglomerate,	39' 6" to 330' 5"	25' 4" to 212' 4"
21.	Slate,	6" to 330' 11"	4" to 212' 8"
22.	GAMMA BED,	5' 8" to 336' 7"	3' 8" to 216' 4"
23.	Slate,	3' 11" to 340' 6"	2' 6" to 218' 10"
24.	Fine blue conglomerate,	28' 4" to 368' 10"	18' 3" to 237' 1"
25.	Sandstone,	2' 10" to 371' 8"	1' 10" to 238' 11"
26.	Sandstone,	4' 8" to 376' 4"	3' 0" to 241' 11"
27.	COAL and bone,	3' 2" to 379' 6"	2' 0" to 243' 11"
28.	Slate,	5' 6" to 385' 0"	3' 7" to 247' 6"
29.	COAL,	10" to 385' 10"	6" to 248' 0"
30.	Sandstone,	12' 1" to 397' 11"	7' 9" to 255' 9"
31.	Fine conglomerate, . . .	12' 0" to 409' 11"	7' 9" to 263' 6"
32.	COAL, bony,	4" to 410' 3"	2" to 263' 8"
33.	Fine conglomerate, . . .	3' 10" to 414' 1"	2' 6" to 266' 2"
34.	Sandstone,	3' 0" to 417' 1"	1' 11" to 268' 1"
35.	Fine conglomerate, . . .	2' 1" to 419' 2"	1' 4" to 269' 5"
36.	Fine and coarse conglomerate,	11' 1" to 430' 3"	7' 2" to 276' 7"
37.	Coarse pebbled conglomerate,	32' 2" to 462' 5"	20' 7" to 297' 2"
38.	Blue conglomerate, . . .	12' 1" to 474' 6"	7' 10" to 305' 0"
39.	Coarse blue conglomerate,	5' 2" to 479' 8"	3' 4" to 308' 4"
40.	Slate,	4' 5" to 484' 1"	2' 10" to 311' 2"
41.	Blue conglomerate, . . .	2' 7" to 486' 8"	1' 8" to 312' 10"
42.	Fine blue conglomerate with spar, . . .	19' 4" to 506' 0"	12' 4" to 325' 2"
43.	Fine blue conglomerate,	22' 3" to 528' 3"	14' 4" to 339' 6"
44.	Fine blue conglomerate with spar, . . .	11' 11" to 540' 2"	7' 8" to 347' 2"
45.	Coarse pebbled black rock,	22' 7" to 562' 0"	14' 6" to 361' 8"
46.	Fine blue rock,	2' 6" to 565' 3"	1' 8" to 363' 4"
47.	Coarse pebbled and fine conglomerate, . . .	22' 0" to 587' 3"	14' 1" to 377' 5"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
48.	Fine blue rock, . .	3' 0'' to 590' 3''	2' 0'' to 379' 5''
49.	Coarse pebbled rock, 12'	0'' to 602' 3''	7' 8'' to 387' 1''
50.	Blue rock,	8'' to 602' 11''	6'' to 387' 7''
51.	Coarse pebbled conglomerate,	25' 7'' to 628' 6''	16' 5'' to 404' 0''
52.	Hard slate,	2'' to 628' 8''	1'' to 404' 1'
53.	Coarse conglomerate,	39' 0'' to 667' 8''	25' 4'' to 429' 5''
54.	Blue rock,	1' 2'' to 668' 10''	9'' to 430' 2''
55.	Coarse pebbled conglomerate,	10' 0'' to 678' 10''	6' 5'' to 436' 7''
56.	Green sandstone, . .	9' 6'' to 688' 4''	6' 1'' to 442' 8''

See Columnar Section Sheet No. III, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore hole No. 1, at mouth of Diamond slope No. 1, Sugar Loaf colliery.

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip 29° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	28' 0'' to 28' 0''	24' 6'' to 24' 6''
2.	Slate and sandy slate,	15' 0'' to 43' 0''	13' 1'' to 37' 7''
3.	COAL,	1' 0'' to 44' 0''	11'' to 38' 6''
4.	Slate,	5' 0'' to 49' 0''	4' 4'' to 42' 10''
5.	COAL, slate and dirt, . .	1' 0'' to 50' 0''	11'' to 43' 9''
6.	COAL with slate, . .	5' 0'' to 55' 0''	4' 4'' to 48' 1''
7.	Light slate,	11' 0'' to 66' 0''	9' 8'' to 57' 9''
8.	Hard sandstone, . .	18' 0'' to 84' 0''	15' 9'' to 73' 6''
9.	Fine conglomerate, . .	5' 0'' to 89' 0''	4' 4'' to 77' 10''
10.	Sandstone,	40' 0'' to 129' 0''	35' 0'' to 112' 10''
11.	Sandy slate,	6' 0'' to 135' 0''	5' 9'' to 118' 7''
12.	Slate and dirt with a little COAL,	23' 0'' to 158' 0''	19' 7'' to 138' 2''
13.	Sandstone,	48' 0'' to 206' 0''	42' 0'' to 180' 2''
14.	Slate, COAL and dirt, . .	8' 0'' to 214' 0''	7' 0'' to 187' 2''
15.	COAL, good,	4' 0'' to 218' 0''	3' 6'' to 190' 8''
16.	Sandstone,	15' 0'' to 233' 0''	13' 1'' to 203' 9''
17.	Coarse sandstone, . .	14' 0'' to 247' 0''	12' 3'' to 216' 0''
18.	Sandstone,	33' 0'' to 280' 0''	28' 11'' to 244' 11''
19.	Conglomerate and coarse sandstone, . .	36' 0'' to 316' 0''	31' 5'' to 276' 4''
20.	Conglomerate and coarse sandstone, . .	24' 0'' to 340' 0''	21' 0'' to 297' 4''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
21.	Sandy slate and pure slate,	6' 0'' to 346' 0''	5' 3'' to 302' 7''
22.	Fine and coarse sandstone, . . .	18' 0'' to 364' 0''	15' 9'' to 318' 4''
23.	Conglomerate, . .	8' 0'' to 372' 0''	7' 0'' to 325' 4''
24.	Sandstone,	4' 0'' to 376' 0''	3' 6'' to 328' 10''
25.	Sandstone and conglomerate,	5' 0'' to 381' 0''	4' 5'' to 333' 3''
26.	Conglomerate, . .	15' 0'' to 396' 0''	13' 1'' to 346' 4''
27.	Conglomerate and sandstone, . . .	11' 0'' to 407' 0''	9' 8'' to 356' 0''
28.	Conglomerate and sandstone, . . .	8' 0'' to 415' 0''	6' 11'' to 362' 11''
29.	Sandstone,	2' 0'' to 417' 0''	1' 9'' to 364' 8''
30.	Conglomerate, . .	8' 0'' to 425' 0''	7' 0'' to 371' 8''
31.	Conglomerate and sandstone, . . .	4' 0'' to 429' 0''	3' 6'' to 375' 2''
32.	Conglomerate and hard sandstone, .	21' 0'' to 450' 0''	18' 5'' to 393' 7''
33.	Sandstone,	1' 6'' to 451' 6''	1' 3'' to 394' 10''
34.	Conglomerate, . .	2' 6'' to 454' 0''	2' 3'' to 397' 1''
35.	Sandstone,	22' 6'' to 476' 6''	19' 8'' to 416' 9''
36.	Sandstone and conglomerate,	10' 0'' to 486' 6''	8' 9'' to 425' 6''
37.	Sandstone and conglomerate,	2' 0'' to 488' 6''	1' 9'' to 427' 3''
38.	Slate,	2' 6'' to 491' 0''	2' 2'' to 429' 5''
39.	Strata,	72' 9'' to 563' 9''	63' 8'' to 493' 1''

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 2, at Old Sugar Loaf (Diamond) colliery.

Hazleton basin.

<i>No. of Strata.</i>	<i>Description. (Dip 29° S.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	8' 0'' to 8' 0''	7' 0'' to 7' 0''
2.	Wash and slate, .	5' 2'' to 13' 2''	4' 6'' to 11' 6''
3.	COAL, soft,	1' 7'' to 14' 9''	1' 5'' to 12' 11''
4.	Gray slate,	4' 9'' to 19' 6''	4' 2'' to 17' 1''
5.	Slate and COAL mixed,	6' 0'' to 25' 6''	5' 3'' to 22' 4''
6.	Gray slate,	4' 3'' to 29' 9''	3' 8'' to 26' 0''
7.	Gray rock,	42' 6'' to 72' 3''	37' 2'' to 63' 2''
8.	Slate,	6'' to 72' 9''	6'' to 63' 8''
9.	Dark rock,	31' 10'' to 104' 7''	27' 10'' to 91' 6''
10.	Slate,	2' 2'' to 106' 9''	1' 10'' to 93' 4''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
11.	COAL,	2' 0'' to 108' 9''	1' 9'' to 95' 1''
12.	Slate,	2' 9'' to 111' 6''	2' 5'' to 97' 6''
13.	Slate and COAL,	10'' to 112' 4''	9'' to 98' 3''
14.	Slate,	14' 7'' to 126' 11''	12' 9'' to 111' 0''
15.	Gray rock,	51' 7'' to 178' 6''	45' 1'' to 156' 1''
16.	Slate,	1' 6'' to 180' 0''	1' 4'' to 157' 5''
17.	COAL,	1' 6'' to 181' 6''	1' 4'' to 158' 9''
18.	COAL and slate,	2' 1'' to 183' 7''	1' 10'' to 160' 7''
19.	COAL,	1' 3'' to 184' 10''	1' 1'' to 161' 8''
20.	Slate,	11' 4'' to 196' 2''	9' 11'' to 171' 7''
21.	Gray rock and conglomerate,	113' 10'' to 310' 0''	99' 6'' to 271' 1''
22.	Slate,	1' 3'' to 311' 3''	1' 2'' to 272' 3''
23.	Rock,	3' 6'' to 314' 9''	3' 0'' to 275' 3''
24.	Slate,	2' 10'' to 317' 7''	2' 6'' to 277' 9''
25.	Rock and slate,	6' 1'' to 323' 8''	5' 4'' to 283' 1''
26.	Rock,	9' 5'' to 333' 1''	8' 3'' to 291' 4''
27.	Rock and slate,	6'' to 333' 7''	5'' to 291' 9''
28.	Gray conglomerate,	81' 6'' to 415' 1''	71' 3'' to 363' 0''
29.	Sandy rock,	1' 0'' to 416' 1''	11'' to 363' 11''
30.	White conglomerate,	12' 6'' to 428' 7''	10' 11'' to 374' 10''
31.	Light sandy rock,	20' 7'' to 449' 2''	18' 0'' to 392' 10''
32.	Slate,	8'' to 449' 10''	7'' to 393' 5''
33.	Sandy rock,	7' 6'' to 457' 4''	6' 7'' to 400' 0''
34.	Conglomerate,	10' 10'' to 468' 2''	9' 5'' to 409' 5''
35.	Sandy rock,	1' 10'' to 470' 0''	1' 8'' to 411' 1''
36.	Sandy slate,	2' 0'' to 472' 0''	1' 9'' to 412' 10''
37.	Sandstone,	25' 0'' to 497' 0''	21' 10'' to 434' 8''
38.	Sandstone, gray,	21' 6'' to 518' 6''	18' 10'' to 453' 6''
39.	Conglomerate sandstone,	27' 6'' to 546' 0''	24' 0'' to 477' 6''
40.	Green sandstone,	7' 10'' to 553' 10''	6' 11'' to 484' 5''
41.	Green conglomerate,	11' 0'' to 564' 10''	9' 7'' to 494' 0''
42.	Sandstone,	3' 0'' to 567' 10''	2' 7'' to 496' 7''
43.	Green conglomerate,	24' 6'' to 592' 4''	21' 6'' to 518' 1''
44.	Green sandstone,	47' 2'' to 639' 6''	41' 3'' to 559' 4''
45.	Green sandstone and red shale,	12' 6'' to 652' 6''	10' 11'' to 570' 3''

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole No. 9, at Laurel Hill
slope No. 2, driven vertically from fourth lift.*

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip 25° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	COAL, shelly, . . .	4' 6" to 4' 6"	4' 1" to 4' 1"
2.	Gray rock,	6" to 5' 0'	5" to 4' 6"
3.	COAL, shelly, . . .	3' 4" to 8' 4"	3' 1" to 7' 7"
4.	Gray rock,	11' 11" to 20' 3"	19' 1" to 26' 8"
5.	Gray rock,	9' 1" to 29' 4"	
6.	Conglomerate, . . .	5' 4" to 34' 8"	11' 10" to 38' 6"
7.	Conglomerate, . . .	7' 8" to 42' 4"	
8.	Gray rock,	4' 9" to 47' 1"	4' 4" to 42' 10"
9.	Slate,	6' 6" to 53' 7"	5' 11" to 48' 9"
10.	Bone and slate, . . .	1' 6" to 55' 1"	1' 4" to 50' 1"
11.	COAL,	3' 0" to 58' 1"	2' 8" to 52' 9"
12.	Bone and slate, . . .	9" to 58' 10"	8" to 53' 5"
13.	COAL,	1' 11" to 60' 9"	1' 8" to 55' 1"
14.	Slate,	3' 3" to 64' 0'	2' 11" to 58' 0"
15.	Blue rock,	3' 0" to 67' 0"	2' 8" to 60' 8"
16.	Conglomerate, . . .	14' 2" to 81' 2"	12' 10" to 73' 6"
17.	Conglomerate, . . .	6' 3" to 87' 5"	5' 9" to 79' 3"
18.	Gray rock, hard, . .	4' 0" to 91' 5"	3' 8" to 82' 11"
19.	Gray rock,	22' 4½" to 113' 9½"	57' 8" to 140' 7"
20.	Gray rock,	21' 8½" to 135' 6"	
21.	Gray rock,	17' 0½" to 152' 6½"	
22.	Gray rock,	2' 5" to 154' 11½"	7' 9" to 148' 4"
23.	Slate,	8' 6" to 163' 5½"	
24.	Gray rock,	4' 0" to 167' 5½"	3' 8" to 152' 0"
25.	Slate,	3' 7" to 171' 0½"	3' 3" to 155' 3"
26.	Gray rock,	7½" to 171' 8"	6" to 155' 9"
27.	Slate,	8' 2" to 179' 10"	7' 6" to 163' 3"
28.	Bone and slate, . . .	1' 5" to 181' 3"	1' 3" to 164' 6"
29.	COAL,	2' 5" to 183' 8"	2' 2" to 166' 8"
30.	Slate,	3" to 183' 11"	2" to 166' 10"
31.	COAL,	1' 2" to 185' 1"	1' 0" to 167' 10"
32.	Bone and slate, . . .	1' 11" to 187' 0"	1' 8" to 169' 6"
33.	COAL,	1" to 187' 1"	1" to 169' 7"
34.	COAL,	9' 9½" to 196' 10½"	8' 11" to 178' 6"
35.	Bone,	4" to 197' 2½"	3" to 178' 9"
36.	COAL,	1' 4" to 198' 6½"	1' 2" to 179' 11"
37.	Slate,	7" to 199' 1½"	6" to 180' 5"
38.	COAL,	5' 6" to 204' 7½"	5' 0" to 185' 5"
39.	COAL,	9' 3" to 213' 10½"	8' 4" to 193' 9"
40.	Slate,	2' 6" to 216' 4½"	2' 3" to 196' 0"
41.	Blue rock,	4' 9" to 221' 1½"	4' 4" to 200' 4"
42.	Slate,	1' 8" to 222' 9½"	1' 6" to 201' 10"

See Cross Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole No. 10, at Laurel Hill
slope No. 2, driven vertically from fourth lift.*

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip 25° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	COAL, shelly, .	20' 10½" to 20' 10½"	18' 11" to 18' 11"
2.	Slate,	2' 1" to 22' 11½"	1' 11" to 20' 10"
3.	Gray rock, . . .	7" to 23' 6½"	14' 8" to 35' 6"
4.	Gray rock, . . .	15' 7½" to 39' 2"	
5.	Rock,	11' 7" to 50' 9"	21' 9" to 57' 3"
6.	Rock,	12' 4" to 63' 1"	
7.	Slate,	2' 9" to 65' 10"	2' 6" to 59' 9"
8.	COAL,	11" to 66' 9"	10" to 60' 7"
9.	Slate and bone, .	1' 4" to 68' 1"	1' 2" to 61' 9"
10.	COAL,	6' 4" to 74' 5"	5' 9" to 67' 6"
11.	Slate,	1' 11½" to 76' 4½"	1' 8" to 69' 2"
12.	Blue rock, . . .	4' 0" to 80' 4½"	3' 8" to 72' 10"
13.	Conglomerate, .	8' 0" to 88' 4½"	16' 7" to 89' 5"
14.	Conglomerate, .	10' 4" to 98' 8½"	
15.	Gray rock, . . .	5' 3" to 103' 11½"	61' 6" to 150' 11"
16.	Gray rock, . . .	19' 9½" to 123' 9"	
17.	Gray rock, . . .	25' 0½" to 148' 9½"	
18.	Gray rock, . . .	16' 8" to 165' 5½"	
19.	Gray rock, . . .	1' 1" to 166' 6½"	3' 2" to 154' 1"
20.	Blue rock, . . .	3' 4" to 169' 10½"	
21.	Slate,	3' 0" to 172' 10½"	2' 7" to 156' 8"
22.	Blue rock, . . .	11' 1" to 183' 11½"	10' 0" to 166' 8"
23.	Slate,	2" to 184' 1½"	1" to 166' 9"
24.	COAL,	3" to 184' 4½"	2" to 166' 11"
25.	Slate,	5' 2" to 189' 6½"	4' 8" to 171' 7"
26.	COAL,	1' 9" to 191' 3½"	1' 8" to 173' 3"
27.	Slate,	7" to 191' 10½"	6" to 173' 9"
28.	COAL,	2' 2" to 194' 0½"	2' 0" to 175' 9"
29.	Slate and bone, .	6" to 194' 6½"	5" to 176' 2"
30.	COAL,	8' 9" to 203' 3½"	8' 0" to 184' 2"
31.	Bone and slate, .	5" to 203' 8½"	4" to 184' 6"
32.	COAL,	4' 8" to 203' 4½"	4' 3" to 188' 9"
33.	Slate,	9" to 209' 1½"	8" to 189' 5"
34.	COAL,	7" to 209' 8½"	6" to 189' 11"
35.	COAL,	6' 10½" to 216' 7"	6' 3" to 196' 2"
36.	Slate,	6" to 217' 1"	5" to 196' 7"
37.	COAL,	4' 4" to 221' 5"	3' 11" to 200' 6"
38.	Slate,	1' 10" to 223' 3"	1' 8" to 202' 2"
39.	Blue rock, . . .	4' 9" to 228' 0"	4' 5" to 206' 7"

See Cross Section Sheet No. III and Mine Sheet No. II, *Atlas Eastern Middle Anthracite Field, Part I.*

*Section of Diamond Drill bore-hole No. 9, at Laurel Hill
slope No. 2, driven vertically from fourth lift.*

Hazleton basin.

No. of strata.	Description. (Dip 25° N.)	Thicknesses meas- ured vertically.	Thicknesses perpen- dicular to dip.
1.	COAL, shelly, . . .	4' 6" to 4' 6"	4' 1" to 4' 1"
2.	Gray rock,	6" to 5' 0'	5" to 4' 6"
3.	COAL, shelly, . . .	3' 4" to 8' 4"	3' 1" to 7' 7"
4.	Gray rock,	11' 11" to 20' 3"	} 19' 1" to 26' 8"
5.	Gray rock,	9' 1" to 29' 4"	
6.	Conglomerate, . . .	5' 4" to 34' 8"	} 11' 10" to 38' 6"
7.	Conglomerate, . . .	7' 8" to 42' 4"	
8.	Gray rock,	4' 9" to 47' 1"	4' 4" to 42' 10"
9.	Slate,	6' 6" to 53' 7"	5' 11" to 48' 9"
10.	Bone and slate, . .	1' 6" to 55' 1"	1' 4" to 50' 1"
11.	COAL,	3' 0" to 58' 1"	2' 8" to 52' 9"
12.	Bone and slate, . .	9" to 58' 10"	8" to 53' 5"
13.	COAL,	1' 11" to 60' 9"	1' 8" to 55' 1"
14.	Slate,	3' 3" to 64' 0'	2' 11" to 58' 0"
15.	Blue rock,	3' 0" to 67' 0"	2' 8" to 60' 8"
16.	Conglomerate, . .	14' 2" to 81' 2"	12' 10" to 73' 6"
17.	Conglomerate, . .	6' 3" to 87' 5"	5' 9" to 79' 3"
18.	Gray rock, hard, .	4' 0" to 91' 5"	3' 8" to 82' 11"
19.	Gray rock,	22' 4½" to 113' 9½"	} 57' 8" to 140' 7"
20.	Gray rock,	21' 8½" to 135' 6"	
21.	Gray rock,	17' 0½" to 152' 6½"	
22.	Gray rock,	2' 5" to 154' 11½"	} 7' 9" to 148' 4"
23.	Slate,	8' 6" to 163' 5½"	
24.	Gray rock,	4' 0" to 167' 5½"	3' 8" to 152' 0"
25.	Slate,	3' 7" to 171' 0½"	3' 3" to 155' 3"
26.	Gray rock,	7½" to 171' 8"	6" to 155' 9"
27.	Slate,	8' 2" to 179' 10"	7' 6" to 163' 3"
28.	Bone and slate, . .	1' 5" to 181' 3"	1' 3" to 164' 6"
29.	COAL,	2' 5" to 183' 8"	2' 2" to 166' 8"
30.	Slate,	3" to 183' 11"	2" to 166' 10"
31.	COAL,	1' 2" to 185' 1"	1' 0" to 167' 10"
32.	Bone and slate, . .	1' 11" to 187' 0"	1' 8" to 169' 6"
33.	COAL,	1" to 187' 1"	1" to 169' 7"
34.	COAL,	9' 9½" to 196' 10½"	8' 11" to 178' 6"
35.	Bone,	4" to 197' 2½"	3" to 178' 9"
36.	COAL,	1' 4" to 198' 6½"	1' 2" to 179' 11"
37.	Slate,	7" to 199' 1½"	6" to 180' 5"
38.	COAL,	5' 6" to 204' 7½"	5' 0" to 185' 5"
39.	COAL,	9' 3" to 213' 10½"	8' 4" to 193' 9"
40.	Slate,	2' 6" to 216' 4½"	2' 3" to 196' 0"
41.	Blue rock,	4' 9" to 221' 1½"	4' 4" to 200' 4"
42.	Slate,	1' 8" to 222' 9½"	1' 6" to 201' 10"

See Cross Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Diamond Drill bore-hole No. 10, at Laurel Hill
slope No. 2, driven vertically from fourth lift.*

Hazleton basin.

No. of strata.	Description. (Dip 25° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	COAL, shelly, .	20' 10½" to 20' 10½"	18' 11" to 18' 11"
2.	Slate,	2' 1" to 22' 11½"	1' 11" to 20' 10"
3.	Gray rock, . . .	7" to 23' 6½"	14' 8" to 35' 6"
4.	Gray rock, . . .	15' 7½" to 39' 2"	
5.	Rock,	11' 7" to 50' 9"	
6.	Rock,	12' 4" to 63' 1"	
7.	Slate,	2' 9" to 65' 10"	21' 9" to 57' 3"
8.	COAL,	11" to 66' 9"	2' 6" to 59' 9"
9.	Slate and bone, .	1' 4" to 68' 1"	10" to 60' 7"
10.	COAL,	6' 4" to 74' 5"	1' 2" to 61' 9"
11.	Slate,	1' 11½" to 76' 4½"	5' 9" to 67' 6"
12.	Blue rock, . . .	4' 0" to 80' 4½"	1' 8" to 69' 2"
13.	Conglomerate, .	8' 0" to 88' 4½"	3' 8" to 72' 10"
14.	Conglomerate, .	10' 4" to 98' 8½"	16' 7" to 89' 5"
15.	Gray rock, . . .	5' 3" to 103' 11½"	
16.	Gray rock, . . .	19' 9½" to 123' 9"	
17.	Gray rock, . . .	25' 0½" to 148' 9½"	
18.	Gray rock, . . .	16' 8" to 165' 5½"	61' 6" to 150' 11"
19.	Gray rock, . . .	1' 1" to 166' 6½"	
20.	Blue rock, . . .	3' 4" to 169' 10½"	
21.	Slate,	3' 0" to 172' 10½"	
22.	Blue rock, . . .	11' 1" to 183' 11½"	3' 2" to 154' 1"
23.	Slate,	2" to 184' 1½"	2' 7" to 156' 8"
24.	COAL,	3" to 184' 4½"	10' 0" to 166' 8"
25.	Slate,	5' 2" to 189' 6½"	1' to 166' 9"
26.	COAL,	1' 9" to 191' 3½"	2" to 166' 11"
27.	Slate,	7" to 191' 10½"	4' 8" to 171' 7"
28.	COAL,	2' 2" to 194' 0½"	1' 8" to 173' 3"
29.	Slate and bone, .	6" to 194' 6½"	6" to 173' 9"
30.	COAL,	8' 9" to 203' 3½"	2 0" to 175' 9"
31.	Bone and slate, .	5" to 203' 8½"	5" to 176' 2"
32.	COAL,	4' 8" to 203' 4½"	8' 0" to 184' 2"
33.	Slate,	9" to 209' 1½"	4" to 184' 6"
34.	COAL,	7" to 209' 8½"	4' 3" to 188' 9"
35.	COAL,	6' 10½" to 216' 7"	8" to 189' 5"
36.	Slate,	6" to 217' 1"	6' 3" to 196' 2"
37.	COAL,	4' 4" to 221' 5"	5" to 196' 7"
38.	Slate,	1' 10" to 223' 3"	3' 11" to 200' 6"
39.	Blue rock, . . .	4' 9" to 228' 0"	1' 8' to 202' 2"
			4' 5" to 206' 7"

See Cross Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 11, at Laurel Hill slope No. 2, driven at an angle of 45° from fourth lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured as cut in B. H.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	COAL,	23' 4" to 28' 4" }	24' 8" to 24' 8"
2.	COAL,	5' 11" to 34' 3" }	
3.	Slate,	7" to 34' 10"	6" to 25' 2"
4.	COAL,	15' 3½" to 50' 1½"	10' 11" to 36' 1"
5.	Slate,	2' 0½" to 52' 2"	
6.	Slate,	5' 5" to 57' 7" }	7' 3" to 43' 4"
7.	Slate,	2' 7½" to 60' 2½"	
8.	Gray rock, . .	4' 10" to 65' 0½"	3' 6" to 46' 10"
9.	Conglomerate, . . .	2' 10" to 67' 10½"	2' 1" to 48' 11"
10.	Gray rock, . .	2' 7" to 70' 5½"	1' 10" to 50' 9"
11.	Conglomerate, . . .	4' 10" to 75' 3½"	
12.	Conglomerate, . . .	4' 9" to 80' 0½"	
13.	Conglomerate, . . .	3' 4" to 83' 4½"	
14.	Conglomerate, . . .	1' 1" to 84' 5½"	18' 5" to 69' 2"
15.	Conglomerate, . . .	11' 2" to 95' 7½"	
16.	Conglomerate, . . .	6" to 96' 1½"	
17.	Blue rock, . .	9' 10" to 105' 11½"	7' 1" to 76' 3"
18.	Conglomerate, . . .	5' 9" to 111' 8½"	
19.	Conglomerate, . . .	15' 11½" to 127' 8"	23' 1" to 99' 4"
20.	Conglomerate, . . .	10' 5" to 138' 1"	
21.	Slate,	0' 0" to 144' 1"	
22.	Slate,	1' 4" to 145' 5"	5' 4" to 104' 8"
23.	COAL,	3' 8" to 149' 1"	2' 8" to 107' 4"
24.	Conglomerate, . . .	10' 11½" to 160' 0½"	
25.	Conglomerate, . . .	6' 3" to 166' 3½"	12' 4" to 119' 8"
26.	Gray rock, . .	9' 10" to 176' 1½"	7' 1" to 126' 9"
27.	Gray rock, hard,	16' 0½" to 192' 2"	11' 6" to 138' 3"
28.	Gray rock, . .	16' 7" to 208' 9"	
29.	Gray rock, . .	15' 4" to 224' 1"	28' 6" to 166' 9"
30.	Gray rock, . .	7' 7½" to 231' 8½"	

Hill.] SECTIONS, EASTERN MIDDLE FIELD. CHAP. VI. 1177

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured as cut in B. H.</i>	<i>Thicknesses perpendicular to dip.</i>
31.	Blue rock, . . . 9'	8'' to 241' 4½''	6' 11'' to 173' 8''
32.	Slate, 2'	4'' to 243' 8½''	1' 8'' to 175' 4''
33.	COAL, shelly, 5'	4'' to 249' 0½''	3' 10'' to 179' 2''
34.	Slate, not much core, 4½''	to 249' 5''	3'' to 179' 5''
35.	COAL, 5'	6½'' to 254' 11½''	8' 11'' to 183' 4''
36.	Slate, 4''	to 255' 3½''	3'' to 183' 7''
37.	COAL, 6'	4½'' to 261' 8''	4' 7'' to 188, 2''
38.	Slate, 5''	to 262' 1''	4'' to 188' 6''
39.	COAL, 7'	2'' to 269' 3''	5' 2'' to 193' 8''
40.	Slate, 2'	10½'' to 272' 1½''	2' 1'' to 195' 9''
41.	Blue rock, . . . 6'	1'' to 278' 2½''	4' 4'' to 200' 1''

See Cross Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 12, at Laurel Hill slope No. 2, driven at an angle of 70° from fourth lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i> (Dip 42° 30' S.)	<i>Thicknesses measured as cut in B. H.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Distance from drill to face of slope, . . . 35'	5'' to 35' 5''	— — — — —
2.	Slate,	8'' to 36' 1''	7'' to 7''
3.	Black rock,	5' 10'' to 41' 11''	3' 11'' to 4' 6''
4.	White rock,	1' 3'' to 43' 2''	10'' to 5' 4''
5.	Slate,	3' 10'' to 47' 0''	2' 7'' to 7' 11''
6.	Blue rock,	2' 4'' to 49' 4''	1' 7'' to 9' 6''
7.	Gray rock,	11' 8½'' to 61' 0½''	} 13' 6'' to 23' 0''
8.	Gray rock,	8' 4'' to 69' 4½''	
9.	White rock,	1' 6'' to 70' 10½''	1' 0'' to 24' 0''
10.	Gray rock,	6' 10½'' to 77' 9''	4' 7'' to 28' 7''
11.	Slate,	5' 4'' to 83' 1''	3' 8'' to 32' 3''
12.	COAL,	4' 2'' to 87' 3''	2' 10'' to 35' 1''
13.	Slate,	1' 1'' to 88' 4''	8'' to 35' 9''
14.	Slate,	1' 3'' to 89' 7''	10'' to 36' 7''
15.	Blue rock,	4' 3'' to 93' 10''	2' 10'' to 39' 5''
16.	White spar,	2' 5'' to 96' 3''	} 9' 10'' to 49' 3''
17.	White spar,	10' 0½'' to 106' 3½''	
18.	White spar,	2' 0'' to 108' 3½''	
19.	Gray rock,	21' 0'' to 129' 3½''	
20.	Gray rock,	7' 9'' to 137' 0½''	} 37' 6'' to 86' 9'
21.	Gray rock,	20' 10½'' to 157' 11''	
22.	Gray rock,	5' 10'' to 163' 9''	} 7' 10'' to 98' 6''
23.	Slate,	5' 9½'' to 169' 6½''	
24.	Blue rock,	1' 0'' to 170' 6½''	
25.	Blue rock,	10' 6½'' to 181' 1''	

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured as cut in C. H.</i>	<i>Thicknesses perpendicular to dip.</i>
26.	Slate,	4' 1" to 185' 2'	2' 9" to 101' 3"
27.	COAL,	1' 0" to 186' 2"	7" to 101' 10"
28.	Slate and bone,	9" to 186' 11"	6" to 102' 4"
29.	COAL,	1' 4½" to 188' 3½"	2' 8" to 105' 0"
30.	COAL,	2' 7" to 190' 10½"	
31.	Slate and bone,	1' 2" to 192' 0½"	9" to 105' 9"
32.	COAL,	5' 11½" to 198' 0"	4' 2" to 109' 11"
33.	Slate and bone,	10" to 198' 10"	7" to 110' 6"
34.	COAL,	1' 3" to 200' 1"	10" to 111' 4"
35.	Slate,	6" to 200' 7'	4" to 111' 8"
36.	COAL,	3' 7½" to 204' 2½"	2' 5" to 114' 1"
37.	Slate,	1' 0" to 205' 2½"	7" to 114' 8"
38.	COAL,	8' 3" to 213' 5½"	5' 8" to 120' 4"
39.	Slate,	1' 1" to 214' 6½"	8" to 121' 0"
40.	COAL,	1' 11" to 216' 5½"	2' 5" to 123' 5"
41.	COAL,	1' 8" to 218' 1½"	
42.	Slate,	1' 0" to 219' 1½"	7" to 124' 0"
43.	Blue rock,	6' 4" to 225' 5½"	7' 5" to 131' 5"
44.	Blue rock,	4' 6" to 229' 11½"	
45.	Slate,	6" to 230' 5½"	4" to 131' 9"
46.	COAL,	1' 0" to 231' 5½"	7" to 132' 4"
47.	Slate,	1' 0" to 232' 5½"	7" to 132' 11"
48.	Blue rock,	3' 8" to 236' 1½"	6' 9" to 139' 8"
49.	Blue rock,	6' 4" to 242' 5½"	
50.	White spar,	6' 7½" to 249' 1"	11' 3" to 150' 11"
51.	White spar,	10' 0" to 259' 1"	
52.	Slate,	8" to 259' 9"	6" to 151' 5"
53.	White spar,	2' 7" to 262' 4"	1' 8" to 153' 1"
54.	Gray rock,	9' 10" to 272' 2"	15' 8" to 168' 9"
55.	Gray rock,	9' 3" to 281' 5"	
56.	Gray rock,	4' 0" to 285' 5"	
57.	Slate,	3" to 285' 8"	2" to 168' 11"
58.	COAL,	3' 5½" to 289' 1½"	5' 4" to 174' 3"
59.	COAL,	4' 5" to 293' 6½"	
60.	Slate,	5" to 293' 11½"	4" to 174' 7"
61.	COAL,	2' 3" to 296' 2½"	1' 6" to 176' 1"
62.	Slate,	2' 5" to 298' 7½"	4' 5" to 180' 6"
63.	Slate,	4' 0" to 302' 7½"	
64.	Gray rock,	2' 0" to 304' 7½"	1' 3" to 181' 9"

See Cross Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Diamond Drill bore-hole No. 1, at Hazleton No. 3 colliery, driven horizontally from 2d lift to face of tunnel to Buck Mountain bed.

Hazleton basin.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Gray rock,	22' 5" to 22' 5"	9' 8" to 9' 8"
2.	Conglomerate, . . .	3' 6" to 25' 11"	1' 6" to 11' 2"
3.	Gray rock,	20' 2" to 46' 1"	8' 8" to 19' 10"
4.	Conglomerate, . . .	6' 0" to 52' 1"	2' 7" to 22' 5"
5.	Gray rock,	2' 10" to 54' 11"	1' 3" to 23' 8"
6.	Conglomerate, . . .	10' 0" to 64' 11"	4' 4" to 28' 0"
7.	Gray rock,	34' 3" to 99' 2"	14' 10" to 42' 10"
8.	Conglomerate, . . .	12' 7" to 111' 9"	5' 5" to 48' 3"
9.	Gray rock,	3' 5" to 114' 2"	1' 0" to 49' 3"
10.	Conglomerate, . . .	6" to 114' 8"	2" to 49' 5"
11.	Gray rock,	1' 9" to 116' 5"	9" to 50' 2"
12.	Conglomerate, . . .	1' 2" to 117' 7"	6" to 50' 8"
13.	Gray rock,	6" to 118' 1"	2" to 50' 10"
14.	Conglomerate, . . .	9" to 118' 10"	4" to 51' 2"
15.	Gray rock,	21' 4" to 140' 2"	9' 3" to 60' 5"
16.	Conglomerate, . . .	2' 5" to 142' 7"	1' 0" to 61' 5"
17.	Gray rock,	3' 0" to 145' 7"	1' 3" to 62' 8"
18.	Conglomerate, . . .	3' 0" to 148' 7"	1' 3" to 63' 11"
19.	Gray rock,	2' 0" to 150' 7"	10" to 64' 9"
20.	Conglomerate, . . .	1' 0" to 151' 7"	5" to 65' 2"
21.	Gray rock,	1' 0" to 152' 7"	5" to 65' 7"
22.	Slate,	3' 9½" to 156' 4½"	1' 8" to 67' 7"
23.	Gray rock,	12' 2" to 168' 6½"	5' 4" to 72' 6"
24.	Conglomerate, . . .	5' 2" to 173' 8½"	2' 3" to 74' 10"
25.	Gray rock,	2' 10" to 176' 6½"	1' 3" to 76' 1"
26.	Conglomerate, . . .	7" to 177' 1½"	3" to 76' 4"
27.	Gray rock,	6' 6" to 183' 7½"	2' 9" to 79' 1"
28.	Conglomerate, . . .	10" to 184' 5½"	5" to 79' 6"
29.	Gray rock,	2' 0" to 186' 5½"	10" to 80' 4"
30.	Conglomerate, . . .	3' 0" to 189' 5½"	1' 3" to 81' 7"
31.	Gray rock,	3' 0" to 192' 5½"	1' 3" to 82' 10"
32.	Conglomerate, . . .	2' 0" to 194' 5½"	10" to 83' 8"
33.	Gray rock,	15' 3" to 209' 8½"	6' 8" to 90' 4"
34.	Conglomerate, . . .	10" to 210' 6½"	5" to 90' 9"
35.	Gray rock,	9" to 211' 3½"	4" to 91' 1"
36.	Conglomerate, . . .	1' 1" to 212' 4½"	6" to 91' 7"
37.	Slate,	2" to 212' 6½"	1" to 91' 8"
38.	Conglomerate, . . .	5" to 212' 11½"	2" to 91' 10"
39.	Gray rock,	1' 4" to 214' 3½"	7" to 92' 5"
40.	Conglomerate, . . .	2' 4" to 216' 7½"	1' 0" to 93' 5"
41.	Gray rock,	1' 3" to 217' 10½"	6" to 93' 11"
42.	Conglomerate, . . .	3' 0" to 220' 10½"	1' 3" to 95' 2"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
43.	Gray rock,	5' 0'' to 225' 10½''	2' 2'' to 97' 4''
44.	Conglomerate,	6' 8'' to 232' 6½''	2' 10'' to 100' 2''
45.	Gray rock, hard,	1' 4'' to 233' 10¼''	7'' to 100' 9''
46.	Conglomerate,	3' 0'' to 236' 10½''	1' 3'' to 102' 0''
47.	Gray rock, hard,	5'' to 237' 3¼''	2'' to 102' 2''
48.	Conglomerate,	4' 10'' to 242' 1½''	2' 1'' to 104' 3''
49.	Gray rock,	6' 0'' to 248' 1½''	2' 7'' to 106' 10''
50.	Conglomerate,	1' 0'' to 249' 1½''	5'' to 107' 3''
51.	Gray rock,	1' 0'' to 250' 1½''	5'' to 107' 8''
52.	Conglomerate,	1' 7'' to 251' 8½''	8'' to 108' 4''

See Cross Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 30, at Hazleton slope No. 3, driven horizontally from west gangway, 6th lift.

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip undetermined.)</i>	<i>Thicknesses measured horizontally.</i>
1.	Sandy slate,	1' 4'' to 1' 4''
2.	Fine gray spar rock,	4' 0'' to 5' 4''
3.	Coarse gray spar rock,	24' 2'' to 29' 6''
4.	Fine conglomerate,	17' 5'' to 46' 11''
5.	Sandstone with spar,	13' 2'' to 60' 1''
6.	COAL, shelly,	1' 6'' to 61' 7''
7.	COAL, good,	1' 2'' to 62' 9''
8.	COAL, shelly,	7' 4'' to 70' 1''
9.	Slate and clod,	1' 4'' to 71' 5''
10.	Slate and bony COAL,	1' 7'' to 73' 0''
11.	COAL, good,	8' 4'' to 81' 4''
12.	Slate (Dip 70°),	2'' to 81' 6''
13.	COAL, shelly,	1' 3'' to 82' 9''
14.	Slate and bone,	8'' to 83' 5''
15.	COAL, good,	2' 4'' to 85' 9''
16.	Slate,	3'' to 86' 0''
17.	COAL, shelly,	2' 2'' to 88' 2''
18.	Slate,	6'' to 88' 8''
19.	COAL, shelly,	2' 0'' to 90' 8''
20.	COAL, bony,	8'' to 91' 4''
21.	COAL, good,	1' 3'' to 92' 7''
22.	Slate,	1' 10'' to 94' 5''
23.	COAL, shelly,	7'' to 95' 0''
24.	Sandy slate,	23' 11'' to 118' 11''
25.	COAL,	6'' to 119' 5''
26.	Slate with spar and sulphur balls,	22' 1'' to 141' 6''
27.	COAL,	5'' to 141' 11''
28.	Soft slate,	5' 3'' to 147' 2''
29.	COAL, soft,	4' 11'' to 152' 1''
30.	Conglomerate,	14' 7'' to 168' 8''

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 41, at Hazleton slope No. 3, driven horizontally from west gangway A, 6th lift.

Hazleton basin.

No. of strata.	Description. (Dip undermined.)	Thicknesses measured horizontally.
1.	Sand slate,	16' 7" to 18' 7"
2.	Slate and bone,	1' 0" to 17' 7"
3.	Sand slate,	3' 10" to 21' 5"
4.	Fine gray rock,	15' 7" to 37' 0"
5.	Fine conglomerate,	39' 6" to 76' 6"
6.	COAL,	12' 10" to 89' 4"
7.	Sand slate,	2' 0" to 91' 4"
8.	Fine gray rock,	2' 0" to 93' 4"

See Mine Sheet No. 2, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole at Laurel Hill or Hazleton No. 4 slope, driven northwards from west end of proving tunnel in 4th lift.

Hazleton basin.

No. of strata.	Description.	Thicknesses measured horizontally.
1.	Conglomerate,	5' 2" to 5' 2"
2.	Conglomerate,	2' 9" to 7' 11"
3.	Blue rock,	3' 1" to 11' 0"
4.	COAL, shelly, no core,	2' 2" to 13' 2"
5.	Conglomerate,	1' 2½" to 14' 4½"
6.	Conglomerate, fine, hard,	8' 0" to 22' 4½"
7.	COAL and slate,	4" to 22' 8½"
8.	Conglomerate, fine, hard,	9' 10" to 32' 6½"
9.	Conglomerate, fine, hard,	11' 8" to 44' 2½"
10.	Slate and COAL, no core,	8" to 44' 10½"
11.	COAL, shelly, no core,	1' 8" to 46' 6½"
12.	Slate, soft, no core,	2' 3" to 48' 9½"
13.	Blue rock,	3' 2½" to 52' 0"
14.	Blue rock,	1' 1" to 53' 1"
15.	Gray rock,	3' 9" to 56' 10"
16.	Conglomerate, hard,	11' 6" to 68' 4"
17.	Conglomerate,	1' 10" to 70' 2"
18.	Gray rock, hard,	12' 8" to 82' 10"
19.	Conglomerate, hard,	6" to 83' 4"
20.	Conglomerate,	1' 8" to 85' 0"
21.	Gray rock,	8' 1" to 93' 1"
22.	Conglomerate,	2' 6" to 95' 7"
23.	Gray rock,	1' 8" to 97' 3"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	
24.	Gray rock.	4 5	to 101' 11"
25.	Blue rock, hard,	9 0	to 110' 11"
26.	Blue rock,	1 7	to 112' 6"
27.	Slate,	4	to 112' 10"
28.	COAL,	12 10	to 125' 8"
29.	Slate,	2	to 125' 10"
30.	COAL,	4 11	to 130' 9"
31.	Slate,	1 4	to 132' 1"
32.	COAL,	4 7"	to 136' 8"
33.	COAL,	4 10	to 141' 6"
34.	COAL,	16 7'	to 158' 1"
35.	COAL,	9 9'	to 167' 10"

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole at the bottom of Hazleton slope No. 4,
driven horizontally from pump chamber.*

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip undetermined.)</i>	<i>Thicknesses measured horizontally.</i>	
1.	COAL,	27' 6"	to 27' 6"
2.	Slate,	5"	to 27' 11"
3.	Rock,	31' 0"	to 58' 11"
4.	Slate,	5' 6"	to 64' 5"
5.	Rock,	6' 6"	to 70' 11"
6.	Slate,	4' 6"	to 75' 5"
7.	Rock,	5' 0"	to 80' 5"
8.	COAL,	27' 9½"	to 108' 2½"
9.	Slate,	41' 8½"	to 149' 11"
10.	COAL,	31' 6"	to 181' 5"
11.	Slate,	8' 0"	to 189' 5"
12.	Rock,	19' 5"	to 208' 10"
13.	Slate,	6' 10"	to 215' 8"
14.	Rock,	12' 8"	to 228' 4"
15.	COAL,	10' 2"	to 238' 6"
16.	Slate,	11' 3"	to 249' 9"

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of bore-hole No. 21, at the foot of Hazleton slope
No. 4, or Laurel Hill No. 2 slope, driven south at an an-
gle of 33°.*

Hazleton basin.

No. of strata.	Description.	Thicknesses measured perpendicular to dip.
0. Slate,	Parting slate, "E" bed, . . "E" bed, Bottom slate, "E" bed. Commenced boring, . . .	8" to 8"
1. COAL, good,		6' 0" to 6' 8"
2. Slate,		4" to 7' 0"
3. Sand slate,	Sandstone.	14' 8" to 21' 8"
4. Fine gray rock,		3' 9" to 25' 5"
5. Fine conglomerate,		3' 7" to 29' 0"
6. Fine gray rock,		5' 2" to 34' 2"
7. Fine conglomerate,	Sandstone.	9' 0" to 43' 2"
8. Fine blue rock,		1' 2" to 44' 4"
9. Bone COAL (leader),	Sandstone.	3" to 44' 7"
10. Fine blue rock,		2' 9" to 47' 4"
11. Fine gray rock,		4' 0" to 51' 4"
12. Hard slate,	COAL.	7" to 51' 11"
{ 13. Good, hard COAL,		5' 0" to 56' 11"
		1' 2" to 58' 1"
		4" to 58' 5"
Good COAL and seam of slate 1', . .		3' 6" to 61' 11"
14. Sand slate,	Sandstone.	22' 2" to 84' 1"
15. Fine gray rock,		17' 1" to 101' 2"
16. Blue rock,		35' 11" to 137' 1"
17. Soft slate,	Slate.	33' 5" to 170' 6"
18. PARLOR BED,		3' 6" to 170' 4"
19. Slate,	Slate.	4' 0" to 178' 0"
20. Fine blue rock,		6' 5" to 184' 5"
21. Hard slate,		31' 6" to 215' 11"
22. Soft COAL (SKIDMORE BED),	Slate.	6' 0" to 221' 11"
23. Hard slate,		18' 0" to 239' 11"
24. Sand slate,		18' 10" to 258' 9"
25. Fine blue rock,	Fine Sandstone.	6' 0" to 264' 9"
26. Fine conglomerate rock, coarse SS.,		32' 4" to 297' 1"
27. Fine blue rock,		4' 0" to 301' 1"
28. Fine conglomerate rock,	Fine Sandstone.	12' 0" to 313' 1"
29. Fine gray rock,		5' 0" to 318' 1"
30. Fine conglomerate rock,		9' 6" to 327' 7"
31. Fine gray rock,		1' 6" to 329' 1"
32. Fine conglomerate rock,	Fine Sandstone.	4' 0" to 333' 1"
33. Fine gray rock,		5' 9" to 338' 10"
34. Fine conglomerate rock,		6' 0" to 344' 10"
35. Fine gray rock,	Fine Sandstone.	10' 0" to 354' 10"
36. Hard slate,		1' 0" to 355' 10"
37. Fine blue rock, fine sandstone,		1' 8" to 357' 6"
38. Fine conglomerate,	Fine Sandstone.	24' 0" to 381' 6"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>	
39.	Good COAL (LEADER OR B. MTN.),	1' 2"	to 382' 8"
40.	Hard slate,	10"	to 383' 6"
41.	Sand slate,	} Slate. 2'	0" to 385' 6"
42.	Fine gray rock,		0" to 398' 6"
43.	Fine conglomerate rock,	21'	7" to 410' 1"
44.	Fine gray rock,	13'	6" to 423' 7"
45.	Fine conglomerate rock,	6'	6" to 430' 1"
46.	Hard slate,	2'	10' to 432' 11"
47.	Fine blue rock,	7'	0" to 439' 11"
48.	Fine gray rock,	2'	0" to 441' 11"
49.	Coarse pebble conglomerate,	38'	8" to 490' 7"
50.	Green sandstone,	4'	9" to 485' 4"

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of Mammoth coal bed at Hazleton slope No. 6 colliery.

Hazleton basin.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>	
1.	Top rock.		
2.	Inferior COAL and slate (TOP CLOD),	4' 0"	to 4' 0"
3.	Slate parting,	4'	to 4' 4"
4.	COAL (SIX-FOOT),	6' 2"	to 10' 6"
5.	Parting.		
6.	COAL (THIRD BENCH),	2' 7"	to 13' 1"
7.	Bone,	2"	to 13' 3"
8.	COAL (SECOND BENCH),	2' 8"	to 15' 11"
9.	Slate,	4"	to 16' 3"
10.	COAL (FIRST BENCH),	2' 1"	to 18' 4"
11.	Parting.		
12.	COAL (SEVEN-FOOT),	7' 2"	to 25' 6"
13.	Slate,	1"	to 25' 7"
14.	COAL (FOUR-FOOT),	5' 2"	to 30' 9"
15.	Bottom slate.		
	Total coal,	29'	10"
	Total thickness,	30'	9"

See Mine Sheet No. 2, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Mammoth coal bed from bore-hole No. 16, at
Hazleton slope No. 6 colliery.*

Hazleton basin.

No. of strata.	Description. (Dip 30°)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Slate (hard).		
2.	Bone and slate,	1' 11" to 1' 11"	1' 11" to 1' 11"
3.	COAL (good),	1' 10" to 3' 9"	1' 10" to 3' 9"
4.	Slate and bone COAL,	5" to 4' 2"	5" to 4' 2"
5.	COAL (good),	1' 10" to 6' 0"	1' 10" to 6' 0"
6.	Slate (hard),	9" to 6' 9"	9" to 6' 9"
7.	COAL (good),	7' 4" to 14' 1"	7' 4" to 14' 1"
8.	Bone COAL,	8" to 14' 9"	8" to 14' 9"
9.	COAL (good),	9" to 15' 6"	9" to 15' 6"
10.	Slate (hard),	8" to 16' 2"	8" to 16' 2"
11.	COAL (good),	8' 6" to 24' 8"	8' 5" to 24' 7"
12.	Slate (hard),	11" to 25' 7"	11" to 25' 6"
13.	COAL (good),	5' 11" to 31' 6"	5' 11" to 31' 5"
14.	Slate (hard).		
		Total COAL,	26' 1"
		Total thickness, . .	31' 5"

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Mammoth coal bed from bore-hole No. 19, at
Hazleton No. 6 colliery.*

Hazleton basin.

No. of strata.	Description. (Dip 28° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Clod and slate.		
2.	COAL (good),	2' 0" to 2' 0"	1' 8" to 1' 8"
3.	Slate (hard),	6" to 2' 6"	6" to 2' 2"
4.	COAL (good),	1' 6" to 4' 0"	1' 4" to 3' 6"
5.	Bone COAL,	1' 1" to 5' 1"	10" to 4' 4"
6.	COAL (good),	2' 0" to 7' 1"	1' 11" to 6' 3"
7.	Bone and slate,	1' 11" to 9' 0"	1' 8" to 7' 11"
8.	COAL (good),	3' 9" to 12' 9"	3' 4" to 11' 3"
9.	Slate (hard),	8" to 13' 5"	7" to 11' 10"
10.	COAL (good),	3' 10" to 17' 3"	3' 5" to 16' 3"
11.	Soft slate and dirt, . .	1' 6" to 18' 9"	1' 4" to 16' 7"
12.	COAL (good),	8' 3" to 27' 0"	7' 3" to 23' 10"
13.	Bone COAL,	3" to 27' 3"	3" to 24' 1"
14.	Slate,	10" to 28' 1"	9" to 24' 10"
15.	COAL (good),	6' 7" to 34' 8"	5' 9" to 30' 7"
16.	Light gray sandstone.		
		Total COAL,	24' 8"
		Total thickness, . .	30' 7"

See Section No. 61, Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of the Wharton coal bed from bore-hole No. 19, at
Hazleton No. 6 colliery.*

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip 28° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Slate.		
2.	COAL (good),	6'' to 6'	5'' to 5'
3.	Slate,	4' 0' to 4' 6''	3' 6'' to 3' 11''
4.	COAL (good),	1' 0'' to 5' 6''	10½'' to 4' 9½''
5.	Slate,	1' 0'' to 6' 6''	10½'' to 5' 8''
6.	COAL (good),	3' 5'' to 9' 11''	3' 1'' to 8' 9''
7.	Slate.		
		Total COAL,	4' 4½''
		Total thickness,	8' 9''

See Section No. 61, Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of the Gamma Coal bed from bore-hole No. 19, at
Hazleton No. 6 colliery.*

Hazleton basin.

<i>No. of strata.</i>	<i>Description. (Dip 28° N.)</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Slate.		
2.	COAL (good),	6'' to 6''	5'' to 5''
3.	Slate,	1' 3'' to 1' 9''	1' 1'' to 1' 6''
4.	COAL (good),	10'' to 2' 7''	9'' to 2' 3''
5.	Bone and slate,	4'' to 2' 11''	3'' to 2' 6''
6.	COAL (good),	2' 0'' to 4' 11''	1' 10'' to 4' 4''
7.	Slate.		
		Total COAL,	3' 0''
		Total thickness,	4' 4''

See Section No. 61, Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I. .

Section of Buck Mountain bed from bore-hole No. 19, at Hazleton No. 6 colliery.

Hazleton basin.

No. of strata.	Description. (Dip 28° N.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Slate.		
2.	COAL, good,	2' 0" to 2' 0"	1 10' to 1' 10'
3.	Slate,	8" to 2' 8"	7' to 2 5'
4.	COAL, good,	1' 0" to 3' 8"	10" to 3' 3"
5.	Slate,	4" to 4' 0"	3" to 3' 6"
5.	COAL, good,	4' 10" to 8' 10"	7' 4" to 7' 10"
7.	Slate.		
Total COAL,		7' 0"	
Total thickness,		7' 10"	

See Section No. 61, Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 17, South of Hazleton No. 6 colliery.

Hazleton basin.

No. of strata.	Description. (Dip 20°.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	16' 0" to 16' 0"	15' 0" to 15' 0"
2.	Sandstone, light gray,	84' 4" to 100' 4"	79' 3" to 94' 3"
3.	Slate and bone,	1' 6" to 101' 10"	1' 4" to 95' 7"
4.	COAL, } MAMMOTH	23' 4" to 125' 2"	21 11" to 117' 6"
5.	Slate and bone, } BED,	1' 8" to 126' 10"	1' 6" to 119' 0"
6.	Slate,	1' 8" to 128' 6"	1' 7" to 120' 7"
7.	Sandstone, dark gray,	13' 6" to 141' 0"	12' 8" to 133' 3"

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

Section of bore-hole No. 16, at Crystal Ridge colliery.

Hazleton basin.

No. of strata.	Description. (Dip 3°.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	Surface,	12' 0" to 12' 0"	11' 10" to 11' 10"
2.	Sandstone, light gray,	43' 9" to 55' 9"	43' 7" to 55' 5"
3.	Slate,	10" to 56' 7"	9" to 56' 2"
4.	COAL and bone,	4' 3" to 60' 10"	4' 2" to 60' 4"
5.	Slate,	7' 11" to 68' 9"	7' 10" to 68' 2"
6.	COAL and bone,	1' 2" to 69' 11"	1' 2" to 69' 4"
7.	Slate,	7' 6" to 77' 5"	7' 5" to 76' 9"
8.	Sandstone, coarse,	10' 10" to 88' 3"	10' 9" to 87' 6"
9.	Slate,	4' 10" to 93' 1"	4' 9" to 92' 3"
10.	Sandstone,	12' 6" to 105' 7"	12' 5" to 104' 8"
11.	Slate,	4" to 105' 11"	4" to 105' 0"

No. of strata.	Description. (Dip 30°)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
12. COAL, . . .	} MAMMOTH BED,	28' 2" to 132' 1"	} 31' 4" to 136 4"
13. Slate and bone, . . .		5' 4" to 137' 5"	
14. Slate,		3' 0" to 140' 5"	2' 11" to 139' 3"
15. Sandstone,		9' 9" to 150' 2"	9' 8" to 148' 11"

See Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Mammoth coal bed from bore-hole No. 31, at
Crystal Ridge colliery.*

Hazleton basin.

No. of strata.	Description. (Dip 9°.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1. Slate.			
2. COAL,		2' 11" to 2' 11"	2' 10" to 2' 10"
3. Slate,		3" to 3' 2"	3" to 3' 1"
4. COAL,		2' 1" to 5' 3"	2' 1" to 5' 2"
5. Slate,		5" to 5' 8"	5" to 5' 7"
6. COAL, good,		11' 4" to 17' 0"	11' 2" to 16' 9"
7. Slate,		6" to 17' 6"	6" to 17' 3"
8. COAL, good,		8' 0" to 25' 6"	7' 11" to 25' 2"
9. Slate,		9" to 26' 3"	9" to 25' 11"
10. COAL, good,		4' 11" to 31' 2"	4' 10" to 30' 9"
11. Sandstone.			
Total COAL,		28' 10"	
Total thickness,		30' 9"	

See Section No. 56, Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

*Section of Mammoth coal bed from bore-hole No. 33, at
Crystal Ridge colliery.*

Hazleton basin.

No. of strata.	Description. (Dip 9°.)	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1. Slate.			
2. Coal, good,		1' 10" to 1' 10"	1' 10" to 1' 10"
3. Slate and bone,		6" to 2' 4"	6" to 2' 4"
4. Coal, good,		11' 4" to 13' 8"	11' 2" to 13' 6"
5. Slate,		11" to 14' 7"	11" to 14' 5"
6. Coal, good,		8' 3" to 22' 10"	8' 2" to 22' 7"
7. Slate,		11" to 23' 9"	10" to 23' 5"
8. Coal, good,		6' 6" to 30' 3"	6' 5" to 29' 10"
9. Slate,		10" to 81' 1"	10" to 30 8"
10. Sandstone.			

See Section No. 57, Columnar Section Sheet No. III and Mine Sheet No. II, Atlas Eastern Middle Anthracite Field, Part I.

CHAPTER VII.

Sections in the Western Middle Coal field.

Section at North Franklin collieries Nos. 1 and 2 from Holmes bed to Lower Lykens Valley bed.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses per- pendicular to dip.</i>
1.	HOLMES BED NO. X,	3' 0" to 3' 0"
2.	Strata,	83' 0" to 86' 0"
3.	MAMMOTH BED NO. IX, TOP SPLIT, . . .	12' 0" to 98' 0"
4.	Strata,	44' 0" to 142' 0"
5.	MAMMOTH BED NO. VIII, BOTTOM SPLIT, . . .	13' 0" to 155' 0"
6.	Strata,	112' 0" to 267' 0"
7.	SKIDMORE BED NO. VII,	3' 0" to 270' 0"
8.	Strata,	72' 0" to 342' 0"
9.	SEVEN-FOOT BED NO. VI,	7' 0" to 349' 0"
10.	Strata,	129' 0" to 478' 0"
11.	Slate,	15' 0" to 493' 0"
12.	BUCK MOUNTAIN BED NO. V,	7' 0" to 500' 0"
13.	Strata,	130' 0" to 630' 0"
14.	COAL BED,	5' 0" to 635' 0"
15.	Strata,	153' 0" to 788' 0"
16.	UPPER LYKENS VALLEY BED NO. I, . . .	11' 0" to 799' 0"
17.	Strata,	120' 0" to 919' 0"
18.	LOWER LYKENS VALLEY BED NO. O, . . .	10' 0" to 929' 0"

See Columnar Section Sheet No. I and Mine Sheet No. VIII, Atlas Western Middle Anthracite Field Part II.

Section of Water Level tunnel at Bear Valley colliery, beginning 800 feet from mouth of tunnel.

P. & R. C. & I. Co.

<i>No of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Slate and sandstone,	44' 0 to 44' 0'	24' 0" to 24' 0"
2.	COAL, shelly,	8' 0" to 50' 0"	1' 5" to 25' 5"
3.	Slate, SS. and fire clay,	50' 0" to 100' 0"	27' 0" to 52' 5"
4.	COAL BED,	10' 0" to 110' 0"	6' 0" to 58' 6"
5.	Slate,	67' 0" to 177' 0"	45' 0" to 103' 5"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
6.	SS. and hard slate, .	18' 0" to 195' 0"	14' 0" to 117' 5"
7.	MAMMOTH BED, . .	41' 0" to 236' 0"	32' 0" to 149' 5"
8.	Dark slate and hard SS,	23' 0" to 259' 0"	17' 0" to 166' 5"
9.	COAL,	1' 6" to 260' 6"	1' 0" to 167' 5"
10.	Slate,	62' 6" to 323' 0"	48' 6" to 215' 11"
11.	COAL,	1' 6" to 324' 6"	1' 0" to 216' 11"
12.	Slate and fire clay, .	43' 6" to 368' 0"	32' 0" to 248' 11"
13.	COAL,	3' 0" to 371' 0"	1' 4" to 250' 3"
14.	Slate and fire clay, .	15' 0" to 386' 0"	10' 0" to 260' 3"
15.	COAL BED,	15' 0" to 401' 0"	12' 0" to 272' 3"
16.	Strata,	62' 0" to 463' 0"	44' 0" to 316' 3"
17.	COAL,	5' 0" to 468' 0"	3' 6" to 319' 9"
18.	Strata,	30' 0" to 498' 0"	21' 0" to 340' 9"
19.	COAL,	2' 0" to 500' 0"	1' 8" to 342' 5"
20.	Strata,	14' 0" to 514' 0"	9' 0" to 351' 5"
21.	COAL,	4' 0" to 518' 0"	3' 4" to 354' 9"
22.	Strata,	10' 0" to 528' 0"	8' 0" to 362' 9"
23.	COAL,	2' 0" to 530' 0"	1' 0" to 363' 9"
24.	Strata,	103' 0" to 633' 0"	73' 0" to 436' 9"
25.	COAL,	3' 0" to 636' 0"	2' 5" to 439' 2"
26.	Strata,	26' 0" to 662' 0"	18' 6" to 457' 8"
27.	COAL,	1' 6" to 663' 6"	1' 3" to 458' 11"
28.	Strata,	346' 6" to 1010' 0"	245' 0" to 703' 11"
29.	COAL BED,	9' 0" to 1019' 0"	7' 8" to 711' 7"
30.	Strata,	127' 0" to 1146' 0"	90' 0" to 801' 7"
31.	COAL,	3' 0" to 1149' 0"	2' 6" to 804' 1"
32.	Strata,	16' 0" to 1165' 0"	11' 0" to 815' 1"
33.	COAL,	1' 0" to 1166' 0"	7" to 815' 8"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part I.

Section of Water Level tunnel at Burnside colliery.

P. & R. C. & I. Co.

<i>No of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	COAL and slate. Dip 50° S.,	2' 0" to 2' 0"	1' 8" to 1' 8"
2.	Silicious sandstone, .	23' 0" to 25' 0"	17' 6" to 19' 2"
3.	COAL,	1" to 25' 1"	1" to 19' 3"
4.	Silicious sandstone, .	12' 0" to 37' 1"	9' 0" to 28' 3"
5.	Slate,	5' 0" to 42' 1"	4' 0" to 32' 3"
6.	Slaty sandstone, . .	11' 0" to 53' 1"	8' 8" to 40' 11"
7.	Silicious sandstone, .	34' 6" to 87' 7"	29' 6" to 70' 5"
8.	Slate. Dip 71° S., .	08' 6" to 196' 1"	100' 0" to 170' 5"
9.	COAL BED No. XI, .	5' 0" to 201' 1"	4' 3" to 174' 8"
10.	Slate. Dip 59° N., .	3' 6" to 204' 7"	2' 8" to 177' 4"
11.	Silicious sandstone .	15' 0" to 219' 7"	13' 0" to 190' 4"

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1191

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>		<i>Thicknesses perpendicular to dip.</i>	
12.	COAL. Dip 58° N., . . .	2'	0" to 221' 7"	1'	6" to 191' 10"
13.	Slate and SS. Dip 82° N.,	56'	6" to 278' 1"	53'	0' to 244' 10"
14.	Silicious sandstone, . . .	20'	2' to 298' 3"	19'	8" to 264' 6"
15.	Slate,	9'	10" to 308' 1"	9'	6" to 274' 0"
16.	COAL BED No. X, . . .	13'	7" to 321' 8"	13'	2" to 297' 2"
17.	Slate. Dip 82° N., . . .	34'	0" to 355' 8"	33'	0" to 320' 2"
18.	Silicious sandstone, . . .	31'	0" to 386' 8"	30'	3' to 350' 5"
19.	Slate,	2'	10" to 389' 6"	2'	10" to 353' 3"
20.	COAL. Dip 83° N., . . .	2"	to 389' 8"	2"	to 353' 5"
21.	Silicious sandstone, . . .	27'	0" to 416' 8"	26'	8' to 380' 1"
22.	Sandy slate,	28'	0" to 444' 8"	27'	6" to 407' 7"
23.	Silicious sandstone, . . .	50'	9" to 495' 5"	49'	4" to 456' 11"
24.	COAL,	3"	to 495' 8"	3"	to 457' 2"
25.	Slate,	29'	7" to 525' 3"	21'	2" to 478' 4"
26.	COAL BED No. VIII, . . .	4'	5" to 529' 8"	11'	0" to 489' 4"
27.	Slate. Dip 74° N., . . .	10'	2" to 539' 10"	10'	0" to 499' 4"
28.	Dark silicious SS., . . .	20'	0" to 559' 19"	19'	0" to 518' 4"
29.	COAL. Dip 77° N., . . .	7"	to 560' 5"	7"	to 518' 11"
30.	Slate,	3'	6" to 563' 11"	3'	4" to 522' 3"
31.	Hard silicious SS., . . .	37'	2" to 601' 1"	34'	6" to 556' 9"
32.	COAL. Dip 54° N., . . .	3'	6" to 604' 7"	2'	8" to 559' 5"
33.	Slate,	28'	0" to 632' 7"	22'	0" to 581' 5"
34.	COAL. Dip 48° N., . . .	5"	to 633' 0"	4"	to 581' 9"
35.	Slate,	11'	7" to 644' 7"	7'	0" to 588' 9"
36.	COAL. Dip 34° N., . . .	7"	to 645' 2"	5"	to 589' 2"
37.	Slate,	22'	0" to 667' 2"	12'	0" to 601' 2"
38.	Silicious sandstone, . . .	7'	0" to 674' 2"	5'	0" to 606' 2"
39.	Sandy slate,	9'	0" to 683' 2"	7'	2" to 613' 4"
40.	Silicious sandstone, . . .	1'	0" to 684' 2"	10"	to 614' 2"
41.	COAL. Dip 55° N., . . .	6"	to 684' 8"	4"	to 614' 6"
42.	Hard silicious SS., . . .	13'	2" to 697' 8"	9'	0" to 623' 6"
43.	Slate. Dip 33° N., . . .	4'	6" to 702' 2"	2'	6" to 626' 0"
44.	Silicious SS. Dip 38° N.,	58'	0" to 760' 2"	34'	0" to 660' 0"
45.	Hard slaty sandstone, . . .	2'	0" to 762' 2"	1'	2" to 661' 2"
46.	Slate,	1'	6" to 763' 8"	1'	0" to 662' 2"
47.	COAL, dirty. Dip 37° N.,	1'	0" to 764' 8"	8"	to 662' 10"
48.	Sandy slate,	32'	6" to 797' 2"	21'	0" to 683' 10"
49.	Soft slate,	10'	9" to 807' 11"	7'	8" to 691' 6"
50.	COAL BED No. V, . . .	11'	7" to 819' 6"	8'	6" to 700' 0"
51.	Slate,	6'	3" to 825' 9"	4'	9" to 704' 9"
52.	COAL,	3'	2" to 827' 11"	1'	10" to 706' 7"
53.	Slate,	3'	0" to 830' 11"	2'	3" to 708' 10"
54.	COAL and dirt, V, . . .	3'	0" to 833' 11"	2'	3" to 711' 1"
55.	Slate,	5'	0" to 838' 11"	4'	0" to 715' 1"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

*Section in vicinity of Shamokin from coal bed No. XVI
to Lykens Valley bed No. II.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses per- pendicular to dip.</i>
1.	COAL BED No. XVI,	5' 0" to 5' 0"
2.	Strata,	63' 0" to 68' 0"
3.	COAL BED No. XV,	5' 0" to 73' 0"
4.	Strata,	79' 0" to 152' 0"
5.	COAL BED No. XIV,	8' 0" to 160' 0"
6.	Strata,	30' 0" to 190' 0"
7.	COAL,	1' 0" to 191' 0"
8.	Strata,	55' 0" to 246' 0"
9.	COAL BED No. XIII,	6' 0" to 252' 0"
10.	Strata,	70' 0" to 322' 0"
11.	ORCHARD BED No. XII,	4' 0" to 328' 0"
12.	Sandstone,	50' 0" to 376' 0"
13.	Slate,	65' 0" to 441' 0"
14.	Bone,	2' 0" to 443' 0"
15.	Slaty sandstone,	65' 0" to 508' 0"
16.	Slate,	4' 0" to 512' 0"
17.	Sandstone,	40' 0" to 552' 0"
18.	PRIMROSE BED No. XI,	7' 0" to 559' 0"
19.	Slate,	21' 0" to 580' 0"
20.	Slate and sandstone,	56' 0" to 636' 0"
21.	Slate,	20' 0" to 656' 0"
22.	Sandstone and slate,	18' 0" to 674' 0"
23.	Sandstone,	58' 0" to 732' 0"
24.	Slaty sandstone,	13' 0" to 745' 0"
25.	HOLMES BED No. X,	6' 0" to 751' 0"
26.	Slate,	14' 0" to 765' 0"
27.	Sandstone,	77' 0" to 842' 0"
28.	Bone,	4' 0" to 846' 0"
29.	Sandstone,	71' 0" to 917' 0"
30.	MAMMOTH BED, UPPER MEMBER,	8' 0" to 925' 0"
31.	Slate,	21' 0" to 946' 0"
32.	MAMMOTH BED, MIDDLE MEMBER,	8' 0" to 945' 0"
33.	Slate,	13' 0" to 967' 0"
34.	MAMMOTH BED, LOWER MEMBER.	5' 0" to 972' 0"
35.	Sandstone,	59' 0" to 1031' 0"
36.	SKIDMORE BED No. VII,	4' 0" to 1035' 0"
37.	Slate,	8' 0" to 1043' 0"
38.	Sandstone,	10' 0" to 1053' 0"
39.	Slate,	16' 0" to 1069' 0"
40.	SEVEN-FOOT BED No. VI,	3' 0" to 1072' 0"
41.	Strata,	53' 0" to 1125' 0"
42.	BUCK MOUNTAIN BED No. V,	3' 0" to 1128' 0"
43.	Strata,	81' 0" to 1209' 0"
44.	COAL BED No. IV,	3' 0" to 1212' 0"
45.	Strata,	342' 0" to 1554' 0"
46.	LYKENS VALLEY BED No. II,	3' 0" to 1557' 0"

See Columnar Section Sheet No. I and Mine Sheet No. VI, Atlas Western Middle Anthracite Field, Part II.

Bear Valley shaft, from surface to coal bed at 152' 5".

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Wash,	30' 0" to 30' 0"
2.	Slate,	25' 0" to 55' 0"
3.	COAL BED,	3' 0" to 58' 0"
4.	Slate,	3' 0" to 61' 0"
5.	COAL BED,	5' 0" to 66' 0"
6.	Slate and fire clay,	33' 0" to 99' 0"
7.	COAL,	4" to 99' 4"
8.	Slate,	24' 0" to 123' 4"
9.	Hard sandstone,	9' 5" to 132' 9"
10.	Slate,	2' 3" to 135' 6"
11.	COAL,	8" to 138' 2"
12.	Slate,	1' 0" to 137' 2"
13.	COAL,	2' 4" to 139' 6"
14.	Slate,	8' 9" to 148' 3"
15.	COAL BED,	4' 2" to 152' 5"

See Columnar Section Sheet No. I, and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

Diamond Drill bore-hole at Neilson shaft.

A. Langdon & Co.

(Average dip 43°.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Wash,	25' 0" to 25' 0"	25' 0" to 25' 0"
2.	Sandy slate,	33' 9" to 58' 9"	24' 8" to 49' 8"
3.	Slate,	3' 7" to 62' 4"	2' 7" to 52' 3"
4.	COAL,	1' 3" to 63' 7"	11" to 53' 2"
5.	Sandy slate,	18' 2" to 81' 9"	13' 3" to 66' 5"
6.	Sandstone,	3' 7" to 85' 4"	2' 8" to 69' 1"
7.	Sandy slate,	15' 0" to 100' 4"	11' 0" to 80' 1"
8.	Slate,	2' 2" to 102' 6"	1' 7" to 81' 8"
9.	COAL BED No. XIII,	8' 1" to 110' 7"	5' 11" to 87' 7"
10.	Slate,	5' 6" to 116' 1"	4' 0" to 91' 7"
11.	Sandy slate,	1' 0" to 117' 1"	9" to 92' 4"
12.	Sandstone,	26' 6" to 143' 7"	19' 4" to 111' 8"
13.	Slate,	2' 10" to 146' 5"	2' 1" to 113' 9"
14.	Sandy slate,	33' 2" to 179' 7"	24' 3" to 138' 0"
15.	Slate,	4' 2" to 183' 9"	3' 0" to 141' 0"
16.	COAL BED,	4' 2" to 187' 11"	3' 0" to 144' 0"
17.	Slate,	2' 0" to 189' 11"	1' 6" to 145' 6"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
18.	Sandstone,	67' 1'' to 257' 0''	49' 1'' to 194' 7''
19.	Sandy slate,	8' 11'' to 265' 11''	6' 6'' to 201' 1''
20.	Slate and bone, . . .	3' 2'' to 269' 1''	2' 4'' to 203' 5''
21.	Sandy slate,	5' 10'' to 274' 11''	4' 3'' to 207' 8''
22.	Sandstone,	27' 1'' to 302' 0''	19' 10'' to 227' 6''
23.	Sandy slate,	3' 2'' to 305' 2''	2' 3'' to 229' 9''
24.	Slate,	2' 10'' to 308' 0''	2' 1'' to 231' 10''
25.	Sandstone,	7'' to 308' 7''	5'' to 232' 3''
26.	Slate,	29' 0'' to 337' 7''	21' 2'' to 253' 5''
27.	Sandy slate,	2' 8'' to 340' 3''	2' 0'' to 255' 5''
28.	Sandstone,	10' 1'' to 350' 4''	7' 4'' to 262' 9''
29.	Slate,	11' 10'' to 362' 2''	8' 8'' to 271' 5''
30.	Sandy slate,	6' 2'' to 363' 4''	4' 6'' to 275' 11''
31.	Slate,	3' 8'' to 372' 0''	2' 9'' to 278' 8''
32.	COAL BED No. XII, . .	7' 3'' to 379' 3''	5' 4'' to 284' 0''
33.	Slate,	10' 6'' to 389' 9''	7' 8'' to 291' 8''
34.	Sandstone,	57' 10'' to 447' 7''	42' 3'' to 333' 11''
35.	Slate,	10'' to 448' 5''	7'' to 334' 6''
36.	COAL,	1' 3'' to 449' 8''	11'' to 335' 5''
37.	Slate,	2' 6'' to 452' 2''	1' 10'' to 337' 3''
38.	Sandstone,	3' 0'' to 455' 2''	2' 2'' to 339' 5''
39.	Slate,	3' 7'' to 458' 9''	2' 7'' to 342' 0''
40.	Sandstone,	2' 1'' to 460' 10''	1' 6'' to 343' 6''
41.	Slate,	4'' to 461' 2''	3'' to 343' 9''
42.	Sandstone,	4' 11'' to 466' 1''	3' 7'' to 347' 4''
43.	Slate,	7' 3'' to 473' 4''	5' 3'' to 352' 7''
44.	Sandy slate,	4' 5'' to 477' 9''	3' 3'' to 355' 10''
45.	Slate,	8' 4'' to 486' 1''	6' 1'' to 361' 11''
46.	Sandstone,	13' 7'' to 499' 8''	9' 11'' to 371' 10''
47.	Sandy slate,	9' to 500' 5''	7'' to 372' 5''
48.	Sandstone,	8'' to 501' 1''	6'' to 372' 11''
49.	Slate,	4'' to 501' 5''	3'' to 373' 2''
50.	Sandstone,	3' 5'' to 504' 10''	2' 6'' to 375' 8''
51.	Sandy slate,	7' 5'' to 512' 3''	5' 5'' to 381' 1''
52.	Slate,	2' 7'' to 514' 10''	1' 10'' to 382' 11''
53.	Bone,	1'' to 514' 11''	1'' to 383' 0''
54.	Slate,	2' 11'' to 517' 10''	2' 2'' to 385' 2''
55.	Sandy slate,	3' 5'' to 521' 3''	2' 6'' to 387' 8''
56.	Sandstone,	2' 5'' to 523' 8''	1' 9'' to 389' 5''
57.	Sandy slate,	47' 4'' to 571' 0''	34' 7'' to 424' 0''
58.	Sandstone,	4' 6'' to 575' 6''	3' 3'' to 427' 3''
59.	Sandy slate,	11' 1'' to 586' 7''	8' 1'' to 435' 4''
60.	Slate,	1' 7'' to 588' 2''	1' 2'' to 436' 6''
61.	Sandy slate,	3' 7'' to 591' 9''	2' 8'' to 439' 2''
62.	Sandstone,	50' 8'' to 642' 5''	37' 0'' to 476' 2''
63.	Slate,	1' 5' to 643' 10''	1' 1'' to 477' 3''
64.	Sandy slate,	18' 7'' to 662' 5''	13' 7'' to 490' 10''
65.	Slate,	8' 4'' to 670' 9''	6' 1'' to 496' 11''
66.	COAL BED No. XI, . .	6' 7' to 677' 4''	4' 10'' to 501' 9''
67.	Slate,	1' 2'' to 678' 6''	10'' to 502' 7''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses per- pendicular to dip.</i>
68.	Sandy slate, . . .	24' 3" to 702' 9"	17' 9' to 520' 4"
69.	Slate,	8" to 703' 5"	6" to 520' 10"
70.	Sandy slate, . . .	91' 3" to 794' 8"	66' 8" to 587' 6"
71.	Slate,	5' 3" to 799' 11"	3' 10" to 591' 4"
72.	COAL,	1' 4" to 801' 3"	1' 0" to 592' 4"
73.	Slate,	7' 4" to 808' 7"	5' 4" to 597' 8"
74.	Sandstone,	1' 8" to 810' 3"	1' 3" to 598' 11"
75.	Slate,	1' 2" to 811' 5"	10" to 599' 9"
76.	Sandstone,	1' 4" to 812' 9"	1' 0" to 600' 9"
77.	Sandy slate, . . .	5' 4" to 818' 1"	3' 11" to 604' 8"
78.	Sandstone,	14' 8" to 832' 9"	10' 9" to 615' 5"
79.	Conglomerate, . .	46' 7" to 879' 4"	34' 1" to 649' 6"
80.	Slate,	11' 9" to 891' 1"	8' 6" to 658' 0"
81.	COAL BED No. X, .	9' 5" to 900' 6"	6' 10" to 664' 10"
82.	Slate,	4' 4" to 904' 10"	3' 2" to 668' 0"
83.	Sandy slate, . . .	4' 6" to 909' 4"	3' 3" to 671' 3"
84.	Sandstone,	12' 11" to 922' 3"	9' 5" to 680' 8"
85.	Sandy slate, . . .	6" to 922' 9"	4" to 681' 0"
86.	Slate,	3' 0" to 925' 9"	2' 2" to 683' 2"
87.	Sandstone,	5" to 926' 2"	4" to 683' 6"
88.	Slate,	1' 5" to 927' 7"	1' 1" to 684' 7"
89.	COAL BED,	2' 7" to 930' 2"	1' 11" to 686' 6"
90.	Slate,	5' 6" to 935' 8"	4' 0" to 690' 6"
91.	Sandy slate, . . .	27' 5" to 963' 1"	20' 1" to 710' 7"
92.	Sandstone,	18' 0" to 981' 1"	13' 2" to 723' 9"
93.	Sandy slate, . . .	11' 10" to 992' 11"	8' 8" to 732' 5"
94.	Sandstone,	38' 6" to 1031' 5"	28' 2" to 760' 7"
95.	Slate,	6' 5" to 1037' 10"	4' 8" to 765' 3"
96.	Sandstone,	30' 0" to 1067' 10"	21' 11" to 787' 2"
97.	Slate,	1' 10" to 1069' 8"	1' 4" to 788' 6"
98.	Sandstone,	24' 9" to 1094' 5"	18' 1" to 806' 7"
99.	Slate,	5" to 1094' 10"	4" to 806' 11"
100.	Sandy slate, . . .	23' 6" to 1118' 4"	17' 2" to 824' 1"
101.	Sandstone,	6' 8" to 1125' 0"	4' 10" to 828' 11"
102.	Shelly slate, . . .	5' 9" to 1130' 9"	4' 3" to 833' 2"
103.	Sandy slate, . . .	37' 11" to 1168' 8"	27' 9" to 860' 11"
104.	Soft slate,	5' 9" to 1174' 5"	4' 2" to 865' 1"
105.	Sandy slate, . . .	34' 11" to 1209' 4"	25' 6" to 890' 7"
106.	Sandstone,	12' 7" to 1221' 11"	9' 3" to 899' 10"
107.	Conglomerate, . .	3' 4" to 1225' 3"	2' 5" to 902' 3"
108.	Sandstone,	8' 3" to 1233' 6"	6' 1" to 908' 4"
109.	Conglomerate, . .	7' 3" to 1240' 9"	5' 4" to 913' 8"
110.	Sandy slate, . . .	35' 8" to 1276' 5"	26' 1" to 939' 9"
111.	COAL BED,	4' 11" to 1281' 4"	3' 7" to 943' 4"
112.	Slate,	4" to 1281' 8"	3" to 943' 7"
113.	Sandy slate, . . .	13' 5" to 1295' 1"	9' 10" to 953' 5"
114.	Sandstone,	5' 8" to 1300' 9"	4' 2" to 957' 7"
115.	Sandy slate, . . .	11" to 1301' 8"	8" to 958' 3"
116.	Slate,	5' 6" to 1307' 2"	4' 0" to 962' 3"
117.	Sandy slate, . . .	30' 7" to 1337' 9"	22' 4" to 984' 7"

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
118.	Sandstone,	2' 8' to 1340' 5"	1' 11" to 986' 6"
119.	Conglomerate, . .	5' 8" to 1346' 1"	4' 2" to 990' 8"
120.	COAL BED,	5' 2" to 1351' 3"	3' 9" to 994' 5"
121.	Slate,	5' 1" to 1356' 4"	3' 9" to 998' 2"
122.	Sandy slate, . . .	3' 10" to 1360' 2"	2' 9" to 1000' 11"
123.	Sandstone,	8' 5" to 1368' 7"	6' 2" to 1007' 1"
124.	Sandy slate, . . .	9' 6" to 1378' 1"	6' 11" to 1014' 0"
125.	Sandstone,	1' 5" to 1379' 6"	1' 0" to 1015' 0"
126.	Hard sandstone, .	9' 6" to 1389' 0"	6' 11" to 1021' 11"
127.	Sandy slate, . . .	8' 6" to 1397' 6"	6' 3" to 1028' 2"
128.	Sandstone,	20' 8" to 1418' 0"	15' 0" to 1043' 2"
129.	Sandy slate, . . .	6" to 1418' 6"	4" to 1043' 6"
130.	Sandstone,	4' 8" to 1423' 2"	3' 5" to 1046' 11"
131.	Slate,	2' 6" to 1425' 8"	1' 10" to 1048' 9"
132.	COAL,	1' 0" to 1426' 8"	9" to 1049' 6"
133.	Sandy slate, . . .	1' 4" to 1428' 0"	1' 0" to 1050' 6"
134.	Sandstone,	12' 6" to 1440' 6"	9' 2" to 1059' 8"
135.	Sandy slate, . . .	27' 0" to 1467' 6"	19' 9" to 1079' 5"
136.	Sandstone,	9' 5" to 1476' 11"	6' 10" to 1086' 3"
137.	Slate,	8" to 1477' 7"	6" to 1086' 9"
138.	Sandy slate, . . .	5' 6" to 1483' 1"	4' 0" to 1090' 9"
139.	Sandstone,	42' 0" to 1525' 1"	30' 8" to 1121' 5"
140.	Sandy slate, . . .	5' 6" to 1530' 7"	4' 0" to 1125' 5"
141.	Sandstone,	7' 5" to 1538' 0"	5' 5" to 1130' 10"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

Neilson colliery tunnel in counter level from No. XII to to No. XI bed.

A. Langdon & Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	No. XII BED. Dip 32° S.,	9' 3" to 9' 3"	4' 10" to 4' 10"
2.	Hard black slate, .	37' 4" to 46' 7"	21' 10" to 26' 8"
3.	Hard sandstone, .	17' 10" to 64' 5"	11' 6" to 38' 2"
4.	COAL,	1' 1" to 65' 6"	9" to 38' 11"
5.	Hard black slate, .	20' 5" to 85' 11"	14' 2" to 53' 1"
6.	Hard sandstone, .	49' 1" to 135' 0"	36' 6" to 89' 7"
7.	COAL. Dip 52° S.,	1' 3" to 136' 3"	1' 0" to 90' 7"
8.	Hard sandstone, .	22' 0" to 158' 3"	17' 7" to 108' 2"
9.	Sandstone,	24' 6" to 182' 9"	20' 1" to 128' 3"
10.	Hard sandstone, .	27' 6" to 210' 3"	23' 1" to 151' 4"
11.	Dirt,	1' 0" to 211' 3"	10" to 152' 2"
12.	Slate, sandstone and fire clay,	46' 4" to 257' 7"	40' 8" to 192' 10"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
13.	COAL. Dip 61° S.,	2' 1" to 259' 8"	10' to 193' 8"
14.	Hard sandstone, .	43' 5" to 303' 1"	38' 0" to 231' 8"
15.	COAL, slate and dirt,	6' 2" to 309' 3"	5' 5" to 237' 1"
16.	Slate,	1' 6" to 310' 9"	1' 4" to 238' 5"
17.	COAL,	2' 0" to 312' 9"	1' 9" to 240' 2"
18.	Slate,	2' 2" to 314' 11"	1' 11" to 242' 1"
19.	Slate,	19' 0" to 333' 11"	18' 6" to 260' 7"
20.	COAL BED No. XI,	1' 7" to 335' 6"	1' 6" to 262' 1"

See Columnar Section Sheet No. VII and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

Neilson shaft, from surface to 67' 4" below No. X bed.

A. Langdon & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Strata,	44' 2" to 44' 2"	27' 10" to 27' 10"
2.	COAL BED. Dip 51° S.,	9' 6" to 53' 8"	6' 0" to 33' 10"
3.	Strata. Dip 60° S.,	141' 2" to 194' 10"	70' 2" to 104' 0"
4.	COAL BED, . . .	8' 5" to 203' 3"	5' 3" to 109' 3"
5.	Strata,	67' 0" to 270' 3"	54' 10" to 164' 1"
6.	COAL BED, . . .	3' 4" to 273' 7"	2' 9" to 166' 10"
7.	Strata,	111' 11" to 385' 6"	96' 11" to 263' 9"
8.	No. XII BED. Dip 29° S., . .	11' 1" to 396' 7"	9' 8" to 273' 5"
9.	Strata,	194' 3" to 590' 10"	166' 5" to 439' 10"
10.	COAL. Dip 32° S.,	1' 0" to 591' 10"	10" to 440' 8"
11.	Strata,	54' 5" to 646' 3"	46' 1" to 486' 9"
12.	COAL,	2' 4" to 648' 7"	2' 1" to 488' 10"
13.	Strata,	48' 3" to 696' 10"	40' 10" to 529' 8"
14.	COAL,	2' 10" to 699' 8"	2' 6" to 532' 2"
15.	Strata,	11' 2" to 710' 10"	9' 6" to 541' 8"
16.	No. XI BED. Dip 32° S., . .	7' 4" to 718' 2"	6' 3" to 547' 11"
17.	Strata,	204' 8" to 922' 10"	171' 9" to 719' 8"
18.	No. X BED. Dip 34° S., . .	9' 5" to 932' 3"	9' 7" to 729' 3"
19.	Strata,	81' 3" to 1013' 6"	67' 4" to 796' 7"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

This section was measured June 16th, 1887, during progress of sinking.

*Tunnel at foot of outside slope from No. X to No. IX bed
Cameron colliery.*

Mineral Railroad and Mining Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1. No. X BED. Dip 73°			
	S.,	7' 7" to 7' 7"	7' 3" to 7' 3"
2. Sandy slate,		3' 5" to 11' 0"	3' 3" to 10' 6"
3. COAL BED,		21' 0" to 32' 0"	20' 1" to 30' 7"
4. Slate,		14' 7" to 46' 7"	14' 2" to 44' 9"
5. Hard sandstone. Dip 78° S.,		81' 6" to 128' 1"	79' 8" to 124' 5"
6. No. IX BED. Dip 63°			
	S.,	2' 11" to 131' 0"	2' 6" to 126' 11"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

*Cameron colliery tunnel, 70 yards east of the foot of the
outside slope.*

Mineral Railroad & Mining Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1. No. IX BED. Dip 27°			
S.,	15' 0'' to 15' 0''	6' 8'' to 6' 8'	
2. Slate,	16' 0'' to 31' 0''	8' 7'' to 15' 3'	
3. Sandstone,	6' 0'' to 37' 0''	3' 8'' to 18' 11''	
4. Slate,	3' 0'' to 40' 0''	2' 0'' to 20' 11'	
5. No. VIII BED. Dip 45° S.,	15' 0'' to 55' 0''	10' 6'' to 31' 5''	
6. Slate,	8' 0'' to 63' 0''	5' 5'' to 36' 10''	
7. No. VII½ BED. Dip 43° S.,	10' 2'' to 73' 2''	6' 10'' to 43' 8''	
8. Slate,	6' 10'' to 80' 0''	5' 3'' to 48' 11''	
9. Hard sandstone. Dip 60° S.,	111' 0'' to 191' 0''	96' 1'' to 145' 0''	
10. Slate,	6' 0'' to 197' 0'	5' 0'' to 150' 0''	
11. No. VII BED. Dip 45° S.,	7' 3' to 204' 3''	5' 1'' to 155' 1'	
12. Slate,	24' 2'' to 228' 5''	17' 7'' to 172' 8'	
13. No. VI BED. Dip 48° S.,	9' 3'' to 237' 8''	6' 9'' to 179' 5''	
14. Slate,	5' 6'' to 243' 2''	4' 0'' to 183' 5''	
15. COAL and slate,	2' 10'' to 246' 0''	2' 0'' to 185' 5'	
16. Slate,	19' 0'' to 265' 0''	13' 2'' to 198' 7'	

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
17.	Hard sandstone, . .	22' 6'' to 287' 6''	15' 2'' to 213' 9''
18.	COAL. Dip 40° S., .	2' 6'' to 290' 0''	1' 6'' to 215' 3''
19.	Slate and sandstone,	20' 6'' to 310' 2''	13' 8'' to 228' 11''
20.	Sandstone,	13' 6'' to 323' 8''	9' 4'' to 238' 3''
21.	Slate, bone and COAL,	2' 4'' to 326' 0''	1' 7'' to 239' 10''
22.	Slate,	6' 0'' to 332' 0''	4' 5'' to 244' 3''
23.	Sandstone,	87' 4'' to 419' 4''	67' 9'' to 312' 0''
24.	Slate,	2' 0'' to 421' 4''	1' 7'' to 313' 7''
25.	Slate and bone, . .	1' 1'' to 422' 5''	9'' to 314' 4''
26.	No. IV BED. Dip 58° S.,	2' 7'' to 425' 0''	2' 2'' to 316' 8''

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

Luke Fiddler colliery, tunnel from foot of slope to No. IX bed.

Mineral Railroad and Mining Company.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	COAL,	10'' to 10''	4'' to 4''
2.	Slate,	6' 7'' to 7' 5''	2' 7'' to 2' 11''
3.	COAL,	2' 2'' to 9' 7''	10' to 3' 9''
4.	Slaty sandstone, Dip 23° S., . .	10' 0'' to 19' 7'	3' 11'' to 7' 8''
5.	Hard gray SS. Dip 34° S., . .	76' 0'' to 95' 7''	39' 9'' to 47' 5''
6.	Hard dark slate, .	4' 0'' to 99' 7''	2' 3'' to 49' 8''
7.	Hard gray SS., .	15' 0'' to 114' 7''	8' 0'' to 57' 8'
8.	No. XII BED. Dip 31° S.,	12' 0'' to 126' 7''	7' 3'' to 64' 11''
9.	Slaty sandstone, .	17' 0'' to 143' 7''	8' 9'' to 73' 8''
10.	Hard gray SS., .	19' 0'' to 162' 7''	9' 6'' to 83' 2''
11.	Sandy slate, . .	21' 0'' to 183' 7''	10' 2'' to 93' 4''
12.	Hard gray SS., .	20' 0'' to 203' 7''	9' 5'' to 102' 9''
13.	Hard slate. Dip 27° S.,	4' 0'' to 207' 7''	1' 10'' to 104' 7''
14.	Hard sandstone, .	44' 0'' to 251' 7''	20' 8'' to 125' 3''
15.	Slate,	2' 0'' to 253' 7''	1' 0'' to 126' 3''
16.	Hard, coarse silicious sandstone, .	40' 0'' to 293' 7''	20' 0'' to 146' 3''
17.	Soft slate. Dip 31° S.,	7' 0'' to 300' 7''	3' 7'' to 149' 10''
18.	Hard slaty SS. Dip 32° S., . . .	104' 0'' to 404' 7''	55' 1'' to 204' 11''
19.	Slate and SS., .	16' 0'' to 420' 7''	8' 6'' to 213' 5''
20.	Hard sandstone, .	42' 0'' to 462' 7''	22' 11'' to 236' 4''
21.	Sandy slate, . .	8' 0'' to 470' 7''	4' 6'' to 240' 10''

*Tunnel at foot of outside slope from No. X to No. IX bed
Cameron colliery.*

Mineral Railroad and Mining Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	No. X BED. Dip 73°		
	S.,	7' 7" to 7' 7"	7' 3" to 7' 3"
2.	Sandy slate,	3' 5" to 11' 0"	3' 3" to 10' 6"
3.	COAL BED,	21' 0" to 32' 0"	20' 1" to 30' 7"
4.	Slate,	14' 7" to 46' 7"	14' 2" to 44' 9"
5.	Hard sandstone. Dip 78° S.,	81' 6" to 128' 1"	79' 8" to 124' 5"
6.	No. IX BED. Dip 63°		
	S.,	2' 11" to 131' 0"	2' 6" to 126' 11"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

*Cameron colliery tunnel, 70 yards east of the foot of the
outside slope.*

Mineral Railroad & Mining Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1. No. IX BED. Dip 27°			
S.,	15' 0'' to 15' 0''	6' 8'' to 6' 8'	
2. Slate,	16' 0'' to 31' 0''	8' 7'' to 15' 3'	
3. Sandstone,	6' 0'' to 37' 0''	3' 8'' to 18' 11''	
4. Slate,	3' 0'' to 40' 0''	2' 0'' to 20' 11''	
5. No. VIII BED. Dip 45° S.,	15' 0'' to 55' 0''	10' 6'' to 31' 5''	
6. Slate,	8' 0'' to 63' 0''	5' 5'' to 36' 10''	
7. No. VII½ BED. Dip 43° S.,	10' 2'' to 73' 2''	6' 10'' to 43' 8''	
8. Slate,	6' 10'' to 80' 0''	5' 3'' to 48' 11''	
9. Hard sandstone. Dip 60° S.,	111' 0'' to 191' 0''	96' 1'' to 145' 0''	
10. Slate,	6' 0'' to 197' 0'	5' 0'' to 150' 0''	
11. No. VII BED. Dip 45° S.,	7' 3' to 204' 3''	5' 1' to 155' 1'	
12. Slate,	24' 2'' to 228' 5''	17' 7'' to 172' 8'	
13. No. VI BED. Dip 48° S.,	9' 3'' to 237' 8''	6' 9'' to 179' 5''	
14. Slate,	5' 6'' to 243' 2''	4' 0'' to 183' 5''	
15. COAL and slate,	2' 10'' to 246' 0''	2' 0'' to 185' 5'	
16. Slate,	19' 0'' to 265' 0''	13' 2'' to 198' 7'	

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
17.	Hard sandstone, . .	22' 6" to 287' 6"	15' 2" to 213' 9"
18.	COAL. Dip 40° S., .	2' 6" to 290' 0"	1' 6" to 215' 3"
19.	Slate and sandstone,	20' 6" to 310' 2"	13' 8" to 228' 11"
20.	Sandstone,	13' 6" to 323' 8"	9' 4" to 238' 3"
21.	Slate, bone and COAL,	2' 4" to 326' 0"	1' 7" to 239' 10"
22.	Slate,	6' 0" to 332' 0"	4' 5" to 244' 3"
23.	Sandstone,	87' 4" to 419' 4"	67' 9" to 312' 0"
24.	Slate,	2' 0" to 421' 4"	1' 7" to 313' 7"
25.	Slate and bone, . .	1' 1" to 422' 5"	9" to 314' 4"
26.	No. IV BED. Dip 58° S.,	2' 7" to 425' 0"	2' 2" to 316' 6"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

Luke Fiddler colliery, tunnel from foot of slope to No. IX bed.

Mineral Railroad and Mining Company.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	COAL,	10" to 10"	4" to 4"
2.	Slate,	8' 7" to 7' 5"	2' 7" to 2' 11"
3.	COAL,	2' 2" to 9' 7"	10" to 3' 9"
4.	Slaty sandstone, Dip 23° S., . .	10' 0" to 19' 7"	3' 11" to 7' 8"
5.	Hard gray SS. Dip 34° S., . .	76' 0" to 95' 7"	39' 9" to 47' 5"
6.	Hard dark slate, 4' 0" to 99' 7"		2' 3" to 49' 8"
7.	Hard gray SS., . 15' 0" to 114' 7"		8' 0" to 57' 8"
8.	No. XII BED. Dip 31° S.,	12' 0" to 126' 7"	7' 3" to 64' 11"
9.	Slaty sandstone, 17' 0" to 143' 7"		8' 9" to 73' 8"
10.	Hard gray SS., . 19' 0" to 162' 7"		9' 6" to 83' 2"
11.	Sandy slate, . . 21' 0" to 183' 7"		10' 2" to 93' 4"
12.	Hard gray SS., . 20' 0" to 203' 7"		9' 5" to 102' 9"
13.	Hard slate. Dip 27° S.,	4' 0" to 207' 7"	1' 10" to 104' 7"
14.	Hard sandstone, 44' 0" to 251' 7"		20' 8" to 125' 3"
15.	Slate, 2' 0" to 253' 7"		1' 0" to 126' 3"
16.	Hard, coarse siliceous sandstone, 40' 0" to 293' 7"		20' 0" to 146' 3"
17.	Soft slate. Dip 31° S.,	7' 0" to 300' 7"	3' 7" to 149' 10"
18.	Hard slaty SS. Dip 32° S.,	104' 0" to 404' 7"	55' 1" to 204' 11"
19.	Slate and SS., . 16' 0" to 420' 7"		8' 6" to 213' 5"
20.	Hard sandstone, 42' 0" to 462' 7"		22' 11" to 236' 4"
21.	Sandy slate, . . 8' 0" to 470' 7"		4' 6" to 240' 10"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
22.	No. XI BED. Dip 35° S.,	22' 0'' to 492' 7''	12' 7'' to 253' 5''
23.	Slate and SS., .	40' 0'' to 532' 7''	27' 0'' to 280' 5''
24.	Slate and bone, 1' 10'' to 634' 5''	1' 10'' to 634' 5''	1' 1'' to 281' 6''
25.	Hard sandstone, 30' 2'' to 564' 7''	30' 2'' to 564' 7''	15' 7'' to 297' 1''
26.	Hard slate. Dip 29° S.,	4' 0'' to 568' 7''	1' 11'' to 299' 0''
27.	Hard sandstone, Dip 17½° S., . .	154' 0'' to 722' 7''	52' 8'' to 351' 8''
28.	COAL BED. Dip 18° S.,	3' 6'' to 726' 1''	1' 1'' to 352' 9''
28.	Sandy slate, . .	55' 6'' to 781' 7''	13' 5'' to 366' 2''
30.	COAL and bone. Dip 10° S., . .	2' 6'' to 784' 1''	1' 0'' to 367' 2''
31.	Slate and SS., .	35' 6'' to 819' 7''	6' 9'' to 373' 11''
32.	Hard sandstone, 86' 0'' to 905' 7''	86' 0'' to 905' 7''	16' 5'' to 390' 4''
33.	Hard black slate with iron ore balls,	33' 0'' to 938' 7''	6' 10'' to 397' 2''
34.	Hard sandstone, 114' 0'' to 1052' 7''	114' 0'' to 1052' 7''	25' 8'' to 422' 10''
35.	Hard sandy slate, 34' 0'' to 1086' 7''	34' 0'' to 1086' 7''	8' 3'' to 431' 1''
36.	COAL,	8'' to 1087' 3''	2'' to 431' 3''
37.	Hard slate, . . .	24' 4'' to 1111' 7''	5' 10'' to 437' 1''
38.	No. X BED. Dip 15° S.,	20' 0'' to 1131' 7''	5' 1'' to 442' 2''
39.	Slate,	27' 0'' to 1158' 7''	7' 0'' to 449' 2''
40.	COAL,	3' 2'' to 1161' 9''	1' 4'' to 450' 6''
41.	Hard black slate with iron ore balls,	21' 10'' to 1183' 7''	5' 3'' to 455' 9''
42.	Slate with streaks of bone, 9' 0'' to 1192' 7''	9' 0'' to 1192' 7''	2' 0'' to 457' 9''
43.	Hard black slate with iron ore balls,	58' 0'' to 1250' 7''	12' 1'' to 469' 10''
44.	Slate and bone. Dip 11° S., . .	9' 0'' to 1259' 7''	1' 9'' to 471' 7''
45.	Hard black slate with iron ore balls, Dip 17° S., 192' 0'' to 1451' 7''	192' 0'' to 1451' 7''	53' 0'' to 524' 7''
46.	SS. and slate, .	48' 0'' to 1499' 7''	13' 3'' to 537' 10''
47.	Slate with streaks of bone, 3' 6'' to 1503' 1''	3' 6'' to 1503' 1''	1' 0'' to 538' 10''
48.	Soft slate, . . .	28' 6'' to 1531' 7''	7' 0'' to 545' 10''
49.	SS. and cong., .	329' 0'' to 1860' 7''	90' 10'' to 636' 8''
50.	Hard slaty SS., .	13' 0'' to 1873' 7''	3' 7'' to 640' 3''
51.	Hard slate. Dip 16° S.,	47' 0'' to 1920' 7''	13' 0'' to 653' 3''

No. IX BED.

See Columnar Section Sheet No. I, Mine Sheet No. VI, Atlas Western Middle Anthracite Field, Part II.

*Cameron colliery tunnel 100 yards west of bottom of out-
side slope, from No. XII bed to No. X bed.*

Mineral Railroad and Mining Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Hard slate,	4' 5" to 4' 5"	4' 3" to 4' 3"
2.	COAL, slate and SS.,	7' 0" to 11' 5"	6' 9" to 11' 0"
3.	Sandstone,	16' 0" to 27' 5"	15' 6" to 26' 8"
4.	Slate,	5' 3" to 32' 8"	5' 1" to 31' 7"
5.	COAL dirt,	9" to 33' 5"	8" to 32' 3'
6.	Sandstone,	13' 7" to 47' 0"	13' 3" to 45' 6"
7.	COAL and slate. Dip 76° S., . . .	50' 11" to 97' 11"	4' 0" to 49' 6"
8.	SS. Dip 67° S., . .	55' 6" to 153' 5"	51' 2" to 100' 8"
9.	Dirt,	1' 0" to 154' 5"	9" to 101' 5'
10.	Slate. Dip 58° S., .	72' 7" to 227' 0"	61' 6" to 162' 11"
11.	COAL, bone and slate,	2' 5" to 229' 5"	2' 1" to 165' 0"
12.	Slate and sandstone,	72' 0" to 301' 5"	62' 3" to 227' 3"
13.	Slate,	5' 0" to 306' 5"	4' 4" to 231' 7"
14.	Dirt,	5" to 306' 10"	5" to 232' 0"
15.	Hard SS. Dip 65° S.,	44' 2" to 351' 0"	40' 1" to 272' 1"
16.	No. XI BED, . . .	10' 2" to 361' 2"	7' 6" to 279' 7"
17.	Slate,	23, 0" to 384' 2"	21' 5" to 301' 0"
18.	COAL and bone. Dip 70° S., . . .	1' 5" to 385' 7"	5" to 301' 5"
19.	Hard slate and SS.,	58' 4" to 443' 4"	54' 9" to 356' 2"
20.	Slate,	21' 3" to 465' 2"	20' 0" to 376' 2"
21.	COAL and bone, . .	1' 7" to 466' 9"	9" to 376' 11"
22.	Hard sandy slate. Dip 73° S., . . .	20' 0" to 486' 9"	19' 1" to 396' 0"
23.	Hard sandstone, . .	65' 5" to 552' 2"	61' 1" to 457' 1"
24.	Slate and slaty SS.,	14' 7" to 566' 9"	13' 3" to 470' 4"
25.	No. X BED. Dip 62° S.,	10' 5" to 577' 2"	9' 2" to 479' 6"

See Columnar Section Sheet No. I and Mine Sheet No. VII, Atlas Western Middle Anthracite Field, Part II.

*Hickory Swamp colliery, inside Water Level tunnel from
No. X bed north.*

Union Coal Company.

(Measured by Geological Survey.)

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	NO. X BED. Dip 61°		
	S.,	5' 2" to 5' 2"	3' 6" to 3' 6"
2.	Very hard slate, . .	13' 10" to 19' 0"	13' 3" to 16' 9"
3.	COAL,	9" to 19' 9"	1' 4" to 18' 1"
4.	Hard slate,	9' 0" to 28' 9"	8' 1" to 26' 2"
5.	COAL,	1' 9" to 30' 6"	1' 4" to 27' 6"
6.	Sandstone,	20' 0" to 50' 6"	18' 3" to 45' 9"
7.	Slate,	2' 6" to 53' 0"	2' 3" to 48' 0"
8.	COAL,	9" to 53' 9"	9" to 48' 9"
9.	Sandstone,	18' 5' to 72' 2"	17' 2" to 65' 11"
10.	COAL,	1' 8" to 73' 10"	1' 7" to 67' 6"
11.	Sandstone,	1' 3" to 75' 1"	1' 2" to 68' 8"
12.	COAL,	2' 0" to 77' 1"	1' 1" to 69' 9"
13.	Hard sandstone, . .	102' 3" to 179' 4"	98' 3" to 168' 0"
14.	NO. IX BED,	5' 2" to 184' 6"	5' 0" to 173' 0"
15.	Slate,	7' 0" to 191' 6"	6' 10" to 179' 10"
16.	NO. VIII BED. Dip		
	79° S.,	2' 0" to 193' 6"	2' 0" to 181' 10"
17.	Slate,	3' 8" to 197' 2"	3' 7" to 185' 5"
18.	COAL,	7" to 197' 9"	7" to 186' 0"
19.	Slate,	2' 9" to 200' 6"	2' 8" to 188' 8"
20.	Hard sandstone, . .	73' 11" to 274' 5"	69' 1" to 257' 9"
21.	COAL. Dip 71° S., .	1' 1" to 275' 6"	1' 0" to 258' 9"
22.	Hard sandstone, . .	23' 7" to 290' 1"	22' 3" to 281' 0"
23.	Hard slaty SS., . .	3' 7" to 302' 8"	3' 5" to 284' 5"
24.	Slate,	1' 8" to 304' 4"	1' 7" to 286' 0"
25.	COAL and slate. Dip		
	70° S.,	1' 2" to 305' 6"	11" to 286' 11"
26.	Slate,	1' 0" to 306' 6"	11" to 287' 10"
27.	Hard sandstone, . .	54' 8" to 361' 2"	50' 0" to 337' 10"
28.	COAL and slate. Dip		
	62° S.,	3' 6" to 364' 8"	2' 4" to 340' 2"
29.	Sandstone,	6' 5" to 371' 1"	5' 8" to 345' 10"
30.	Dirt,	9" to 371' 10"	8" to 346' 6"
31.	Hard sandstone, . .	10' 7" to 382' 5"	9' 4" to 355' 10"
32.	COAL,	2' 9" to 385' 2"	1' 5" to 357' 3"
33.	Hard sandstone, . .	25' 8" to 410' 10"	22' 6" to 379' 9"
34.	COAL, dirt and slate.		
	Dip 61° S.,	7' 0" to 417' 10"	5' 9" to 385' 6"
35.	Slate,	1' 0" to 418' 10"	10" to 386' 4"
36.	Sandstone,	4' 8" to 423' 6"	4' 1" to 390' 5"
37.	Hard slate,	5' 0" to 428' 6"	4' 4" to 394' 9"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
38.	Sandstone,	9' 0'' to 437' 6''	7' 10'' to 402' 7''
39.	Slate,	8'' to 438' 2''	8'' to 403' 3''
40.	Hard sandstone,	62' 4'' to 500' 6''	54' 6'' to 457' 9''

See Columnar Section Sheet No. I and Mine Sheet No. X Atlas Western Middle Anthracite Field, Part II.

Hickory Ridge colliery, tunnel at foot of No. 2 slope from 91' above No. IX bed No. VI bed.

Union Coal Company.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Hard sandy slate,	34' 4'' to 34' 4''	22' 0'' to 22' 0''
2.	COAL. Dip 40° N.,	11'' to 35' 3''	7'' to 22' 7''
3.	Hard sandstone,	103' 3'' to 138' 6''	68' 5'' to 91' 0''
4.	No. IX BED. Dip 41° N.,	10' 0'' to 148' 6''	6' 6'' to 97' 6''
5.	Hard sandy slate,	7' 4'' to 155' 10''	4' 9'' to 102' 3''
6.	No. VIII BED. Dip 42° N.,	15' 2'' to 171' 0''	10' 2'' to 112' 5''
7.	Slate,	8' 0'' to 179' 0''	5' 0'' to 117' 5''
8.	Hard SS. Dip 44° N.,	100' 10'' to 279' 10''	70' 1' to 187' 6''
9.	Slate,	2' 4'' to 282' 2''	1' 5'' to 188' 11''
10.	COAL. Dip 45° N.,	1' 10'' to 284' 0''	1' 3'' to 190' 2''
11.	Hard, black, sandy slate. Dip 46° N.,	63' 2'' to 347' 2''	45' 5'' to 235' 7''
12.	Hard SS. Dip 47° N.,	93' 6'' to 440' 8''	68' 4'' to 303' 11''
13.	No. VII BED. Dip 49° N.,	3' 7'' to 443' 3''	2' 8'' to 306' 7''
14.	Slate,	3' 3'' to 447' 6''	2' 5'' to 309' 0''
15.	Slaty SS. Dip 48° N.,	18' 7'' to 466' 1''	13' 8'' to 322' 8''
16.	COAL,	1' 11'' to 468' 0''	1' 5'' to 324' 1''
17.	Hard slate. Dip 47° N.,	8' 10'' to 476' 10''	6' 5'' to 330' 6''
18.	Hard sandstone,	69' 4'' to 546' 2''	50' 7'' to 381' 1''
19.	No. VI BED. Dip 46° N.,	7' 6'' to 553' 8''	5' 5'' to 386' 6''

See Columnar Section Sheet No. II and Mine Sheet No. X, Atlas Western Middle Anthracite Field, Part II.

*Hickory Ridge colliery, tunnel at foot of slope No. 1, from
No. VIII to 4' 8" below No. VI.*

Union Coal Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1	No. VIII BED. Dip 70° S.,	7' 7" to 7' 7"	7' 2" to 7' 2"
2	Slate,	1' 4" to 8' 11"	1' 3" to 8' 5"
3	COAL and slate, . .	1' 10" to 10' 9"	1' 6" to 9' 11"
4	Slate,	3' 1" to 13' 10"	2' 8" to 12' 7"
5	Hard sandstone, . .	63' 4" to 77' 2"	57' 10" to 70' 5"
6	COAL,	3" to 77' 5"	3" to 70' 8"
7	Hard sandstone, . .	12' 3" to 89' 8"	11' 2" to 81' 10"
8	Slate,	1' 8" to 91' 4"	1' 6" to 83' 4"
9	COAL and dirt, . . .	8" to 92' 0"	7" to 83' 11"
10	Slaty SS. Dip 63° S., 22' 8" to 114' 8"	20' 3" to 104' 2"	
11	Hard sandstone, . .	67' 2" to 181' 10"	59' 10" to 164' 0"
12	COAL, slate and dirt, 11" to 182' 9"	9" to 164' 9"	
13	Hard slate,	6' 10" to 189' 7"	6' 2" to 170' 11"
14	Hard sandstone, . .	32' 6" to 222' 1"	29' 1" to 200' 0"
15	COAL. Dip 64° S., . .	2' 4" to 224' 5"	2' 1" to 202' 1"
16	Slate,	6' 11" to 231' 4"	6' 3" to 208' 4"
17	COAL, slate and bone, 1' 8" to 233' 0"	1' 6" to 209' 10"	
18	Slate,	2' 1" to 235' 1"	1' 10" to 211' 8"
19	Dirt,	3" to 235' 4"	3" to 211' 11"
20	Hard sandstone, . .	63' 8" to 299' 0"	57' 6" to 269' 5"
21	Slate and dirt, . . .	11" to 299' 11"	9" to 270' 2"
22	Hard slate,	20' 5" to 320' 4"	18' 5" to 288' 7"
23	No. VI BED. Dip 65° S.,	3' 4" to 323' 8"	2' 11" to 291' 6"
24	Hard slate,	5' 4" to 329' 0"	4' 8" to 296' 2"

See Columnar Section Sheet No. II, Mine Sheet No. X, Atlas Western Middle Anthracite Field, Part II.

*Hickory Ridge colliery, Water Level tunnel, from surface
to 78' 3" below No. VI bed.*

Union Coal Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1	Timber,	41' 6" to 41' 6"	25' 6" to 25' 6"
2	Sandstone,	47' 2" to 88' 8"	29' 2" to 54' 8"
3	Slate,	2' 3" to 90' 11"	1' 5" to 56' 1"
4	Hard sandstone, . .	9' 11" to 100' 10"	6' 1" to 62' 2"
5	Slate,	3' 8" to 104' 6"	2' 4" to 64' 6"
6	Sandstone,	32' 4" to 136' 10"	20' 0" to 84' 6"

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1205

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
7.	COAL and dirt. Dip 38° N.,	5' 0" to 141' 10"	3' 1" to 87' 7"
8.	Hard sandy slate,	12' 6" to 154' 4"	7' 8" to 95' 3"
9.	Soft SS. with iron ore balls,	3' 0" to 157' 4"	1' 9" to 97' 0"
10.	Slaty sandstone,	24' 10" to 182' 2"	15' 0" to 112' 0"
11.	Hard slate,	17' 2" to 199' 4"	11' 0" to 123' 0"
12.	Soft slate. Dip 35° N.,	2' 0" to 201' 4"	1' 2" to 124' 2"
13.	Fire clay,	10' 0" to 211' 4"	5' 8" to 129' 10"
14.	Hard sandstone,	164' 0" to 375' 4"	94' 1" to 223' 11"
15.	Hard slate,	5' 7" to 380' 11"	3' 2" to 227' 1"
16.	COAL BED,	5' 5" to 386' 4"	3' 1" to 230' 2"
17.	Slate,	6' 9" to 393' 1"	3' 8" to 233' 10"
18.	COAL BED. Dip 34° N.,	6' 11" to 400' 0"	4' 0" to 237' 10"
19.	Slate,	4' 11" to 404' 11"	2' 9" to 240' 7"
20.	Sandstone,	45' 5" to 450' 4"	24' 9" to 265' 4"
21.	Slate,	12' 9" to 463' 1"	7' 0" to 272' 4"
22.	COAL and dirt,	1" to 463' 2"	1" to 272' 5"
23.	Slate,	11' 4" to 474' 6"	6' 0" to 278' 5"
24.	COAL, slate and bone,	6" to 475' 0"	4" to 278' 3"
25.	Sandstone,	46' 8" to 521' 8"	24' 0" to 302' 9"
26.	No VI BED. Dip 30° N.,	9' 2" to 530' 10"	4' 6" to 307' 3"
27.	Slate,	4' 6" to 535' 4"	2' 3" to 309' 6"
28.	Slaty sandstone,	5' 9" to 540' 1"	3' 0" to 312' 6"
29.	Slate,	8' 3" to 549' 4"	4' 3" to 316' 9"
30.	Hard SS. and fine cong. Dip 32° N.,	130' 0" to 679' 4"	68' 9" to 385' 6"

See Columnar Section Sheet No. II and Mine Sheet No. X, Atlas Western Middle Anthracite Field, Part II.

Henry Clay colliery, tunnels from No. X bed to No. VIII bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip</i>
1.	No. X BED,	7' 0" to 7' 0"	5' 0" to 5' 0"
2.	Black slato. Dip 46°,	3' 0" to 10' 0"	2' 2" to 7' 2"
3.	Hard sandstone,	26' 8' to 36' 8"	19' 2" to 26' 4"
4.	Small conglomerate,	46' 4" to 83' 0"	33' 3" to 59' 7"
5.	Hard slate,	3' 0" to 86' 0"	2' 2" to 61' 9"
6.	COAL BED. Dip 47°,	8' 9" to 94' 9"	6' 2" to 67' 11"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
7.	Hard fine sandstone,	18' 1'' to 112' 10''	13' 11'' to 81' 10'
8.	Hard blue slate, . .	31' 11'' to 144' 9''	24' 1'' to 105' 11''
9.	Hard blue sandstone,	68' 11'' to 213' 8''	52' 9'' to 158' 8''
10.	Fine dark slate, . .	5' 8'' to 219' 4'	4' 5'' to 163' 1''
11.	Sandstone,	3' 8'' to 223' 0''	2' 9'' to 165' 10''
12.	Soft slate. Dip 54°, .	2' 2'' to 225' 2''	1' 9'' to 167' 7''
13.	COAL and dirt, . . .	1' 4'' to 226' 6''	1' 0'' to 168' 7''
14.	Soft slate,	3' 6'' to 230' 0''	2' 11'' to 171' 6''
15.	Fine sandstone, . .	1' 10'' to 231' 10''	1' 7'' to 173' 1''
16.	COAL, bone and dirt. Dip 60°,	4'' to 232' 2''	4'' to 173' 5''
17.	Slate,	10' 10'' to 243' 0''	9' 7'' to 183' 0''
18.	Dark sandstone, . .	7' 8'' to 250' 8''	6' 11'' to 189' 11''
19.	Slate,	2'' to 250' 10''	2'' to 190' 1''
20.	Hard gray sandstone,	18' 6'' to 269' 4''	17' 2'' to 207' 3''
21.	COAL and slate. Dip 70°,	1'' to 269' 5''	1'' to 207' 4''
22.	Hard gray SS. Dip 48°,	38' 10'' to 308' 3''	28' 9'' to 236' 1''
23.	No. IX BED. Dip 47° N.,	9' 0'' to 317' 3''	6' 7'' to 242' 8''
24.	Dark silicious SS., .	19' 3'' to 336' 6''	14' 2'' to 256' 10''
25.	COAL. Dip 48° N., .	9'' to 337' 3''	7'' to 257' 5''
26.	Slaty SS. Dip 47° N.,	7' 0'' to 344' 3''	5' 1'' to 262' 6''
27.	Hard slate. Dip 47° N.,	8' 0'' to 352' 3''	5' 10'' to 268' 4''
28.	Hard SS. Dip 46° N.,	24' 0'' to 376' 3''	17' 3'' to 285' 7''
29.	Slaty SS. Dip 45° N.,	4' 4'' to 380' 7''	3' 0'' to 288' 7''
30.	COAL and slate. Dip 45° N.,	8'' to 381' 3''	6'' to 289' 1''
31.	Slaty SS. Dip 44° N.,	10' 0'' to 391' 3''	6' 11'' to 296' 0''
32.	Hard silicious sand- stone. Dip 43° N.,	13' 0'' to 404' 3''	8' 10'' to 204' 10''
33.	Sandy slate. Dip 42° N.,	13' 0'' to 417' 3''	8' 8'' to 313' 6''
34.	No. VIII BED. Dip 41° N.,	7' 0'' to 424' 3''	4' 6'' to 318' 0''

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Western Middle Anthracite Field, Part II.

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1207

Peerless colliery, tunnel from No. XI bed to No. X bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	BED No. XI.	
2.	Slate,	10' 0'' to 10' 0''
3.	Hard sandstone,	23' 6'' to 33' 6''
4.	Slaty sandstone,	76' 9'' to 110' 3'
5.	COAL BED,	4' 3'' to 114' 6''
6.	Slate,	4' 3'' to 118' 9''
7.	Hard gray sandstone,	3' 3'' to 122' 0''
8.	COAL,	2' 0'' to 124' 0''
9.	Slate,	2' 3'' to 126' 3''
10.	Sandstone,	27' 8'' to 154' 0''
11.	COAL,	1' to 154' 1''
12.	Conglomerate,	18' 6' to 172' 6''
13.	BED No. X,	6' 6'' to 179' 0''

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Western Middle Anthracite Field, Part II.

Garfield colliery, tunnels from No. XI bed to leader.

Garfield Coal Company.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	No. XI (?) BED. Dip 54° N.,	8' 8'' to 8' 8''	7' 0'' to 7' 0''
2.	SS. and hard black slate with iron balls, 62'	0' to 70' 8''	49' 6'' to 56' 6''
3.	Sandstone,	45' 0' to 115' 8''	35' 6' to 92' 0''
4.	Hard slate with iron ore balls,	24' 0'' to 139' 8''	18' 8'' to 110' 8'
5.	COAL BED. Dip 52° N.,	9' 3'' to 148' 11''	7' 4'' to 118' 0''
6.	Dirt and slate,	1' 7'' to 150' 6''	1' 3'' to 119' 3''
7.	Fire clay,	11'' to 151' 5''	9'' to 120' 0''
8.	Hard dark sandstone, 42'	11' to 194' 4''	33' 6'' to 153' 6''
9.	Hard slate,	8' 10'' to 203' 2''	7' 0'' to 160' 6''
10.	Slate and bone,	1' 4'' to 204' 6''	1' 1'' to 161' 7''
11.	COAL and bone,	1' 11'' to 206' 5''	1' 6'' to 163' 1''
12.	Slate,	2' 6'' to 208' 11''	2' 1'' to 165' 2''
13.	Hard slaty sandstone, 11'	6'' to 220' 5''	9' 5'' to 174' 7''
14.	Very hard sandstone, 27'	6'' to 247' 11''	22' 9'' to 197' 4''
15.	COAL,	11'' to 248' 10''	8'' to 198' 0''
16.	Slate,	5' 11'' to 254' 9''	4' 9'' to 202' 9''
17.	COAL. Dip 59° N.,	1' 2'' to 255' 11''	10'' to 203' 7''
18.	Slate,	3' 7'' to 259' 6''	3' 1'' to 206' 8''
19.	Dirt,	8'' to 260' 2''	7'' to 207' 3''

See Columnar Section Sheet No. II and Mine Sheet No. VI, Atlas Western Middle Anthracite Field, Part II.

*Enterprise colliery, Water Level tunnel, from surface to
No. VIII bed.*

Baumgardner & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Wash (timbered), . . .	100' 0" to 100' 0"	17' 4" to 17' 4"
2.	Hard silicious SS., . . .	32' 0" to 132' 0"	5' 6" to 22' 10"
3.	Fire clay (argillaceous slate.) Dip at 140', N. 10°,	16' 0" to 148' 0"	3' 8" to 26' 8"
4.	COAL BED,	14' 0" to 162' 0"	5' 5" to 31' 11"
5.	Fire clay,	3' 7" to 165' 7"	2' 1" to 34' 0"
6.	Fine grained SS., . . .	8' 5" to 174' 0"	1' 10" to 35' 10"
7.	Sandstone and slate 250'. Dip 18° N., . . .	59' 0" to 233' 0"	20' 3" to 56' 1"
8.	Hard silicious SS., . .	57' 0" to 290' 0"	19' 6" to 75' 7"
9.	Hard black slate, . . .	10' 0" to 300' 0"	6' 5" to 82' 0"
10.	Bony coal,	9" to 300' 9"	6" to 82' 6"
11.	Sandstone,	23' 11" to 324' 8"	15' 8" to 98' 2"
12.	Very hard slate, . . .	8' 4" to 333' 0"	5' 6" to 103' 8"
13.	COAL BED,	VIII and IX,	3' 8" to 107' 4"
14.	Slate,		2' 4" to 109' 8"
15.	COAL BED,		6' 8" to 116' 4"
16.	Slate,		2' 4" to 118' 8"
17.	COAL BED,		7' 1" to 125' 9"

See Columnar Section Sheet No. II, Mine Sheet No. VI, Atlas Western Middle Anthracite Field, Part II.

*Enterprise colliery. Tunnel (bottom lift of slope No. 2)
from No. VIII bed to Buck Mountain bed.*

Baumgardner & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses per- pendicular to dip.</i>
1.	No. VIII BED. Dip 35° N., . . .	13' 1" to 13' 1"	7' 6" to 7' 6"
2.	Hard slate,	8' 0" to 21' 1"	4' 8" to 12' 2"
3.	Hard SS. and fine cong.,	62' 4" to 83' 5"	37' 6" to 49' 8"
4.	Slate, hard,	1' 0" to 84' 5"	7" to 50' 3"
5.	COAL, slate and bone,	2' 0" to 86' 5"	1' 3" to 51' 6"
6.	Hard SS. and fine cong.,	38' 8" to 125' 1"	23' 9" to 75' 3"

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1209

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
7. SKIDMORE BED			
No. VII. Dip 39°			
	N.,	5' 10'' to 130' 11''	3' 8'' to 78' 11''
8. Hard SS. Dip 49°			
	N.,	121' 2'' to 252' 1''	88' 7'' to 167' 6''
	9. Hard slate, . . .	1' 3'' to 258' 4''	10'' to 168' 4''
10. COAL and slate.			
	Dip 46° N., . .	1' 1'' to 254' 5''	11'' to 169' 3''
	11. Very hard slate,	8' 8'' to 263' 1''	6' 3'' to 175' 6''
	12. Very hard SS., .	94' 6'' to 357' 7''	69' 1'' to 244' 7''
13. BUCK MOUNTAIN			
BED No. V. Dip			
	48° N.,	8' 8'' to 366' 3''	6' 5'' to 251' 0''

See Columnar Section Sheet No. II, Mine Sheet No. VI, Atlas Western Middle Anthracite Field, Part II.

Pennsylvania colliery, tunnel from No. X to No. XI bed, in upper level, 300 feet east of accommodation slope.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses measured perpendicular to dip.</i>
No. X BED.			
	1. Hard SS. Dip N. 18°,	29' 0'' to 29' 0''	8' 11'' to 8' 11''
	2. Slate,	2' 8'' to 31' 8''	10'' to 9' 9''
	3. Hard SS. Dip N. 21°,	137' 4'' to 169' 0''	46' 11'' to 56' 8''
	4. Slate,	35' 0'' to 204' 0''	12' 0'' to 68' 8''
	5. Coal,	5' 0'' to 209' 0''	1' 6'' to 70' 2''
	6. Slate,	8' 0'' to 217' 0''	3' 6'' to 73' 8''
	7. Hard silicious SS., .	67' 0'' to 284' 0''	30' 6'' to 104' 2''
	8. Hard slate,	8' 0'' to 292' 0''	4' 0'' to 108' 2''
	9. Hard sandstone, . .	56' 0'' to 348' 0''	28' 0'' to 136' 2''
	10. Hard bastard slate, .	8' 0'' to 356' 0''	4' 0'' to 140' 2''
	11. Sandstone,	22' 0'' to 378' 0''	11' 0'' to 151' 2''
	12. Slate,	5' 0'' to 383' 0''	2' 6'' to 153' 8''
	13. Bone and coal, . . .	2' 8'' to 385' 8''	1' 6'' to 155' 2''
	14. Slate,	1' 6'' to 387' 2''	1' 4'' to 156' 6''
	15. Bony coal,	1' 4'' to 388' 6''	9'' to 157' 3''
	16. Hard slate. Dip N. 33°,	9' 6'' to 398' 0''	6' 0'' to 163' 3''
No. IX BED.			

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

*Pennsylvania colliery. No. 2 cross-cut 1800 feet west of
bottom of slope No. 1.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Slate,	8' 0" to 8' 0"	4' 4" to 4' 4"
2.	Sandstone. N. 66°, . . .	33' 4" to 41' 4"	22' 6" to 26' 10"
3.	Hard SS. and coal, &c. Dip at 63' 6". S. 22°, . . .	62' 8" to 104' 0"	
4.	Coal bed. Dip at 100'. N. 23°,	25' 0" to 129' 0"	4' 6" to 31' 4"
5.	Hard slate,	18' 0" to 147' 0"	9' 6" to 40' 10"
6.	Hard sandstone,	5' 0" to 152' 0"	2' 8" to 43' 6"
7.	Dirt,	2' 3" to 154' 3"	1' 2" to 44' 8"
8.	Hard silicious SS., . . .	55' 9" to 210' 0"	30' 9" to 75' 5"
9.	No. VIII coal bed, . . .	14' 0" to 224' 0"	8' 2" to 83' 7"

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

*Pennsylvania colliery, tunnel 600 feet east of bottom of
slope No. 1.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
	No. VIII coal bed.		8' 2" to 8' 2"
1.	Slate. Dip at 20'. N. 70°,	64' 0" to 64' 0"	11' 1" to 19' 3"
2.	Hard silicious SS. Dip at 160'. N. 16°, . . .	118' 0" to 182' 0"	32' 6" to 51' 9"
3.	Slate. Dip at 250'. N. 24°,	1' 10" to 183' 10"	6" to 52' 3"
4.	Hard silicious SS., . . .	167' 2" to 351' 0"	57' 2" to 109' 5"
5.	Slate. Dip at 350'. N. 41°,	8" to 351' 8"	4" to 109' 9"
6.	Hard silicious SS., . . .	69' 4" to 421' 0"	36' 9" to 146' 6"
7.	COAL bed. Dip at 24° N.,	8' 0" to 429' 0"	4' 3" to 150' 9"
8.	Hard slate,	3' 3" to 432' 3"	1' 9" to 152' 6"
9.	Hard silicious SS. Dip 740'. N. 24°,	340' 9" to 773' 0"	138' 7" to 291' 1"

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

*Bellmore colliery, Coal Ridge Diamond Drill bore-hole
No. 5.*

S. S. Bickel & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
1.	Wash,	23' 0" to 23' 0"
2.	Sandstone,	1' 0" to 24' 0"
3.	Slate,	8" to 24' 8"
4.	COAL,	4" to 25' 0"
5.	Slate,	6' 0" to 31' 0"
6.	COAL,	1' 6" to 32' 6"
7.	Slate,	1' 5" to 33' 11"
8.	ORCHARD BED,	4' 1" to 38' 0"
9.	Slate and sandstone,	122' 6" to 160' 6"
10.	COAL,	5' 11" to 166' 5"
11.	Slate,	1' 0" to 167' 5"
12.	COAL,	10" to 168' 3"
13.	Sandstone and slate,	30' 10" to 199' 1"
14.	COAL,	2" to 199' 3"
15.	Sandstone,	13' 0" to 212' 3"
16.	Conglomerate,	81' 0" to 293' 3"
17.	Slate,	2' 0" to 295' 3"
18.	Sandstone,	20' 1" to 315' 4"
19.	Conglomerate,	6' 6" to 321' 10"
20.	Slate,	1' 0" to 322' 10"
21.	HOLMES BED,	9' 0" to 331' 10"
22.	Slate,	6' 6" to 338' 4"
23.	COAL,	1' 4" to 339' 8"
24.	Slate,	9' 1" to 348' 9"
25.	COAL,	2' 5" to 351' 2"
26.	Slate,	27' 7" to 378' 9"
27.	COAL,	3' 4" to 382' 1"
28.	Slate,	4" to 382' 5"
29.	COAL,	4' 4" to 386' 9"
30.	Slate,	6" to 387' 3"
31.	COAL,	15' 0" to 402' 3"
32.	Slate,	45' 0" to 447' 3"
33.	Fine blue rock,	60' 0" to 507' 3"
34.	MAMMOTH BED, top split,	14' 5" to 521' 8"
35.	Slate,	1' 6" to 523' 2"
36.	Bony coal,	1' 4" to 524' 6"
37.	Slate,	1' 3" to 525' 9"
38.	Blue rock,	9" to 526' 6"
39.	Sandstone,	5' 6" to 532' 0"
40.	SKIDMORE BED,	1' 2" to 533' 2"
41.	Slate,	9' 7" to 542' 9"
42.	Blue rock,	11' 9" to 554' 6"
43.	Slate,	5' 9" to 560' 3"
44.	Fine gray rock,	46' 11" to 607' 2"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
45.	Slate,	1' 0" to 608' 2"
46.	Fine gray rock and streaks of coal, . . .	35' 5" to 643' 7"
47.	Fine conglomerate,	5' 9" to 649' 4"
48.	Slate,	9" to 650' 1"
49.	BUCK MOUNTAIN BED,	3' 5" to 653' 6"
50.	Slate,	5' 4" to 658' 10"
51.	Blue rock,	66' 8" to 725' 6"
52.	Conglomerate,	20' 6" to 746' 0"
53.	Blue rock,	15' 6" to 761' 6"
54.	Coarse conglomerate,	49' 6" to 811' 0"
55.	Fine blue rock,	2' 0" to 813' 0"

See Columnar Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Bellmore colliery, Diamondtown tunnel, from surface through Mammoth bed.

S. S. Bickel & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
1.	Slate,	18' 0" to 18' 0"
2.	COAL BED,	6' 0" to 24' 0"
3.	Interval,	30' 0" to 54' 0"
4.	COAL,	6" to 54' 6"
5.	Sandstone,	75' 0" to 129' 6"
6.	Shelly COAL,	1' 0" to 130' 6"
7.	Slate,	8' 0" to 138' 6"
8.	Sandstone,	65' 0" to 203' 6"
9.	COAL,	1' 0" to 204' 6"
10.	Slate,	7' 0" to 211' 6"
11.	COAL,	1' 6" to 213' 0"
12.	Sandstone,	85' 0" to 298' 0"
13.	COAL,	8' to 298' 8"
14.	Interval,	18' 0" to 316' 8"
15.	MAMMOTH BED (upper member), . . .	14' 0" to 330' 8"
16.	Slate,	10' 0" to 340' 8"
17.	Sandstone,	30' 0" to 370' 8"
18.	Black slate,	18' 0" to 388' 8"
19.	MAMMOTH BED (lower member), . . .	3' 6" to 392' 2"
20.	Slate,	15' 0" to 407' 2"
21.	COAL,	6" to 407' 8"
22.	Interval,	4' 0" to 411' 8"
23.	COAL,	2' 0" to 413' 8"
24.	Sandstone,	15' 0" to 428' 8"
25.	COAL,	6" to 429' 2"
26.	Sandstone,	25' 0" to 454' 2"
27.	COAL,	6" to 454' 8"
28.	Sandstone,	40' 0" to 494' 8"

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Mt. Carmel colliery, Stuartville Diamond Drill bore-hole.

. Thomas M. Richter & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Shaft,	23' 6" to 23' 6"
2.	MAMMOTH BED,	34' 4" to 57' 10"
3.	Sand, slate and stone,	21' 7" to 79' 5"
4.	Gray rock,	15' 2" to 94' 7"
5.	Fine conglomerate,	2' 0" to 96' 7"
6.	Spar,	3" to 98' 10"
7.	Sandslate and stone,	8' 2" to 106' 0"
8.	Slate,	1" to 106' 1"
9.	COAL BED,	16' 3" to 121' 4"
10.	Slate,	2" to 121' 6"
11.	Sandstone and sandslate,	11' 4" to 132' 10"
12.	Slate,	1' 5" to 134' 3"
13.	COAL,	1' 11" to 136' 2"
14.	Slate,	1' 9" to 137' 11"
15.	Sandstone,	3' 2" to 141' 1"
16.	Fine gray rock,	4' 0" to 145' 1"
17.	Quartz and faulty measures,	2' 5" to 147' 6"
18.	Fine gray rock,	4' 2" to 151' 8"
19.	Slate,	1' 6" to 153' 2"
20.	COAL,	2' 1" to 155' 3"
21.	Slate,	6" to 155' 9"
22.	Sandstone,	16' 11" to 172' 8"
23.	Gray rock,	2' 2" to 174' 10"
24.	Fine conglomerate,	24' 0" to 198' 10"
25.	Sandslate,	6" to 199' 4"
26.	Conglomerate, fine and coarse,	14' 3" to 213' 7"
27.	Sandstone and sandslate,	6' 0" to 219' 7"
28.	Conglomerate,	49' 10" to 269' 5"
29.	COAL,	1' 0" to 270' 5"
30.	Slate,	8" to 271' 1"
31.	COAL,	3" to 271' 4"
32.	Sandstone,	6' 1" to 277' 5"
33.	Slate,	8' 5" to 285' 10"
34.	Sandslate,	3' 10" to 289' 8"
35.	Conglomerate,	19' 4" to 309' 0"
36.	COAL,	6" to 309' 6"
37.	Slate,	1' 9" to 311' 3"
38.	Sandslate,	2' 2" to 313' 5"
39.	Conglomerate,	16' 3" to 329' 8"
40.	Slate (2" shelly coal),	4' 6" to 334' 2"
41.	Slate and sandslate,	9' 1" to 343' 3"
42.	Conglomerate, fine and coarse,	20' 3" to 363' 6"
43.	Slate,	1' 8" to 364' 9"
44.	Conglomerate, fine and coarse,	62' 6" to 427' 3"
45.	Slate,	10" to 428' 1"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
46.	Coarse conglomerate (2" bony),	10' 7" to 438' 8"
47.	Sandstone and sandstone mixed,	12' 6" to 451' 2"
48.	Conglomerate, coarse and fine,	37' 5' to 488' 7"
49.	Slate,	1' 2" to 489' 9"
50.	Slate, shelly,	10" to 490' 7"
51.	COAL,	8" to 491' 3"
52.	Slate,	1' 8" to 492' 11"
53.	Coarse conglomerate,	40' 0" to 532' 11"
54.	Sandstone,	2' 6" to 535' 5"
55.	Coarse conglomerate,	8' 8" to 544' 1"
56.	Gray blue conglomerate with quartz seams,	3' 9" to 547' 10"
57.	Slate, shelly,	3" to 548' 1"
58.	Conglomerate,	14' 10" to 562' 11"
59.	Slate shelly with coal seams,	1' 9" to 564' 8"
60.	Slate,	4' 2" to 568' 10"
61.	Conglomerate,	9' 8" to 578' 6"
62.	Slate, shelly,	8" to 579' 2"
63.	Conglomerate, coarse and egg,	86' 8" to 665' 10"
64.	Slate,	8' 5" to 674' 3"
65.	Sandstone,	1' 6" to 675' 9"
66.	Conglomerate,	11' 6" to 687' 3"
67.	Sandstone,	5' 7" to 692' 10"
68.	Fine conglomerate,	9" to 693' 7"
69.	Sandstone,	5' 7" to 699' 2"
70.	Conglomerate,	77' 2" to 776' 4"
71.	Fine conglomerate. (Dip 5°).	2' 0" to 778' 4"
72.	Conglomerate,	16' 5" to 794' 9"
73.	Fine conglomerate, seamy,	3' 6" to 798' 3"
74.	Coarse conglomerate,	38' 7" to 836' 10"
75.	Sandstone,	4" to 837' 2"
76.	Conglomerate,	19' 7" to 856' 9"
77.	Sandstone,	4" to 857' 1"
78.	Conglomerate,	25' 3" to 882' 4"
79.	Slate and sandstone,	3' 2" to 885' 6"
80.	Conglomerate, coarse,	60' 0" to 945' 6"
81.	COAL,	1' 1" to 946' 7"
82.	Bone,	4" to 946' 11"
83.	Slate,	11" to 947' 10"
84.	Coarse conglomerate,	31' 7" to 979' 5"
85.	COAL (Dip 3°).	4' 9" to 984' 2"
86.	Slate,	4' 1" to 988' 3"
87.	Sandstone,	4' 10" to 993' 1"
88.	Conglomerate,	6' 11" to 1000' 0"

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Mt. Carmel colliery, Stuartville bore-hole No. 37.

Thomas M. Richter & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Wash,	16' 0" to 18' 0"
2.	Sandstone,	32' 3" to 48' 3"
3.	Conglomerate,	13' 11" to 62' 2"
4.	Slate,	10' 5" to 72' 7"
5.	Sandstone,	9" to 73' 4"
6.	Slate,	10" to 74' 2"
7.	Sandstone,	16' 11" to 91' 1"
8.	Slate,	32' 11" to 124' 0"
9.	MAMMOTH BED (top member) No. IX.	

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Reliance colliery tunnel on 1st lift of slope.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	18' 0" to 18' 0"
2.	Slate,	4' 0" to 22' 0"
3.	Sandstone,	48' 0" to 70' 0"
4.	Slate,	6' 0" to 76' 0"
5.	COAL,	9" to 76' 9"
6.	Slate,	3' 0" to 79' 9"
7.	Hard gray sandstone,	6' 0" to 85' 9"
8.	Hard dark sandstone,	25' 0" to 110' 9"

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Alaska shaft from surface to No. VIII coal bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Wash,	7' 0" to 7' 0"	7' 0" to 7' 0"
2.	Sandstone,	16' 0" to 23' 0"	16' 0" to 23' 0"
3.	Dark slate,	12' 6" to 35' 6"	12' 6" to 35' 6"
4.	COAL,	2' 8" to 38' 2"	2' 6" to 38' 0"
5.	Slate,	1' 0" to 39' 2"	1' 0" to 39' 0"
6.	COAL,	1' 6" to 40' 8"	1' 5" to 40' 5"
7.	Blue slate,	21' 7" to 62' 3"	20' 8" to 61' 1"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
8.	Gray rock,	44' 4" to 106' 7"	42' 0" to 103' 1"
9.	COAL, rough,	1' 6" to 108' 1"	1' 5" to 104' 6"
10.	Slate,	10" to 108' 11"	9" to 105' 3"
11.	COAL,	1' 8" to 110' 7"	1' 7" to 106' 10"
12.	Hard slate,	8' 0" to 118' 7"	7' 8" to 114' 6"
13.	Blue slate,	29' 0" to 147' 7"	28' 0" to 142' 6"
14.	Slate,	3' 0" to 150' 7"	2' 11" to 145' 5"
15.	COAL and bone,	3' 6" to 154' 1"	3' 5" to 148' 10"
16.	Gray rock,	106' 2" to 260' 3"	108' 8" to 252' 6"
17.	COAL, No. VIII,	20' 0" to 280' 3"	19' 8" to 272' 2"

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

*Merriam colliery, tunnel from Mammoth to Skidmore bed,
West counter gangway.*

P. & R. C. & I. Co.,

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	24' 6" to 24' 6"
2.	Slate,	2' 0" to 26' 6"
3.	Sandstone,	21' 0" to 47' 6"
4.	Slaty sandstone,	3' 0" to 50' 6"
5.	Slaty sandstone,	18' 0" to 68' 6"
6.	COAL,	2' 3" to 70' 9"
7.	Slaty sandstone,	9' 0" to 79' 9"
8.	Hard gray sandstone,	19' 0" to 98' 9"
9.	Slate,	5' 0" to 103' 9"
10.	Hard gray sandstone,	50' 0" to 153' 9"
11.	SKIDMORE BED (?),	7' 6" to 161' 3"

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Merriam colliery, tunnel to Buck Mountain (?) bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone,	10' 0" to 10' 0"
2.	COAL,	5' 0" to 15' 0"
3.	Slate,	12' 0" to 27' 0"
4.	Sandstone,	16' 0" to 43' 0"
5.	COAL,	6' 0" to 49' 0"

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1217

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
6.	Slate,	28' 0'' to 77' 0''
7.	COAL,	8' 5'' to 83' 5'
8.	Slate,	10' 0'' to 93' 5''
9.	MAMMOTH BED, bottom member,	23' 0'' to 118' 5''
10.	Strata,	78' 0'' to 194' 5''
11.	SKIDMORE BED,	7' 0'' to 201' 5''
12.	Strata,	56' 0'' to 257' 5''
13.	SEVEN-FOOT BED,	5' 0'' to 263' 5''
14.	Strata,	94' 0'' to 356' 5''
15.	BUCK MOUNTAIN BED,	15' 0'' to 371' 5'

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Gordon colliery, Water Level tunnel.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thickness perpendicular to dip.</i>
1.	Hard silicious SS.,	8' 6'' to 8' 6''	8' 6'' to 8' 6''
2.	Hickory nut cong.,	15' 6'' to 24' 0''	15' 6'' to 24' 0''
3.	Black silicious SS.,	14' 0'' to 38' 0''	14' 0'' to 38' 0''
4.	COAL,	5' 0'' to 43' 0''	5' 0'' to 43' 0''
5.	Hard silicious SS.,	29' 0'' to 72' 0''	29' 0'' to 72' 0''
6.	Hickory nut cong.,	7' 0'' to 79' 0''	7' 0'' to 79' 0''
7.	Silicious sandstone,	6' 6'' to 85' 6''	6' 6'' to 85' 6''
8.	COAL,	6'' to 86' 0''	6'' to 86' 0''
9.	Dark hard slate,	11' 0'' to 97' 0''	11' 0'' to 97' 0''
10.	Dark silicious SS. with quartz rock,	26' 0'' to 123' 0''	26' 0'' to 123' 0''
11.	SS. running into hickory nut cong.,	7' 0'' to 130' 0''	7' 0'' to 130' 0''
12.	Mustard cong. gradually running into silicious SS.,	29' 0'' to 159' 0''	29' 0'' to 159' 0''
13.	Silicious sandstone,	12' 0'' to 171' 0''	12' 0'' to 171' 0''
14.	Conglomerate,	6' 6'' to 177' 6''	6' 6'' to 177' 6''
15.	Slate,	1' 0'' to 178' 6''	1' 0'' to 178' 6''
16.	Dark silicious SS.,	32' 6'' to 211' 0''	32' 6'' to 211' 0''
17.	Pea conglomerate,	34' 0'' to 245' 0''	34' 0'' to 245' 0''
18.	Hard silicious SS.,	5' 0'' to 250' 0''	5' 0'' to 250' 0''
19.	Conglomerate and SS,	10' 0'' to 260' 0''	10' 0'' to 260' 0''
20.	Clay,	1' 0'' to 261' 0'	1' 0'' to 261' 0''
21.	Dark sandy slate,	11' 0'' to 272' 0''	11' 0'' to 272' 0''
22.	Hickory nut cong.,	9' 0'' to 281' 0''	9' 0'' to 281' 0''
23.	Dark silicious SS.,	58' 0'' to 339' 0''	58' 0'' to 339' 0''

See Columnar Section Sheet No. II and Mine Sheet No. V, Atlas Western Middle Anthracite Field, Part II.

Bellmore colliery (Bell's tunnel) from surface to Lykens Valley bed.

S. S. Bickel & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	Wash,	200'	0'' to 200' 0''	200'	0'' to 200' 0''
2.	Slate,	24'	0'' to 224' 0''	18'	5'' to 218' 5''
3.	COAL. Dip S. 50° ,	1'	0'' to 225' 0''	1'	0'' to 219' 5''
4.	Slate and SS., . .	49'	0'' to 274' 0''	38'	10'' to 258' 3''
5.	COAL,	3'	0'' to 277' 0''	3'	0'' to 261' 3''
6.	Sandstone, . .	34'	0'' to 311' 0''	28'	8'' to 289' 11''
7.	PRIMROSE BED. Dip S. 60° , . .	15'	0'' to 326' 0''	13'	0'' to 302' 11''
8.	Slate,	8'	0'' to 334' 0''	6'	11'' to 309' 10''
9.	HOLMES BED, . .	1'	6'' to 335' 6''	1'	6'' to 311' 4''
10.	Slate,	18'	0'' to 353' 6''	15'	7'' to 326' 11''
11.	Sandstone, . .	4'	0'' to 357' 6''	3'	6'' to 330' 5''
12.	Slate with COAL dirt, . .	8'	0'' to 365' 6''	6'	11'' to 337' 4''
13.	Sandstone, . .	11'	0'' to 376' 6''	9'	6'' to 346' 10''
14.	Slate,	12'	0'' to 388' 6''	10'	5'' to 357' 3''
15.	Sandstone, . .	41'	0'' to 429' 6''	35'	6'' to 392' 9''
16.	Slate,	1'	0'' to 430' 6''	10'	to 393' 7''
17.	Sandstone, . .	30'	0'' to 460' 6''	26'	0'' to 419' 7''
18.	Slate,	9'	0'' to 469' 6''	7'	10'' to 427' 5''
19.	Sandstone, . .	21'	0'' to 490' 6''	18'	2'' to 445' 7''
20.	Slate,	2'	0'' to 492' 6''	1'	2'' to 446' 9''
21.	Sandstone, . .	15'	6'' to 508' 0''	13'	5'' to 460' 2''
22.	Clod,	6''	to 508' 6''	5''	to 460' 7''
23.	Sandstone, . .	23'	0'' to 531' 6''	19'	11'' to 480' 6''
24.	Slate,	13'	0'' to 544' 6''	11'	3'' to 491' 9''
25.	Sandstone, . .	77'	6'' to 622' 0''	67'	1'' to 558' 10''
26.	Slate,	6''	to 622' 6''	5''	to 559' 3''
27.	Sandstone, . .	11'	0'' to 633' 6''	9'	6'' to 568' 9''
28.	Slate,	10'	0'' to 643' 6''	8'	8'' to 577' 5''
29.	COAL. Dip S. 60° , . .	13'	0'' to 656' 6''	11'	3'' to 588' 8''
30.	Slate,	9'	0'' to 665' 6''	7'	9'' to 596' 5''
31.	COAL. Dip S. 62° , . .	4'	0'' to 669' 6''	3'	6'' to 599' 11''
32.	Slate,	10'	0'' to 679' 6''	8'	10'' to 608' 9''
33.	Slate, soft, . .	5'	0'' to 684' 6''	4'	5'' to 613' 2''
34.	SS. slaty, . .	5'	0'' to 689' 6''	4'	5'' to 617' 7''
35.	Slate,	2'	0'' to 691' 6''	1'	9'' to 619' 4''
36.	Sandstone, . .	5'	0'' to 696' 6''	4'	5'' to 623' 9''
37.	Slate,	3'	0'' to 699' 6''	2'	8'' to 626' 5''
38.	Sandstone, . .	1'	0'' to 700' 6''	11''	to 627' 4''
39.	Slate,	1'	0'' to 701' 6''	11''	to 628' 3''

*Manasoth Bed.
(top split.)*

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1219

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
40.	SS. hard, . . .	6' 6" to 708' 0"	5' 9" to 634' 0"
41.	Sandstone, soft, . . .	4' 6" to 712' 6"	4' 0" to 638' 0"
42.	Sandstone, . . .	17' 0" to 729' 6"	14' 10" to 652' 10"
43.	Slate,	7' 0" to 736' 6"	6' 2" to 669' 0"
44.	MAMMOTH BED bottom split, . . .	12' 0" to 748' 6"	10' 6" to 669' 6"
45.	Slate,	14' 0" to 762' 6"	12' 3" to 681' 9"
46.	COAL,	7" to 763' 1"	7" to 682' 4"
47.	Slate,	15' 6" to 778' 7"	13' 7" to 695' 11"
48.	COAL,	6" to 779' 1"	6" to 696' 5"
49.	Slate,	6" to 779' 7"	6" to 696' 11"
50.	Sandstone, . . .	10' 0" to 789' 7"	8' 9" to 705' 8"
51.	Slate,	1' 2" to 790' 9"	1' 0" to 708' 8"
52.	COAL,	10" to 791' 7"	10" to 707' 6"
53.	Slate, sandy, . .	9' 0" to 800' 7"	7' 11" to 715' 5"
54.	Sandstone, . . .	24' 0" to 824' 7"	20' 9" to 736' 2"
55.	Slate, sandy, . .	4' 0" to 828' 7"	3' 6" to 739' 8"
56.	SS. slaty, . . .	6' 0" to 834' 7"	5' 2" to 744' 10"
57.	Sandstone, . . .	30' 0" to 864' 7"	26' 0" to 770' 10"
58.	COAL,	2" to 864' 9"	2" to 771' 0"
59.	Sandstone, . . .	21' 0" to 885' 9"	18' 2" to 789' 2"
60.	Slate,	3' 0" to 888' 9"	2' 7" to 791' 9"
61.	Sandstone, . . .	9' 0" to 897' 9"	7' 10" to 799' 7"
62.	Sandstone, . . .	3' 5" to 901' 2"	3' 0" to 802' 7"
63.	COAL,	7" to 901' 9"	7" to 803' 2"
64.	SS. slaty, . . .	14' 0" to 915' 9"	12' 2" to 815' 4"
65.	Sandstone, . . .	40' 0" to 955' 9"	34' 8" to 850' 0"
66.	BUCK MOUN- TAIN,	4' 0" to 959' 9"	3' 6" to 853' 6"
67.	Slate,	4' 2" to 963' 11"	3' 6" to 857' 0"
68.	Dark SS., . . .	44' 2" to 1008' 1"	36' 7" to 893' 7"
69.	Hard slate with few iron py- rites,	10' 1" to 1018' 2"	7' 2" to 900' 9"
70.	Dark hard sili- cious SS., . . .	15' 9" to 1033' 11"	11' 2" to 911' 11"
71.	Slate,	7' 0" to 1040' 11"	4' 11" to 916' 10"
72.	Dark hard sili- cious SS., . . .	15' 1" to 1056' 0"	10' 8" to 927' 6"
73.	Cong. with hickory, wal- nut and mus- tard seed peb- bles,	12' 9" to 1068' 9"	9' 0" to 936' 6"
74.	Dark SS. with benches of softer SS. and cong. at inter- vals,	13' 4" to 1082' 1"	9' 4" to 945' 10"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
75.	Hickory-nut cong., . . .	2' 1" to 1084' 2"	1' 6" to 947' 4"
76.	Dark hard SS.,	3' 11" to 1088' 1"	2' 9" to 950' 1"
77.	Cong. hickory-nut and pea,	2' 8" to 1090' 9"	1' 10" to 951' 11"
78.	Dark hard SS.,	2' 3" to 1093' 0"	1' 7" to 953' 6"
79.	Slate,	3' 1" to 1096' 1"	2' 2" to 955' 8"
80.	Dark SS., . . .	2' 6" to 1098' 7"	1' 9" to 957' 5"
81.	Cong. very hard and silicious hickory nut,	31' 9" to 1130' 4"	22' 5" to 979' 10"
82.	Dark hard very silicious SS.,	10' 5" to 1140' 9"	7' 4" to 987' 2"
83.	Hickory-nut cong.,	7' 6" to 1148' 3"	5' 4" to 993' 6"
84.	Dark hard very silicious SS.,	2' 3" to 1150' 6"	1' 7" to 994' 1"
85.	Cong. compact,	2' 7" to 1153' 1"	1' 10" to 995' 11"
86.	Soft slate, . . .	2' 3" to 1155' 4"	1' 7" to 997' 6"
87.	Coal, dirty and shelly, ,	3' 1" to 1158' 5"	2' 2" to 999' 8"
88.	Hard sandy slate,	18' 4" to 1176' 9"	13' 7" to 1013' 3"
89.	Hard dark silicious SS., . .	5' 0" to 1181' 9"	3' 9" to 1017' 0"
90.	Hickory-nut cong.,	5' 0" to 1186' 9"	3' 9" to 1020' 9"
91.	Dark hard silicious SS., . . .	35' 0" to 1221' 9"	26' 0" to 1046' 9"
92.	Hickory-nut cong. running in to compact silicious rock,	9' 0" to 1230' 9"	6' 8" to 1053' 5"
93.	Dark hard silicious SS., . .	14' 0" to 1244' 9"	10' 5" to 1063' 10"
94.	Hickory-nut cong.,	11' 0" to 1255' 9"	8' 2" to 1072' 0"
95.	Dark hard silicious SS., . . .	4' 0" to 1259' 9"	3' 0" to 1075' 0"
96.	Hickory-nut cong.,	3' 0" to 1262' 9"	2' 3" to 1077' 3"
97.	Dark SS.,	2' 10" to 1265' 7"	2' 0" to 1079' 3"
98.	Hickory-nut cong.,	3' 0" to 1268' 7"	2' 3" to 1081' 6"
99.	Sandstone, . . .	1' 2" to 1269' 9"	10" to 1082' 4"
100.	LYKENS VALLEY BED, . . .	3' 8" to 1273' 5"	3' 2" to 1085' 6"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

*Bellmore colliery, tunnel on slope level, east gangway,
from centre of basin to Mammoth bed (top split).*

S. S. Bickel & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Slate,	5' 10" to 5' 10"
2.	Sandstone,	6' 10" to 12' 8"
3.	COAL BED,	4' 6" to 17' 2"
4.	Slate,	4' 10" to 22' 0"
5.	Sandstone, hard,	4' 4" to 26' 4"
6.	Slate,	11' 4" to 37' 8"
7.	Sandstone, hard,	6' 6" to 44' 2"
8.	COAL BED,	5' 4" to 49' 6"
9.	Sandy slate,	8' 0" to 57' 6"
10.	Sandstone, hard,	84' 10" to 142' 4"
11.	Dirt,	1" to 142' 5
12.	Sandstone, hard,	78' 8" to 221' 1
13.	Slate and iron ore balls,	1' 4" to 222' 5"
14.	Iron ore and black band,	1' 10" to 224' 3"
15.	Slate and iron ore balls,	8' 1" to 232' 4"
16.	COAL BED, (soft,)	3' 10" to 236' 2"
17.	Slate,	5' 5' to 241' 7"
18.	Sandstone, hard,	47' 7" to 289' 2"
19.	COAL,	1' 10" to 291' 0"
20.	Sandstone, hard,	29' 1" to 320' 1"
21.	Slate,	7' 2" to 327' 3"
22.	MAMMOTH BED (top split),	9' 0" to 336' 3"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Western Middle Coal Field Atlas, Parts I and II.

Morris Ridge colliery, tunnel on 3d lift of slope.

Isaac May & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	MAMMOTH BED,	26' 2" to 26' 2"
2.	Sandy slate,	2' 1" to 28' 3"
3.	Sandstone, dark, slaty to silicious,	16' 1" to 44' 4"
4.	Dark slate,	1' 1" to 45' 5"
5.	Sandstone, dark, hard, silicious,	18' 7" to 64' 0"
6.	Sandstone, very hard, silicious,	10' 7" to 74' 7"
7.	Slate,	3' 1" to 77' 8"
8.	SKIDMORE BED,	3' 1" to 80' 9"
9.	Slate,	10' 6" to 91' 3"
10.	Sandy slate,	13' 3" to 104' 6"
11.	Fire clay,	2' 0" to 106' 6"
12.	Sandstone, silicious,	2' 0" to 106' 6"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpen- dicular to dip.</i>
13.	Sandy slate,	11' 9" to 120' 3"
14.	Sandstone, light silicious,	14' 10' to 135' 1"
15.	Sandstone, dark, hard, silicious,	84' 3" to 219' 4"
16.	Slate,	6" to 219' 10"
17.	Sandstone, hard,	50' 1" to 269' 11"
18.	Slate, hard,	6' 4" to 276' 3"
19.	SEVEN-FOOT BED,	6' 3" to 282' 6"
20.	Slate,	5' 2" to 287' 8"
21.	Sandy slate,	6' 0" to 293' 8"
22.	Sandy slate, hard,	3' 5" to 297' 1"
23.	COAL and dirt,	10' to 297' 11"
24.	Sandy slate, hard,	15' 8" to 313' 7"
25.	Sandstone, light, silicious,	44' 1" to 357' 8"
26.	COAL, soft and clod,	7" to 358' 3"
27.	Sandstone, light, silicious,	34' 1" to 392' 4"
28.	Clod and soft coal,	3' 9" to 396' 1"
29.	Sandstone, light, silicious,	4' 0" to 400' 1"
30.	BUCK MOUNTAIN BED,	13' 0" to 413' 1"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas West-
ern Middle Coal Field, Parts I and II.

Reno colliery, tunnel from west gangway bottom of slope.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	MAMMOTH BED, ?	9' 2" to 9' 2"
2.	Slate,	13' 9" to 22' 11"
3.	Fine blue rock,	7' 8" to 30' 7"
4.	SKIDMORE BED, ?	4' 6" to 35' 1"
5.	Slate,	6' 0" to 41' 1"
6.	Fine blue rock,	9' 0" to 50' 1"
7.	Slate,	3' 0" to 53' 1"
8.	Fine blue rock,	19' 3" to 72' 4"
9.	Slate,	3' 0" to 75' 4"
10.	Slate,	4' 6" to 79' 10"
11.	SEVEN-FOOT BED, ?	3' 8" to 83' 6"
12.	Fine blue rock,	13' 10" to 97' 4"
13.	Slate,	3' 8" to 101' 0"
14.	Fine blue rock,	62' 2" to 163' 2"
15.	BUCK MOUNTAIN BED,	12' 5" to 175' 7"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas
Western Middle Anthracite Field, Parts I and II.

Logan colliery, tunnel to Buck Mountain bed.

L. A. Riley & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED. Dip $13\frac{1}{2}^{\circ}$ N., . . .	102' 8" to 102' 8"	24' 0" to 24' 0"
2.	Slate,	1' 0" to 103' 8"	4" to 24' 4"
3.	Gray sandstone, . .	184' 0" to 287' 8"	60' 2" to 84' 6"
4.	COAL bed. Dip $24\frac{1}{2}^{\circ}$ N.,	12' 0" to 299' 8"	5' 0" to 89' 6"
5.	Hard slate,	56' 0" to 355' 8"	24' 6" to 114' 0"
6.	Gray sandstone, . .	7' 0" to 362' 8"	3' 2" to 117' 2"
7.	Hard slate,	18' 0" to 380' 8"	8' 2" to 125' 4"
8.	COAL. Dip 27° N., .	6' 0" to 386' 8"	2' 8" to 128' 0"
9.	Hard SS. and fine conglomerate, . . .	98' 0" to 484' 8"	50' 10" to 178' 10"
10.	COAL and slate, . .	3" to 484' 11"	2" to 179' 0"
11.	Dark soft sandstone, .	51' 9" to 536' 8"	26' 10" to 205' 10"
12.	Dark slate. Dip 33° N.,	17' 0" to 553' 8"	9' 3" to 215' 1"
13.	Hard sandstone, . .	5' 0" to 558' 8"	2' 10" to 217' 11"
14.	Slate,	2' 0" to 560' 8"	1' 1" to 219' 0"
15.	Dark sandstone, . .	5' 0" to 565' 8"	2' 10" to 221' 10"
16.	Slate,	22' 0" to 587' 8"	12' 5" to 234' 3"
17.	SEVEN-FOOT BED. Dip $38\frac{1}{2}^{\circ}$ N., . . .	13' 5" to 601' 1"	8' 5" to 242' 8"
18.	Slate,	44' 7" to 645' 8"	28' 2" to 270' 10"
19.	COAL,	1' 0" to 646' 8"	8" to 271' 6"
20.	Slate,	15' 0" to 661' 8"	9' 6" to 281' 0"
21.	COAL,	8' 0" to 669' 8"	5' 1" to 286' 1"
22.	Slate,	10' 5" to 680' 1"	6' 8" to 292' 9"
23.	COAL BED,	6' 0" to 686' 1"	3' 10" to 296' 7"
24.	Slate. Dip 36° to 45° N.,	6' 7" to 692' 8"	4' 2" to 300' 9"
25.	BUCK MOUNTAIN BED,	14' 0" to 706' 8"	9' 0" to 309' 9"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

*Logan colliery, Diamond Drill bore-hole No. 3.**L. A. Riley & Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Standpipe,	25' 0" to 25' 0"	25' 0" to 25' 0"
2.	Sandy slate. Dip 56° S.,	18' 1" to 43' 1"	10' 1" to 35' 1"
3.	Hard gray SS., . .	4' 7" to 47' 8"	2' 7" to 37' 8"
4.	Slate with occasional streaks of COAL. Dip 58° S.,	37' 11" to 85' 7"	20' 8" to 58' 4"
5.	Slate and sandy slate,	3' 0" to 88' 7"	1' to 58' 5"
6.	Sandstone and slate. Dip 57° S., . . .	5' 1" to 93' 8"	2' 9" to 61' 2"
7.	Slate,	7' 5" to 101' 1"	4' 9" to 65' 11"
8.	COAL,	2' 8" to 103' 9"	1' 10" to 67' 9"
9.	Slate,	2" to 103' 11"	2" to 67' 11"
10.	COAL and slate, . .	8' 8" to 112' 7"	6' 5" to 74' 4"
11.	Slate,	8' 2" to 120' 9"	5' 1" to 79' 5"
12.	COAL. Dip 34° S., .	10' 5" to 131' 2"	5' 10" to 85' 3"
13.	Slate,	5" to 131' 7"	3" to 85' 6"
14.	COAL, bone and slate,	8' 11" to 140' 6"	5' 0" to 90' 6"
15.	Slate. Dip 34° S., .	5' 3" to 145' 9"	2' 11" to 93' 5"
16.	Hard gray SS., . .	11' 11" to 157' 8"	7' 5" to 100' 10"
17.	Fine conglomerate,	26' 2" to 183' 10"	17' 10" to 118' 8"
18.	Slate with COAL seams. Dip 51° S.,	1' 4" to 185' 2"	10" to 119' 6"
19.	Conglomerate, . .	9' 5" to 194' 7"	6' 0" to 125' 6"
20.	Sandstone and slate. Dip 28° S., . . .	1' 7" to 196' 2"	9" to 126' 3"
21.	Fine conglomerate,	10' 1" to 206' 3"	4' 6" to 130' 9"
22.	Coarse cong., . . .	35' 9" to 242' 0"	15' 1" to 145' 10"
23.	Fine conglomerate. Dip 20° S., . . .	10' 10" to 252' 10"	3' 10" to 149' 8"
24.	Sandy slate,	10" to 253' 8"	3" to 149' 11"
25.	Coarse conglomerate. Dip 19° S., .	8' 2" to 261' 10"	2' 8" to 152' 7"
26.	Slate with COAL seams,	6" to 262' 4"	2' to 152' 9"
27.	Coarse cong., . . .	13' 10" to 276' 2"	4' 6" to 157' 3"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

*Hazel Dell colliery, rock slope, from surface to Buck Mountain bed.**L. A. Riley & Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured on slope.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	Timber,	170'	9" to 170' 9"	170'	9" to 170' 9"
2.	Fire clay,	4'	8" to 175' 5"	3'	0" to 173' 9"
3.	COAL,	6'	2" to 181' 7"	3'	10" to 177' 7"
4.	Slate,	12'	1" to 198' 8"	7'	9" to 185' 4"
5.	Hard sandstone.				
	Dip 34° N., . . .	55'	6" to 249' 2"	38'	0" to 223' 4'
6.	Soft dark slate, . .	6'	7" to 255' 9"	4'	8" to 228' 0"
7.	Hard coarse SS., .	22'	9" to 278' 6"	16'	10" to 244' 10"
8.	COAL,		6' to 279' 0"		6' to 245' 4"
9.	Slate,	8'	5" to 287' 5"	6'	0" to 251' 4"
10.	COAL. Dip 35° N., .	5'	2" to 292' 7"	3'	6" to 254' 10"
11.	Slate,	18'	2" to 310' 9"	12'	2" to 267' 0"
12.	MAMMOTH BED, . .	33'	3" to 344' 0"	24'	3" to 291' 3"
13.	Slate,	17'	0" to 361' 0"	13'	8" to 304' 11"
14.	Fine cong., . . .	20'	0" to 381' 0"	16'	6" to 321' 5"
15.	Hard sandstone, .	21'	11" to 402' 11"	18'	7" to 340' 0"
16.	COAL,		1" to 403' 0"		1" to 340' 1"
17.	Hard sandstone, .	29'	3' to 432' 3"	25'	0" to 365' 1"
18.	Slate,	3'	6" to 435' 9"	3'	0" to 368' 1"
19.	COAL. Dip 37° N., .	2'	6" to 438' 3"	2'	0" to 370' 1"
20.	Slate,	20'	11" to 459' 2"	17'	0" to 387' 1"
21.	COAL,		7" to 459' 9"		10" to 387' 11"
22.	Slate,	37'	3" to 497' 0"	29'	8" to 417' 7"
23.	COAL. Dip 21° N., .	6'	8" to 508' 8"	5'	2" to 422' 9"
24.	Hard slate, . . .	18'	7" to 522' 3"	14'	8" to 437' 5"
25.	Hard sandstone, .	32'	6" to 554' 9"	25'	3" to 462' 8"
26.	COAL,		3" to 555' 0"		3" to 462' 11"
27.	Slate,	2'	10" to 557' 10"	1'	3" to 464' 2"
28.	COAL BED. Dip 28° N., . . .	10'	0" to 567' 10"	7'	8" to 471' 10"
29.	Slate,	15'	7" to 583' 5"	13'	4" to 485' 2"
30.	Sandstone,	12'	2" to 595' 7"	10'	6" to 495' 8"
31.	Slate,		9" to 596' 4"		6" to 496' 2"
32.	COAL,		4" to 596' 8"		4" to 496' 6"
33.	Hard sandy slate, .	4'	3" to 600' 11"	3'	10" to 500' 4"
34.	Sandstone,	29'	7" to 630' 6"	26'	0" to 526' 4"
35.	COAL,		8" to 631' 2"		8" to 527' 0"
36.	Slate. Dip 37° N., • 47'	10"	to 679' 0"	39'	8" to 566' 8"
37.	BUCK MOUNTAIN BED. Dip 28½° N.,	33'	0" to 712' 0"	15'	8" to 582' 4"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Hazel Dell colliery, Water Level tunnel, from Mammoth bed to Buck Mountain bed.

L. A. Riley & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED, . . .	37' 9" to 37' 9"	23' 0" to 23' 0"
2.	Slate,	7' 0" to 44' 9"	4' 0" to 27' 0"
3.	Sandstone,	11' 6" to 56' 3"	7' 0" to 34' 0"
4.	Conglomerate,	101' 0" to 157' 3"	64' 0" to 98' 0"
5.	COAL,	1' 6" to 158' 9"	1' 3" to 99' 3"
6.	Sandstone,	25' 0" to 181' 9"	15' 0" to 114' 3"
7.	COAL,	2' 0" to 185' 9"	1' 2" to 115' 5"
8.	Sandstone,	36' 0" to 221' 9"	22' 0" to 137' 5"
9.	COAL,	6' 0" to 227' 9"	3' 6" to 140' 11"
10.	Slate,	25' 0" to 252' 9"	16' 0" to 156' 11"
11.	Sandstone,	31' 0" to 283' 9"	18' 0" to 174' 11"
12.	COAL,	3' 0" to 286' 9"	2' 0" to 176' 11"
13.	Slate,	40' 0" to 326' 9"	22' 0" to 198' 11"
14.	Sandstone,	41' 0" to 367' 9"	19' 6" to 218' 5"
15.	COAL,	3' 0" to 370' 9"	1' 2" to 219' 7"
16.	Slate,	5' 0" to 375' 9"	1' 2" to 220' 9"
17.	Sandstone,	154' 0" to 529' 9"	58' 6" to 279' 3"
18.	BUCK MOUNTAIN BED,	65' 0" to 594' 9"	15' 0" to 294' 3"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Centralia colliery, Water Level tunnel, from surface to Buck Mountain bed.

L. A. Riley & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Slate,	146' 0" to 146' 0"	124' 0" to 124' 0"
2.	COAL,	16' 0" to 162' 0"	4' 6" to 128' 6"
3.	Sandstone,	6' 0" to 168' 0"	5' 0" to 133' 6"
4.	COAL,	4' 0" to 172' 0"	3' 0" to 136' 6"
5.	Slate,	4' 0" to 176' 0"	3' 6" to 140' 0"
6.	Sandstone,	30' 0" to 206' 0"	25' 0" to 165' 0"
7.	COAL BED,	5' 0" to 211' 0"	3' 0" to 168' 0"
8.	Sandstone,	100' 0" to 311' 0"	80' 6" to 248' 6"
9.	COAL BED,	6' 0" to 317' 0"	4' 3" to 252' 9"
10.	Slate,	38' 0" to 355' 0"	29' 0" to 281' 9"
11.	MAMMOTH BED,	25' 0" to 380' 0"	21' 0" to 302' 9"
12.	Slate,	6' 0" to 386' 0"	5' 0" to 307' 9"

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1227

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
13.	Sandstone,	9' 0" to 395' 0"	6' 0" to 313' 9"
14.	Conglomerate, . . .	105' 0" to 500' 0"	85' 0" to 398' 9"
15.	COAL,	1' 0" to 501' 0"	9" to 399' 6"
16.	Sandstone,	12' 0" to 513' 0"	9' 0" to 408' 6"
17.	COAL,	1' 0" to 514' 0"	9" to 409' 3"
18.	Sandstone,	16' 0" to 530' 0"	13' 6" to 422' 9"
19.	COAL BED,	5' 0" to 535' 0"	4' 0" to 428' 9"
20.	Slate,	20' 0" to 555' 0"	16' 0" to 442' 9"
21.	Sandstone,	35' 0" to 590' 0"	28' 0" to 470' 9"
22.	COAL,	2' 0" to 592' 0"	1' 6" to 472' 3"
23.	Slate,	1' 0" to 593' 0"	9" to 473' 0"
24.	COAL,	4' 0" to 597' 0"	3' 0" to 476' 0"
25.	Slate,	16' 0" to 613' 0"	12' 6" to 488' 6"
26.	COAL,	1' 6" to 614' 6"	1' 0" to 489' 6"
27.	Sandstone,	23' 6" to 638' 0"	19' 0" to 508' 6"
28.	COAL,	2' 0" to 640' 0"	1' 6" to 510' 0"
29.	Sandstone,	46' 0" to 686' 0"	36' 6" to 546' 6"
30.	BUCK MOUNTAIN BED,	24' 0" to 710' 0"	12' 6" to 559' 0"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Continental colliery, Water Level tunnel, from surface to Buck Mountain bed.

Lehigh Valley Coal Company.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Wash,	212' 0" to 212' 0"	130' 0" to 130' 0"
2.	PRIMROSE BED, . .	13' 0" to 225' 0"	10' 0" to 140' 0"
3.	Strata,	16' 9" to 241' 9"	11' 9" to 151' 9"
4.	COAL,	4' 5" to 246' 2"	3' 2" to 154' 11"
5.	Strata,	151' 7" to 397' 9"	106' 3" to 261' 2"
6.	COAL, soft, . . .	1' 0" to 398' 9"	8" to 261' 10"
7.	Strata,	34' 5" to 433' 2"	24' 3" to 286' 1"
8.	MAMMOTH BED. Dip 44½°,	21' 5" to 454' 7"	15' 0" to 301' 1"
9.	Strata, very hard,	166' 0" to 620' 7"	127' 2" to 428' 3"
10.	Soft, mining, . .	1' 0" to 621' 7"	9" to 429' 0"
11.	Strata,	19' 0" to 640' 7"	14' 7" to 443' 7"
12.	COAL, soft, . . .	1' 0" to 641' 7"	9" to 444' 4"
13.	Strata,	78' 5" to 720' 0"	60' 0" to 504' 4"
14.	COAL, soft, . . .	7" to 720' 7"	6" to 504' 10"
15.	Strata,	4' 6" to 725' 1"	3' 5" to 508' 3"
16.	COAL,	6" to 725' 7"	5" to 508' 8"

<i>No of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
17.	Strata,	30' 0' to 755' 7"	23' 0' to 531' 8"
18.	COAL, leader,	2' 1" to 757' 8"	1' 7" to 533' 3"
19.	Strata,	98' 9" to 854' 5"	74' 1" to 607' 4"
20.	BUCK MOUNTAIN BED. Dip 50°S., 15'	4" to 869' 9"	18' 2" to 625' 6"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Continental colliery, Diamond Drill bore-hole, No. 53 from surface through Buck Mountain bed.

Lehigh Valley Coal Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Stand pipe,	47' 2" to 47' 2"	47' 2" to 47' 2"
2.	Sandstone and sandy slate, broken,	98' 11" to 146' 1"	95' 6" to 142' 8"
3.	Sandy slate and slate,	28' 8" to 174' 9"	27' 8" to 170' 4"
4.	HOLMES BED,	12' 7" to 187' 4"	12' 2" to 182' 6"
5.	Slate,	1' 9" to 189' 1"	1' 8" to 184' 2"
6.	Hard, fine gray SS.	12' 10" to 201' 11"	12' 4" to 196' 6"
7.	Slate and sandy slate,	10' 3" to 212' 2"	10' 1" to 206' 7"
8.	COAL,	1' 1" to 213' 3"	1' 0" to 207' 7"
9.	Slate and sandy slate,	1' 5" to 214' 8"	1' 4" to 208' 11"
10.	Hard, gray sandstone,	23' 3" to 237' 11"	22' 11" to 231' 10"
11.	Fine conglomerate,	30' 4" to 268' 3"	30' 0" to 261' 10"
12.	Slate,	5" to 268' 8"	5" to 262' 3"
13.	Fine conglomerate,	5' 2" to 273' 10"	5' 0" to 267' 3"
14.	SS. and sandy slate,	4' 9" to 278' 7"	4' 8" to 271' 11"
15.	Fine conglomerate,	16' 1" to 294' 8"	15' 10" to 287' 9"
16.	Hard, gray sandstone,	30' 8" to 325' 4"	30' 5" to 318' 2"
17.	Slate and sandy slate,	18' 6" to 343' 10"	18' 4" to 336' 6"
18.	MAMMOTH BED,	26' 2" to 370' 0"	26' 1" to 362' 7"
19.	Slate,	4' 2" to 374' 2"	4' 2" to 366' 9"
20.	Fine conglomerate,	49' 0" to 414' 11"	40' 8" to 407' 5"
21.	Slate, with seams of COAL,	1' 3" to 416' 2"	1' 3" to 408' 8"
22.	Fine conglomerate,	17' 6" to 433' 8"	17' 5" to 426' 1"
23.	SS. and sandy slate,	8' 0" to 441' 8"	8' 0" to 434' 1"
24.	Fine conglomerate,	17' 7" to 459' 3"	17' 6" to 451' 7"
25.	Slate,	4' 3" to 463' 6"	4' 3" to 455' 10"
26.	COAL,	11" to 464' 5"	11" to 456' 9"
27.	Slate,	3' 6" to 467' 11"	3' 6" to 460' 3"
28.	COAL,	8" to 468' 7"	8" to 460' 11"
29.	Slate,	18' 1" to 486' 8"	18' 0" to 478' 11"

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
30.	COAL, with small seam of slate,	2' 7'' to 489' 3''	2' 7'' to 481' 6''
31.	Slate,	9' 3'' to 498' 6''	9' 3'' to 490' 9''
32.	Hard, gray sandstone,	16' 1'' to 514' 7''	16' 0'' to 506' 9''
33.	Fine conglomerate,	32' 5'' to 547' 0''	32' 4'' to 539' 1''
34.	Hard, gray sandstone,	2' 0'' to 549' 0''	2' 0'' to 541' 1''
35.	Slate and sandy slate,	23' 1'' to 572' 1'	23' 0'' to 564' 1'
36.	Fine conglomerate,	11'' to 573' 0''	11'' to 565' 0''
37.	Slate and sandy slate,	18' 3'' to 591' 3''	18' 2'' to 583' 2''
38.	COAL,	2' 9'' to 594' 0''	2' 9'' to 585' 11''
39.	Sandy slate and slate,	28' 5'' to 622' 5''	28' 4'' to 614' 3''
40.	Hard, gray sandstone,	8' 3'' to 630' 8''	8' 3'' to 622' 6''
41.	Fine conglomerate,	1' 11'' to 632' 7''	1' 11'' to 624' 5''
42.	COAL BED,	16' 8'' to 649' 3''	16' 8'' to 641' 1''
43.	Slate,	1' 1'' to 650' 4''	1' 1'' to 642' 2''
44.	Hard, gray sandstone,	12' 7'' to 662' 11''	12' 7'' to 654' 9''
45.	Fine conglomerate,	29' 7'' to 692' 6''	29' 6'' to 684' 3''
46.	Coarse conglomerate,	15' 5'' to 707' 11''	15' 5'' to 699' 8''
47.	Fine conglomerate,	13' 11'' to 721' 10''	13' 11'' to 713' 7''
48.	Coarse conglomerate,	70' 2'' to 792' 0''	69' 10'' to 783' 5''
49.	Slate,	5'' to 792' 5''	5'' to 783' 10''
50.	COAL,	10'' to 793' 3''	10'' to 784' 8''
51.	Slate,	7'' to 793' 10''	7'' to 785' 3''
52.	Hard, gray sandstone,	12' 0'' to 805' 10''	12' 0'' to 797' 3''
53.	Fine conglomerate,	9' 0'' to 814' 10''	9' 0'' to 806' 3''

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Coal Field, Parts I and II.

North Ashland colliery, tunnel from Mammoth to Buck Mountain bed, 1st lift of slope.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED. Dip 44°,	40' 0'' to 40' 0''	28' 0'' to 28' 0''
2.	Hard slate,	1' 0'' to 41' 0''	8'' to 28' 8''
3.	Sandstone,	20' 6'' to 61' 6''	14' 3'' to 42' 11''
4.	Conglomerate,	5' 6'' to 67' 0''	3' 10'' to 46' 9''
5.	Hard slate,	1' 0'' to 68' 0''	8'' to 47' 5''
6.	Sandstone,	13' 0'' to 81' 0''	9' 0'' to 56' 5''
7.	Hard slate,	1' 0'' to 82' 0''	8' to 57' 1''
8.	Conglomerate,	20' 0'' to 102' 0''	13' 11'' to 71' 0''
9.	Soft slate,	1' 0'' to 103' 0''	8'' to 71' 8''
10.	COAL,	2'' to 103' 2''	1'' to 71' 9''
11.	Sandstone,	21' 10'' to 125' 0''	15' 8'' to 87' 5''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
12	Conglomerate, . . .	24' 0'' to 149' 0''	17' 0'' to 104' 5''
13.	Hard slate,	2' 0'' to 151' 0''	1' 5'' to 105' 10''
14.	Sandstone,	7' 0'' to 158' 0''	4' 11'' to 110' 9''
15.	Hard slate,	12' 0'' to 170' 0''	8' 6'' to 119' 3''
16.	SKIDMORE BED. Dip 46°,	1' 6'' to 171' 6''	1' 0'' to 120' 3''
17.	Soft slate,	2' 6'' to 174' 0''	1' 10'' to 122' 1''
18.	COAL,	1' 6'' to 175' 6''	1' 2'' to 123' 3''
19.	Soft slate,	24' 6'' to 200' 0''	18' 9'' to 142' 0''
20.	SEVEN-FOOT BED. Dip 51°,	3' 6'' to 203' 6''	3' 0'' to 145' 0''
21.	Soft slate,	5' 6'' to 209' 0''	4' 3'' to 149' 3''
22.	Sandstone,	17' 0'' to 226' 0''	13' 3'' to 162' 6''
23.	Conglomerate, . . .	22' 0'' to 248' 0''	17' 6'' to 180' 0''
24.	COAL,	6'' to 248' 6''	4'' to 180' 4''
25.	Sandstone,	53' 6'' to 302' 0''	41' 9'' to 222' 1''
26.	Hard slate,	21' 6'' to 323' 6''	16' 9'' to 238' 10''
27.	Conglomerate, . . .	20' 6'' to 344' 0''	16' 0'' to 254' 10''
28.	Hard slate,	31' 8'' to 375' 8''	24' 9'' to 279' 7''
29.	COAL,	2' 4'' to 378' 0''	2' 0'' to 281' 7''
30.	Slate,	5' 0'' to 383' 0''	3' 11'' to 285' 6''
31.	COAL,	9'' to 383' 9''	5'' to 285' 11''
32.	Slate,	5' 3'' to 389' 0''	4' 1'' to 290' 0''
33.	BUCK MOUNTAIN BED. Dip 52°,	22' 6'' to 411' 6''	18' 0'' to 308' 0''

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

North Ashland colliery, Anderson & Co., tunnel.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Refuse,	5' 0'' to 5' 0''
2.	Mammoth bed,	23' 9'' to 28' 9''
3.	Slate,	3' 6'' to 32' 3''
4.	Rock,	81' 0'' to 113' 3''
5.	Slate,	11' 4'' to 124' 7''
6.	COAL,	6'' to 125' 1''
7.	Slate,	1' 6'' to 126' 7''
8.	Rock,	12' 8'' to 139' 3''
9.	Slate,	7' 10'' to 147' 1''
10.	COAL,	3' 8'' to 150' 9''
11.	Slate,	3' 9'' to 154' 6''
12.	Rock,	22' 0'' to 176' 6''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
13.	Slate,	3' 0" to 179' 6"
14.	Rock,	12' 0" to 191' 6"
15.	Slate,	3' 0" to 194' 6"
16.	Rock,	24' 0" to 218' 6"
17.	Slate,	10' 8" to 229' 2"
18.	Rock,	31' 0" to 260' 2"
19.	Slate,	21' 6" to 281' 8"
20.	COAL (COAL and slate),	3' 1" to 284' 9"
21.	Slate,	1' 3" to 286' 0"
22.	COAL,	7' to 286' 7"
23.	Slate,	8' 0" to 294' 7"
24.	Bone,	5" to 295' 0"
25.	COAL,	4' 7" to 299' 7"
26.	Slate,	2" to 299' 9"
27.	COAL (COAL, slate and bone),	6' 1" to 305' 10"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Potts colliery, tunnel from Little Tracy bed to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone,	49' 9" to 49' 9"
2.	Sandy slate,	29' 10" to 79' 7"
3.	Little Tracy bed,	2' 6" to 82' 1"
4.	Slate,	24' 10" to 106' 11"
5.	Dirt,	10" to 107' 9"
6.	Sandy slate,	69' 8" to 177' 5"
7.	Big Tracy bed,	5' 10" to 183' 3"
8.	Sandstone,	72' 2" to 255' 5"
9.	Leader of dirt,	10" to 256' 3"
10.	Slate,	14' 7" to 270' 10"
11.	Little Diamond bed,	2' 6" to 273' 4"
12.	Sandy slate,	96' 6" to 360' 10"
13.	Dirt,	10" to 370' 8"
14.	Sandstone,	20' 3" to 390' 11"
15.	Big Diamond bed,	6' 1" to 406' 0"
16.	Hard sandstone,	82' 2" to 488' 2"
17.	Sandy slate,	23' 6" to 511' 8"
18.	BIG ORCHARD BED,	3' 11" to 515' 7"
19.	Slate and sandstone,	18' 9" to 534' 4"
20.	LITTLE ORCHARD BED,	2' 4" to 536' 8"
21.	Sandstone and slate,	138' 11" to 675' 7"
22.	PRIMROSE BED,	7' 9" to 683' 4"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
23.	Sandstone and slate,	102' 9" to 788' 1"
24.	HOLMES BED,	5' 2" to 791' 3"
25.	Slate,	11' 2" to 802' 5"
26.	Coal,	1' 6" to 803' 11"
27.	Sandstone and slate,	121' 10" to 925' 9"
28.	MAMMOTH BED,	23' 11" to 949' 8"
29.	Slate,	35' 11" to 985' 7"
30.	Rock,	53' 2" to 1038' 9"
31.	SKIDMORE BED,	3' 4" to 1042' 1"
32.	Slate,	13' 5" to 1055' 6"
33.	Slate with iron ore balls,	3' 8" to 1059' 2"
34.	Hard gray sandstone,	20' 4" to 1079' 6"
35.	COAL,	1' 5" to 1080' 11"
36.	Slate,	28' 9" to 1109' 8"
37.	COAL,	1' 1" to 1110' 9"
38.	Slate,	7' 11" to 1118' 8"
39.	COAL,	1' 5" to 1120' 1"
40.	Slate,	5' 0" to 1125' 1"
41.	COAL,	3' 3" to 1128' 4"
42.	Slate,	4' 3" to 1132' 7"
43.	Conglomerate,	33' 11" to 1166' 6"
44.	BUCK MOUNTAIN BED,	11' 4" to 1177' 10"

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Locust Run colliery, general section and bore-hole near reservoir.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	23' 0" to 23' 0"
2.	Strata,	51' 0" to 74' 0"
3.	FOUR-FOOT BED,	5' 0" to 79' 0"
4.	Strata,	19' 0" to 98' 0"
5.	SKIDMORE BED,	12' 0" to 110' 0"
6.	Strata,	43' 0" to 153' 0"
7.	COAL,	2' 9" to 155' 9"
8.	Strata,	65' 0" to 220' 9"
9.	COAL,	6" to 221' 3"
10.	Strata,	41' 0" to 262' 3"
11.	COAL,	1' 6" to 263' 9"
12.	Strata,	21' 0" to 284' 9"
13.	COAL and dirt,	7' 1" to 291' 10"
14.	Dark slate,	10' 3" to 302' 1"
15.	COAL BED,	8' 1" to 310' 2"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
16.	Slate,	3' 0'' to 313' 2''
17.	Sandstone,	6' 6'' to 319' 8''
18.	Sandstone,	15' 2'' to 334' 10''
19.	Slate,	10' to 335' 8''
20.	Sandstone,	18' 9'' to 354' 5''
21.	Slate,	4'' to 354' 9''
22.	Sandstone,	12' 0'' to 366' 9''
23.	Slate,	10'' to 367' 7''
24.	Conglomerate,	1' 2'' to 368' 9''
25.	Slate,	6'' to 369' 3''
26.	Conglomerate,	82' 7'' to 451' 10''
27.	Sandstone,	9' 9'' to 461' 7''
28.	Sandstone,	8' 7'' to 470' 2''
29.	Slate,	2' 9'' to 472' 11''
30.	Sandstone,	48' 11'' to 521' 10''
31.	Conglomerate,	1' 8'' to 523' 6''
32.	Sandstone,	1' 8'' to 525' 2''
33.	Conglomerate,	22' 10'' to 548' 0''
34.	COAL,	2' 10'' to 550' 10''
35.	Slate,	1' 0'' to 551' 10''
36.	Conglomerate,	85' 6'' to 637' 4''
37.	COAL,	1' 6'' to 638' 10''
38.	Slate,	6' 10'' to 645' 8''
39.	Conglomerate,	12' 1'' to 657' 9''

See Columnar Section Sheet No. III and Mine Sheet No. IV, Atlas Western Middle Coal Field, Parts I and II.

Big Mine Run colliery, Diamond Drill bore-hole.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone,	41' 6'' to 41' 6''
2.	COAL,	3'' to 41' 9''
3.	Fine-grained blue rock,	60' 1'' to 101' 10''
4.	Gray rock,	13' 4'' to 115' 2''
5.	Slate,	2'' to 115' 4''
6.	Conglomerate,	2' 5'' to 117' 9''
7.	Hard gray sandstone,	4' 3'' to 122' 0''
8.	Slate,	2' 10'' to 124' 10''
9.	COAL BED,	4' 5'' to 129' 3''
10.	Slate,	7' 10'' to 137' 1''
11.	Sandstone,	17' 4'' to 154' 5''
12.	COAL BED,	5' 0'' to 159' 5''
13.	Slate,	7'' to 160' 0''
14.	Light gray rock and conglomerate mixed,	21' 2'' to 181' 2''
15.	Gray sandstone,	16' 3'' to 197' 5''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
16.	Conglomerate,	4' 3" to 201' 8"
17.	Hard gray rock,	5' 8" to 207' 4"
18.	COAL,	2' 1" to 209' 5"
19.	Slate,	13' 2" to 222' 7"
20.	Gray rock mixed with pebbles,	16' 2" to 238' 9"
21.	Conglomerate,	2' 2" to 240' 11"
22.	MAMMOTH BED,	22' 0" to 262' 11"

See Columnar Section Sheet No. IV and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Big Mine Run colliery, Water level tunnel, from Mammoth bed to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED.		
	Dip 40° S.,	34' 3" to 34' 3"	22' 0" to 22' 0"
2.	Slate,	15' 0" to 49' 3"	9' 8" to 31' 8"
3.	Conglomerate,	35' 0" to 84' 3"	23' 0" to 54' 8"
4.	Sandstone,	75' 2" to 159' 5"	50' 3" to 104' 11"
5.	COAL and slate.		
	Dip 42° S.,	3' 10" to 163' 3"	2' 6" to 107' 5"
6.	Fine sandstone,	29' 6" to 192' 9"	18' 7" to 126' 0"
7.	COAL. Dip 36° S.,	6" to 193' 3"	4" to 126' 4"
8.	Fine sandstone,	18' 0" to 211' 3"	10' 7" to 136' 11"
9.	Slate,	5' 0" to 216' 3"	3' 0" to 139' 11"
10.	Slate, COAL and dirt.		
	Dip 37° S.,	8' 0" to 224' 3"	4' 2" to 144' 1"
11.	Fine dark SS.,	35' 0" to 259' 3"	20' 1" to 164' 2"
12.	Cong. Dip 32° S.,	73' 5" to 332' 8"	38' 10" to 203' 0"
13.	Slate. Dip 32° S.,	1' 7" to 334' 3"	10" to 203' 10"
14.	Conglomerate,	9' 4" to 343' 7"	5' 3" to 209' 1"
15.	Sandy slate. Dip 36° S.,	8" to 344' 3"	4" to 209' 5"
16.	Conglomerate,	24' 3" to 368' 6"	11' 4" to 220' 9"
17.	Fine sandstone.		
	Dip 19° S.,	9" to 369' 3"	3" to 221' 0"
18.	Cong. Dip 16° S.,	35' 0" to 404' 3"	11' 10" to 232' 10"
19.	Slate,	5' 0" to 409' 3"	1' 6" to 234' 4"
20.	Hard gray SS.,	14' 6" to 423' 9"	8' 5" to 242' 9"
21.	COAL and slate. Dip 40° S.,	6" to 424' 3"	4" to 243' 1"
22.	Hard gray SS.,	49' 9" to 474' 0"	32' 0" to 275' 1"
23.	Slate. Dip 40° S.,	3" to 474' 3"	2" to 275' 3"
24.	Hard gray SS.,	33' 3" to 507' 6"	21' 4" to 296' 7"

25. COAL.	Dip 43° S.,	9' to 508' 3"	6' to 297' 1"
26. Hard gray SS., . .	46' 0"	to 554' 3"	27' 2" to 324' 3"
27. Fine dark slaty sandstone.	Dip		
	5° to 26° S., . . .	189 0" to 743' 3"	30' 0" to 354' 3"
28. BUCK MOUNTAIN BED.	Dip 13° S.,	61' 0" to 804' 3"	17' 10" to 372' 1"

See Columnar Section Sheet No. IV and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Bast colliery, tunnel from overturned dip to Mammoth bed.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses perpendicular to dip.
1.	Soft sandstone,	44' 0" to 44' 0"
2.	Gritty slate,	16' 6" to 60' 6"
3.	Sandstone,	13' 0" to 73' 6"
4.	Slate,	15' 0" to 88' 6"
5.	Sandstone,	5' 6" to 94' 0"
6.	COAL,	5' 0" to 99' 0"
7.	Slate,	3' 0" to 102' 0"
8.	COAL,	2' 4" to 104' 4"
9.	Sandstone,	9' 0" to 113' 4"
10.	Sandstone, soft,	16' 2" to 129' 6"
11.	Slate,	9' 6" to 139' 0"
12.	Sandstone,	4' 0" to 143' 0"
13.	Slate,	9' 6" to 152' 6"
14.	Sandstone,	2' 0" to 154' 6"
15.	Slate,	6' 0" to 160' 6"
16.	COAL,	6" to 161' 0"
17.	Slate,	6' 6" to 167' 6"
18.	COAL,	9" to 168' 3"
19.	Sandstone, soft,	23' 6" to 191' 9"
20.	Slate,	2' 6" to 194' 3"
21.	Sandstone,	8' 0" to 202' 3"
22.	Fine conglomerate,	3' 0" to 205' 3"
23.	COAL BED,	3' 9" to 209' 0"
24.	Slate,	13' 0" to 222' 0"
25.	Gray sandstone,	33' 0" to 255' 0"
26.	Slate,	1' 8" to 256' 8"
27.	COAL BED,	11' 10" to 268' 6"
28.	Slate,	1' 6" to 270' 0"
29.	Hard sandstone,	43' 0" to 313' 0"
30.	COAL BED,	3' 0" to 316' 0"
31.	Slate,	9' 6" to 325' 6"
32.	Hard sandstone,	16' 6" to 342' 0"
33.	Slate,	6' 0" to 348' 0"
34.	MAMMOTH BED,	14' 0" to 362' 0"

See Columnar Section Sheet No. IV and Mine Sheet No. IV, Atlas Western Middle Field, Parts I and II.

*Pioneer colliery, section from Mammoth to Buck Mountain bed.**P. & R. C. & I. Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	25' 0" to 25' 0"
2.	Strata,	36' 0" to 61' 0"
3.	COAL BED,	4' 0" to 65' 0"
4.	Strata,	38' 0" to 103' 0"
5.	COAL,	1' 0" to 104' 0"
6.	Strata,	24' 0" to 123' 0"
7.	COAL,	1' 0" to 129' 0"
8.	Strata,	40' 0" to 169' 0"
9.	BUCK MOUNTAIN BED,	4' 0" to 173' 0"
10.	Sandstone,	7' 0" to 180' 0"

See Columnar Section Sheet No. IV and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

*Tunnel colliery, tunnels and surface developments.**P. & R. C. & I. Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	COAL BED,	5' 0" to 5' 0"
2.	Sandstone and slate,	69' 0" to 74' 0"
3.	COAL,	1' 6" to 75' 6"
4.	Hard sandstone,	45' 0" to 120' 6"
5.	Slate,	4' 0" to 124' 6"
6.	COAL,	1' 0" to 125' 6"
7.	Slate,	37' 6" to 163' 0"
8.	Slaty rock,	11' 6" to 174' 6"
9.	Slate,	3' 0" to 177' 6"
10.	Rock,	10' 0" to 187' 6"
11.	Hard sandstone and slate,	22' 0" to 209' 6"
12.	COAL BED,	4' 0" to 213' 6"
13.	Sandstone and slate,	186' 0" to 399' 6"
14.	COAL BED,	6' 6" to 406' 0"
15.	Hard sandstone and fine conglomerate (mixed),	28' 6" to 434' 6"
16.	Slate,	42' 0" to 476' 6"
17.	Sandstone,	52' 6" to 529' 0"
18.	COAL BED,	5' 0" to 534' 0"
19.	Soft slate and sandstone,	89' 0" to 623' 0"
20.	COAL BED,	5' 6" to 628' 6"
21.	Sandstone,	25' 0" to 653' 6"
22.	Slate,	35' 0" to 688' 6"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
23.	PRIMROSE BED,	15' 4' to 703' 10"
24.	Slate,	12' 4" to 716' 2"
25.	Hard sandstone,	13' 4" to 729' 6'
26.	Hard slate,	18' 0" to 747' 6"
27.	COAL BED,	3' 0" to 750' 6"
28.	Hard rock,	100' 6" to 851' 0"
29.	COAL BED,	6' 0" to 857' 0"
30.	Hard gray rock,	138' 2" to 995' 2"
31.	MAMMOTH BED,	23' 0" to 1018' 2"
32.	Rock,	32' 0' to 1050' 2"
33.	SKIDMORE BED,	4' 0" to 1054' 2"
34.	Rock,	35' 0" to 1089' 2"
35.	COAL,	1' 0" to 1090' 2'
36.	Sandstone,	32' 0" to 1122' 2"
37.	COAL,	1' to 1122 3"
38.	Sandstone,	40' 0" to 1162' 3"
39.	Slate,	2' 0" to 1164' 3"
40.	Rock,	32' 0" to 1196' 3"
41.	SEVEN-FOOT BED?	1' 0" to 1197' 3"
42.	Rock,	11' 0" to 1208' 3"
43.	COAL,	
44.	Rock,	16' 0' to 1224' 3"
45.	Slate,	5' 0" to 1229' 3"
46.	Iron ore,	6' 0" to 1235' 3"
47.	Black band,	3' 6" to 1238' 9"
48.	Interval,	3' 0" to 1241 9"
49.	Slate,	15' 0" to 1256' 9"
50.	BUCK MOUNTAIN BED,	5' 5" to 1262' 2"

See Columnar Section Sheet No. IV and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Preston colliery No. 2, tunnels.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone,	16' 2" to 16' 2"
2.	Sandstone,	12' 7" to 28' 9"
3.	Slate,	1' 9' to 30' 6"
4.	COAL BED. Dip 64°,	3' 4" to 33' 10"
5.	Sandstone,	5' 10" to 39' 8"
6.	Soft slate,	1' 4" to 41' 0"
7.	Hard slate,	1' 11" to 42' 11"
8.	Sandstone,	22' 6" to 65' 5"
9.	Sandstone,	25' 2" to 90' 7"
10.	COAL. Dip 60°,	8" to 91' 3"
11.	Sandstone,	8' 8" to 99' 11"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
12.	Hard slate,	6' 1" to 106' 0"
13.	Soft slate,	1' 4" to 107' 4"
14.	COAL,	8" to 108' 0"
15.	Sandstone,	15' 7" to 123' 7"
16.	ORCHARD BED. Dip 62°,	6' 2" to 129' 9"
17.	Sandstone,	44' 5" to 174' 2"
18.	Soft black sandstone,	1' 9" to 175' 11"
19.	Sandstone,	39' 0" to 214' 11"
20.	Slate,	3' 6" to 218' 5"
21.	PRIMROSE BED. Dip 63°,	5' 5" to 223' 10"
22.	Sandstone,	2' 8" to 226' 6"
23.	COAL, slate and refuse,	11" to 227' 5"
24.	Sandstone,	58' 0" to 285' 5"
25.	Slate,	1' 10" to 287' 3"
26.	COAL BED. Dip 62°,	3' 1" to 290' 4"
27.	Slate,	11" to 291' 3"
28.	Sandstone,	17' 8" to 308' 11"
29.	Slate,	5' 4" to 314' 3"
30.	Sandstone,	17' 8" to 331' 11"
31.	Slate,	10" to 332' 9"
32.	Hard sandstone,	54' 8" to 387' 5"
33.	Slate,	9' 8" to 397' 1"
34.	HOLMES BED. Dip 57°,	10' 1" to 407' 2"
35.	Slate,	5' 0" to 412' 2"
36.	Hard black slate,	1' 2" to 413' 4"
37.	Sandstone,	83' 10" to 497' 2"
38.	Hard slate,	16' 9" to 513' 11"
39.	Free slate,	6' 8" to 520' 7"
40.	MAMMOTH BED,	24' 0" to 544' 7"
41.	Slate,	7' 6" to 552' 1"
42.	Sandstone,	50' 0" to 602' 1"
43.	COAL,	2' 0" to 604' 1"
44.	Slate,	21' 0" to 625' 1"
45.	COAL,	2' 8" to 627' 9"
46.	Slate,	21' 0" to 648' 9"
47.	COAL, slate and refuse,	1' 0" to 649' 9"
48.	Slate,	10' 0" to 659' 9"
49.	Sandstone,	21' 0" to 680' 9"
50.	Fine conglomerate,	18' 0" to 698' 9"
51.	Slate,	5' 6" to 704' 3"
52.	COAL, birdseye,	1' 10" to 706' 1"
53.	Sandstone,	56' 0" to 762' 1"
54.	Slate,	18' 0" to 780' 1"
55.	Sandstone,	3' 0" to 783' 1"
56.	Slate and bone,	4' 0" to 787' 1"
57.	BUCK MOUNTAIN BED,	16' 7" to 803' 8"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Hammond colliery tunnel, from Primrose bed to Buck Mountain bed.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Soft slate, dirt, &c.,	8' 0" to 8' 0"	4' 9" to 4' 9"
2.	Hard slate,	11' 0" to 19' 0"	5' 4" to 10' 1"
3.	COAL BED,	6' 0" to 25' 0"	3' 8" to 13' 9"
4.	Hard slate,	4' 6" to 29' 6"	3' 2" to 16' 11"
5.	COAL,	6" to 30' 3"	7" to 17' 6"
6.	Soft slate,	4' 0" to 34' 0"	2' 7" to 20' 1"
7.	COAL,	9" to 34' 9"	5" to 20' 6"
8.	Soft slate,	6' 9" to 41' 6"	4' 7" to 25' 1"
9.	COAL,	6' to 42' 0"	6" to 25' 7"
10.	Soft slate,	2' 6" to 44' 6"	1' 3" to 26' 10"
11.	Sand rock,	51' 6" to 96' 0"	34' 9" to 61' 7"
12.	Hard slate,	12' 0" to 108' 0"	8' 2" to 69' 9"
13.	COAL,	4" to 108' 4"	4' to 70' 1"
14.	Hard slate,	2' 8" to 111' 0"	1' 10" to 71' 11"
15.	Soft slate,	2' 0" to 113' 0"	1' 5" to 73' 4"
16.	COAL, good leader. Dip 42°,	4' 0" to 117' 0"	2' 10" to 76' 2"
17.	Sand rock,	9' 0" to 126' 0"	6' 7" to 82' 9"
18.	Soft slate,	1' 9" to 127' 9"	10" to 83' 7"
19.	Sand rock,	5' 9" to 133' 6"	4' 0" to 87' 7"
20.	Hard slate,	6' 6" to 140' 0"	4' 11" to 92' 6"
21.	Sand rock,	13' 0" to 153' 0"	8' 11" to 101' 5"
22.	Hard slate,	9' 0" to 162' 0"	6' 10" to 108' 3"
23.	Sand rock,	2' 0" to 164' 0"	1' 4" to 109' 7"
24.	Soft slate,	4' 6" to 168' 6"	2' 10" to 112' 5"
25.	Sand rock,	27' 3" to 195' 9"	19' 0" to 131' 5"
26.	Soft slate,	14' 3" to 210' 0"	9' 7" to 141' 0"
27.	Hard slate,	3' 6" to 213' 6"	2' 8" to 143' 8"
28.	Sand rock,	5' 6" to 219' 0"	3' 5" to 147' 1"
29.	Hard slate,	36' 6" to 255' 6"	24' 9" to 171' 10"
30.	Soft slate,	5' 6" to 261' 0"	3' 6" to 175' 4"
31.	HOLMES BED. Dip 43°,	22' 0" to 283' 0"	15' 1" to 190' 5"
32.	Soft slate,	16' 0" to 299' 0"	10' 11" to 201' 4"
33.	Sand rock,	93' 0" to 392' 0"	51' 0" to 252' 4"
34.	Soft slate,	7' 0" to 399' 0"	3' 9" to 256' 1"
35.	MAMMOTH BED TOP SPLIT. Dip 35½°,	21' 6" to 420' 6"	13' 0" to 269' 1"
36.	Hard slate,	13' 0" to 433' 6"	8' 10" to 277' 11"
37.	Sand rock,	59' 3" to 492' 9"	33' 8" to 311' 7"
38.	Hard slate,	35' 9" to 528' 6"	16' 7" to 328' 2"
39.	Sand rock,	36' 0" to 564' 6"	24' 8" to 352' 10"
40.	MAMMOTH BED. Dip 35°,	35' 6" to 600' 0"	27' 7" to 380' 5"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
41.	Soft slate,	9' 3" to 609' 3"	5' 4" to 385' 9"
42.	Conglomerate,	38' 9" to 648' 0"	28' 2" to 413' 11"
43.	COAL BED. Dip 37½°,	3' 6" to 652' 0"	1' 11" to 415' 10"
44.	Sand rock,	31' 0" to 683' 0"	19' 8" to 435' 6"
45.	Soft slate,	11' 0" to 694' 0"	6' 0" to 441' 6"
46.	COAL BED. Dip 37°,	4' 3" to 698' 3"	3' 0" to 444' 6"
47.	Hard slate. Dip 39°,	47' 9" to 746' 0"	21' 5" to 465' 11"
48.	COAL,	6" to 746' 6"	3" to 466' 2"
49.	Soft slate,	17' 0" to 763' 6"	12' 2" to 478' 4"
50.	Sand rock. Dip 46°,	68' 0" to 831' 6"	39' 2" to 517' 6"
51.	Hard slate. Dip 43°,	13' 0" to 844' 6"	8' 5" to 525' 11"
52.	COAL, } BUCK MOUN-	5' 0" to 849' 6"	18' 7" to 544' 6"
53.	Slate, } TAIN BED. 4' 0" to 853' 6"		
54.	COAL, } Dip 32°, . 25' 0" to 878' 6"		

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Girard Mammoth colliery, Water Level tunnel.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	21' 0" to 21' 0"
2.	Sandstone,	30' 0" to 60' 0"
3.	Slate,	3' 6" to 63' 6"
4.	COAL, }	3' 0" to 66' 6"
5.	Slate, } SKIDMORE BED,	8' 2" to 74' 8"
6.	COAL, }	5' 0" to 79' 8"
7.	Slate,	4' 0" to 83' 8"
8.	Sandstone,	52' 0" to 135' 8"
9.	Slate,	1' 7" to 137' 3"
10.	SEVEN-FOOT BED,	5' 0" to 142' 3"
11.	Slate,	10' 0" to 152' 3"
12.	Sandstone,	17' 8" to 169' 11"
13.	Sandstone,	18' 6" to 188' 5"
14.	Slate,	23' 5" to 211' 10"
15.	COAL, }	5' 0" to 216' 10"
16.	Slate, } BUCK MOUNTAIN BED,	2' 7" to 219' 5"
17.	COAL, }	17' 4" to 236' 9"
18.	Slate,	7' 0" to 243' 9"
19.	Sandstone,	25' 0" to 268' 9"
20.	Slate,	8' 0" to 276' 9"
21.	Sandstone,	23' 2" to 299' 11"
22.	Conglomerate,	68' 0" to 367' 11"
23.	Sandstone,	22' 0" to 389' 11"

Hill.] SECTIONS, WESTERN MIDDLE FIELD, CHAP. VII. 1241

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
24.	Slate,	2' 6" to 392' 5"
25.	Sandstone,	40' 0" to 432' 5"
26.	Sandstone,	44' 6" to 476' 11"
27.	Slate,	2' 8" to 479' 7"
28.	Sandstone,	37' 0" to 516' 7"
29.	Conglomerate,	68' 0" to 584' 7"
30.	Sandstone,	18' 0" to 602' 7"
31.	Conglomerate,	62' 0" to 661' 7"
32.	Slate,	4' 0" to 668' 7"
33.	Conglomerate,	50' 0" to 718' 7"
34.	Slate,	3' 0" to 721' 7"
35.	Conglomerate,	28' 6" to 750' 1"
36.	Sandstone,	30' 0" to 780' 1"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Girard colliery tunnel from Holmes bed to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Hard slate,	37' 0" to 37' 0"	34' 0" to 34' 0"
2.	HOLMES BED. Dip 67° N.,	9 6" to 46' 6"	8' 9" to 42' 9"
3.	Hard slate,	50' 6" to 97' 0"	46' 6" to 89' 3"
4.	COAL BED. Dip 66° N.,	4' 0" to 101' 0"	3' 6" to 92' 9"
5.	Soft slate,	22' 0" to 123' 0"	20' 1" to 112' 10"
6.	MAMMOTH BED. Dip 66° N.,	36' 0" to 159' 0"	32' 8" to 145' 6"
7.	Hard slate,	8' 0" to 167' 0"	7' 3" to 152' 9"
8.	Sandstone,	8' 0" to 175' 0"	7' 3" to 160' 0"
9.	Conglomerate,	3 0" to 178' 0"	2' 9" to 162' 9"
10.	COAL, Dip 66° N.,	8" to 178' 8"	4" to 163' 1"
11.	Conglomerate,	1' 10" to 180' 8"	1' 8" to 164' 9"
12.	Sandstone,	6' 6" to 187' 0"	5' 11" to 170' 8"
13.	Conglomerate,	15' 0" to 202' 0"	13' 8" to 184' 4"
14.	Hard slate,	17' 0" to 219' 0"	15' 6" to 199' 10"
15.	SKIDMORE BED. Dip 67° N.,	4' 6" to 223' 6"	4' 0" to 203' 10"
16.	Soft slate,	8' 0" to 231' 6"	7' 4" to 211' 2"
17.	COAL. Dip 67° N.,	2' 6" to 234' 0"	2' 0" to 213' 2"
18.	Hard slate,	7' 0" to 241' 0"	6' 5" to 219' 7"
19.	Sandstone,	24' 0" to 265' 0"	22' 7" to 242' 2"
20.	SEVEN-FOOT BED. Dip 74° N.,	2' 0" to 267' 0"	1' 9" to 243' 11"

No of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
21.	Soft slate,	3' 0'' to 270' 0''	2' 10'' to 246' 9''
22.	Hard slate,	9' 0'' to 279' 0''	8 6'' to 255' 3'
23.	COAL. Dip 74° N., . . .	3' 0'' to 282' 0''	2' 4'' to 257' 7''
24.	Hard slate,	29' 6'' to 311' 6''	26' 4'' to 283' 11''
25.	COAL. Dip 73° N., . . .	1' 6'' to 313' 0''	1' 0'' to 284' 11'
26.	Hard slate,	6'' to 313' 6''	6'' to 285' 5''
27.	Sandstone,	10' 6'' to 324' 0''	10' 0'' to 295' 5''
28.	Conglomerate,	10' 0'' to 334' 0''	9' 6'' to 304' 11''
29.	Sandstone,	26' 0'' to 360' 0''	24' 8'' to 329' 7''
30.	Hard slate. Dip 74° N.,	10' 0'' to 370' 0''	9' 6'' to 339' 1''
31.	BUCK MOUNTAIN BED.		
	Dip 63° N.,	17' 0'' to 387' 0''	15' 6'' to 354' 7''

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Girard colliery, section of Water Level tunnel, from Mammoth bed to Buck Mountain bed.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses per perpendicular to dip.
1.	MAMMOTH BED,	
2.	Slate,	2' 7'' to 2' 7''
3.	Sandstone,	11' 7'' to 14' 2''
4.	Conglomerate,	43' 6' to 57' 8''
5.	Hard slate,	9' 6'' to 67' 2''
6.	COAL, (COAL, slate and dirt),	2' 7'' to 69' 9''
7.	Hard slate,	7' 7'' to 77' 4''
8.	Dirt,	4'' to 77' 8''
9.	Soft slate,	6'' to 78' 2''
10.	COAL, soft,	6'' to 78' 8'
11.	Hard slate,	6' 0'' to 84' 8''
12.	Conglomerate,	21' 4'' to 106' 0''
13.	COAL, good, hard,	1' 0'' to 107' 0''
14.	Hard slate,	4'' to 107' 4'
15.	COAL, good, hard,	9' to 108' 1''
16.	Hard slate,	11' 6'' to 119' 7''
17.	Soft slate,	4'' to 119' 11'
18.	COAL, good,	9'' to 120' 8'
19.	Soft slate,	4'' to 121' 0''
20.	Dirt,	5'' to 121' 5''
21.	Hard slate,	22' 0'' to 143' 5''
22.	Sandstone,	11'' to 144' 4''
23.	Hard slate,	2' 8' to 147' 0''
24.	COAL, good, hard,	9'' to 147' 9''

No. of strata.	Description.	Thicknesses perpendicular to dip.
25.	Hard slate,	16' 4" to 164' 1"
26.	Conglomerate,	27' 1" to 191' 2"
27.	Dirt,	11" to 192' 1"
28.	Slate,	4' 8" to 196' 9"
29.	BUCK MOUNTAIN BED,	12' 1" to 208' 10"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

*West Bear Ridge colliery, tunnel under Mahanoy creek
(North dips.)*

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Soft slate,	56' 0" to 56' 0"	26' 3" to 26' 3"
2.	Dirt,	2" to 56' 2"	1" to 26' 4"
3.	Soft sandstone,	14' 0" to 70' 2"	6' 6" to 32' 10"
4.	COAL,	1' 0" to 71' 2"	5" to 33' 3"
5.	Soft slate,	10' 0" to 81' 2"	4' 8" to 37' 11"
6.	HOLMES BED,	10' 0" to 91' 2"	6' 2" to 44' 1"
7.	Hard blue slate with iron balls,	52' 0" to 143' 2"	32' 0" to 76' 1"
8.	Dirt,	3" to 143' 5"	2" to 76' 3"
9.	Hard slate,	11' 0" to 154' 5"	6' 8" to 82' 11"
10.	Hard, fine sandstone with mica,	131' 0" to 285' 5"	80' 6" to 163' 5"
11.	Hard slate,	10' 0" to 295' 5"	8' 3" to 171' 8"
12.	Soft black slate,	5' 0" to 300' 5"	4' 1" to 175' 9"
13.	MAMMOTH BED,	38' 0" to 338' 5"	31' 0" to 206' 9"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

*West Bear Ridge colliery, tunnel under Mahanoy creek
(South dips.)*

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses measured perpendicular to dip.
1.	Soft slate,	29' 6" to 29' 6"	10' 0" to 10' 0"
2.	Seam of dirt,	2" to 29' 8"	1" to 10' 1"
3.	Hard slate,	7' 4" to 37' 0"	3' 0" to 13' 1"
4.	Soft slate,	1' 6" to 38' 6"	7" to 13' 8"
5.	HOLMES BED. Dip		
	53½°,	4' 6" to 43' 0"	3' 7" to 17' 3"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
6.	Soft slate,	4' 9" to 47' 9"	4' 1" to 21' 4"
7.	Hard blue slate, with iron,	40' 0" to 87' 9"	34' 7" to 55' 11"
8.	Soft slate,	2' 0" to 89' 9"	1' 8" to 57' 7"
9.	COAL and slate. Dip 63°,	1' 6" to 91' 3"	1' 4" to 58' 11"
10.	Hard sandstone, with mica. Dip 51½°,	79' 0" to 170' 3"	62' 4" to 121' 3"
11.	Hard blue slate,	23' 0" to 193' 3"	19' 0" to 140' 3"
12.	Hard black slate,	26' 0" to 219' 3"	22' 4" to 162' 7"
13.	MAMMOTH BED.		

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

West Bear Ridge colliery, tunnel from Mammoth to Buck Mountain bed, on upper lift of slope.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured perpendicular to dip.</i>
1.	MAMMOTH BED,	25' 0" to 25' 0"
2.	Slate,	1' 7" to 26' 7"
3.	Sandstone,	5' 6" to 32' 1"
4.	Hard slate,	6' 2" to 38' 3"
5.	Sandy slate,	9' 2" to 47' 5"
6.	Slate,	1' 7" to 49' 0"
7.	COAL,	2' 0" to 51' 0"
8.	Hard slate,	16' 7" to 67' 7"
9.	COAL,	7" to 68' 2"
10.	Slate,	3' 7" to 71' 9"
11.	SKIDMORE BED,	2' 10" to 74' 7"
12.	Hard slate,	25' 1" to 99' 8"
13.	Conglomerate,	8' 8" to 108' 4"
14.	SEVEN-FOOT BED,	3' 7" to 111' 11"
15.	Slate,	5' 6" to 117' 5"
16.	COAL,	1" to 117' 6"
17.	Slate,	10' 0" to 127' 6"
18.	Sandstone,	12' 4" to 139' 10"
19.	COAL BED,	3' 4" to 143' 2"
20.	Hard sandstone,	18' 8" to 161' 10"
21.	BUCK MOUNTAIN BED,	14' 0" to 175' 10"
22.	Hard slate,	6' 7" to 182' 5"
23.	Sand rock,	4' 7" to 187' 0"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

*West Bear Ridge colliery, tunnel from centre of basin
to Buck Mountain bed (North dip).*

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	Hard slate, . . .	63' 0'' to 63' 0''	47' 3'' to 47' 3''
2.	HOLMES BED.		
	Dip 48½° N., . . .	9' 6'' to 72' 6''	7' 9'' to 55' 0''
3.	Hard slate, . . .	58' 6'' to 131' 0''	43' 10'' to 98' 10''
4.	Sandstone, . . .	37' 0'' to 168' 0''	27' 11'' to 126' 9''
5.	Hard slate, . . .	3' 0'' to 171' 0''	2' 3'' to 129' 0''
6.	Sandstone, . . .	67' 6'' to 238' 6''	51' 4'' to 180' 4''
7.	Hard slate, . . .	8' 0'' to 246' 6''	6' 2'' to 186' 6''
8.	Sandstone, . . .	15' 0'' to 261' 6''	11' 7'' to 198' 1''
9.	Hard slate, . . .	19' 6'' to 281' 0''	15' 0'' to 213' 1''
10.	MAMMOTH BED.		
	(Dip 51° N.), . . .	35' 0'' to 316' 0''	29' 0'' to 242' 1''
11.	Soft slate, . . .	4' 0'' to 320' 0''	3' 0'' to 245' 1''
12.	Sandstone, . . .	9' 0'' to 329' 0''	7' 0'' to 252' 1''
13.	Conglomerate, . . .	9' 0'' to 338' 0''	7' 0'' to 259' 1''
14.	Hard slate, . . .	3' 0'' to 341' 0''	2' 4'' to 261' 5''
15.	Sandstone, . . .	15' 0'' to 356' 0''	11' 8'' to 273' 1''
16.	Hard slate, . . .	2' 6'' to 358' 6''	1' 11'' to 275' 0''
17.	CoAL. Dip 52° N., . . .	6'' to 359' 0''	9'' to 275' 9''
18.	Hard slate, . . .	20' 0'' to 379' 0''	15' 7'' to 291' 4''
19.	CoAL,	6'' to 379' 6''	4'' to 291' 8''
20.	Hard slate, . . .	10' 0'' to 389' 6''	7' 10'' to 299' 6''
21.	SKIDMORE BED.		
	Dip 50° N., . . .	5' 6'' to 395' 0''	5' 0'' to 304' 6''
22.	Hard slate, . . .	7' 0'' to 402' 0''	5' 4'' to 309' 10''
23.	Sandstone, . . .	16' 6'' to 418' 6''	13' 0'' to 322' 10''
24.	SEVEN FOOT BED.		
	Dip 53° N., . . .	8' 6'' to 427' 0''	6' 10'' to 329' 8''
25.	Soft slate, . . .	3' 0'' to 430' 0''	2' 5'' to 332' 1''
26.	Hard slate, . . .	7' 0'' to 437' 0''	5' 9'' to 337' 10''
27.	CoAL,	2' 0'' to 439' 0''	1' 8'' to 339' 6''
28.	Sandstone, . . .	63' 0'' to 502' 0''	53' 7'' to 393' 1''
29.	Conglomerate, . . .	9' 0'' to 511' 0''	7' 10'' to 400' 11''
30.	Sandstone, . . .	3' 0'' to 514' 0''	2' 8' to 403' 7''
31.	BUCK MOUNTAIN		
	Dip 64° N., . . .	16' 0'' to 530' 0''	14' 5'' to 418' 0''

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas West-
ern Middle Anthracite Field, Parts I and II.

East Bear Ridge colliery, Water level tunnel, from Mammoth bed to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED. Dip 42°,	38' 9" to 38' 9"	26' 0" to 26' 0"
2.	Soft slate,	1' 3" to 40' 0"	9" to 26' 9"
3.	Sandstone,	8' 6" to 48' 6"	6' 0" to 32' 9"
4.	Hard slate,	7' 6" to 56' 0"	5' 0" to 37' 9"
5.	Sandstone,	15' 0" to 71' 0"	10' 0" to 47' 9"
6.	Soft slate,	1' 0" to 72' 0"	8" to 48' 5"
7.	COAL. Dip 38°,	2' 0" to 74' 0"	1' 8" to 50' 1"
8.	Sandstone,	9' 0" to 83' 0"	5' 2" to 55' 3"
9.	Hard slate,	16' 0" to 99' 0"	11' 0" to 66' 3"
10.	COAL,	1' 0" to 100' 0"	6" to 66' 9"
11.	Soft slate,	6' 0" to 106' 0"	4' 3" to 71' 0"
12.	COAL. Dip 47°,	5' 6" to 111' 6"	3' 8" to 74' 8"
13.	Soft slate,	1' 0" to 112' 6"	8" to 75' 4"
14.	Sandstone,	29' 6" to 142' 0"	26' 0" to 101' 4"
15.	Soft slate,	2' 0" to 144' 0"	1' 10" to 103' 2"
16.	Fine conglomerate,	17' 0" to 161' 0"	15' 0" to 118' 2"
17.	COAL BED. Dip 59°,	5' 0" to 166' 0"	3' 10" to 122' 0"
18.	Hard slate,	8' 0" to 174' 0"	3' 6" to 125' 6"
19.	COAL,	6" to 174' 6"	3" to 125' 9"
20.	Hard slate,	37' 6" to 212' 0"	10' 6" to 136' 3"
21.	COAL,	8' 6" to 220' 6"	1' 6" to 137' 9"
22.	Sandstone,	23' 0" to 243' 6"	16' 6" to 154' 3"
23.	Soft slate,	1' 6" to 245' 0"	8" to 154' 11"
24.	COAL. Dip 45°,	2' 0" to 247' 0"	2' 0" to 156' 11"
25.	Hard gray sandstone,	12' 6" to 259' 6"	6' 6" to 163' 5"
26.	COAL. Dip 39°,	4' 6" to 264' 0"	2' 9" to 166' 2"
27.	Hard slate,	4' 0" to 268' 0"	2' 4" to 168' 6"
28.	Sandstone,	7' 0" to 275' 0"	4' 6" to 173' 0"
29.	Fine conglomerate,	31' 0" to 306' 0"	20' 6" to 193' 6"
30.	Slate. Dip 40°,	47' 0" to 353' 0"	22' 0" to 215' 6"
31.	BUCK MOUNTAIN BED,	17' 6" to 370' 6"	8' 6" to 224' 0"
32.	Slate. Dip 27°,	3' 6" to 374' 0"	1' 10" to 225' 10"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlases Western Middle Anthracite Field, Parts I and II.

Lawrence colliery, tunnel from Mammoth to Buck Mountain bed on 1st lift of slope.

Lawrence & Brown.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED,	47' 0'' to 47' 0''	39' 10'' to 39' 10''
2.	Slate,	24' 0'' to 71' 0''	20' 4'' to 60' 2'
3.	COAL,	3' 0'' to 74' 0''	2' 6'' to 62' 8''
4.	Sandstone, . . .	17' 0'' to 91' 0''	14' 5'' to 77' 1''
5.	COAL, } SKID-	1' 9'' to 92' 9''	1' 6'' to 78' 7''
6.	Slate, } MORE	5 3' to 98' 0''	4' 6'' to 83' 1''
7.	COAL, } BED.	8' 0'' to 106' 0''	6' 9'' to 89' 10''
8.	Slate,	6' 3'' to 112' 3''	5' 4'' to 95' 2''
9.	Sandstone, . . .	13' 1'' to 125' 4''	11' 1'' to 106' 3''
10.	COAL,	8'' to 126' 0''	6'' to 106' 9''
11.	Sandstone, . . .	47' 2'' to 173' 2''	40' 0'' to 140' 9''
12.	COAL, } SEVEN-	1' 5'' to 174' 7''	1' 2'' to 147' 11''
13.	Slate, } FOOT	1' 10'' to 176' 5''	1' 6'' to 149' 5''
14.	COAL, } BED.	2' 7'' to 179' 0''	2' 2'' to 151' 7''
15.	Sandstone,	67' 6'' to 246' 6''	57' 3' to 208' 10''
16.	Slate,	2' 0'' to 248' 6''	1' 8'' to 210' 6''
17.	BUCK MOUNTAIN BED, . .	11' 6'' to 260' 0''	9' 9'' to 220' 3''
18.	Slate and dirt, . .	5' 4'' to 265' 4''	4' 6'' to 224' 9''

Dip 80° North.

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlases Western Middle Anthracite Field, Parts I and II.

Lawrence colliery, cross-cut from Mammoth to Skidmore bed in breast No. 4, 1st lift of slope.

Lawrence & Brown.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED,	37' 3'' to 37' 3''	31' 4'' to 31' 4''
2.	Hard sandstone,	30' 9'' to 68' 0''.	25' 9'' to 57' 1''
3.	COAL,	2' 6'' to 70' 6''	2' 1'' to 59' 2''
4.	Hard sandstone,	25' 6' to 96' 0''	21' 6'' to 80' 8''
5.	SKIDMORE BED,	10' 6'' to 106' 6''	8' 10'' to 89' 6''

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlases Western Middle Anthracite Field, Parts I and II.

Stanton colliery, tunnel from Mammoth bed to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	35' 0" to 35' 0"
2.	Fine black slate,	21' 6" to 56' 6"
3.	COAL,	1' 8" to 58' 2"
4.	Hard slate,	15' 5" to 73' 7"
5.	COAL,	8" to 74' 7"
6.	Free slate,	2' 4" to 76' 7"
7.	SKIDMORE BED,	4' 6" to 81' 1"
8.	Slate,	22' 3" to 103' 4"
9.	COAL,	1' 5" to 104' 9"
10.	Slate,	12' 6" to 117' 3"
11.	Dirt and soft slate,	5" to 117' 8"
12.	Hard slate,	2' 4" to 120' 0"
13.	Sand rock,	9' 6" to 129' 6"
14.	SEVEN-FOOT BED,	4' 4" to 133' 10"
15.	Conglomerate,	36' 0" to 169' 10"
16.	Hard slate,	16' 5" to 186' 3"
17.	BUCK MOUNTAIN BED,	10' 0" to 196' 3"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Stanton colliery, tunnel on 2nd lift of slope from Mammoth to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED.		
2.	Strata,	24' 0" to 24' 0"	22' 0" to 22' 0"
3.	COAL,	2' 0" to 28' 0"	2' 0" to 24' 0"
4.	Strata,	19' 0" to 45' 0"	16' 0" to 40' 0"
5.	SKIDMORE BED,	5' 0" to 50' 0"	5' 0" to 45' 0"
6.	Strata,	60' 0" to 110' 0"	54' 0" to 99' 0"
7.	SEVEN-FOOT BED,	5' 0" to 115' 0"	5' 0" to 104' 0"
8.	Strata,	56' 6" to 171' 6"	50' 0" to 154' 0"
9.	BUCK MOUNTAIN BED,	12' 6" to 183' 0"	10' 5" to 164' 5"

See Columnar Section Sheet No. IV and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Packer colliery No. 5, tunnel at foot of shaft.
Lehigh Valley Coal Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	COAL and dirt. Dip 61°		
	N.,	1' 4' to 1' 4"	1' 2" to 1' 2"
2.	Slate,	5' 0" to 6' 4"	4' 5" to 5' 7"
3.	Sandstone,	35' 0" to 41' 4"	30' 7" to 36' 2"
4.	Slate,	2' 7" to 43' 11"	2' 3" to 38' 5"
5.	Sandstone and slate,	10' 0" to 53' 11"	8' 9" to 47' 2"
6.	Slate,	5' 4" to 59' 3"	4' 8" to 51' 10"
7.	Sandstone,	5' 2" to 65' 5"	4' 7" to 56' 5"
8.	Slate,	3' 2" to 67' 7"	2' 8" to 59' 1"
9.	Sandstone,	29' 0" to 96' 7"	25' 4" to 84' 5"
10.	COAL and refuse. Dip 62°.		
	62°,	2' 5" to 99' 0"	2' 2" to 86' 7"
11.	Hard black slate,	19' 0" to 118' 0"	16' 9" to 103' 4"
12.	Sandstone,	6' 0" to 124' 0"	5' 4" to 108' 8"
13.	Slate,	1' 2" to 125' 2"	11" to 109' 7"
14.	Sandstone,	21' 11" to 147' 1"	19' 4" to 128' 11"
15.	COAL and slate,	4" to 147' 5"	3" to 129' 2"
16.	Sandstone,	1' 5" to 148' 10"	1' 3" to 130' 5"
17.	COAL BED. Dip 61°,	7' 7" to 156' 5"	6' 4" to 136' 9"
18.	Slate and sandstone,	51' 6" to 207' 11"	45' 1" to 181' 10"
19.	COAL. Dip 65°,	6" to 208' 5"	6" to 182' 4"
20.	Slate,	12' 6" to 220' 11"	11' 4" to 193' 8"
21.	Sandstone,	5' 0" to 225' 11"	4' 6" to 198' 2"
22.	Conglomerate,	37' 0" to 262' 11"	33' 6" to 231' 8"
23.	Sand rock,	9' 8" to 272' 7"	8' 10" to 240' 6"
24.	COAL BED. Dip 70°,	6' 5" to 279' 0"	6' 0" to 246' 6"
25.	Sandrock,	27' 7" to 306' 7"	25' 10" to 272' 4"
26.	Fine hard gray rock,	47' 9" to 354' 4"	44' 10" to 317' 2"
27.	COAL. Dip 71°,	8' 9" to 361' 1"	8' 3" to 325' 5"
28.	Soft black slate,	2' 5" to 365' 6"	2' 3" to 327' 8"
29.	Slaty sandstone,	40' 6" to 406' 0"	38' 6" to 366' 2"
30.	SS. with streaks of slate,	40' 6" to 446' 6"	38' 6" to 404' 8"
31.	Sandstone with streaks of quartz,	5' 0" to 451' 6"	4' 9" to 409' 5"
32.	Soft, broken slate,	4' 6" to 456' 0"	4' 4" to 413' 9"
33.	COAL. Dip. 65°,	1' 6" to 457' 6"	1' 5" to 415' 2"
34.	Soft black slate like fire clay,	4' 2" to 461' 8"	3' 8" to 418' 10"
35.	COAL BED. Dip 59°,	4' 9" to 466' 5"	4' 2" to 423' 0"
36.	Sandy slate,	3' 1" to 469' 6"	2' 7" to 425' 7"
37.	Hard gray sandstone,	10' 0" to 479' 6"	8' 6" to 434' 1"
38.	Hard gray sandstone,	10' 6" to 490' 0"	9' 0" to 443' 1"
39.	Hard gray SS. with cong.,	9' 6" to 499' 6"	8' 2" to 451' 3"
40.	Black slate,	6' 3" to 505' 9"	5' 5" to 456' 8"

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
41.	COAL and slate, . . .	2' to 506' 11"	2' to 456' 10"
42.	Slate,	3' 6" to 509' 5"	3' 2' to 460' 0"
43.	COAL BED,	2' 10" to 512' 3"	2' 9' to 462' 9"
44.	Slaty sandstone, . . .	29' 0" to 541' 3"	24' 11" to 487' 8"
45.	Sandy slate,	3' 0" to 544' 3"	2' 7" to 490' 3"
46.	Sandstone,	7' 0" to 551' 3"	6' 0" to 496' 3"
47.	Sand slate,	3' 0" to 554' 3"	2' 7' to 498' 10"
48.	Sandstone,	3' 0' to 557' 3"	2' 7" to 501' 5"
49.	Sandy slate with iron ore balls,	5' 0" to 562' 3"	4' 3" to 505' 8"
50.	Sandstone,	1' 0" to 563' 3"	10" to 506' 6"
51.	Sand slate,	10' 6" to 573' 9"	9' 5" to 515' 11"
52.	Sandstone,	2' 0" to 575' 9"	1' 8" to 517' 7"
53.	Sand slate,	4' 0" to 579' 9"	3' 5" to 521' 0"
54.	Sandstone,	6' 6" to 586' 3"	5' 7" to 526' 7"
55.	Sand slate,	8' 0" to 594' 3"	6' 10" to 533' 5"
56.	Sand slate,	11' 6" to 605' 9"	9' 10" to 543' 3"
57.	Black slate,	13' 6" to 619' 3"	11' 7" to 554' 10"
58.	COAL, } HOLMES BED.	11' 0" to 630' 3"	4' 9" to 559' 7"
59.	Slate, } Dip 62°, . .		2' 0' to 561' 7"
60.	COAL, }		2' 9" to 564' 4"
61.	Black slate,	28' 0" to 658' 3"	24' 8" to 589' 0"
62.	COAL. Dip 60°, . . .	1' 0" to 659' 3"	1' 0" to 590' 0"
63.	Sand rock,	25' 10" to 685' 1"	22' 4" to 612' 4"
64.	Slate and sandstone, .	1' 6" to 686' 7"	1' 4" to 613' 8"
65.	Sand rock,	29' 0" to 715' 7"	25' 1" to 638' 9"
66.	Sandstone and slate, .	17' 10" to 733' 5"	14' 8" to 653' 5"
67.	Sandstone,	6' 6" to 739' 11"	5' 4" to 658' 9"
68.	Slate,	23' 8" to 763' 7"	19' 5" to 678' 2"
69.	MAMMOTH BED. Dip 55°,	40' 6" to 804' 1"	33' 10" to 712' 0"
70.	Slate and sandstone, .	1' 10" to 805' 11"	1' 6" to 713' 6"
71.	Hard sandstone, . . .	17' 10" to 823' 9"	14' 7" to 728' 1"
72.	Gray SS. and cong.,	16' 11" to 840' 8"	13' 10" to 741' 11"
73.	Sandstone,	8' 5" to 849' 1"	6' 11" to 748' 10"
74.	Slate,	1' 3" to 850' 4"	1' 1' to 749' 11"
75.	COAL,	2' 0" to 852' 4"	1' 7" to 751' 6"
76.	Slate,	1' 0" to 853' 4"	10" to 752' 4"
77.	Sand slate,	3' 2" to 856' 6"	1' 9" to 754' 1"
78.	Slate,	3' 11" to 860' 5"	3' 2" to 757' 3"
79.	Hard sand slate, . . .	13' 7" to 814' 0"	10' 11" to 768' 2"
80.	COAL,	10" to 874' 10"	8" to 768' 10"
81.	Sand slate,	3' 1" to 877' 11"	2' 6" to 771' 4"
82.	Hard slate,	6' 11" to 884' 10"	5' 8" to 777' 0"
83.	Slate,	2' 10" to 887' 8"	2' 4" to 779' 4"
84.	Soft COAL,	1' 3" to 888' 11"	1' 1" to 780' 5"
85.	Slate,	6' 10" to 895' 9"	5' 7' to 786' 0"
86.	Hard sand slate, . . .	1' 4" to 897' 1"	1' 2" to 787' 2"
87.	Free slate,	8' 3" to 905' 4"	6' 9" to 793' 11"
88.	Hard gray rock, . . .	20' 10" to 926' 2"	17' 1" to 811' 0"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
89.	Slate,	2' 0'' to 928' 2''	1' 7'' to 812' 7''
90.	SEVEN-FOOT BED, . .	8' 10'' to 937' 0''	7' 1'' to 818' 8''
91.	Slate,	4' 9'' to 941' 9''	4' 0'' to 823' 8''
92.	Slate, COAL and refuse,	6'' to 942' 3'	6'' to 824' 2''
93.	Free slate,	1' 3'' to 943' 6''	1' 1'' to 825' 3''
94.	Hard gray sand rock, 23'	10'' to 967' 4''	19' 1'' to 844' 4''
95.	Slate,	2'' to 967' 6''	2'' to 844' 6''
96.	Gray rock,	9' 5'' to 976' 11''	7' 6'' to 852' 0''
97.	Slate,	1' 0'' to 977' 11''	10'' to 852' 10'
98.	Slate, COAL and refuse,	4'' to 978' 3''	3'' to 853' 1''
99.	COAL,	2' 2' to 980' 5''	1' 9'' to 854' 10'
100.	Sand slate,	2' 9'' to 983' 2'	2' 3'' to 857' 1''
101.	Hard slate,	3' 5'' to 986' 7''	2' 8'' to 859' 9''
102.	Fine conglomerate, .	11' 11'' to 998' 6''	9' 6'' to 869' 3''
103.	Hard sand slate, . . .	3'' to 998' 9''	3'' to 869' 6''
104.	Conglomerate,	23' 9'' to 922' 6''	19' 0'' to 888' 6''
105.	Sandstone,	3' 8'' to 926' 2''	2' 11'' to 891' 5''
106.	Slate,	5'' to 926' 7''	3'' to 891' 8''
107.	Sandstone,	2' 3'' to 928' 10'	1' 10'' to 893' 6''
108.	BUCK MOUNTAIN BED, 15'	0'' to 943' 10''	12' 0'' to 905' 6''

* See Columnar Section Sheet No. V and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Packer colliery No. 1 tunnel, from surface to Buck Mountain bed.

Lehigh Valley Coal Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Soft sandstone,	18' 9'' to 18' 9''
2.	Soft slate,	5' 7'' to 24' 4''
3.	COAL, bony,	11'' to 25' 3''
4.	Slate,	11'' to 26' 2''
5.	Sandstone,	44' 2'' to 70' 4''
6.	Slate,	1' 5'' to 71' 9''
7.	COAL,	6'' to 72' 3''
8.	Soft slate,	2' 10' to 75' 1''
9.	COAL BED,	4' 2'' to 79' 3''
10.	Sandstone,	3' 9'' to 83' 0''
11.	Clay,	6' to 83' 6''
12.	Blue sandy slate with iron balls,	12' 1'' to 95' 7''
13.	Slate,	1' 10' to 97' 5''
14.	Sandstone,	2' 9'' to 100' 2''
15.	Clay,	3'' to 100' 5''
16.	Hard slate,	3' 10'' to 104' 3''
17.	Sandstone,	4' 5'' to 108' 8''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
18.	Clay,	1' to 108' 9"
19.	Slate mixed with sandstone,	19' 6" to 128' 3"
20.	Clay,	2' to 128' 5"
21.	Sandstone,	25' 0" to 153' 5"
22.	Soft sandstone,	11' 1" to 164' 6"
23.	Slate,	13' 11" to 178' 5"
24.	COAL,	9' 3" to 187' 8"
25.	Soft slate	} HOLMES BED. 5' 1" to 192' 9"
26.	COAL,	
27.	Slate,	13' 2" to 211' 4"
28.	Sandstone,	25' 4" to 236' 8"
29.	Clay,	6" to 237' 2"
30.	Hard sandstone,	41' 10" to 279' 0"
31.	Sandstone,	39' 2" to 318' 2"
32.	Slate,	6' 2" to 324' 4"
33.	COAL,	18' 8" to 343' 0"
34.	Slate,	} MAMMOTH BED. 3' 7" to 346' 7"
35.	COAL,	
36.	Hard black slate,	1' 10" to 368' 0"
37.	Micaceous sandstone,	29' 1" to 397' 1"
38.	Dark slate,	2' 8" to 399' 9"
39.	COAL,	1' 4" to 401' 1"
40.	Soft black slate,	6' 5" to 407' 6"
41.	COAL BED,	5' 6" to 413' 0"
42.	Light coarse slate,	6' 4" to 419' 4"
43.	Black slate,	2' 8" to 422' 0"
44.	COAL,	1' 10" to 423' 10"
45.	Black slate,	9' 1" to 432' 11"
46.	Sandstone,	8' 2" to 441' 1"
47.	Soft dark slate,	1' 9" to 442' 10"
48.	Sandstone,	1' 10" to 444' 8"
49.	Soft black slate,	11" to 445' 7"
50.	Sandstone,	6' 4" to 451' 11"
51.	COAL BED,	6' 4" to 458' 3"
52.	Hard slate,	3' 7" to 461' 10"
53.	Sandstone,	28' 2" to 490' 0"
54.	Hard black slate,	11" to 490' 11"
55.	COAL and refuse,	9" to 491' 8"
56.	Black slate,	11' 10" to 503' 6"
57.	Conglomerate,	35' 6" to 539' 0"
58.	BUCK MOUNTAIN BED,	7' 4" to 546' 4"

See Columnar Section Sheet No. V and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Packer colliery No. 2, tunnel from Holmes bed to Mammoth bed, on 4th lift of slope.

Lehigh Valley Coal Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	HOLMES BED,	20' 4" to 20' 4"	13' 7" to 13' 7"
2.	Soft black slate,	8' 3" to 23' 7"	5' 7" to 19' 2"
3.	Whitish-gray SS.,	23' 1" to 51' 8"	15' 9" to 34' 11"
4.	Fine gray sandstone,	82' 2" to 133' 10"	57' 1" to 92' 0"
5.	Hard black slate,	7' 6" to 141' 4"	5' 3" to 97' 3"
6.	MAMMOTH BED (top split),		14' 0" to 111' 3"
7.	Slate,		95' 0" to 206' 3"
8.	MAMMOTH BED (bottom split),		23' 0" to 229' 3"

See Columnar Section Sheet No. V and Mine Sheet No. III, Atlas Western Middle Anthracite Field. Parts I and II.

Packer colliery No. 4 tunnel, from Holmes bed to Mammoth bed, 1st lift of slope.

Lehigh Valley Coal Co.

No. of strata.	Description.	Thicknesses perpendicular to dip.
1.	HOLMES BED,	9' 10" to 9' 10"
2.	Slate,	15' 0" to 24' 10"
3.	Hard sandstone,	5' 0" to 29' 10"
4.	Soft black slate,	11' 6" to 41' 4"
5.	Hard sandrock,	20' 4" to 61' 8"
6.	Soft slate,	18' 6" to 80' 2"
7.	Hard sandrock,	3' 9" to 83' 11"
8.	Hard dark slate,	9' 8" to 93' 7"
9.	White sandstone,	1' 2" to 94' 9"
10.	Soft black slate,	7" to 95' 4"
11.	Top slate,	1' 9" to 97' 1"
12.	COAL,	7' 0" to 104' 1"
13.	Free black slate and iron ore balls,	22' 0" to 126' 1"
14.	COAL,	5" to 126' 5"
15.	Soft black slate,	62' 0" to 188' 6"
16.	COAL,	18' 0" to 206' 6"
17.	Slate,	2' 6" to 209' 0"
18.	COAL,	28' 0" to 237' 0"

See Columnar Section Sheet No. V and Mine Sheet No. III, Atlas Western Middle Anthracite Field. Parts I and II.

Packer colliery No. 2, tunnel from the Holmes bed to the Mammoth bed, on the 2d lift of slope.

Lehigh Valley Coal Company.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	HOLMES BED. Dip 33°,	27' 9" to 27' 9"	15' 1" to 15' 1"
2.	Soft black slate, . . .	9' 0" to 36' 9"	4' 10" to 19' 11"
3.	Fine, hard, white SS.,	19' 0" to 55' 9"	10' 4" to 30' 3"
4.	Fine, hard gray rock,	173' 3" to 229' 0"	96' 10" to 127' 1"
5.	Hard black slate, . . .	1' 3" to 230' 3"	8" to 127' 9"
6.	Hard white sandstone,	12' 3" to 242' 6"	6' 11" to 134' 8"
7.	Black laminated slate,	20' 3" to 262' 9"	11' 5" to 146' 1"
8.	MAMMOTH BED, . . .	— — —	36' 0" to 182' 1"

See Columnar Section Sheet No. V and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

Packer No. 4 colliery, tunnel from Holmes bed to Buck Mountain bed, 2d lift of slope.

Lehigh Valley Coal Company.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	HOLMES BED,	8' 3" to 8' 3"
2.	Slate,	16' 0" to 24' 3"
3.	Hard sandstone,	4' 6" to 28' 9"
4.	Soft black slate,	11' 0" to 39' 9"
5.	Hard sand rock,	19' 6" to 59' 3"
6.	Slate with iron ore balls,	20' 0" to 79' 3"
7.	Hard slate,	3' 6" to 82' 9"
8.	Hard sand rock,	8' 6" to 91' 3"
9.	White sandstone,	1' 6" to 92' 9"
10.	Black slate,	1' 6" to 94' 3"
11.	FOUR-FOOT BED,	4' 0" to 98' 3"
12.	Free slate with iron ore balls,	27' 0" to 125' 3"
13.	COAL,	5" to 125' 8"
14.	Soft slate,	39' 0" to 164' 8"
15.	Hard black slate,	5' 0" to 169' 8"
16.	Free slate,	25' 0" to 194' 8"
17.	MAMMOTH BED,	42' 4" to 237' 0"
18.	Hard slate,	15' 0" to 252' 0"
19.	Rough hard COAL,	1' 11" to 253' 11"
20.	Free slate,	6' 6" to 260' 5"
21.	COAL, very hard,	9" to 261' 2"
22.	Hard slate,	1' 3" to 262' 5"
23.	COAL,	1' 9" to 264' 2"

SKIDMORE BED.

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1255

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>			
24.	Hard slate,	13'	0''	to 277'	2''
25.	Hard rock,	5'	6''	to 282'	8''
26.	Conglomerate,	33'	6''	to 316'	2''
27.	SEVEN-FOOT BED,	3'	0''	to 319'	2''
28.	Slate,	16'	0''	to 335'	2''
29.	Sandstone,	35'	0''	to 370'	2''
30.	Conglomerate,	13'	0''	to 383'	2''
31.	Slate,	11'	6''	to 394'	8''
32.	BUCK MOUNTAIN BED,	8'	11''	to 403'	7''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Packer colliery No. 3, tunnel from Mammoth to Buck Mountain bed, on 4th lift of slope.

Lehigh Valley Coal Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>		<i>Thicknesses perpendicular to dip.</i>	
1.	MAMMOTH BED.				
	Dip 20°,	_____	_____	_____	_____
2.	Hard black slate with iron balls, 39'	2''	to 39'	2''	13' 5'' to 13' 5''
3.	COAL,	10''	to 40'	0''	4'' to 13' 9''
4.	Slate,	9'	0''	to 49'	0''
5.	COAL. Dip 21°,	7'	5''	to 66'	6''
6.	Hard gray slate with iron balls, 29'	7''	to 86'	0''	10' 7'' to 30' 1''
7.	Gray SS. hard,	84'	0''	to 170'	0''
8.	SEVEN-FOOT BED.				
	Dip 20°,	29'	8''	to 199'	8''
9.	Hard black slate,	15'	0''	to 214'	8''
10.	Fine hard gray rock,	86'	4''	to 301'	0''
11.	Fine cong.,	16'	0'	to 317'	0''
12.	Coarse cong.,	10'	7''	to 327'	7''
13.	Soft dark slate,	30'	3''	to 357'	10''
14.	BUCK MOUNTAIN BED. Dip 24°. _____	_____	_____	_____	_____

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Packer colliery No. 3, tunnel from Mammoth to Buck Mountain bed, on 2d lift of slope.

Lehigh Valley Coal Co.

No. of strata.	Description.	Thicknesses measured horizontally.		Thicknesses perpendicular to dip.	
1.	MAMMOTH BED. Dip 27°.				
2.	Soft black slate, . .	6'	to 6"	3'	to 3"
3.	Hard black slate and iron ore balls, 56'	0'	to 56' 6"	25'	5" to 25' 8"
4.	COAL. Dip 27°, . .	6'	to 57' 0"	3'	to 25' 11"
5.	Soft black slate, . .	5'	6" to 62' 6"	2'	6" to 28' 5"
6.	SKIDMORE BED. Dip 26½°,	6'	0' to 68' 6"	2'	8" to 31' 1"
7.	Hard gray slate, . .	40'	0' to 108' 6"	17'	10" to 48' 11"
8.	Hard gray mica- ceous sandstone, 56'	6"	to 165' 0"	23'	10" to 72' 9"
9.	SEVEN-FOOT BED. Dip 24°,	24'	8" to 189' 8'	10'	1" to 82' 10"
10.	Soft black slate, . .	11'	4' to 201' 0"	4'	7" to 87' 5"
11.	Hard gray slate, . .	6'	0' to 207' 0"	2'	6" to 89' 11"
12.	Hard coarse sand- stone. Dip 28°, 15'	6"	to 222' 6"	7'	3" to 97' 2"
13.	Conglomerate, . .	72'	6" to 295' 0'	34'	0" to 131' 2"
14.	Soft black slate, . .	12'	7" to 307' 7"	5'	11" to 137' 1"
15.	Slate,	2'	5" to 310' 0"	1'	2" to 138' 3"
16.	BUCK MOUNTAIN BED,	26'	10" to 336' 10"	12"	7' to 150' 10"

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

William Penn colliery, general section.

William Penn Coal Co.

No. of strata.	Description.	Thicknesses perpendicular to dip.	
1.	COAL,	7'	8" to 7' 8"
2.	Slate,	4'	2" to 11' 10"
3.	COAL,	2'	6" to 14' 4"
4.	Slate, hard,	29'	10" to 44' 2"
5.	Sandstone, micaceous,	22'	10" to 67' 0"
6.	Black slate, hard,	5'	to 67' 5"
7.	Sandstone,	21'	6" to 88' 11"
8.	HOLMES BED,	7'	0" to 95' 11"

No. of strata.	Description.	Thicknesses perpendicular to dip.
9.	Black slate,	4' 1" to 100' 0"
10.	Slate, hard,	4' 10" to 104' 10"
11.	Fine sandstone,	43' 8" to 148' 6"
12.	Free black slate with iron ore balls,	9' 8" to 158' 2"
13.	FOUR-FOOT BED,	4' 4" to 162' 6"
14.	Blue slate, soft,	37' 2" to 199' 8"
15.	COAL and slate,	5" to 200' 1"
16.	Black slate, free,	99' 6" to 299' 7"
17.	MAMMOTH BED,	34' 6" to 334' 1"
18.	Slate,	10' 7" to 344' 8"
19.	COAL BED,	5' 0" to 349' 8"
20.	Slate and iron pyrites,	11' 9" to 361' 6"
21.	Sandstone,	6' 10" to 368' 3"
22.	Conglomerate,	1' 11" to 370' 2"
23.	COAL,	4" to 370' 6"
24.	Brittle slate,	7' 6" to 378' 0"
25.	Slate, hard,	8' 0" to 388' 0"
26.	Sandstone,	12' 1" to 398' 1"
27.	Slate and sandstone,	2' 6" to 400' 7"
28.	Sandstone,	16' 0" to 416' 7"
29.	Conglomerate,	20' 6" to 446' 1"
30.	COAL,	1" to 446' 2"
31.	Slate,	4' 9" to 450' 11"
32.	BUCK MOUNTAIN BED ?	10' 6" to 461' 5"

See Columnar Section Sheet No. V, Mine Sheet No. III, Atlas Western Middle Coal Field, Parts I and II.

West Shenandoah colliery, tunnel from Mammoth to Buck Mountain bed.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED,		
2.	Slate,	15' 0" to 15' 0"	7' 11" to 7' 11"
3.	Sandstone,	1' 4" to 16' 4"	8' to 8' 7"
4.	Slate with iron ore balls,	10' 6" to 26' 10"	5' 5" to 14' 0"
5.	SKIDMORE BED,	12' 0" to 38' 10"	6' 4" to 20' 4"
6.	Hard Slate,	8' 6" to 47' 4"	4' 6" to 24' 10"
7.	Sandstone,	2' 0" to 49' 4"	10" to 25' 8"
8.	Slate,	2' 0" to 51' 4"	10" to 26' 6"
9.	Fine conglomerate,	11' 6" to 62' 10"	4' 9" to 31' 3"
10.	Sandstone,	8' 6" to 71' 4"	3' 5" to 34' 8"
11.	Slate,	33' 0" to 104' 4"	13' 11" to 48' 7"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
12.	Conglomerate, . . .	41' 0'' to 145' 4''	17' 4'' to 65' 11''
13.	Slate,	3' 6'' to 148' 10''	1' 2'' to 67' 1''
14.	SEVEN-FOOT BED, . .	26' 0'' to 174' 10''	9' 1'' to 76' 2''
15.	Hard slate,	8' 0'' to 182' 10''	3' 3'' to 79' 5''
16.	Conglomerate, . . .	129' 0'' to 311' 10''	54' 6'' to 133' 11''
17.	COAL,	8'' to 312' 6''	4'' to 134' 3''
18.	Slate,	23' 0'' to 340' 6''	10' 0'' to 144' 3''
19.	BUCK MOUNTAIN BED,	23' 9'' to 364' 3''	8' 6'' to 152' 9''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

West Shenandoah colliery, tunnel from Mammoth bed to conglomerate.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	43' 7'' to 43' 7''
2.	Slate,	12' 7'' to 56' 2''
3.	SKIDMORE BED,	5' 10'' to 62' 0''
4.	Slate,	2' 0'' to 64' 0''
5.	Sandstone,	3' 5'' to 67' 5''
6.	Sandstone,	10' 7'' to 78' 0''
7.	Slate,	4' 10'' to 82' 10''
8.	Black band,	2' 0'' to 84' 10''
9.	Slate,	4' 10'' to 89' 8''
10.	Hard rock,	31' 6'' to 121' 2''
11.	SEVEN-FOOT BED,	9' 9'' to 130' 11''
12.	Slate,	3' 5'' to 134' 4''
13.	Sandstone,	3' 0'' to 137' 4''
14.	Rock,	30' 1'' to 167' 5''
15.	Conglomerate,	2' 11'' to 170' 4''
16.	COAL,	11' to 171' 3''
17.	Slate,	9' 9'' to 181' 0''
18.	Slate,	1' 11'' to 182' 11''
19.	BUCK MOUNTAIN BED,	11' 7'' to 194' 6''
20.	Sandstone,	19' 10'' to 214' 4''
21.	COAL,	4' 10'' to 219' 2''
22.	Slate,	8' 3'' to 227' 5''
23.	Sandstone,	8' 9'' to 236' 2''
24.	Conglomerate,	2' 11'' to 239' 1''
25.	Sandstone,	11'' to 240' 0''
26.	Conglomerate,	1' 11'' to 241' 11''
27.	Slate,	2' 6'' to 244' 5''
28.	Conglomerate,	6' 9'' to 251' 2''

No. of strata.	Description.	Thicknesses perpendicular to dip.
29.	Sandstone,	17' 11" to 269' 1"
30.	Conglomerate,	16' 6" to 285' 7"
31.	Black sandstone,	1' 11" to 287' 6"
32.	Conglomerate,	24' 3" to 311' 9"

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Kehley Run colliery, tunnel from Mammoth bed to Buck Mountain bed.

Thomas Coal Company.

No. of strata.	Description.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED,	39' 0" to 39' 0"
2.	Slate,	2' 0" to 41' 0"
3.	Rock,	5' 6" to 46' 8"
4.	Slate,	2' 10" to 49' 4"
5.	COAL,	1' 11" to 51' 3"
6.	Slate,	1' 0" to 52' 3"
7.	SKIDMORE BED,	10' 8" to 62' 11"
8.	Slate,	13' 0" to 75' 11"
9.	Rock and pebbles,	3' 9" to 79' 8"
10.	SEVEN-FOOT BED,	4' 7" to 84' 3"
11.	Slate,	3' 0" to 87' 3"
12.	Sandstone,	9' 0" to 96' 3"
13.	Slate,	5' 0" to 101' 3"
14.	COAL,	2' 6" to 103' 9"
15.	Slate,	2' 0" to 105' 9"
16.	Gray rock,	15' 0" to 120' 9"
17.	Conglomerate,	21' 6" to 142' 3"
18.	Sandstone,	22' 6" to 164' 9"
19.	Gray rock,	10' 0" to 174' 9"
20.	BUCK MOUNTAIN BED,	12' 8" to 187' 5"

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Kehley Run colliery, tunnel from Mammoth bed to Buck Mountain bed.

Thomas Coal Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED, TOP SPLIT,	27' 9" to 27' 9"	18' 2" to 18' 2"
2.	Strata,	30' 6" to 58' 3"	20' 0" to 38' 2"
3.	MAMMOTH BED, BOTTOM SPLIT. Dip 41°,	50' 0" to 108' 3"	32' 8" to 70' 10"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
4.	Slate, tough, with iron ore balls,	12' 0'' to 120' 3''	7' 9'' to 78' 7''
5.	Hard sandstone, . . .	6' 0'' to 128' 3''	3' 11'' to 82' 6''
6.	Hard slate with bands of sulphur of iron. Dip 38°,	9' 0'' to 135' 3''	5' 6'' to 88' 0''
7.	SKIDMORE BED, . . .	17' 0'' to 152' 3''	10' 6'' to 98' 6''
8.	Slate,	5' 6'' to 157' 9''	3' 5'' to 101' 11''
9.	Slate and sandstone, . . .	19' 0'' to 176' 9''	11' 8'' to 113' 7''
10.	Sandstone,	11' 0'' to 187' 9''	6' 9'' to 120' 4''
11.	SEVEN-FOOT BED. Dip 35°,	10' 6'' to 198' 3''	6' 0'' to 128' 4''
12.	Close hard slate, . . .	19' 0'' to 217' 3''	10' 10'' to 137' 2''
13.	Soft slate,	2' 6'' to 219' 9''	1' 5'' to 138' 7''
14.	COAL and slate, . . .	1' 0'' to 220' 9''	7'' to 139' 2''
15.	Hard slate,	6' 6'' to 227' 3''	3' 9'' to 142' 11''
16.	Coarse hard SS., . . .	24' 6'' to 251' 9''	14' 1'' to 157' 0''
17.	Fine brecciated conglomerate,	24' 0'' to 275' 9''	13' 9'' to 170' 9''
18.	Slate,	3' 0'' to 278' 9''	1' 9'' to 172' 6''
19.	Fine hard sandstone with thin layers of slate. Dip 48°, . . .	28' 0'' to 306' 9''	20' 10'' to 193' 4''
20.	Slippery slate, . . .	13' 0'' to 319' 9''	9' 8'' to 203' 0''
21.	BUCK MOUNTAIN BED,	11' 0'' to 330' 9''	8' 2'' to 211' 2''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Kehley Run colliery, tunnel from Mammoth to Buck Mountain bed.

Thomas Coal Company.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED. Dip 40° S.		
2.	Slate and sandstone, . . .	40' 0'' to 40' 0''	28' 4'' to 28' 4''
3.	COAL. Dip 45°, . . .	3' 0'' to 43' 0''	2' 2'' to 30' 6''
4.	Strata,	33' 0'' to 76' 0''	25' 4'' to 55' 10''
5.	SKIDMORE BED. Dip 55°,	4' 6'' to 80' 6''	3' 5'' to 59' 3''
6.	Strata,	23' 0'' to 103' 6''	18' 10'' to 78' 1''
7.	COAL. Dip 58°, . . .	1' 0'' to 104' 6''	9'' to 78' 10''
8.	Strata,	107' 0'' to 211' 6''	90' 8'' to 169' 6''
9.	BUCK MOUNTAIN BED,	10' 6'' to 222' 0''	8' 11'' to 178' 5''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Kehley Run colliery, tunnel from Mammoth to Seven-foot bed in new slope.

Thomas Coal Company.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip
1.	MAMMOTH BED, . .	136' 6" to 138' 6"	48' 10" to 48' 10"
2.	Freeslate. Dip 21°, .	16' 0" to 152' 6"	5' 9" to 54' 7"
3.	Hard sandstone, . .	16' 0" to 168' 6"	5' 9" to 60' 4"
4.	Fine conglomerate, .	14' 0" to 182' 6"	5' 1" to 65' 5"
5.	Hard sandstone, . .	18' 0" to 200' 6"	6' 5" to 71' 10"
6.	Hard conglomerate, .	15' 0" to 215' 6"	5' 4" to 77' 2"
7.	SKIDMORE BED, Dip 21°,	24' 0" to 239' 6"	8' 7" to 85' 9"
8.	Slate with iron ore balls,	29' 0" to 268' 6"	10' 0" to 95' 9"
9.	Hard sandstone, . .	12' 0" to 280' 6"	4' 10" to 100' 7"
10.	Slate with iron ore balls. Dip 24°, .	8' 6" to 289' 0"	3' 5" to 104' 0"
11.	SEVEN-FOOT BED, .	16' 7" to 305' 7"	6' 9" to 110' 9"

See Columnar Section Sheet No. 5 and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Indian Ridge colliery, bore-hole from Mammoth bed to conglomerate.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED, .	44' 0" to 44' 0"	43' 9" to 43' 9"
2.	Slate,	5' 6" to 49' 6"	5' 6" to 49' 3"
3.	Conglomerate, . .	8' 0" to 57' 6"	7' 11" to 57' 2"
4.	Slate,	6' 6" to 64' 0"	6' 6" to 63' 8"
5.	SKIDMORE BED, .	8' 4" to 72' 4"	8' 3" to 71' 11"
6.	Slate,	11' 2" to 83' 6"	11' 1" to 83' 0"
7.	Sandstone,	2' 0" to 85' 6"	2' 0" to 85' 0"
8.	Slate,	5' 0" to 90' 6"	5' 0" to 90' 0"
9.	SEVEN-FOOT BED, .	8' 0" to 98' 6"	7' 11" to 97' 11"
10.	Slate,	23' 0" to 121' 6"	22' 10" to 120' 9"
11.	Sandstone,	3' 0" to 124' 6"	3' 0" to 123' 9"
12.	Slate,	7' 4" to 131' 10"	7' 3" to 131' 0"
13.	Conglomerate, . .	1' 6" to 133' 4"	1' 6" to 132' 6"
14.	Slate,	9' 0" to 142' 4"	8' 11" to 141' 5"
15.	Conglomerate, . .	11' 0" to 153' 4"	10' 11" to 152' 4"
16.	Sandstone,	7' 0" to 160' 4"	7' 0" to 159' 4"
17.	Sandstone and conglomerate, . . .	5' 6" to 165' 10"	5' 6" to 164' 10"
18.	Conglomerate, . .	3' 0" to 168' 10"	3' 0" to 167' 10"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
19. BUCK MOUNTAIN			
	BED,	13' 8" to 182' 6"	13' 7" to 181' 5"
20.	Slate,	1' 0" to 183' 6"	1' 0" to 182' 5"
21.	Sandstone,	7' 0" to 190' 6"	7' 0" to 189' 5"
22.	Slate,	4' 6" to 195' 0"	4' 6" to 193' 11"
23.	COAL,	1' 0" to 196' 0"	1' 0" to 194' 11"
24.	Slate,	2' 6" to 198' 6"	2' 6" to 197' 5"
25.	COAL,	1' 10" to 200' 4"	1' 10" to 199' 3"
26.	Slate,	11' 10" to 212' 2"	11' 9" to 211' 0"
27.	Sandstone,	6' 6" to 218' 8"	6' 6" to 217' 6"
28.	Conglomerate,	3' 0" to 221' 8"	3' 0" to 220' 6"
29.	Sandstone and conglomerate,	7' 0" to 228' 8"	7' 0" to 227' 6"
30.	Conglomerate, hard,	15' 0" to 243' 8"	14' 11" to 242' 5"
31.	Slate,	3' 6" to 247' 2"	3' 6" to 245' 11"
32.	Sandstone,	3' 0" to 250' 2"	3' 0" to 248' 11"
33.	Conglomerate,	21' 0" to 271' 2"	20' 11" to 269' 10"
34.	Sandstone,	2' 0" to 273' 2"	2' 0" to 271' 10"
35.	Conglomerate,	28' 8" to 301' 8"	28' 4" to 300' 2"
36.	Slate,	6" to 302' 2"	6" to 300' 8"
37.	Conglomerate,	21' 0" to 323' 2"	20' 11" to 321' 7"
38.	Conglomerate and sandstone,	5' 0" to 328' 2"	5' 0" to 326' 7"
39.	Sandstone,	19' 0" to 347' 2"	18' 11" to 345' 6"
40.	Conglomerate,	15' 4" to 362' 6"	15' 3" to 360' 9"
41.	Sandstone,	3' 0" to 365' 6"	3' 0" to 363' 9"
42.	Conglomerate,	2' 0" to 367' 6"	2' 0" to 365' 9"
43.	Sandstone,	5' 6" to 373' 0"	5' 6" to 371' 3"
44.	Conglomerate,	9' 0" to 382' 0"	8' 11" to 380' 2"
45.	Sandstone,	39' 9" to 421' 9"	39' 6" to 419' 8"
46.	Sandstone and conglomerate,	8' 0" to 429' 9"	7' 11" to 427' 7"
47.	Conglomerate,	26' 0" to 455' 9"	25' 10" to 453' 5"

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Field, Parts I and II.

Plank Ridge colliery, air shaft.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED,	42' 4" to 42' 4"
2.	Slate,	1' 11" to 44' 3"
3.	Sandstone,	12' 10" to 57' 1"
4.	Slate,	3' 11" to 61' 0"
5.	SKIDMORE BED,	6' 0" to 67' 0"
6.	Slate,	7' 10" to 74' 10"
7.	Sandstone,	11' 4" to 86' 2"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
8. Slate,		2' 5'' to 88' 7''
9. SEVEN-FOOT BED,		11' 11'' to 100' 6''
10. Slate,		7' 11'' to 108' 5''
11. Sandstone,		3' 11'' to 112' 4''
12. Slate,		1' 6'' to 113' 10''
13. Sandstone,		9' 4'' to 123' 2''
14. Conglomerate,		33' 2'' to 156' 4''
15. Sandstone and conglomerate,		11' 10'' to 168' 2''
16. Slate,		6' 10'' to 175' 0''
17. COAL,		12' 11'' to 187' 11''
18. Slate,	BUCK MOUNTAIN BED,	3 5'' to 191' 4''
19. COAL,		2' 5'' to 193' 9''
20. Sandstone,		11' 10'' to 205' 7''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Turkey Run colliery, tunnel between top and bottom members Mammoth bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1. MAMMOTH BED (Top split),		18' 0'' to 18 0''
2. Slate,		10' 6'' to 28' 6''
3. Sandstone,		12' 0'' to 40' 6''
4. Hard rock,		61' 0'' to 101' 6''
5. Sandstone,		2' 8'' to 104' 2''
6. Slate,		3' 0'' to 107' 2''
7. MAMMOTH BED (Bottom split),		25' 0'' to 132' 2''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Turkey Run colliery, tunnel from Mammoth bed to Seven-foot bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1. MAMMOTH BED. Dip 22° N.,		133' 8'' to 133' 8''	50' 0'' to 50' 0''
2. Slate,		36' 4'' to 170' 0''	12' 5'' to 62' 5''
3. SKIDMORE BED. Dip 19° N.,		16' 8'' to 186' 8''	5' 5'' to 67' 10''

<i>No. of Strata.</i>	<i>Description.</i> (Dip 29° S.)	<i>Thicknesses meas- ured vertically.</i>	<i>Thicknesses perpen- dicular to dip.</i>
4.	Slate,	1' 4" to 188' 0"	5" to 68' 3"
5.	Sandstone with streaks of slate, .	71' 4" to 259' 4"	23' 2" to 91' 5"
6.	Slate,	3' 5" to 262' 9"	1' 1" to 92' 6"
7.	SS. very hard, . . .	2' 7" to 265' 4"	10" to 93' 4"
8.	Slate,	3' 6" to 268' 10"	1' 2" to 94' 6"
9.	Hard sandstone, .	27' 6" to 296' 4"	8' 11" to 103' 5"
10.	Slate,	1' 8' to 298' 0"	6" to 103' 11"
11.	SEVEN-FOOT BED. Dip 19° N., . . .	27' 8" to 325' 8"	9' 1" to 113' 0"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas West-
ern Middle Anthracite Field, Part II.

*Shenandoah City colliery, tunnel No. 2, from Mammoth
bed to Seven-foot bed.*

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses meas- ured horizontally.</i>	<i>Thicknesses perpen- dicular to dip.</i>
1.	MAMMOTH BED. Dip 27° S.,	110' 4" to 110' 4"	50' 0" to 50' 0"
2.	Slate,	3' 1" to 113' 5"	1' 4" to 51' 4"
3.	Hard slate,	20' 8" to 134' 1"	9' 4" to 60' 8"
4.	Sandstone,	10' 4" to 144' 5"	3' 4" to 64' 0"
5.	Slate,	11' 10" to 156' 3"	3' 0" to 67' 0"
6.	SKIDMORE BED. Dip 12° S.,	31' 3" to 187' 6"	6' 5" to 73' 5"
7.	Slate,	3' 6" to 191' 0"	9" to 74' 2"
8.	Slaty sandstone, .	22' 6" to 213' 6"	4' 8" to 78' 10"
9.	Hard sandy slate, .	13' 4" to 226' 10"	3' 3" to 82' 1"
10.	Hard sandstone, .	3' 3" to 230' 1"	9" to 82' 10"
11.	Slate,	10' 0" to 240' 1"	2' 5" to 85' 3"
12.	Hard sandstone, .	2' 6" to 242' 7"	8" to 85' 11"
13.	Slate,	7' 0" to 249' 7"	1' 10" to 87' 9"
14.	Hard sandstone, .	17' 0" to 266' 7"	4' 8" to 92' 5"
15.	Slate,	11' 3" to 277' 10"	3' 3" to 95' 8"
16.	SEVEN-FOOT BED. Dip 17° S., . . .	21' 5" to 299' 3"	6' 3" to 101' 11"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western
Middle Anthracite Field, Part II.

Shenandoah City colliery, Water level tunnel (Seven-foot drift) from Mammoth bed to Seven-foot bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED. Dip 30° S.,	100' 0" to 100' 0"	50' 0" to 50' 0"
2.	Hard slate,	8' 10" to 108' 10"	4' 5" to 54' 5"
3.	Slaty sandstone,	26' 11" to 135' 9"	13' 5" to 67' 10"
4.	Slate,	2' 5" to 138' 2"	1' 2" to 69' 0"
5.	SKIDMORE BED. Dip 30° S.,	14' 4" to 152' 6"	7' 2" to 76' 2"
6.	Slate,	1' 2" to 153' 8"	7" to 76' 9"
7.	Hard sandstone,	27' 3" to 180' 11"	13' 7" to 90' 4"
8.	Slate,	9' 8" to 190' 7"	4' 10" to 95' 2"
9.	Sandstone,	5" to 191' 0"	2" to 95' 4"
10.	Slate,	9' 8" to 200' 8"	4' 10" to 100' 2"
11.	Sandstone,	22' 2" to 222' 10"	10' 8" to 110' 10"
12.	Slate,	1' 3" to 224' 1"	8" to 111' 6"
13.	SEVEN-FOOT BED. Dip 28° S.,	12' 3" to 238' 4"	5' 9" to 117' 3"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Part II.

Kohinoor colliery, Rope Drill bore-hole No. 1, from surface to Mammoth bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description. (Dip horizontal.)</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	2' 0" to 2' 0"
2.	Shale and slate,	43' 0" to 45' 0"
3.	HOLMES BED,	6' 0" to 51' 0"
4.	Slate,	69' 0" to 120' 0"
5.	Conglomerate,	6' 0" to 128' 0"
6.	Sandstone slate,	24' 0" to 150' 0"
7.	Slate,	25' 0" to 175' 0"
8.	Coarse conglomerate,	30' 0" to 205' 0"
9.	Slate,	45' 0" to 250' 0"
10.	Coarse conglomerate,	45' 0" to 295' 0"
11.	Slate,	30' 0" to 325' 0"
12.	Sandstone,	72' 6" to 397' 6"
13.	Strata,	9' 5" to 406' 11"
14.	MAMMOTH BED,	42' 6" to 449' 5"

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Coal Field, Parts I and II.

*Kohinoor colliery, new shaft from surface to Holmes bed.**P. & R. C. & I. Co.*

<i>No. of strata.</i>	<i>Description. (Dip 15° south.)</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Wash,	15' 0'' to 15' 0''	15' 0'' to 15' 0''
2.	COAL BED,	11' 6'' to 28' 6''	11' 1'' to 28' 1''
3.	Slate,	6' 0'' to 32' 6''	5' 9'' to 31' 10''
4.	COAL BED,	3' 0'' to 35' 6''	2' 11'' to 34' 9''
5.	Slate,	6' 0'' to 41' 8''	5' 9'' to 40' 6''
6.	Sandstone,	20' 0'' to 61' 6''	19' 4'' to 59' 10''
7.	Slate,	30' 0'' to 91' 6''	29' 0'' to 88' 10''
8.	Sandstone,	28' 0'' to 119' 6''	27' 1'' to 115' 11''
9.	Slate,	47' 0'' to 168' 6''	45' 5'' to 161' 4''
10.	HOLMES BED,	10' 0'' to 176' 6''	9' 8'' to 171' 0''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

*Kohinoor colliery, tunnel from Mammoth to Seven-foot bed on shaft No. 1 level.**P. & R. C. & I. Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED. Dip 12° S.		
2.	Sandstone,	20' 0'' to 20' 0''	4' 0'' to 4' 0''
3.	Slate. Dip 20° S., . .	14' 8'' to 34' 8''	4' 4'' to 8' 4''
4.	COAL. Dip 14° S., . .	3' 4'' to 38' 0''	10'' to 9' 2''
5.	Slate,	8' 6'' to 46' 6''	2' 2'' to 11' 4''
6.	SKIDMORE BED. Dip 14° S.,	14' 0'' to 60' 6''	3' 2'' to 14' 6''
7.	Slate,	57' 0'' to 117' 6''	16' 3'' to 30' 9''
8.	Soft SS. Dip 19° S., . .	13' 0'' to 130' 6''	4' 0'' to 34' 9''
9.	Hard SS. Dip 12° S., . .	35' 0'' to 165' 6''	7' 0'' to 41' 9''
10.	Soft slate and dirt, . .	9' 0'' to 174' 6''	2' 0'' to 43' 9''
11.	SS. and fine conglomerate. Dip 14½° S., . .	21' 0'' to 195' 6''	4' 8'' to 48' 5''
12.	Slate. Dip 16° S., . .	6' 0'' to 201' 6''	1' 10'' to 50' 3''
13.	SEVEN-FOOT BED, . .	37' 6'' to 239' 0''	10' 6'' to 60' 9''

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Kohinoor colliery, Rope Drill bore-hole No. 3, from surface to Mammoth bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Surface,	4' 0" to 4' 0"	4' 0" to 4' 0"
2.	COAL and dirt, . . .	11' 0" to 15' 0"	11' 0" to 15' 0"
3.	Slate. Dip flat, . . .	105' 0" to 120' 0"	105' 0" to 120' 0"
4.	COAL BED,	8' 0" to 128' 0"	8' 0" to 128' 0"
5.	Slate,	107' 0" to 235' 0"	107' 0" to 235' 0"
6.	Conglomerate, . . .	95' 0" to 330' 0"	95' 0" to 330' 0"
7.	Slate,	49' 0" to 379' 0"	49' 0" to 379' 0"
8.	MAMMOTH BED, top split,	16' 6" to 395' 6"	16' 6" to 395' 6"
9.	Slate. Dip flat, . . .	13' 0" to 408' 6"	13' 0" to 408' 6"
10.	MAMMOTH BED, bottom split,	38' 0" to 446' 6"	38' 0" to 446' 6"

See Columnar Section Sheet No. V and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Part II.

Section in vicinity of Ellangowan colliery.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Slate,	4' 8" to 4' 8"
2.	BIG TRACY BED,	4' 3" to 8' 11"
3.	Dark gray slate,	32' 10" to 41' 9"
4.	Silicious rock,	18' 10" to 60' 7"
5.	Dark gray slate,	3' 8" to 64' 3"
6.	DIAMOND BED,	6' 9" to 71' 0"
7.	Dark gray slate,	4' 8" to 75' 8"
8.	Dark gray slate with iron ore balls, . . .	38' 9" to 114' 5"
9.	Light sandstone,	14' 4" to 128' 9"
10.	Dark gray slate,	30' 0" to 158' 9"
11.	Conglomerate,	19' 9" to 178' 6"
12.	Dark gray slate,	10' 4" to 188' 10"
13.	LITTLE ORCHARD BED,	2' 10" to 191' 8"
14.	Dark gray slate,	23' 6" to 215' 2"
15.	ORCHARD BED,	10' 10" to 226' 0"
16.	Dark gray slate,	78' 3" to 304' 3"
17.	Dark sandstone,	16' 0" to 320' 3"
18.	Dark gray slate with iron ore balls, . . .	57' 4" to 377' 7"
19.	PRIMROSE BED,	8' 4" to 385' 11"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
20.	Dark gray slate with iron ore balls, . . .	100' 1" to 486' 0"
21.	HOLMES BED,	12' 11" to 498' 11"
22.	Slate,	6' 1" to 505' 0"
23.	COAL BED,	4' 3" to 509' 3"
24.	Slate,	1' 10" to 511' 1"
25.	Silicious rock,	62' 6" to 573' 7"
26.	Slate,	4" to 573' 11"
27.	Sandstone,	56' 6" to 630' 5"
28.	Slate,	9' 5" to 639' 10"
29.	MAMMOTH BED (top split),	12' 2" to 652' 0"
30.	Slate,	39' 0" to 691' 0"
31.	MAMMOTH BED (middle split),	7' 11" to 698' 11"
32.	Slate,	22' 0" to 720' 11"
33.	MAMMOTH BED (bottom split),	15' 0" to 735' 11"
34.	Slate,	6' 4" to 742' 3"
35.	Conglomerate,	8' 0" to 750' 3"
36.	Slate,	6' 4" to 756' 7"
37.	SKIDMORE BED,	3' 9" to 760' 4"
38.	Slate,	10' 4" to 770' 8"
39.	Sandstone,	11' 0" to 781' 8"
40.	Slate,	3' 0" to 784' 8"
41.	SEVEN-FOOT BED,	6' 6" to 791' 2"
42.	Slate,	8' 11" to 800' 1"
43.	Sandstone,	3' 9" to 803' 10"
44.	Slate,	8" to 804' 6"
45.	Sandstone,	8' 11" to 813' 5"
46.	Conglomerate,	42' 9" to 856' 2"
47.	Slate,	6' 4" to 862' 6"
48.	BUCK MOUNTAIN BED,	12' 3" to 874' 9"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Ellangowan colliery shaft.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Slate wash with iron ore balls,	117' 0" to 117' 0"
2.	HOLMES BED,	14' 6" to 131' 6"
3.	Slate,	6' 6" to 138' 0"
4.	COAL BED,	3' 5" to 141' 5"
5.	Slate,	2' 0" to 143' 5"
6.	Gray rock,	67' 0" to 210' 5"
7.	Slate,	4" to 210' 9"
8.	Sandstone,	59' 0" to 269' 9"
9.	Slate,	10' 0" to 279' 9"

No. of strata.	Description.	Thicknesses perpendicular to dip.
10. Black jack,	MAMMOTH BED (top split).	1' 0" to 280' 9"
11. COAL BED,		3' 0" to 283' 9"
12. Bone, . . .		1' 6' to 285' 3"
13. COAL BED,		3' 0" to 288' 3"
14. Stone, . .		1' 0" to 289' 3"
15. COAL BED,		3' 0" to 292' 3"
16. Stone, . .		6" to 292' 9"
17. COAL BED,		3' 6" to 296' 3"
18. Slate,		18' 0" to 314' 3"
19. MAMMOTH BED (middle split),		14' 0" to 328' 3"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

*Ellangowan colliery, tunnel from Primrose to Holmes bed,
on shaft level west.*

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	PRIMROSE BED.		
2.	Slate,	22' 7" to 22' 7"	7' 4" to 7' 4"
3.	COAL. Dip 19 ^c ,	6' 4" to 28' 11"	2' 1" to 9' 5"
4.	Slate and iron ore balls,	28' 2" to 57' 1"	9' 7" to 19' 0"
5.	Hard gray sandstone,	6' 7" to 63' 8"	2' 3" to 21' 3"
6.	Slate and iron ore balls,	6' 7" to 70' 3"	2' 3" to 23' 6"
7.	Hard gray sandstone,	6' 8" to 76' 11"	2' 5" to 25' 11"
8.	Slate and iron ore balls,	5' 11" to 82' 10"	2' 2" to 28' 1"
9.	Hard gray sandstone,	7' 1" to 89' 11"	2' 7" to 30' 8"
10.	Slate and iron ore balls,	12' 3" to 102' 2"	4' 5" to 35' 1"
11.	Hard gray sandstone,	1' 11" to 104' 1"	8" to 35' 9"
12.	Slate and iron ore balls,	6' 10" to 110' 11"	2' 6" to 38' 3"
13.	Hard gray sandstone,	5' 8" to 116' 7"	2' 1" to 40' 4"
14.	Slate and iron ore balls,	28' 8" to 145' 3'	10' 6" to 50' 10"
15.	Hard gray sandstone,	4' 6" to 149' 9"	1' 8" to 52' 6"
16.	Slate and iron ore balls. Dip 21 $\frac{1}{2}$ ^o ,	47' 6" to 197' 3"	17' 5" to 69' 11"
17.	Hard gray sandstone,	8' 6" to 205' 9"	3' 1" to 73' 0"
18.	Slate. Dip 21 $\frac{1}{2}$ ^o ,	37' 6" to 243' 3"	13' 9" to 86' 9"
19.	HOLMES BED.		

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Ellangowan colliery, tunnel from Orchard bed to Primrose bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	ORCHARD BED. Dip 28½°.	21' 7" to 21' 7"	10' 3' to 10' 3"
2.	Slate with hard blue SS. boulders.	35' 10" to 57' 5"	17' 0" to 27' 3"
3.	Hard sandstone.	4' 4" to 61' 9"	2' 0" to 29' 3"
4.	Slate.	19' 11" to 81' 8"	9' 6" to 38' 9"
5.	Sandstone.	11' 11" to 93' 7"	5' 8" to 44' 5"
6.	Slate.	6' 2" to 99' 9"	2' 11" to 47' 4"
7.	Hard blue SS.	3' 9" to 103' 6"	1' 10" to 49' 2"
8.	Slate.	16' 11" to 120' 5"	8' 2" to 57' 4"
9.	Hard blue sandstone. Dip 29°.	1' 3" to 121' 8"	8" to 58' 0"
10.	Slate.	1' 11" to 123' 7"	11" to 58' 11"
11.	Hard blue SS.	1' 9" to 125' 4"	10" to 59' 9"
12.	Slate.	3' 9" to 129' 1"	1' 10" to 61' 7"
13.	Hard blue SS.	1' 9" to 130' 10"	10" to 62' 5"
14.	Slate, hard.	7' 8" to 138' 6"	3' 7" to 66' 0"
15.	Slate and soft sandstone mixed.	8' 7" to 147' 1"	4' 0" to 70' 0"
16.	Hard sandstone.	47' 7" to 194' 8"	21' 7" to 91' 7"
17.	Hard slate. Dip 27°.	7' 9" to 202' 5"	3' 6" to 95' 1"
18.	Bone and slate.	2' 4" to 204' 9"	1' 0" to 96' 1"
19.	Hard slate.	16' 9" to 221' 6"	7' 7" to 103' 8"
20.	Coal dirt. Dip 27°.	9" to 222' 3"	4" to 104' 0"
21.	Hard slate. Dip 29°.	19' 6" to 241' 9"	9' 5" to 113' 5"
22.	Slate and hard SS.	12' 1" to 253' 10"	5' 11" to 119' 4"
23.	Fine conglomerate. Dip 24°.	7' 3" to 261' 1"	2' 11" to 122' 3"
24.	Hard sandstone.	53' 5" to 314' 6"	21' 8" to 143' 11"
25.	Slate.	2' 7" to 317' 1"	1' 1" to 145' 0"
26.	PRIMROSE BED. Dip 25°.	23' 5" to 340' 6"	9' 11" to 154' 11"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Part II.

Ellangowan colliery, tunnel from Mammoth to Seven-foot bed, on counter level.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED, BOTTOM SPLIT. Dip 30°.	22' 8" to 22' 8"	11' 4" to 11' 4"
2.	Slate.	23' 0" to 45' 8"	11' 5" to 22' 9"

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1271

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
3.	SKIDMORE BED,	11' 7" to 57' 3"	5' 8" to 28' 5"
4.	Soft slate,	11' 6" to 68' 9"	5' 5" to 33' 10"
5.	Hard slaty SS.,	14' 6" to 83' 3"	6' 4" to 40' 2"
6.	Hard slate,	8' 0" to 91' 3"	3' 4" to 43' 6"
7.	Slate, COAL and bone,	4' 0" to 95" 3"	1' 8" to 45' 2"
8.	Strata,	61' 0" to 156' 3"	25' 0" to 70' 2"
9.	SEVEN-FOOT BED. Dip 23°,	9' 8" to 165' 11"	3' 8" to 73' 10"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Knickerbocker colliery, tunnel from Holmes bed to top member Mammoth bed near foot of Barry slope.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	HOLMES BED. Dip 47° S.,	22' 9" to 22' 9"	18' 8" to 16' 8"
2.	Slate,	20' 0" to 42' 9"	15' 7" to 32' 3"
3.	Very hard sandstone,	4' 6" to 47' 3"	3' 6" to 35' 9"
4.	Slate. Dip 56° S.,	28' 2" to 73' 5"	21' 8" to 57' 5"
5.	Hard sandstone,	65' 10" to 139' 3"	54' 7" to 112' 0"
6.	Slate,	5' 4" to 144' 7"	4' 5" to 116' 5"
7.	Coal dirt. Dip 58° S.,	6" to 145' 1"	5" to 116' 10"
8.	Hard sandstone,	9' 4" to 154' 5"	7' 5" to 124' 3"
9.	Slate,	4' 10" to 159' 3"	3' 10" to 128' 1"
10.	MAMMOTH BED (top split). Dip 45° S.,	19' 11" to 179' 2"	14' 1" to 142' 2"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Part II.

Knickerbocker (Barry) colliery, tunnel from Mammoth bed through Seven-Foot bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED (top split),	20' 0" to 20' 0"
2.	Hard slate,	18' 0" to 38' 0"
3.	MAMMOTH BED (middle split),	2' 4" to 40' 4"
4.	Slate,	11' 9" to 52' 1"
5.	Fine conglomerate,	27' 0" to 79' 1"
6.	Hard sandstone,	15' 0" to 94' 1"
7.	MAMMOTH BED (bottom split),	6' 0" to 100' 1"

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
8.	Slate,	5'	6" to 105' 7"
9.	Fine conglomerate,	27'	6" to 133' 1"
10.	Soft slate,	2'	3" to 135' 4"
11.	Sandstone,	5'	0" to 140' 4"
12.	Conglomerate,	20'	0" to 160' 4"
13.	Hard sandstone,	6'	9" to 167' 1"
14.	SKIDMORE BED,	12'	6" to 179' 7"
15.	Soft slate,	2'	0" to 181' 7"
16.	Hard slate,	12'	0" to 193' 7"
17.	Sandstone,	9'	0" to 202' 7"
18.	Slate,	6'	0" to 208' 7"
19.	COAL,		6" to 209' 1"
20.	Slate,	15'	6" to 224' 7"
21.	SEVEN-FOOT BED,	4'	0" to 228' 7"
22.	Soft slate,	3'	3" to 231' 10"
23.	Hard slate,	3'	6" to 235' 4"
24.	Sandstone,	14'	0" to 249' 4"
25.	COAL,	2'	3" to 251' 7"
26.	Slate,	5'	0" to 256' 7"
27.	Coarse conglomerate,	24'	6" to 281' 1"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Coal Field, Part II.

Suffolk colliery, tunnel from Holmes bed to Mammoth bed, bottom split.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	HOLMES BED. Dip 59° N.,	9' 7" to 9' 7"	8' 3" to 8' 3"
2.	Slate,	23' 2" to 32' 9"	20' 8" to 28' 11"
3.	COAL,	3' 0" to 35' 9"	2' 9" to 31' 8"
4.	Slate. Dip 67° N.,	2' 7" to 38' 4"	2' 4" to 34' 0"
5.	Hard sandstone,	32' 7" to 70' 11"	29' 8" to 63' 8"
6.	COAL dirt,	1" to 71' 0"	1" to 63' 9"
7.	Slate,	21' 0' to 92' 0"	18' 10" to 82' 7"
8.	Hard slate with iron ore balls,	6' 5" to 93' 5"	5' 9" to 88' 4"
9.	COAL dirt,	5" to 98' 10"	4" to 88' 8"
10.	Slate,	2 6" to 101' 4"	1' 11" to 90' 7"
11.	Hard sandstone,	83' 9" to 185' 1"	72' 6" to 163' 1"
12.	Slate,	5' 0" to 190' 1"	4' 2" to 167' 3"
13.	MAMMOTH BED (top split). Dip 56° N.,	24' 0" to 214' 1"	19' 11" to 187' 2"

Ill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1273

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
14.	Hard slate with iron ore balls,	11' 7" to 225' 8"	9' 9" to 196' 11"
15.	Hard sandstone, . .	52' 7" to 278' 3"	45' 2" to 242' 1"
16.	COAL,	5" to 278' 8"	4" to 242' 5"
17.	Sandstone,	25' 9" to 304' 5"	22' 8" to 265' 1"
18.	MAMMOTH BED (bottom split). Dip 65° N.,	35' 7" to 340' 0"	32' 3" to 297' 4"
19.	Slate,	8' 4" to 348' 4"	7' 6" to 304' 10"
20.	Sandstone,	4' 2" to 352' 6"	3' 9" to 308' 7"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Part II.

Suffolk colliery, tunnels from the Tracy bed to the Holmes bed.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	TRACY BED. Dip 7°,	93' 0" to 93' 0"	10' 8" to 10' 8"
2.	Dark slate,	64' 0" to 157' 0"	9' 0" to 19' 8"
3.	Hard gray SS.,	249' 0" to 406' 0"	63' 0" to 82' 8"
4.	Black slate,	24' 0" to 430' 0"	8' 6" to 91' 2"
5.	DIAMOND BED. Dip 22°,	9' 10" to 439' 10"	3' 9" to 94' 11"
6.	Black slate,	88' 0" to 527' 10"	45' 6" to 140' 5"
7.	Sandstone. Dip 37°,	20' 0" to 547' 10"	12' 10" to 153' 3"
8.	Dark slate,	50' 0" to 597' 10"	31' 0" to 184' 3"
9.	ORCHARD BED. Dip 37°,	12' 0" to 609' 10"	7' 6" to 191' 9"
10.	Sandstone,	106' 0" to 715' 10"	77' 6" to 269' 3"
11.	Hard gray SS.,	8' 6" to 724' 4"	7' 0" to 276' 3"
12.	Hard slate,	16' 6" to 740' 10"	14' 0" to 290' 3"
13.	SS. and cong.,	31' 0" to 771' 10"	25' 6" to 315' 9"
14.	Slate,	6' 0" to 777' 10"	5' 0" to 320' 9"
15.	COAL,	4' 6" to 782' 4"	3' 10" to 324' 7"
16.	Slate,	11' 0" to 793' 4"	9' 3" to 333' 10"
17.	COAL,	3' 6" to 796' 10"	3' 0" to 336' 10"
18.	Slate,	11' 6" to 808' 4"	9' 0" to 315' 10"
19.	COAL,	4' 6" to 812' 10"	4' 0" to 349' 10"
20.	Slate. Dip 60°,	5' 0" to 817' 10"	4' 3" to 354' 1"
21.	Sandstone,	34' 0" to 851' 10"	30' 0" to 384' 1"
22.	Slate,	34' 0" to 885' 10"	30' 8" to 414' 9"
23.	Hard gray SS.,	5' 0" to 890' 10"	4' 9" to 419' 6"
24.	Slate. Dip 65°,	19' 0" to 909' 10"	18' 0" to 437' 6"
25.	HOLMES BED. Dip 59° N.,	9' 7" to 919' 5"	8' 3" to 445' 9"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Gilberton colliery, tunnel from Mammoth to Buck Mountain bed, on 1st level of slope.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED.		
2.	Strata,	23' 0" to 23' 0"	16' 3" to 16' 3"
3.	COAL,	0' 9" to 23' 9"	6" to 16' 9"
4.	Slate, } SKIDMORE BED.	2' 0" to 25' 9"	1' 5" to 18' 2"
5.	COAL, } Dip 45° S.,	4' 3" to 30' 0"	3' 0" to 21' 2"
6.	Strata,	58' 0" to 88' 0"	40' 0" to 61' 2"
7.	SEVEN-FOOT BED. Dip 42° S.,	9' 0" to 97' 0"	6' 0" to 67' 2"
8.	Strata,	82' 6" to 179' 6"	55' 0" to 122' 2"
9.	BUCK MOUNTAIN BED. Dip 40° S.,	12' 6" to 192' 0"	8' 0" to 130' 2"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Gilberton colliery, tunnel from Mammoth bed through Buck Mountain bed.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED,	40' 0" to 40' 0"
2.	Slate,	15' 0" to 55' 0"
3.	COAL,	1' 3" to 56' 3"
4.	Slate, } SKIDMORE BED.	1' 5" to 57' 8"
5.	COAL, }	3' 0" to 60' 8"
6.	Slate,	7' 0" to 67' 8"
7.	Sandstone,	16' 4" to 84' 0"
8.	Conglomerate,	5' 2" to 89' 2"
9.	Slate,	14' 0" to 103' 2"
10.	SEVEN-FOOT BED,	8' 0" to 111' 2"
11.	Slate,	6' 0" to 117' 2"
12.	Sandstone,	13' 0" to 130' 2"
13.	Conglomerate,	6' 8" to 136' 10"
14.	Sandstone,	17' 0" to 153' 10"
15.	Conglomerate,	17' 0" to 170' 10"
16.	BUCK MOUNTAIN BED,	4' 9" to 175' 7"
17.	Slate,	15' 5" to 191' 0"
18.	Sandstone,	7' 0" to 198' 0"
19.	Slate,	3' 0" to 201' 0"
20.	Sandstone,	4' 0" to 205' 0"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

North Laurel Ridge colliery, tunnel from Mammoth to Buck Mountain bed, on water level.

S. H. Barrett.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED. Dip 48° S.,	62' 0" to 82' 0"	46' 0" to 46' 0"
2.	Slate,	19' 0" to 81' 0"	14' 0" to 60' 0"
3.	COAL, } SKIDMORE BED.	1' 4" to 82' 4"	1' 0" to 61' 0"
4.	Slate, }	3' 3" to 85' 7"	2' 0" to 63' 0"
5.	COAL, }	2' 3" to 87' 10"	2' 0" to 65' 0"
6.	Slate,	16' 3" to 104' 1"	11' 0" to 76' 0"
7.	Sandstone,	2' 4" to 106' 5"	2' 0" to 78' 0"
8.	Hard rock,	21' 11" to 128' 4"	16' 0" to 94' 0"
9.	SEVEN-FOOT BED,	5' 2" to 133' 6"	4' 7" to 98' 7"
10.	Slate,	8' 3" to 141' 9"	5' 5" to 104' 0"
11.	Sandstone,	2' 0" to 143' 9"	2' 0" to 106' 0"
12.	Hard rock,	19' 7" to 163' 4"	16' 0" to 122' 0"
13.	COAL and dirt,	1' 0" to 164' 4"	1' 0" to 123' 0"
14.	Slate,	3' 0" to 167' 4"	2' 3" to 125' 3"
15.	Sandstone,	22' 0" to 189' 4"	16' 9" to 142' 0"
16.	Rock,	36' 4" to 225' 8"	28' 0" to 170' 0"
17.	Slate,	3' 0" to 228' 8"	2' 0" to 172' 0"
18.	Sandstone,	11' 6" to 240' 2"	10' 0" to 182' 0"
19.	Slate,	7' 6" to 247' 8"	5' 6" to 187' 6"
20.	BUCK MOUNTAIN BED. Dip 55° S.,	9' 4" to 257' 0"	8' 6" to 196' 0"
21.	Slate,	5' 9" to 262' 9"	4' 0" to 200' 0"
22.	Sandstone,	3' 7" to 266' 4"	2' 6" to 202' 6"
23.	Rock,	19' 2" to 285' 6"	16' 6" to 219' 0"
24.	COAL BED,	4' 0" to 289' 6"	3' 4" to 222' 4"

See Columnar Section Sheet No. VI, Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

South Laurel Ridge colliery, Diamond drill bore-hole from the Buck Mountain bed, (bored horizontally.)

S. H. Barrett.

No. of strata.	Description. (Dip 47° N).	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	BUCK MOUNTAIN BED.		
2.	Sandy slate, rotten,	3' 5" to 3' 5"	2' 6" to 2' 6"
3.	Sandstone,	7' 7" to 11' 0"	5' 7" to 8' 1"
4.	Fine conglomerate,	3' 0" to 14' 0"	2' 2" to 10' 3"
5.	Sandstone,	15' 7" to 29' 7"	11' 5" to 21' 8"
6.	Conglomerate,	4' 0" to 33' 7"	2' 10" to 24' 6"
7.	Gray sandstone,	12' 0" to 45' 7"	8' 10" to 33' 4"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured vertically.</i>	<i>Thicknesses perpendicular to dip.</i>
8.	Conglomerate, . . .	7' 2" to 52' 9"	5' 5" to 38' 9"
9.	Gray sandstone, . . .	8' 0" to 60' 9"	5' 3" to 44' 0"
10.	Conglomerate, . . .	3' 2" to 63' 11"	2' 4" to 46' 4"
11.	Rotten slate, . . .	1' 0" to 64' 11"	9" to 47' 1"
12.	Conglomerate, . . .	4' 5" to 69' 4"	3' 3" to 50' 4"
13.	Gray sandstone, . . .	3' 1" to 72' 5"	2' 4" to 52' 8"
14.	Conglomerate, . . .	17' 8" to 90' 1"	12' 11" to 65' 7"
15.	Rotten gray SS., . . .	1' 10" to 91' 11"	1' 5" to 67' 0"
16.	Conglomerate, . . .	28' 6" to 120' 5"	20' 10" to 87' 10"
17.	Slate,	1' 0" to 121' 5"	9" to 88' 7"
18.	Conglomerate, . . .	16' 4" to 137' 9"	11' 10" to 100' 5"
19.	Sandstone,	1' 4" to 139' 1"	11" to 101' 4"
20.	Conglomerate, . . .	11' 3" to 150' 4"	8' 4" to 109' 8"
21.	Rotten sandstone, . .	4' 8" to 155' 0"	3' 5" to 113' 1"
22.	Conglomerate, . . .	5' 0" to 160' 0"	3' 8" to 116' 9"
23.	Rotten sandstone, . .	5' 2" to 165' 2"	3' 10" to 120' 7"
24.	Black slate,	2' 2" to 167' 4"	1' 7" to 122' 2"
25.	Sandstone,	10' 9" to 178' 1"	7' 10" to 130' 0"
26.	Conglomerate, . . .	6' 10" to 184' 11"	5' 1" to 135' 1"
27.	Shelly slate,	4' to 185' 3"	3" to 135' 4"
28.	Conglomerate, . . .	2' 0" to 187' 3"	1' 6" to 136' 10"
29.	Gray sandstone, . . .	1' 8" to 188' 11"	1' 3" to 138' 1"
30.	Conglomerate, . . .	9' 2" to 198' 1"	6' 9" to 144' 10"
31.	Sandstone,	2' 3" to 200' 4"	1' 7" to 146' 5"
32.	Conglomerate, . . .	5" to 200' 9"	3" to 146' 8"
33.	Rotten sandstone, . .	6' 6" to 207' 3"	4' 9" to 151' 5"
34.	Rotten conglomerate,	9" to 208' 0"	7" to 152' 0"
35.	Gray sandstone, . . .	8' 2" to 216' 2"	6' 0" to 158' 0"
36.	Conglomerate, . . .	2' 4" to 218' 6"	1' 8" to 159' 8"
37.	Gray sandstone, . . .	12' 5" to 230' 11"	9' 1" to 168' 9"
38.	Rotten stone and clay,	6' to 231' 5"	5" to 160' 2"
39.	Rotten conglomerate,	4' 6" to 235' 11"	3' 4" to 172' 6"
40.	Coarse gray SS., . .	3' 8" to 239' 7"	2' 8" to 175' 2"
41.	Conglomerate, . . .	9' 3" to 248' 10"	6' 10" to 182' 0"
42.	Sandstone,	7' 11" to 256' 9"	5' 9" to 187' 9"
43.	Conglomerate, . . .	1' 6" to 258' 3"	1' 1" to 188' 10"
44.	Rotten sandstone, . .	3' 7" to 261' 10"	2' 7" to 191' 5"
45.	Conglomerate, . . .	7' 7" to 269' 5"	5' 7" to 197' 0"
46.	Coarse gray SS., . .	6' 3" to 275' 8"	4' 8" to 201' 8"
47.	Conglomerate, . . .	7' 11" to 283' 7"	5' 9" to 207' 5"
48.	Gray rock,	3' 6" to 287' 1"	2' 7" to 210' 0"
49.	Conglomerate, . . .	4' 3" to 291' 4"	3' 2" to 213' 2"
50.	Dark rotten SS., . .	1' 2" to 292' 6"	10" to 214' 0"
51.	Conglomerate, . . .	3' 5" to 295' 11"	2' 6" to 216' 6"
52.	Gray rock and SS.,	15' 2" to 311' 1"	11' 1" to 227' 7"
53.	Conglomerate, . . .	7' 9" to 318' 10"	5' 8" to 233' 3"
54.	Gray sandstone, . . .	4' 1" to 322' 11"	3' 0" to 236' 3"
55.	Conglomerate hard, .	19' 5" to 342' 4"	14' 2" to 250' 5"
56.	Gray rock,	1' 8" to 344' 0"	1' 2" to 251' 7"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
57.	Conglomerate hard, .	6' 11" to 350' 11"	5' 0" to 258' 7"
58.	Black slate,	1' 4" to 352' 3"	11" to 257' 6"
59.	Conglomerate,	17' 9" to 370' 0"	13' 0" to 270' 6"
60.	Black slate,	3" to 370' 3"	3" to 270' 9"
61.	Fine, hard, gray rock, .	13' 0" to 383' 3"	9' 6" to 280' 3"
62.	Conglomerate,	1' 10" to 385' 1"	1' 4" to 281' 7"
63.	Fine gray rock,	1' 10" to 388' 11"	1' 4" to 282' 11"
64.	Conglomerate,	9" to 387' 8"	7" to 283' 6"
65.	Fine gray rock,	20' 3" to 416' 11"	21' 5" to 304' 11"
66.	Conglomerate,	3' 10" to 420' 9"	2' 9" to 307' 8"
67.	Slate,	5" to 421' 2"	4" to 308' 0"
68.	Conglomerate,	4' 5" to 425' 7"	3' 3" to 311' 3"
69.	Black slate,	10" to 426' 5"	8" to 311' 11"
70.	Conglomerate,	3' 3" to 429' 8"	2' 5" to 314' 4"
71.	Dark sandstone,	7' 9" to 437' 5"	5' 8" to 320' 0"
72.	Fine gray rock,	8' 0" to 445' 5"	5' 10" to 325' 10"
73.	Conglomerate,	2' 1" to 447' 6"	1' 6" to 327' 4"
74.	COAL,	1½" to 447' 7½"	1' to 327' 5"
75.	Conglomerate,	18' 8½" to 466' 4"	13' 8" to 341' 1"
76.	Dark sandstone,	13' 11" to 480' 3"	10' 2" to 351' 3"
77.	Fine gray rock,	13' 1" to 498' 4"	9' 7" to 360' 10"
78.	Conglomerate hard,	1' 8" to 495' 0"	1' 3" to 362' 1"
79.	Shelly slate,	7" to 495' 7"	5" to 362' 6"
80.	Conglomerate,	2' 5" to 498' 0"	1' 9" to 364' 3"
81.	Gray rock,	8' 1" to 506' 1"	5' 11" to 370' 2"
82.	Conglomerate hard,	56' 10" to 562' 11"	41' 7" to 411' 9"
83.	Gray sandstone,	12' 2" to 575' 1"	8' 11" to 420' 8"
84.	Slate,	1' 10" to 576' 11"	1' 5" to 422' 1"
85.	Gray sandstone,	3' 6" to 580' 5"	2' 7" to 424' 8"
86.	Conglomerate,	5' 3" to 585' 8"	3' 10" to 428' 6"
87.	Gray sandstone,	10' 9" to 596' 5"	7' 9" to 436' 3"
88.	Conglomerate,	3' 9" to 600' 2"	2' 10" to 439' 1"
89.	Dark sandstone,	1' 0" to 601' 2"	9" to 439' 10"
90.	Conglomerate,	2' 4" to 603' 6"	1' 8" to 441' 6"
91.	Gray sandstone,	7' 7" to 611' 1"	5' 7" to 447' 1"
92.	Conglomerate,	9' 2" to 620' 3"	6' 9" to 453' 10"
93.	Gray sandstone,	15' 10" to 636' 1"	11' 7" to 465' 5"
94.	Conglomerate,	4' 0" to 640' 1"	3' 0" to 468' 5"
95.	Slate,	5" to 640' 6"	3" to 468' 8"
96.	Gray sandstone,	1' 7" to 642' 1"	1' 2" to 469' 10"

See Columnar Section Sheet No. VI and Mine Sheet No. III, Atlas Western Middle Anthracite Field, Parts I and II.

*Draper colliery, water-level tunnel from surface through
Mammoth bed.*

Oliver Ditson.

No. of strata.	Description.	Thicknesses meas- ured horizontally.	Thicknesses perpen- dicular to dip.
1.	Gravel and wash, .	112' 0'' to 112' 0''	112' 0'' to 112' 0''
2.	Sandstone,	29' 0'' to 141' 0''	20' 6'' to 132' 6''
3.	Soft slate,	8' 0'' to 149' 0''	5' 8'' to 138' 2''
4.	Conglomerate, . .	4' 0'' to 153' 0''	2' 10'' to 141' 0''
5.	Sandstone,	3' 6'' to 156' 6''	2' 6'' to 143' 6''
6.	COAL,	2' 6'' to 159' 0''	1' 9'' to 145' 3''
7.	Soft slate,	16' 0'' to 175' 0''	11' 4'' to 156' 7''
8.	COAL and bone, . .	2' 0'' to 177' 0''	1' 6'' to 158' 1''
9.	Hard slate,	14' 6'' to 191' 6''	10' 3'' to 168' 4''
10.	Hard sandstone, .	37' 0'' to 228' 6''	26' 2'' to 194' 6''
11.	COAL,	1' 0'' to 229' 6''	8'' to 195' 2''
12.	Soft slate,	8' 0'' to 237' 6''	5' 8'' to 200' 10''
13.	COAL,	2' 6'' to 240' 0''	1' 9'' to 202' 7''
14.	Hard slate,	34' 6'' to 274' 6''	24' 4'' to 226' 11''
15.	Hard sandstone, .	14' 0'' to 288' 6''	9' 11'' to 236' 10''
16.	Hard slate,	46' 0'' to 334' 6''	32' 6'' to 269' 4''
17.	PRIMROSE BED, . .	13' 0'' to 347' 6''	9' 2'' to 278' 6''
18.	Slate,	7' 0'' to 354' 6''	5' 0'' to 283' 6''
19.	Sandstone,	27' 0'' to 381' 6''	19' 1'' to 302' 7''
20.	Slate,	16' 0'' to 397' 6''	11' 4'' to 313' 11''
21.	HOLMES BED, . . .	6' 0'' to 403' 6''	4' 3'' to 318' 2''
22.	Slate,	6' 0'' to 409' 6''	4' 3'' to 322' 5''
23.	Soft sandstone, . .	18' 0'' to 427' 6''	12' 9'' to 335' 2''
24.	Hard slate,	33' 0'' to 460' 6''	23' 4'' to 358' 6''
25.	Soft slate,	1' 0'' to 461' 6''	8'' to 359' 2''
26.	Sandstone,	150' 0'' to 611' 6''	106' 0'' to 465' 2''
27.	Black sandstone, .	16' 0'' to 627' 6''	11' 4'' to 476' 6''
28.	Hard slate,	25' to 0'' 652' 6''	17' 8'' to 494' 2''
29.	Mammoth bed. Dip 40° N.,	55' 3'' to 707' 9''	40' 5'' to 534' 7''

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas West-
ern Middle Anthracite Field, Parts I and II.

*Draper colliery, tunnel from Primrose to Mammoth bed,
second lift of slope.*

Oliver Ditson.

No. of strata.	Description.	Thicknesses meas- ured horizontally.	Thicknesses perpen- dicular to dip.
1.	PRIMROSE BED, . .	10' 11'' to 10' 11''	8' 0'' to 8' 0''
2.	Black slate,	2' 0'' to 12' 11''	1' 6'' to 9' 6''

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
3.	Sandstone,	40 0' to 52' 11"	29' 3" to 38' 9"
4.	Strata,	26' 6" to 79' 5"	19' 4" to 58' 1"
5.	COAL,	3' 6" to 82' 11"	2' 7' to 60' 8"
6.	Slate,	4' 3" to 87' 2"	3' 1" to 63' 9"
7.	Strata,	2' 0" to 89' 2"	1' 4" to 65' 1"
8.	Slate,	3' 0" to 92' 2"	2' 2" to 67' 3"
9.	Iron balls,	6" to 92' 8"	4" to 67' 7"
10.	Strata,	5' 0" to 97' 8"	3' 9" to 71' 4"
11.	Slate,	13' 0" to 110' 8"	10' 0" to 81' 4"
12.	Sandstone,	7' 0' to 117' 8"	5' 4" to 86' 8"
13.	COAL,	6" to 118' 2"	4" to 87' 0"
14.	Slate,	6" to 118' 8"	5" to 87' 5"
15.	Sandstone,	107' 6" to 226' 2"	79' 11" to 167' 4"
16.	Slate,	41' 6" to 267' 8"	30' 10" to 198' 2"
17.	MAMMOTH BED,	53' 8" to 321' 6"	40' 0' to 238' 2"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Draper colliery, tunnel from Mammoth to Buck Mountain bed on 2d lift of slope.

Oliner Ditson.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED. Dip 47° N.,	55' 3" to 55' 3"	40' 5" to 40' 5"
2.	Slate,	14' 0" to 69' 3"	10 3' to 50' 8"
3.	COAL,	1' 0" to 70' 3"	9" to 51' 5"
4.	Slate,	4' 0" to 74' 3"	3' 0" to 54' 5"
5.	SKIDMORE BED,	2' 5" to 76' 8"	1' 10" to 56' 3"
6.	Slate,	4' 7" to 81' 3"	3' 6" to 59' 9"
7.	Close and fine SS.,	42' 0" to 123' 9"	32' 1" to 91' 10"
8.	SEVEN-FOOT BED. Dip 51° N.,	5' 0" to 128' 9"	3' 10" to 95' 8"
9.	Slate,	1' 11" to 130' 8"	1 6" to 97' 2"
10.	Fine conglomerate,	79' 1" to 209' 9"	61' 5" to 158' 7"
11.	Slate,	1' 0" to 210' 9"	9" to 159' 4"
12.	Coarse cong,	11' 0" to 221' 9"	8' 7" to 167' 11"
13.	Slate,	27' 0" to 248' 9"	21' 0" to 188' 11"
14.	BUCK MOUNTAIN BED. Dip 52° N.,	10' 2" to 258' 11"	8' 0" to 196' 11"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Draper colliery, tunnel from Mammoth bed to Skidmore bed at stable 2d lift of slope.

Oliver Ditson.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED, . .	53' 8" to 53' 8"	38' 7" to 38' 7"
2.	Slate,	24' 0" to 77' 8"	17' 3" to 55' 10"
3.	COAL,	1' 3" to 78' 11"	11" to 56' 9"
4.	Slate,	2' 2" to 81' 1"	2' 0" to 58' 9"
5.	COAL,	10" to 81' 11"	7" to 59' 4"
6.	Slate bone and COAL, .	2' 1" to 84' 0"	1' 6" to 60' 10"
7.	COAL,	2' 6" to 86' 6"	1' 9" to 62' 7"
8.	Slate,	14' 3' to 100' 9"	14' 3" to 76' 10"
9.	SEVEN-FOOT BED, . .	8' 7" to 109' 4"	6' 3' to 83' 1"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Boston Run colliery, tunnel from Mammoth to Buck Mountain bed, 2d lift of slope.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED, BOTTOM SPLIT. Dip 54½° N., . .	27' 4" to 27' 4"	22' 3" to 22' 3"
2.	Hard slate, . . .	25' 0" to 52' 4"	19' 10" to 42' 1"
3.	COAL. Dip 50½°, .	1' 0" to 53' 4"	9" to 42' 10"
4.	Sandstone, . . .	1' 6" to 54' 10"	1' 2" to 44' 0"
5.	COAL. Dip 50½°, .	1' 7" to 56' 5"	1' 2" to 45' 2"
6.	Slate,	9" to 57' 2"	7" to 45' 9"
7.	COAL. Dip 53½°, .	1' 11" to 59' 1"	1' 6" to 47' 3"
8.	Slate,	9' 6" to 68' 7"	7' 8" to 54' 11"
9.	Sandstone, . . .	11' 0" to 79' 7"	8' 10" to 63' 9"
10.	Hard gray SS., .	13' 0" to 92' 7"	10' 5" to 74' 2"
11.	Fine cong., . . .	22' 3" to 114' 10"	17' 10" to 92' 0"
12.	Hard slate, sulphur and COAL mixed,	3" to 115' 1"	3" to 92' 3"
13.	Fine cong., . . .	13' 2" to 128' 3"	10' 10" to 103' 1"
14.	Slate,	1" to 128' 4"	1" to 103' 2"
15.	Fine cong., . . .	10" to 129' 2"	9" to 103' 11"
16.	Hard slate and sulphur,	4" to 129' 6"	4" to 104' 3"
17.	Fine conglomerate. Dip 55½°, .	5' 10" to 135' 4"	4' 10" to 109' 1"
18.	SEVEN-FOOT BED, .	16' 9" to 152' 1"	13' 10" to 122' 11"

No. of strata.	Description.	Thicknesses measured vertically.	Thicknesses perpendicular to dip.
19.	Slate,	20' 6" to 172' 7"	16' 10" to 139' 9"
20.	Hard gray SS., .	8" to 173' 3"	6" to 140' 3"
21.	COAL. Dip 54° N.,	8" to 173' 11"	6" to 140' 9"
22.	Slate,	5' 9" to 179' 8"	4' 8" to 145' 5"
23.	Hard sandstone, 2'	5" to 182' 1"	1' 11" to 147' 4"
24.	COAL. Dip 52° N.,	1' 4" to 183' 5"	1' 1" to 148' 5"
25.	Hard gray SS., .	5' 5" to 188' 10"	4' 3" to 152' 8"
26.	Slate,	3' 7" to 192' 5"	2' 0" to 154' 8"
27.	Hard slate, . . .	6' 10" to 199' 3"	5' 6" to 160' 2"
28.	BUCK MOUNTAIN		
	BED. Dip 55° N.,	11' 4" to 210' 7"	9' 4" to 169' 6"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Boston Run colliery, section from Mammoth bed to Buck Mountain bed.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED,	32' 1" to 32' 1"
2.	Strata,	12' 9" to 44' 10"
3.	COAL,	6" to 45' 4"
4.	Slate,	3' 2" to 48' 6"
5.	COAL,	2' 8" to 51' 2"
6.	Strata,	48' 2" to 99' 4"
7.	SEVEN-FOOT BED,	9' 6" to 108' 10"
8.	Slate,	9' 7" to 118' 5"
9.	COAL,	9" to 119' 2"
10.	Rock and slate,	12' 9" to 131' 11"
11.	COAL,	9" to 132' 8"
12.	Slate,	9' 7" to 142' 3"
13.	BUCK MOUNTAIN BED,	9' 7" to 151' 10"

See Columnar section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Boston Run colliery, Pott Run tunnel from Mammoth bed to conglomerate.

P. & R. C. & I. Co.

No. of strata.	Description.	Thicknesses perpendicular to dip.
1.	MAMMOTH BED,	25' 0" to 25' 0"
2.	Wash,	24' 4" to 49' 4"
3.	Sandstone and slate,	22' 8" to 72' 0"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
4.	Slate,	8' 0'' to 80' 0''
5.	SKIDMORE BED,	3' 0'' to 83' 0''
6.	Slate,	14' 0'' to 97' 0''
7.	COAL,	1' 0'' to 98' 0''
8.	Slate,	7' 0'' to 105' 0''
9.	Sandstone,	9' 0'' to 114' 0''
10.	Conglomerate,	21' 0'' to 135' 0''
11.	SEVEN-FOOT BED,	8' 5'' to 143' 5''
12.	Slate,	8' 7'' to 152' 0''
13.	Sandstone,	24' 0'' to 176' 0''
14.	Conglomerate,	5' 0'' to 181' 0''
15.	Sandstone,	4' 0'' to 185' 0''
16.	COAL,	5' 6'' to 190' 6''
17.	Slate,	4' 6'' to 195' 0''
18.	COAL,	2' 6'' to 197' 6''
19.	Slate,	8' 6'' to 206' 0''
20.	Conglomerate,	70' 0'' to 276' 0''
21.	Slate,	3' 0'' to 279' 0''
22.	Conglomerate,	16' 0'' to 295' 0''
23.	Slate,	4' 0'' to 299' 0''
24.	Conglomerate,	9' 6'' to 308' 6''
25.	Slate,	1' 6'' to 310' 0''
26.	Conglomerate,	17' 6'' to 327' 6''
27.	Seam.	
28.	Conglomerate,	87' 0'' to 414' 6''
29.	Slate,	1' 0'' to 415' 6''
30.	Conglomerate,	18' 0'' to 433' 6''
31.	Slate,	1' 0'' to 434' 6''
32.	Conglomerate,	18' 0'' to 452' 6''
33.	Seam.	
34.	Conglomerate,	37' 6'' to 490' 0''
35.	Conglomerate,	38' 0'' to 528' 0''
36.	Conglomerate,	8' 6'' to 536' 6''
37.	Traces of COAL.	

See Columnar section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

St. Nicholas colliery, inside tunnel from Holmes bed to Buck Mountain bed, 1st lift, east gangway.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	HOLMES BED,	10' 0'' to 10' 0''
2.	Rock,	180' 0'' to 190' 0''
3.	MAMMOTH BED (top split),	18' 0'' to 208' 0''
4.	Slate,	10' 0'' to 218' 0''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
5.	Sandstone,	20' 0'' to 238' 0''
6.	MAMMOTH BED (middle split),	13' 0'' to 251' 0''
7.	Sandstone,	60' 0'' to 311' 0''
8.	MAMMOTH BED (bottom split),	13' 3'' to 324' 3''
9.	Slate,	3' 9'' to 328' 0''
10.	Rock,	28' 0'' to 356' 0''
11.	Slate,	1' 5'' to 357' 5''
12.	SKIDMORE BED,	3' 7'' to 361' 0''
13.	Slate,	4' 3'' to 365' 3''
14.	Rock,	2' 1'' to 367' 4''
15.	Slate,	5' 8'' to 373' 0''
16.	SEVEN-FOOT BED,	7'' to 373' 7''
17.	Gritty slate,	5' 8'' to 379' 3''
18.	Slate,	6' 11'' to 386' 2''
19.	Rock,	9' 11'' to 396' 1''
20.	Lithographic rock,	13' 2'' to 409' 3''
21.	Slate,	7' 2'' to 416' 5''
22.	Rock,	1' 3'' to 417' 8''
23.	Slate,	1' 3'' to 418' 11''
24.	Rock,	15' 7'' to 434' 6''
25.	Slate,	2' 1'' to 436' 7''
26.	Sandstone,	5' 11'' to 442' 6''
27.	Slate,	1' 6'' to 444' 0''
28.	COAL,	6'' to 444' 6''
29.	Slate,	1' 6'' to 446' 0''
30.	COAL,	3' 0'' to 449' 0''
31.	Slate,	7' 1'' to 456' 1''
32.	BUCK MOUNTAIN BED,	9' 6'' to 465' 7''

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Bear Run colliery, 1st lift tunnel from Seven-foot to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	SEVEN-FOOT BED. Dip 33½° S.		
2.	Slate,	33' 0'' to 33' 0''	18' 2'' to 18' 2''
3.	Sandstone,	13' 2'' to 46' 2''	7' 3'' to 25' 5''
4.	Conglomerate,	8' 8'' to 54' 10''	4' 3'' to 29' 8''
5.	COAL. Dip 32° S.,	1' 2'' to 56' 0''	7'' to 30' 3''
6.	Hard slate,	10'' to 56' 10''	5'' to 30' 8''
7.	COAL,	1'' to 56' 11''	1'' to 30' 9''
8.	Hard, coarse cong.,	12' 1'' to 69' 0''	6' 5'' to 37' 2''
9.	COAL. Dip 32° S.,	1' 10'' to 70' 10''	1' 0'' to 38' 2''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
10.	Black slate,	11' 2" to 82' 0"	5' 9" to 43' 11"
11.	Soft slate,	1' 8" to 83' 8"	10" to 44' 9"
12.	BUCK MOUNTAIN		

BED. Dip 29° S., 27' 2" to 110' 10" 13' 2" to 57' 11"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Bear Run colliery, tunnel from Mammoth to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED. Dip 35° S.,	35' 0" to 35' 0"	20' 9" to 20' 9"
2.	Slate,	14' 0" to 49' 0"	8' 5" to 29' 2"
3.	Sandstone,	20' 0" to 69' 0"	11' 11" to 41' 1"
4.	Slate,	13' 0" to 82' 0"	7' 8" to 48' 9"
5.	COAL,	1' 0" to 83' 0"	7" to 49' 4"
6.	Slate,	5' 0" to 88' 0"	3' 9" to 53' 1"
7.	SKIDMORE BED,	15' 0" to 103' 0"	9' 0" to 62' 1"
8.	Soft slate,	11' 0" to 114' 0"	5' 6" to 67' 7"
9.	COAL,	1' 5" to 115' 5"	9" to 68' 4"
16.	Slate with iron ore balls,	44' 0" to 159' 5"	14' 0" to 82' 4"
11.	Slate,	11' 5" to 170' 10"	2' 6" to 84' 10"
12.	SEVEN-FOOT BED,	28' 0" to 198' 10"	8' 6" to 93' 4"
13.	Slate,	8' 5" to 205' 3"	2' 0" to 95' 4"
14.	COAL,	2' 0" to 207' 3"	1' 0" to 96' 4"
15.	Slate with iron ore balls,	68' 0" to 275' 3"	28' 6" to 124' 10"
16.	COAL,	1' 0" to 276' 3"	6" to 125' 4"
17.	Soft slate,	7' 0" to 283' 3"	3' 6" to 128' 10"
18.	Sandstone,	31' 9" to 315' 0"	13' 8" to 142' 6"
19.	Slate,	1' 6" to 316' 6"	10" to 143' 4"
20.	COAL,	1' 3" to 317' 9"	6" to 143' 10"
21.	Slate,	3' 6" to 321' 3"	1' 6" to 145' 4"
22.	COAL,	1' 0" to 322' 3"	6" to 145' 10"
23.	Slate,	20' 0" to 342' 3"	9' 0" to 154' 10"
24.	Hard gray SS.,	8' 5" to 350' 8"	3' 4" to 158' 2"
25.	BUCK MOUNTAIN BED. Dip 25° S., 23' 0" to 373' 8"		9' 10" to 168' 0"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Bear Run colliery, tunnel from Holmes bed to Mammoth bed, 2d lift of slope.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	HOLMES BED,	9' 0" to 9' 0'
2.	Soft rock and slate,	34' 0" to 43' 0"
3.	COAL,	2' 9" to 45' 9"
4.	Slate,	11' 0" to 56' 9"
5.	COAL,	2' 0" to 58' 9"
6.	Soft rock and slate,	64' 0" to 122' 9"
7.	Rock,	74' 0" to 196' 9"
8.	Slate,	6' 0" to 202' 9"
9.	MAMMOTH BED (top split),	13' 9" to 216' 6"
10.	Hard rock,	71' 0" to 287' 6"
11.	MAMMOTH BED (middle split),	9' 0" to 29' 6"
12.	Slate,	2' 6" to 299' 0"
13.	MAMMOTH BED (bottom split),	14' 0" to 313' 0"

See Columnar Section Sheet No. VI and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Part II.

Tunnel Ridge colliery, tunnel from Mammoth to Buck Mountain bed, 1st lift of slope.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED, BOTTOM SPLIT. Dip 57° N.,	19' 0" to 19' 0"	15' 9" to 15' 9"
2.	Slate,	1' 0" to 20' 0"	10" to 16' 7"
3.	Sandstone,	27' 0" to 47' 0"	22' 5" to 39' 0"
4.	Sandstone and slate,	12' 0" to 59' 0"	10' 0" to 49' 0"
5.	SKIDMORE BED,	4' 0" to 63' 0"	3' 4" to 52' 4"
6.	Slate,	3' 6" to 66' 6"	2' 11" to 55' 3"
7.	Sandstone,	48' 0" to 114' 6"	39' 10" to 95' 1"
8.	SEVEN-FOOT BED. Dip 55° N.,	9' 0" to 123' 6"	7' 6" to 102' 7"
9.	Sandstone and slate,	24' 6" to 148' 0"	20' 4" to 122' 11"
10.	COAL,	1' 0" to 149' 0"	10" to 123' 9"
11.	Slate,	6' 0" to 155' 0"	5' 0" to 128' 9"
12.	Sandstone,	56' 6" to 205' 6"	41' 11" to 170' 8"
13.	COAL,	1' 6" to 207' 0"	1' 3" to 171' 11"
14.	Slate,	9' 6" to 216' 6"	7' 11" to 179' 10"
15.	BUCK MOUNTAIN BED. Dip 55° N.,	17' 0" to 233' 6"	14' 1" to 193' 11"

See Columnar Section Sheet No. VII and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

*Elmwood colliery, tunnel from Mammoth to Buck Mountain bed.**P. & R. C. & I. Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED (top split),	5' 0'' to 5' 0''
2.	Rock,	25' 0'' to 30' 0''
3.	MAMMOTH BED (middle split),	3' 5' to 33' 5''
4.	Slate,	5' 2'' to 38' 7''
5.	Sandstone,	3' 6'' to 42' 1''
6.	Slate,	11' 2'' to 53' 3''
7.	MAMMOTH BED (bottom split),	15' 6'' to 68' 9''
8.	Slate,	5' 0'' to 73' 9''
9.	SKIDMORE BED,	7' 6'' to 81' 3''
10.	Slate,	7' 6'' to 88' 9''
11.	Sandstone,	34' 6'' to 123' 3''
12.	SEVEN-FOOT BED,	10' 6'' to 133' 9''
13.	Slate,	8' 0'' to 141' 9''
14.	Gray rock,	42' 6'' to 184' 3''
15.	COAL BED,	4' 0'' to 188' 3''
16.	Slate,	3' 6'' to 191' 9''
17.	BUCK MOUNTAIN BED,	17' 0'' to 208' 9''

See Columnar Section Sheet No. VII and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

*Mahanoy City colliery, tunnel from Orchard bed to Buck Mountain bed.**P. & R. C. & I. Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	COAL,	3' 5' to 3' 5''
2.	Slate, } ORCHARD BED,	3' 5'' to 6' 10''
3.	COAL, }	7' 4'' to 14' 2''
4.	Slate,	13' 3'' to 27' 5''
5.	Rock,	22' 10'' to 50' 3''
6.	Slate and iron ore balls,	10' 0'' to 60' 3''
7.	Rock,	5' 4'' to 65' 7''
8.	Slate and iron ore,	19' 2'' to 84' 9''
9.	Rock,	23' 8'' to 108' 5''
10.	Slate,	2' 11'' to 111' 4''
11.	Dirt (?),	4' 1'' to 115' 5''
12.	Slate,	4' 6'' to 119' 11''
13.	Rock,	9' 3'' to 129' 2''
14.	COAL,	2' 6'' to 131' 8''
15.	Slate, } PRIMROSE BED,	2' 3'' to 133' 11''
16.	COAL, }	3' 5'' to 137' 4''

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1287

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
17.	Slate,	25' 0'' to 162' 4''
18.	COAL,	2' 6'' to 164' 10''
19.	Slate and iron ore balls,	3' 11'' to 168' 9''
20.	Rock,	1' 5' to 170' 2'
21.	Slate with iron ore balls,	5' 4' to 175' 6''
22.	Rock,	2' 4'' to 177' 10''
23.	Slate and iron ore balls,	8' 10'' to 186' 8''
24.	Rock,	7' 9'' to 194' 5''
25.	Sandy slate,	2' 11'' to 197' 4''
26.	Slate and iron balls,	17' 1'' to 214' 5''
27.	Rock,	4' 0'' to 218' 5''
28.	Slate and iron ore balls,	3' 0'' to 221' 5''
29.	Sandstone,	2' 3'' to 223' 8''
30.	Black slate,	3' 3'' to 226' 11''
31.	Sandy slate,	2' 8'' to 229' 7''
32.	Rock,	5' 0'' to 234' 7''
33.	Slate,	2' 0'' to 236' 7''
34.	Rock,	2' 1'' to 238' 8''
35.	Slate and iron ore balls,	26' 9'' to 265' 5''
36.	HOLMES BED,	14' 0'' to 279' 5''
37.	Rock,	160' 0'' to 439' 5''
38.	MAMMOTH BED (top split),	25' 0'' to 464' 5''
39.	Rock,	45' 0'' to 509' 5''
40.	MAMMOTH BED (middle split),	6' 0'' to 515' 5''
41.	Rock,	100' 0'' to 615' 5''
42.	MAMMOTH BED (bottom split),	10' 0'' to 625' 5''

See Columnar Section Sheet No. VII and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Mahanoy City colliery, tunnel from Holmes bed to Mammoth bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	HOLMES BED.	
2.	Slate,	11' 0'' to 11' 0''
3.	Sandstone,	15' 0'' to 26' 0''
4.	Slate,	13' 0'' to 39' 0''
5.	Sandstone,	29' 0'' to 68' 0''
6.	Fine conglomerate,	23' 0'' to 91' 0''
7.	Sandstone,	9' 0'' to 100' 0''
8.	Slate,	9' 6'' to 109' 6''
9.	Sandstone,	35' 6'' to 145' 0''
10.	Slate,	20' 0'' to 165' 0''
11.	MAMMOTH BED (top split),	23' 0'' to 188' 0''

See Columnar Section Sheet No. VII and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

Mahanoy City colliery, tunnel from Mammoth to Buck Mountain bed, 2d lift of slope.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED, upper split. Dip 30°		
	S.,	36' 6" to 36' 6"	18' 3" to 18' 3"
2.	Slate,	35' 4" to 71' 10"	17' 6" to 35' 9"
3.	MAMMOTH BED, middle split. Dip 29°		
	S.,	8' 8" to 80' 6"	4' 10" to 40' 7"
4.	Hard sandstone,	92' 8" to 173' 2"	48' 4" to 88' 11"
5.	Slate,	5' 11" to 179' 1"	3' 3" to 92' 2"
6.	Hard sandstone,	67' 10" to 246' 11"	39' 5" to 131' 7"
7.	MAMMOTH BED, lower split. Dip 38°		
	S.,	25' 5" to 272' 4"	15' 7" to 147' 2"
8.	Slate,	2' 8" to 275' 0"	1' 7" to 148' 9"
9.	Sandstone,	18' 9" to 293' 9"	11' 6" to 160' 3"
10.	COAL. Dip 39°,	1' 9" to 295' 6"	1' 1" to 161' 4"
11.	Slate,	6' 6" to 302' 0"	3' 7" to 164' 11"
12.	SKIDMORE BED. Dip 30°		
	S.,	10' 6" to 312' 6"	5' 3" to 170' 2"
13.	Sandstone,	43' 4" to 355' 10"	21' 8" to 191' 10"
14.	COAL,	1' 5" to 357' 3"	8" to 192' 6"
15.	Slaty sandstone,	35' 3" to 392' 6"	17' 7" to 210' 1'
16.	Sandy slate,	13' 10" to 406' 4"	6' 10" to 216' 11"
17.	SEVEN-FOOT BED. Dip 29°		
	S.,	21' 9" to 428' 1"	10' 5" to 227' 4"
18.	Slate,	16' 5" to 444' 6"	8' 11" to 236' 3"
19.	COAL,	6' 3" to 450' 9"	3' 1" to 239' 4"
20.	Hard slate,	13' 6" to 464' 3"	6' 8" to 246' 0"
21.	COAL,	2' 0" to 466' 3"	1' 0" to 247' 0"
22.	Slate,	11' 3" to 477' 6"	5' 7" to 252' 7"
23.	BUCK MOUNTAIN BED. Dip 31°		
	S.,	21' 4" to 498' 10"	10' 11" to 263' 6"

See Columnar Section Sheet No. VII and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

North Star colliery, tunnel from Mammoth bed to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED (top split),	3' 6" to 3' 6"
2.	Slate,	5' 0" to 8' 6"
3.	Sandstone,	65' 0" to 73' 6"
4.	MAMMOTH BED (bottom split),	6' 0" to 79' 6"
5.	Slate,	6' 0" to 85' 6"
6.	Sandstone,	60' 0" to 145' 6"
7.	SKIDMORE BED,	8' 6" to 154' 0"
8.	Slate,	5' 0" to 159' 0"
9.	Sandstone,	1' 0" to 160' 0"
10.	Slate,	13' 0" to 173' 0"
11.	Sandstone,	3' 6" to 176' 6"
12.	Slate,	11' 0" to 187' 6"
13.	COAL,	1' 6" to 189' 0"
14.	Slate,	12' 6" to 201' 6"
15.	SEVEN-FOOT BED,	7' 0" to 208' 6"
16.	Slate,	5' 0" to 213' 6"
17.	Conglomerate,	7' 0" to 220' 6"
18.	Sandstone,	27' 0" to 247' 6"
19.	COAL (leader),	3' 0" to 250' 6"
20.	Slate,	8' 0" to 258' 6"
21.	BUCK MOUNTAIN BED,	15' 0" to 273' 6"

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Parts I and II.

Staffordshire colliery, tunnel from Diamond to Orchard bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	DIAMOND BED. Dip 37°,	8' 6" to 8' 6"
2.	Slate,	58' 0" to 66' 6"
3.	Sandstone,	31' 0" to 97' 6"
4.	COAL,	1' 2" to 98' 8"
5.	Sandstone,	21' 6" to 120' 2"
6.	ORCHARD BED. Dip 34°,	7' 6" to 127' 8"

See Columnar Section Sheet No. VII and Mine Sheet No. II, Atlas Western Middle Anthracite Field, Parts I and II.

*Webster colliery, section of tunnels.**P. & R. C. & I. Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	SKIDMORE BED,	8' 0'' to 8' 0''
2.	Slate,	6' 0'' to 14' 0''
3.	Sandstone,	2' 0'' to 16' 0''
4.	Slate,	21' 0'' to 37' 0''
5.	Sandstone,	4' 0'' to 41' 0''
6.	Slate,	12' 0'' to 53' 0''
7.	COAL,	1' 0'' to 54' 0''
8.	Slate,	20' 0'' to 74' 0''
9.	SEVEN-FOOT BED,	5' 0'' to 79' 0''
10.	Sandstone and conglomerate,	40' 0'' to 119' 0''
11.	COAL BED,	4' 0'' to 123' 0''
12.	Slate,	4' 0'' to 127' 0''
13.	BUCK MOUNTAIN BED,	17' 0'' to 144' 0''

See Columnar Section Sheet No. VII and Mine Sheet No. 1, Atlas Western Middle Anthracite Field, Parts I and II.

Oak Hollow colliery, tunnel from surface to Buck Mountain bed.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Earth, gravel and sandstone,	60' 0'' to 60' 0''
2.	Slate,	2' 0'' to 62' 0''
3.	Blue sandstone, hard,	45' 0'' to 107' 0''
4.	MAMMOTH BED,	6' 6'' to 113' 6''
5.	Slate,	1' 4'' to 114' 10''
6.	Shelly sandstone, soft,	3' 6'' to 118' 4''
7.	Gray sandstone, hard,	42' 0'' to 160' 4''
8.	Conglomerate,	7' 0'' to 167' 4''
9.	Blue sandstone, hard,	4' 6'' to 171' 10''
10.	Conglomerate,	1' 4'' to 173' 2''
11.	Slate,	1' 7'' to 174' 9''
12.	SKIDMORE BED,	5' 6'' to 180' 3''
13.	Slate,	6' 6'' to 186' 9''
14.	Slaty sandstone,	2' 0'' to 188' 9''
15.	Slate,	6' 4'' to 195' 1''
16.	COAL,	6'' to 195' 7''
17.	Slaty sandstone,	3' 4'' to 198' 11''
18.	Sandstone,	24' 6'' to 223' 5''
19.	SEVEN-FOOT BED,	4' 6'' to 227' 11''
20.	Sandstone,	9' 0'' to 236' 11''
21.	Slate,	9'' to 237' 8''
22.	Blue sandstone, dark,	12' 0'' to 249' 8''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
23.	Conglomerate,	9' 0" to 258' 8"
24.	COAL and slate,	9" to 259' 5"
25.	Conglomerate,	8' 3" to 267' 8"
26.	Slate,	2' 4" to 270' 0"
27.	COAL,	7" to 270' 7"
28.	Slate,	1' 6" to 272' 1"
29.	Gray slate, dark,	11' 0" to 283' 1"
30.	COAL,	1' 2" to 284' 3"
31.	Slate,	2' 2" to 286' 5"
32.	Slaty sandstone,	7' 0" to 293' 5"
33.	Sandstone,	14' 4" to 307' 9"
34.	Slate,	1' 3" to 309' 0"
35.	BUCK MOUNTAIN BED,	12' 6" to 321' 6"

See Columnar Section Sheet No. VII and Mine Sheet No. IV, Atlas Western Middle Anthracite Field, Parts I and II.

Glendon colliery, tunnel from Ten-foot bed to Skidmore bed, and from Skidmore to Buck Mountain bed, east side main slope.

J. C. Haydon & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	TEN-FOOT BED.		
	Dip 20° S., . . .	17' 3" to 17' 3"	5' 11" to 5' 11"
2.	Hard black slate, . . .	4' 3" to 21' 6"	1' 5" to 7' 4"
3.	Hard gray SS., . . .	60' 4" to 81' 10"	25' 5" to 32' 9"
4.	Hard slate, . . .	1' 2" to 83' 0"	6" to 83' 3"
5.	Hard gray SS., . . .	17' 11" to 100' 11"	7' 7" to 40' 10"
6.	Hard sand slate, . . .	1' 7" to 102' 6"	8" to 41' 6"
7.	Gray sandstone, . . .	136' 7" to 239' 1"	68' 3" to 109' 9"
8.	SKIDMORE BED.		
	Dip 30°,	14' 2' to 253' 3"	7' 1" to 116' 10"
9.	Sandstone, Dip 33° S.,	13' 10" to 267' 1"	7' 7" to 124' 5"
10.	Hard black slate, . . .	1' 9" to 268' 10"	11" to 125' 4"
11.	Sandstone, . . .	12' 5" to 281' 3"	6' 9" to 132' 1"
12.	Slate. Dip 32½ S., . . .	1' 10" to 283' 1"	1' 0" to 133' 1"
13.	Slate and bone, . . .	8" to 283' 9"	6" to 133' 7"
14.	Black slate, with streaks of sand slate and iron balls,	17' 6" to 301' 3"	8' 5" to 142' 0"
15.	SEVEN-FOOT BED.		
	Dip 26°-29° S., . . .	12' 1" to 313' 4"	5' 8" to 147' 8"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
16.	Black slate, . . .	5' 6" to 318' 10"	2' 8" to 150' 4"
17.	Hard, fine, gray sandstone, . . .	144' 6" to 463' 4"	69' 11" to 220' 3'
18.	Hard black slate, . . .	9' 4" to 472' 8"	4' 10" to 225' 1"
19.	BUCK MOUNTAIN BED. Dip 31°.,	21' 4" to 494' 0"	11' 0" to 256' 1"

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Part II.

Glendon colliery, tunnel from the Four-foot to the Ten-foot bed and from the Ten-foot to the Seven-foot bed, 1st lift of slope.

J. C. Haydon & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	FOUR-FOOT BED. Dip 32° S., . . .	11' 0" to 11' 0"	5' 10" to 5' 10"
2.	Soft black slate, . . .	15' 0" to 26' 0"	7' 5" to 13' 3"
3.	Fine gray SS., . . .	60' 0" to 86' 0"	37' 5" to 50' 8"
4.	TEN-FOOT BED, Dip 29° S., . . .	10' 2" to 96' 2"	4' 11" to 55' 7"
5.	Hard black slate. Dip 37° S., . . .	10' 0" to 106' 2"	6' 0" to 61' 7"
6.	Hard gray rock, . . .	44' 0" to 150' 2"	26' 5" to 88' 0"
7.	Slate. Dip 48° S., . . .	1" to 150' 3"	1" to 88' 1"
8.	Hard gray rock, . . .	105' 5" to 255' 8"	78' 4" to 166' 5"
9.	SKIDMORE BED. Dip 50° S., . . .	10' 5" to 266' 1"	8' 0" to 174' 5"
10.	Soft black slate, . . .	6' 0" to 272' 1"	4' 7" to 179' 0"
11.	Slate and bone, . . .	11" to 273' 0"	9" to 179' 9"
12.	Soft black slate, . . .	6' 10" to 279' 10"	5' 3" to 185' 0"
13.	Dirty COAL, . . .	8" to 280' 6"	6" to 185' 6"
14.	Black slate, . . .	11' 4" to 291' 10"	8' 8" to 194' 2"
15.	Hard gray SS., . . .	29' 0" to 320' 10"	23' 2" to 217' 4"
16.	Hard black slate, . . .	17' 11" to 338' 9"	15' 2" to 232' 6"
17.	SEVEN-FOOT BED. Dip 70° S., . . .	6' 5" to 345' 2"	6' 0" to 238' 6"

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Part II.

Glendon colliery, tunnel from Seven-foot bed to Buck Mountain bed, east gangway, lower slope level.

J. C. Haydon & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	SEVEN-FOOT BED, Dip 34° S., . . .	7' 5" to 7' 5"	4' 3" to 4' 3"
2.	Hard black slate, . . .	8' 6" to 15' 11"	4' 9" to 9' 0"
3.	Hard gray sandstone (fine), . . .	52' 6" to 68' 5"	35' 9" to 44' 9"
4.	Black dirt (soft). Dip 51° S., . . .	5' 8" to 74' 1"	4' 4" to 49' 1"
5.	Hard black slate, . . .	11" to 75' 0"	8' 6" to 57' 7"
6.	Sandy slate (bastard),	17' 8" to 92' 8"	13' 9" to 71' 4"
7.	Hard sandstone, . . .	8' 7" to 101' 3"	6' 3" to 77' 7"
8.	Slate and bone, . . .	11" to 102' 2"	8" to 78' 3"
9.	Black slate (hard),	9' 7" to 111' 9"	6' 8" to 84' 11"
10.	COAL, slate and dirt. Dip 44° S., . . .	4' 2" to 115' 11"	2' 10" to 87' 9"
11.	Hard black slate, . . .	5' 2" to 121' 1"	3' 7" to 91' 4"
12.	Sandstone,	1' 2" to 122' 3"	9" to 92' 1"
13.	Hard sand slate, . . .	7" to 122' 10"	4" to 92' 5"
14.	Sandstone,	47' 11" to 170' 9"	31' 5" to 123' 10"
15.	Black slate,	2' 0" to 172' 9"	1' 3" to 125' 1"
16.	BUCK MOUNTAIN BED. Dip 37°-41°,	21' 9" to 194' 6"	13' 4" to 138' 5"

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Part II.

Hillside colliery, tunnel from bottom split of Mammoth bed to Buck Mountain bed.

P. & R. C. & I. Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	MAMMOTH BED, bottom split. Dip 40°,	9' 10' to 9' 10"	6' 4" to 6' 4"
2.	Sandstone,	153' 0" to 162' 10"	91' 11" to 98' 3"
3.	SKIDMORE BED. Dip 35°,	11' 9" to 174' 7"	6' 9" to 105' 0"
4.	Sulphur balls,	2' 0" to 176' 7"	1' 2" to 108' 2"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
5.	Soft slate,	32' 0'' to 208' 7''	18' 4'' to 124' 6''
6.	COAL. Dip 35°, . . .	1' 9'' to 210' 4''	1' 0'' to 125' 6''
7.	Slate,	21' 0'' to 231' 4''	12' 0'' to 137' 6''
8.	COAL,	3' 6'' to 234' 10''	2' 0'' to 139' 6''
9.	Slate,	3' 0'' to 237' 10''	1' 9'' to 141' 3''
10.	Sandy slate,	12' 0'' to 249' 10''	6' 10'' to 148' 1''
11.	Sandstone,	31' 0'' to 280' 10''	17' 9'' to 165' 10''
12.	COAL,	1' 5'' to 282' 3''	9'' to 166' 7''
13.	Slate,	10' 0'' to 292' 3''	5' 2'' to 171' 9''
14.	Sandstone,	7' 0'' to 299' 3''	3' 8'' to 175' 5''
15.	Slate,	6' 6'' to 305' 9''	3' 4'' to 178' 9''
16.	COAL,	5' 0'' to 310' 9''	2' 8'' to 181' 5''
17.	Bastard slate,	9' 0'' to 319' 9''	4' 3'' to 185' 8''
18.	COAL. Dip 28½° S., . . .	3' 2'' to 322' 11''	1' 6'' to 187' 2''

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Part II.

Park No. 1 (Malvern) colliery, tunnel across basin from center of synclinal to Buck Mountain bed.

Lentz, Lilly & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
Center of synclinal.			
1.	Hard gray sandstone. Dip 53° N. and 33½° S., . . .	10' 0'' to 10' 0''	7' 11'' to 7' 11''
2.	Slate,	27' 0'' to 37' 0''	21' 7'' to 29' 6''
3.	Hard sandstone, . .	13' 0'' to 50' 0''	10' 4'' to 39' 10''
4.	FOUR-FOOT BED. Dip 53° N.,	6' 0'' to 56' 0''	4' 9'' to 44' 7''
5.	Slate,	7' 0'' to 63' 0''	5' 7'' to 50' 2''
6.	Dark sandstone, . .	7' 0'' to 70' 0''	5' 7'' to 55' 9''
7.	Slate,	30' 0'' to 100' 0''	27' 4'' to 83' 1''
8.	MAMMOTH BED. Dip 80° N.,	16' 0'' to 116' 0''	15' 9'' to 98' 10''
9.	Slate,	4' 0'' to 120' 0''	3' 11'' to 102' 9''
10.	Hard dark SS., . .	7' 0'' to 127' 0''	6' 10'' to 109' 7''
11.	Fine conglomerate, .	24' 0'' to 151' 0''	23' 5'' to 133' 0''
12.	COAL,	1' 0'' to 152' 0''	11'' to 133' 11''
13.	Hard gray SS., . .	29' 0'' to 181' 0''	27' 7'' to 161' 6''
14.	Slate,	8' 0'' to 189' 0''	7' 8'' to 169' 2''

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1295

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
15.	Sandstone,	25' 8'' to 214' 8''	24' 4'' to 193' 6''
16.	COAL,	5'' to 215' 1''	5'' to 193' 11''
17.	Sandstone,	26' 0'' to 241' 1''	24' 9'' to 218' 8''
18.	Slate,	10' 0'' to 251' 1''	9' 7'' to 228' 3''
19.	TEN-FOOT BED. Dip 72° N.,	7' 0'' to 258' 1''	6' 8'' to 234' 11''
20.	Slate,	3' 0'' to 261' 1'	2' 10'' to 237' 9''
21.	Hard gray SS.,	75' 0'' to 336' 1''	68' 5'' to 306' 2''
22.	SKIDMORE BED. Dip 61° N.,	9' 0'' to 345' 1''	7' 10'' to 314' 0''
23.	Sandstone, mixed,	42' 0'' to 387' 1''	36' 9'' to 350' 9''
24.	Sandstone,	3' 0'' to 390' 1''	2' 8'' to 353' 5''
25.	Slate,	9' 6'' to 399' 7''	8' 4'' to 361' 9''
26.	SEVEN-FOOT BED. Dip 61° N.,	14' 0'' to 413' 7''	12' 3'' to 374' 0''
27.	Slate,	15' 5'' to 429' 0''	13' 5'' to 387' 5''
28.	Conglomerate,	2' 0'' to 431' 0''	1' 9'' to 389' 2''
29.	Slate,	2' 0'' to 433' 0''	1' 9'' to 390' 11''
30.	Gray sandstone,	2' 0'' to 435' 0''	1' 9'' to 392' 8''
31.	Slate,	15' 6'' to 450' 6''	13' 6'' to 406' 2''
32.	BUCK MOUNTAIN BED. Dip 61° N.,	11' 6'' to 462' 0''	11' 9'' to 417' 11''

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Part II.

Park No. 1 (Malvern) colliery. Water Level tunnel from surface to Buck Mountain bed.

Lentz, Lilly & Co.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	FOUR-FOOT BED.		
2.	Soft sandstone,	44' 0'' to 44' 0''	27' 9'' to 27' 9''
3.	TEN-FOOT BED. Dip 89° S.,	13' 0'' to 57' 0''	8' 5'' to 36' 2''
4.	Sandstone,	71' 0'' to 128' 0''	44' 9'' to 80' 11''
5.	Fine conglomerate,	17' 0'' to 145' 0''	10' 9'' to 91' 8''
6.	Trace of COAL.		
7.	Fine conglomerate,	127' 0'' to 272' 0''	80' 0'' to 171' 8''
8.	SKIDMORE BED. Dip 40° S.,	14' 0'' to 286' 0''	8' 0'' to 179' 8''
9.	Slate,	69' 0'' to 355' 0''	44' 3'' to 223' 11''
10.	SEVEN-FOOT BED. Dip 40° S.,	19' 0'' to 374' 0''	12' 2'' to 236' 1''
11.	Slate,	4' 0'' to 378' 0''	2' 6'' to 238' 7''

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
12.	Conglomerate and sandstone,	84' 0'' to 462' 0''	53' 0'' to 291' 7''
13.	Slate,	1' 0'' to 463' 0''	8'' to 292' 3''
14.	COAL,	3' 0'' to 466' 0''	1' 10'' to 294' 1''
15.	Slate,	13' 0'' to 479' 0''	8' 0'' to 302' 1''
16.	BUCK MOUNTAIN BED. Dip 38° S., .	26' 0'' to 505' 0''	16' 0'' to 318' 1''

See Columnar Section Sheet No. VII and Mine Sheet No. 1, Atlas Western Middle Anthracite Field, Parts I and II.

*Primrose colliery, tunnel from Holmes to Seven-foot bed.
Neville & Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	HOLMES BED,	12' 3'' to 12' 3''
2.	Slate,	3' 1'' to 15' 4''
3.	Iron ore,	1' 6'' to 16' 10''
4.	Sandstone,	36' 3'' to 53' 1''
5.	Slate,	1' 2'' to 54' 3''
6.	Sandstone,	5' 4'' to 59' 7''
7.	Slate,	7' 7'' to 67' 2''
8.	Sandstone,	78' 1'' to 145' 3''
9.	MAMMOTH BED,	11' 6'' to 156' 9''
10.	Slate,	5' 9'' to 162' 6''
11.	Sandstone,	69' 9'' to 232' 3''
12.	Slate,	4' 0'' to 236' 3''
13.	FOUR-FOOT BED,	2' 9'' to 239' 0''
14.	Slate,	11' 4'' to 250' 4''
15.	Sandstone,	21' 1'' to 271' 5''
16.	TEN-FOOT BED,	5' 0'' to 276' 5''
17.	Sandy slate,	13' 1'' to 289' 6''
18.	Sandstone,	77' 9'' to 367' 3''
19.	SKIDMORE BED,	5' 11'' to 373' 2''
20.	Slate,	16' 4'' to 389' 6''
21.	Sandstone,	48' 2'' to 437' 8''
22.	Slate,	3' 6'' to 441' 2''
23.	SEVEN-FOOT BED,	2' 8'' to 443' 10''
24.	Slate,	7' 11'' to 451' 9''
25.	Sandstone,	15' 4'' to 467' 1''

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Parts I and II.

Morris colliery, tunnel from surface to Buck Mountain bed.

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Sandstone,	21' 0" to 21' 0"
2.	Soft red sandstone,	5' 6" to 26' 6"
3.	MAMMOTH BED (top split),	2' 2" to 28' 8"
4.	Sandy slate,	12' 10" to 41' 6"
5.	Sandstone,	5" to 41' 11"
6.	Sand slate,	2' 5" to 44' 4"
7.	Sandstone,	15' 0" to 59' 4"
8.	Sandstone,	15' 5" to 74' 9"
9.	Slate,	1' 5" to 76' 2"
10.	MAMMOTH BED (bottom split),	7' 4" to 83' 6"
11.	Fire clay,	5" to 83' 11"
12.	Slate,	1' 5" to 85' 4"
13.	Sandstone,	5' 8" to 91' 0"
14.	Coarse sandstone,	6' 10" to 97' 10"
15.	Ochre,	6" to 98' 4'
16.	Hard sandstone,	1' 2" to 99' 6"
17.	Soft red sandstone,	3' 4" to 102' 10"
18.	Sandstone,	52' 7" to 155' 5"
19.	Fine conglomerate,	6' 7" to 162' 0"
20.	Sandstone,	10' 7" to 172' 7"
21.	Slate,	4' 2" to 176' 9"
22.	SKIDMORE BED,	4' 4" to 181' 1"
23.	Slate,	8" to 181' 9"
24.	COAL,	8" to 182' 5"
25.	Slate,	19' 0" to 201' 5'
26.	COAL,	10" to 202' 3"
27.	Slaty sandstone,	27' 10" to 230' 1"
28.	SEVEN-FOOT BED,	2' 11" to 233' 0"
29.	Slate,	8" to 233' 8"
30.	Slaty sandstone,	4' 5" to 238' 1"
31.	Sandstone,	21' 11" to 260' 0"
32.	Slate,	8" to 260' 8"
33.	Conglomerate,	25' 2" to 285' 10"
34.	COAL,	10" to 296' 8"
35.	Rock,	10' 2" to 296' 10"
36.	COAL,	1' 7" to 298' 5"
37.	Sandstone,	5' 1" to 303' 6"
38.	Conglomerate,	1' 6" to 305' 0"
39.	Sandstone,	7' 4" to 312' 4"
40.	Conglomerate,	38' 0" to 350' 4"
41.	BUCK MOUNTAIN BED,	11' 8" to 362' 0"

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Parts I and II.

Morris colliery, lower tunnel to Buck Mountain bed.

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Wash,		
2.	Gray sandstone, .	18' 9" to 18' 9"	11' 7" to 11' 7"
3.	Slate,	3' 3" to 22' 0"	2' 0" to 13' 7"
4.	TEN-FOOT BED.		
	Dip 38°,	8' 9" to 30' 9"	5' 6" to 19' 1"
5.	Slate,	9' 3' to 40' 0"	5' 8" to 24' 9"
6.	Gray sandstone, .	25' 0" to 65' 0"	15' 9" to 40' 6"
7.	Conglomerate, . .	28' 0' to 93' 0"	18' 0" to 58' 6"
8.	Gray sandstone, .	15' 0" to 108' 0"	9' 8" to 68' 2"
9.	Conglomerate, . .	12' 0" to 120' 0"	7' 10" to 76' 0"
10.	Coarse sandstone, red and black, .	12' 0" to 132' 0"	8' 0" to 84' 0"
11.	Coarse cong., . . .	27' 0" to 159' 0"	18' 1" to 102' 1"
12.	Slate,	3' 3' to 162' 3"	2' 2" to 104' 3"
13.	COAL,	5' 9" to 168' 0"	4' 0" to 108' 3"
14.	Clod,	2' 3" to 170' 3"	1' 6' to 109' 9"
15.	COAL,	9" to 171' 0"	6" to 110' 3"
	SKIDMORE BED. Dip 43°.		
16.	Slate and slaty stone,	26' 0" to 197' 0"	17' 1" to 127' 4"
17.	COAL,	1' 0" to 198' 0"	8" to 128' 0"
18.	Slate. Dip 39°, . .	25' 0" to 223' 0"	15' 9" to 143' 9"
19.	Firm slaty stone, .	8' 0" to 231' 0"	4' 10" to 148' 7"
20.	Slate,	6' 0" to 237' 0"	3' 7" to 152' 2"
21.	SEVEN-FOOT BED.		
	Dip 31°,	3' 0" to 240' 0"	2' 5" to 154' 7"
22.	Slate,	18' 0" to 258' 0"	10' 2" to 164' 9"
23.	Fine sandstone, .	7' 0" to 265' 0"	4' 7' to 169' 4"
24.	Fine cong.,	55' 11" to 320' 11"	39' 7" to 208' 11"
25.	COAL,	1' 1" to 322' 0"	10" to 209' 9"
26.	Slate. Dip 50°, . .	16' 8" to 338' 8"	12' 9" to 222' 6"
27.	COAL. Dip 50°, . .	1' 4" to 340' 0"	1' 0" to 223' 6"
28.	Slate. Dip 50°, . .	19' 0" to 359' 0"	14' 7" to 238' 1"
29.	Slaty sandstone.		
	Dip 43°,	19' 0" to 378' 0"	13' 0" to 251' 1"
30.	Dark gray SS., . .	31' 0" to 409' 0"	22' 0" to 273' 1"
31.	BUCK MOUNTAIN BED. Dip 47°, 19' 0" to 428' 0"	13' 10" to 286' 11"	

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Parts I and II.

*Buck Mountain colliery, Water Level tunnel from surface to Buck Mountain bed.**Buck Mountain Coal Co.*

No. of strata.	Description.	Thicknesses measured horizontally.	Thicknesses perpendicular to dip.
1.	Wash,	68' 0" to 68' 0"	68' 0" to 68' 0"
2.	Sandstone,	11' 8" to 79' 8"	4' 0" to 72' 0"
3.	SS. with pebbles, . .	3' 6" to 83' 2"	1' 3" to 73' 3"
4.	COAL,	10" to 84' 0"	4" to 73' 7"
5.	Hard sandstone, . .	12' 9" to 96' 9"	4' 4" to 77' 11"
6.	COAL. Dip 20° N.,	7" to 97' 4"	3" to 78' 2"
7.	Sandstone,	43' 10" to 141' 2"	14' 11" to 93' 1"
8.	Fine conglomerate,	3' 7" to 144' 9"	1' 6" to 94' 7"
9.	COAL. Dip 25° N.,	2' 6" to 147' 3"	1' 1" to 95' 8"
10.	Hard sandstone with small pebbles, . .	14' 6" to 161' 9"	6' 2" to 101' 10"
11.	Soft slate,	2' 1" to 163' 10"	10" to 102' 8"
12.	Sandstone,	37' 9" to 261' 7"	15' 11" to 118' 7"
13.	Fine conglomerate,	7' 11" to 209' 6"	3' 4" to 121' 11"
14.	Sandstone,	38' 5" to 247' 11"	16' 3" to 138' 2"
15.	Slate,	33' 9" to 281' 8"	16' 4" to 154' 6"
16.	COAL. Dip 29° N.,	4' 10" to 286' 6"	2' 4" to 156' 10"
17.	Slate,	7' 8" to 294' 2"	3' 9" to 160' 7"
18.	Sandstone,	72' 8" to 366' 10"	35' 3" to 195' 10"
19.	Slate,	7' 5" to 374' 3"	3' 3" to 199' 1"
20.	COAL. Dip 25° N.,	1' 11" to 376' 2"	10" to 199' 11"
21.	Slate,	12' 1" to 388' 3"	5' 4" to 205' 3"
22.	COAL,	3' 1" to 391' 4"	1' 10" to 207' 1"
23.	Slate,	43' 2" to 434' 6"	18' 10" to 225' 11"
24.	COAL. Dip 26° N.,	3' 10" to 438' 4"	1' 3" to 227' 2"
25.	Slate,	20' 5" to 458' 9"	8' 11" to 236' 1"
26.	Sandstone,	14' 8" to 473' 5"	6' 5" to 242' 6"
27.	Slate,	47' 8" to 521' 1"	20' 10" to 263' 4"
28.	Sandstone,	35' 0" to 556' 1"	15' 4" to 278' 8"
29.	Fine conglomerate,	45' 0" to 601' 1"	21' 2" to 299' 10"
30.	COAL. Dip 28° N.,	2' 4" to 603' 5"	1' 9" to 301' 7"
31.	Slate,	8' 0" to 611' 5"	3' 9" to 305' 4"
32.	Sandstone,	40' 8" to 652' 1"	19' 2" to 324' 6"
33.	Fine conglomerate,	39' 11" to 692' 0"	18' 9" to 343' 3"
34.	Sandstone,	63' 9" to 755' 9"	29' 10" to 373' 1"
35.	Slate,	2' 8" to 758' 5"	1' 4" to 374' 5"
36.	COAL. Dip 29°.	11' 0" to 769' 5"	5' 4" to 379' 9"
37.	Slate,	32' 10" to 802' 3"	15' 4" to 395' 1"
38.	COAL. Dip 27°.	16' 11" to 819' 2"	7' 8" to 402' 9"

BUCK Mtn.
BED.

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Part II.

*East Mahanoy Railroad tunnel.**Phila. and Reading R. R. Co.*

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
1.	Conglomerate,	52' 0'' to 52' 0''	18' 11'' to 18' 11''
2.	Sandstone, . .	39' 0'' to 91' 0''	12' 8'' to 29' 7''
3.	SS. Dip 19°, . .	99' 0'' to 190' 0''	32' 2'' to 61' 9''
4.	Coarse SS., . .	65' 0'' to 255' 0''	21' 2'' to 82' 11''
5.	COAL AND SLATE, . .	MANOTHE BED.	27' 0'' to 282' 0''
6.	Slate, . .		8' 0'' to 290' 0''
7.	Shelly SS., . .		15' 0'' to 305' 0''
8.	COAL, . .		27' 0'' to 332' 0''
9.	Blue slate, . .	13' 0'' to 345' 0''	4' 11'' to 111' 8''
10.	Pea and mustard cong.,	45' 0'' to 390' 0''	16' 11'' to 128' 7''
11.	SS. full of quartz veins,	33' 0'' to 423' 0''	12' 11'' to 141' 6''
12.	SS. and cong.,	8' 7'' to 431' 7''	3' 4'' to 144' 10''
13.	SKIDMORE BED,	6' 5'' to 438' 0''	2' 6'' to 147' 4''
14.	Slate,	4' 0'' to 442' 0''	1' 7'' to 148' 11''
15.	Sandstone, . . .	29' 10'' to 471' 10''	11' 7'' to 160' 6''
16.	Slate,	5' 2'' to 477' 0''	2' 0'' to 162' 6''
17.	Hard massive sandstone, . .	45' 0'' to 522' 0''	18' 4'' to 180' 10''
18.	Dark slate, . .	13' 6'' to 535' 6''	5' 6'' to 186' 4''
19.	COAL,	2' 6'' to 538' 0''	1' 0'' to 187' 4''
20.	Soft slate, . .	18' 0'' to 556' 0''	7' 4'' to 194' 8''
21.	Hard sandy slate,	51' 4'' to 607' 4''	20' 10'' to 215' 6''
22.	COAL,	3' 8'' to 611' 0''	1' 6'' to 217' 0''
23.	Blue slate, . .	33' 1'' to 644' 1''	13' 6'' to 230' 6''
24.	Sandstone, . .	4' 11'' to 649' 0''	2' 0'' to 232' 6''
25.	Slate,	7' 0'' to 656' 0''	2' 11'' to 235' 5''
26.	Sandy shale, .	8' 8'' to 664' 8''	3' 7'' to 239' 0''
27.	Blue slate, . .	7' 4'' to 672' 0''	3' 0'' to 242' 9''
28.	Dark gray slaty sandstone, . .	16' 4'' to 688' 4''	6' 8'' to 248' 8''
29.	Slate,	8'' to 689' 0''	4'' to 249' 0''
30.	Pea cong. with quartz seams,	72' 5'' to 761' 5''	30' 7'' to 279' 7''
31.	COAL,	3' 7'' to 765' 0''	1' 4'' to 280' 11''
32.	Dark bluish gray slate, . .	39' 0'' to 804' 0''	14' 5'' to 295' 4''
33.	Sandstone, . .	10' 0'' to 814' 0''	3' 7'' to 298' 11''
34.	Hard cong., . .	45' 0'' to 859' 0''	16' 2'' to 315' 1''
35.	Hard dark SS., massive bottom, slaty top,	65' 6'' to 924' 6''	23' 7'' to 338' 8''

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1301

<i>No of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
36.	COAL,	11' 0" to 935' 6"	4' 0" to 342' 8"
37.	Slate,	12' 6" to 948' 0"	4' 6" to 347' 2"
38.	BUCK MOUNTAIN BED, .	25' 0" to 973' 0"	10' 11" to 358' 1"
39.	Bottom slate, .	2' 0" to 975' 0"	11" to 359' 0"
40.	Hickory and walnut cong. with occasional slate partings, . .	329' 1" to 1304' 1"	143' 6" to 502' 6"
41.	Hard SS., . .	22' 11" to 1327' 0"	10' 0" to 512' 6"
42.	Hickory-nut cong., . . .	250' 0" to 1577' 0"	109' 0" to 621' 6"
43.	Slate,	1' 0" to 1578' 0"	6" to 622' 0"
44.	Hickory-nut cong., very ferruginous, .	164' 0" to 1742' 0"	79' 7" to 701' 7"
45.	Pea and hickory-nut conglomerate, .	150' 0" to 1892' 0"	70' 10" to 772' 5"
46.	COAL,	6' 0" to 1898' 0"	3' 0" to 775' 5"
47.	Slate,	7' 0" to 1905' 0"	3' 6" to 778' 11"
48.	Hard massive dark gray micaceous SS., .	25' 0" to 1930' 0"	12' 6" to 791' 5"
49.	Conglomerate, .	4' 0" to 1934' 0"	2' 0" to 793' 5"
50.	Hard massive micaceous SS. with a few pebbles, . .	35' 0" to 1969' 0"	16' 10" to 810' 3"
51.	Hickory-nut cong., . . .	23' 0" to 1992' 0"	11' 6" to 821' 9"
52.	Hard ferruginous gray sandstone, .	25' 0" to 2017' 0"	13' 1" to 834' 10"
53.	Pea cong. containing beds of massive coarse, loose SS. 2' to 3' thick, . . .	37' 0" to 2054' 0"	19' 5" to 854' 3"
54.	Gray SS., . .	9' 6" to 2063' 6"	5' 0" to 859' 3"
55.	Hickory-nut cong., . . .	37' 11" to 2101' 5"	19' 11" to 879' 2"
56.	Hard SS., . .	7' 7" to 2109' 0"	4' 0" to 883' 2"
57.	Hard massive egg cong., .	118' 0" to 2227' 0"	61' 11" to 945' 1"
58.	Greenish gray ferruginous and argillaceous shale, .	38' 0" to 2265' 0"	18' 2" to 963' 3"

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
59.	Hard massive ferruginous sandstone, .	21' 0" to 2286' 0"	10' 0" to 973' 3"
60.	Hard massive walnut conglomerate, .	23' 0" to 2309' 0"	11' 0" to 964' 3"
61.	Hard massive gray SS. with a few scattered pebbles, .	33' 0" to 2342' 0"	16' 1" to 1000' 4"
62.	Cong. with a few pebbles, .	6' 0" to 2348' 0"	2' 11" to 1003' 3"
63.	Very hard massive egg and walnut cong.,	54' 0" to 2402' 0"	27' 6" to 1030' 9"
64.	Greenish gray ferruginous shale, . . .	37' 0" to 2439' 0"	18' 10" to 1049' 7"
65.	Shaly ferruginous gray sandstone, .	21' 0" to 2460' 0"	10' 8" to 1060' 3"
66.	Massive greenish gray SS.,	14' 0" to 2474' 0"	7' 1" to 1067' 4"
67.	Gray sandy shale, . . .	26' 0" to 2500' 0"	13' 0" to 1080' 4"
68.	Massive false-bedded red, green and gray argillaceous SS., .	50' 0" to 2550' 0"	23' 5" to 1103' 9"
69.	Mottled red, green and gray ferruginous SS., . .	6' 0" to 2556' 0"	2' 10" to 1106' 7"
70.	Gray ferruginous SS., . .	6' 0" to 2562' 0"	2' 10" to 1109' 5"
71.	Conglomerate, .	16' 0" to 2578' 0"	7' 11" to 1117' 4"
72.	Mottled red and gray shaly SS., .	29' 0" to 2607' 0"	13' 7" to 1130' 11"
73.	Hard fine-grained greenish gray sandstone, .	50' 0" to 2657' 0"	23' 5" to 1154' 4"
74.	Hard gray conglomerate, .	65' 0" to 2722' 0"	30' 5" to 1184' 9"
75.	Gray SS., . .	10' 0" to 2732' 0"	4' 8" to 1189' 5"
76.	Red shale, . .	33' 0" to 2765' 0"	15' 5" to 1204' 10"
77.	Red sandstone, .	8' 0" to 2773' 0"	3' 7" to 1208' 5"
78.	Very coarse gray SS., . .	19' 0" to 2792' 0"	8' 11" to 1217' 4"

Hill.] SECTIONS, WESTERN MIDDLE FIELD. CHAP. VII. 1303

<i>No. of strata.</i>	<i>Description.</i>	<i>Thicknesses measured horizontally.</i>	<i>Thicknesses perpendicular to dip.</i>
79.	Gray SS., . .	3' 7" to 2795' 7"	1' 9" to 1219' 1"
80.	Red shaly SS.,	6' 5" to 2802' 0"	3' 0" to 1222' 1"
81.	Greenish and gray shaly slate,	19' 0" to 2821' 0"	8' 11" to 1231' 0"
82.	Argillaceous and shaly gray SS., . .	15' 0" to 2836' 0"	7' 0" to 1238' 0"
83.	Hard gray sandstone, . .	6' 0" to 2842' 0"	2' 10' to 1240' 10'
84.	Hard gray cong.,	5' 0" to 2847' 0"	2' 5" to 1243' 3'
85.	Gray SS., . . .	14' 6" to 2861' 6"	6' 10" to 1250' 1"
86.	Red shale, . .	8' 6" to 2870' 0"	4' 0' to 1254' 1"
87.	Red sandstone,	16' 0" to 2886' 0"	7' 6" to 1261' 7"
88.	Fine-grained gray SS., . .	34' 0" to 2920' 0"	16' 1" to 1277' 8"
89.	Cong. with SS. alternations,	5' 0" to 2925' 0"	2' 5" to 1280' 1"
90.	Gray cong. false bedded, . .	36' 0" to 2961' 0"	17' 7" to 1297' 8"
91.	Soft red shale,	24' 11" to 2985' 11"	12' 1" to 1309' 9"
92.	Red sandstone,	4' 1" to 2990' 0"	2' 0" to 1311' 9"
93.	Soft red shale,	44' 2" to 3034' 2"	21' 11" to 1333' 8"
94.	Red and gray mottled SS.,	15' 10" to 3050' 0"	7' 6" to 1341' 2"
95.	Soft red shale,	22' 0" to 3072' 0"	10' 2" to 1351' 4"
96.	Cong., greenish gray matrix,	61' 0" to 3133' 0"	27' 2" to 1378' 6"
97.	Soft red shale,	59' 5" to 3192' 5"	24' 7" to 1403' 1"
98.	Hard gray sandstone, .	9' 7" to 3202' 0"	4' 0" to 1407' 1"
99.	Hard mottled red and greenish gray shales, . . .	57' 0" to 3259' 0"	23' 8" to 1430' 9"
100.	Gray SS., . . .	8' 0" to 3267' 0"	3' 4" to 1434' 1"
101.	Fine-grained gray SS., . .	20' 0" to 3287' 0"	8' 4" to 1442' 5"
102.	Hard massive greenish gray arenaceous SS. containing a few scattered pebbles, . .	65' 0" to 3352' 0"	22' 8" to 1465' 1"
103.	Hard massive green SS., . .	54' 0" to 3406' 0"	18' 0" to 1485' 1"
104.	Red shale, . .	46' 0" to 3452' 0"	14' 2" to 1497' 3"
105.	Green SS., . .	40' 0" to 3492' 0"	12' 5" to 1509' 8"

See Columnar Section Sheet No. VII and Mine Sheet No. I, Atlas Western Middle Anthracite Field, Parts I and II.



INDEX.

	Page.
A. bed, position of,	932
" probable identity with bed in Bernice and Mehoopany basins,	933
Alaska shaft, section of,	1215
" production and shipment from,	1023
Alden colliery, " "	1018
" section of tunnel at,	1080
" shaft, section of,	1080
" " 68' of wash struck in,	930
Alpha colliery, beds developed at,	1003
Analyses of L. C. & N. Co's. coals,	1048
Anthracite region, divisions of,	1011
Anticlinals in Western Middle coal field,	982
" on mine sheets Nos. 1 & 2,	934
Archbald shaft, production and shipment from,	1014
Areas of anthracite basins,	1030
Ashburner, C. A., organization of anthracite survey,	919
" statistics of coal prepared by,	1008
Ashland colliery No. 6, section at,	1102
Ashland, deepest point of Mahanoy basin near,	992
Ashley colliery No. 6, section of inside tunnel at,	1102
Audenried Nos. 2, 4 & 5, production and shipment from,	1023
Avondale colliery, production and shipment from,	1020
" rock slope, section of,	1077
" shaft, "	1076
" tunnel, "	1077

B.

Baltimore bore-hole, section of,	1071
" " "	1073
" slope and tunnel, production and shipment from,	1018
" tunnel (inside) section of,	1068
" " (old) "	1069
Barnum colliery, production and shipment from,	1017
Barrett, S. H., North Laurel Ridge colliery,	1275
" South "	1275
Bast colliery, Germantown overturn at,	994
" production and shipment from,	1024
" section at,	1235
Baumgardner and Co., Enterprise colliery,	1208
B. bed, position of,	932
Beadle or Counter basin, one of the Salem basins,	961

	Page.
Black Ridge colliery, production and shipment from,	1021
" Valley colliery, " "	1013
Blanchard colliery, production and shipment,	1013
Boston " " "	1020
Boston run " " "	1024
" " " section at,	1280, 1281
" shaft, section of,	1097
Bowden, J. H., map made by,	928
Brady colliery, Buck Mountain bed opened at,	1002
Branner, Prof. John C., glacial scratches observed by,	938
Brennan colliery, production and shipment from,	1013
Bridge colliery, production and shipment from,	1013
Brisbin colliery, production and shipment from,	1015
Broderick, Thomas H., authority for bore-hole section,	1093
Breaker No. 6, D. & H. C. Co., production and shipment from,	1017
" No. 8, Penna. C. Co., " "	1017
" No. 10, " " "	1017
Buck mountain bed, worked extensively on area of mine sheets III,	990
" " " most worked in New Boston basin,	974
" " " developed in W. M. C. F.,	968
" " " on sheet No. X. outcrop defined,	993, 969, 970
" colliery, production and shipment from,	1023
" " " section at,	
" Ridge colliery, production and shipment from,	1025
Butler colliery " "	1016
Burnside " " "	1025
" " section of water level tunnel,	1190
" tunnel, section of Buck mountain bed at,	1005

C.

Cambridge colliery, production and shipment from,	1025
Cameron " " "	1025
" " tunnel, section of,	1198, 1201
" " workings in Lykens Valley bed at,	1002
Capouse " production and shipment from,	1015
Carbondale district, collieries in,	1013
Cayuga colliery, production and shipment from,	1015
Central shaft, D. L. & W. R. R. Co., production and shipment from,	1014
" " Penna. C. Co., " "	1016
Centralia basin, description of,	977
" colliery, production and shipment from,	1025
" " section of Water Level tunnel,	1226
Chamberlain colliery, production and shipment from,	1027
Chance, Dr. H. M., Report AC. by,	920
Chauncey colliery, production and shipment from,	1020
" " sections at,	1081
Church bed, section of near Golden Drift,	957
" colliery, production and shipment from,	1014
" drift, in Black creek basin,	954
Cleaver & Yocums colliery, Germantown overturn at,	994

	Page.
Clinton colliery, beds developed at,	1003
Coal area of Priscilla Lee basin No. 2,	954
“ average, monthly demand from 1882 to 1885,	1055, 1056
“ beds, C. & D. never worked in Salem basins,	961
“ “ in bore-hole No. 8 Drifton colliery,	1122
“ “ in Western Middle Field, list of,	968
“ “ on W. M. F. mine sheets, 985, 986, 989, 990, 992, 993, 995, 1002, 1005, 1007	
“ Brook colliery, production and shipment from,	1013
“ Hill “ “ “	1027
“ in stock from 1883 to 1886,	1058
“ Ridge or Montana basin, description of,	978
Coleraine collieries Nos. 1 and 2, production and shipment from,	1022
Colket colliery, “ “	1028
Colliery division of production in Southern field,	1038
“ “ in Loyalsock field,	1039
“ “ in Western Middle field,	1038
Columbia county, coal areas in,	991
Columnar section sheets, W. M. F. description of,	966
Connor colliery, Buck Mountain bed, worked at,	990
“ “ production and shipment from,	1024
Consolidated shaft, production and shipment from,	1016
Continental colliery, deepest point of Centralia basin at,	978
“ “ No. 53, section at,	1228
“ “ production and shipment from	1025
“ “ section of bore-hole at,	1227, 1228
“ “ Water Level tunnel, section of,	1227
“ shaft, production and shipment from,	1014
Conyngnam drift, in Black creek basin,	954
“ shaft, production and shipment from,	1018
“ “ section of bore-hole near,	1067
Coplay colliery, beds mine at,	984
Cost of working collieries of L. C. & N. Co.	1053
Council Ridge collieries Nos. 2 and 5, production and shipment from,	1021
Counter basis, section of B bed in,	961
Counties, production of coal by,	1044
Cranberry colliery, production and shipment from,	1022
Cross Creek colliery, Nos. 1, 2 and 3, production and shipment from,	1021
Crystal colliery, production and shipment from,	1028
Crystal Ridge colliery, production and shipment from,	1022
“ “ “ bore-holes Nos. 16, 31 and 33, sections, 1187, 1163, 1164	
Cumdee colliery, production and shipment from,	1027
Cuyler colliery, production and shipment from,	1025

D.

Daniel Webster colliery, beds developed at,	1003
Davis, A. J., Warrior Run colliery sections by,	1083
Davis colliery, production and shipment from,	1017
Delaware & Hudson C. Co. No. 1, shaft colliery production; shipment,	1013
“ “ “ 3, shaft colliery production; shipment,	1013

	Page.
Delaware, Lack. & West. R. R. Co., authority for section of Boston shaft,	1097
“ “ “ authority for section of rope drill bore- hole, Boston mines,	1097
Derringer colliery, production and shipment from,	1021
Diamond bed No. XIV in W. M. C. F. developed,	968
“ “ III “ “	990
Diamond No. 1 colliery, production and shipment from,	1019
“ “ 1 shaft section at,	1069, 1071
“ shaft and slope production and shipment from,	1015
Diamond Drill bore-hole, No. 3, Black Creek basin,	1148
“ “ Ebervale colliery,	1133, 1134, 1135, 1144
“ “ Eckley colliery,	1129
“ “ Forty Fort breaker,	1087
“ “ Harleigh colliery,	1137, 1139
“ “ Hazleton colliery No. 3,	1179
“ “ Hazleton slope, . 1157, 1159, 1160, 1161, 1162, 1165, 1166, 1167	1169
“ “ Humboldt colliery,	1189
“ “ Jeddo colliery,	1131
“ “ Laurel Hill slope,	1174, 1175, 1176, 1177
“ “ near Gravel run,	1145
“ “ Nelson shaft,	1193
“ “ Pennsylvania R. R. Co.'s tract, . . . 1151, 1153, 1154, 1155	1168
“ “ Slope No. 6 colliery,	1158
“ “ South Sugar Loaf colliery,	1147
“ “ Stony Run basin,	1089
“ “ Swoyer & Maltby properties,	1156
“ “ Wentz's slope,	1140, 1141, 1142
“ “ west of Harleigh,	1015
Dickson shaft, production and shipment from,	1278, 1279, 1280
Ditson, Oliver, Draper colliery,	1014
Dodge colliery, production and shipment from,	1020
“ shaft, section of,	1076
Dolph colliery, production and shipment from,	1013
Doolittle, Prof. C. L., latitude and longitude determinations by,	964
Dorrance colliery, production and shipment from,	1018
“ shaft, section of,	1098
Drainage of areas on mine sheets 1 and 2,	928
“ Western Middle field,	966
Draper colliery, production and shipment from,	1025
“ sections at,	1278, 1279, 1280
Drifton basin, depths of,	1010
“ colliery, bore-holes at,	1113, 1114, 1115, 1116
“ “ section of Buck Mountain bed at,	1121
Dunmore breaker and screens, production and shipment from,	1015
“ shaft, Nos. 2 and 5, production and shipment from,	1015
Dunn shaft and slope, production and shipment from,	1014
Dupont drift, anticlinal,	936
“ at western limit of Newport basin,	936
“ extensive workings in Red Ash bed,	939
“ section of Red Ash bed at,	946

E.

	Page.
Eagle colliery, Penna. C. Co., production; shipment,	1017
“ “ P. & R. C. & I. Co., “ “	1027
“ Hill shaft, production and shipment from,	1027
East Bear Ridge colliery, “ “	1024
“ “ “ section at,	1246
East Boston colliery, production and shipment from,	1020
“ “ shaft, section of,	1095
East Franklin colliery, production and shipment from,	1028
“ Lehigh colliery, production and shipment from,	1027
“ Mahanoy district, collieries in,	1023
“ “ tunnel, section of,	983
“ Schuylkill district, collieries in,	1027
“ Sugar Loaf collieries, Nos. 1, 2, 3 and 5, production; shipment,	1022
Eastern Middle coal field, colliery division of production,	1037
Eaton colliery, production and shipment from,	1013
Ebervale colliery, production and shipment from,	1021
Ebony colliery, production and shipment from,	1027
Eddy Creek colliery, production and shipment from,	1013
Edgerton colliery, production and shipment from,	1013
Elevations in the coal fields,	1009
Elmwood colliery, Florence C. Co., production; shipment,	1017
“ “ P. & R. C. & I. Co., “ “	1023
Ellangowan basin, description of,	975
“ “ colliery, anticlinal at,	987
“ “ production and shipment from,	1023
“ “ sections at,	1267, 1268, 1269, 1270
Ellsworth colliery, production and shipment from,	1028
Empire colliery, No. 4, production and shipment from,	1019
“ shafts, Nos. 2 and 4, sections of,	1099, 1102
Enterprise basin, description of,	981
“ “ colliery, Buck Mountain bed opened at,	1002
“ “ Baumgardner & Co., production; shipment,	1026
“ “ Langdon & Co., “ “	1018
“ “ sections at,	1208
“ “ shaft, sections of bore-hole at,	1060, 1062
Erie Shaft colliery, production and shipment from,	1013
Espy tunnel, No. 17, section of,	1082
Everhart colliery, production and shipment from,	1016
Excelsior colliery, Mt. Carmel basin disappears at,	960
“ “ production and shipment from,	1026
Exeter colliery, production and shipment from,	1016

F.

Fairlawn colliery, production and shipment from,	1015
Fairmount colliery, production and shipment from,	1016
Filer slope, production and shipment from,	1013
Forest City colliery, production and shipment of,	1013
Forestville colliery, production and shipment from,	1027

	Page.
Forty Fort colliery, production and shipment from,	1020
“ “ shaft, section of,	1086
Frackville, New Boston anticlinal east of,	982
Frank Gowan colliery, beds developed at,	1008
Franklin colliery, beds developed at,	1003
“ “ production and shipment from,	1018
“ “ sections at,	1106, 1107, 1108
Furnace colliery, Bear Ridge overturn near,	988

G.

Gamma Coal bed, at Hazleton, No. 6, colliery, section of,	1186
Garfield colliery, production and shipment from,	1026
“ “ sections at,	1207
Gaylord “ production and shipment from,	1020
“ shaft, section of,	1075
“ tunnel, section of,	1074, 1076
General map of Anthracite coal fields,	921
“ section of Mammoth bed,	1143
Germantown overturned anticlinal, description of,	994
“ overturn basin on mine sheet No. V,	1000
Gilberton colliery, production and shipment from,	1024
“ “ sections at,	1274
Girard colliery, production and shipment from,	1024
“ “ sections at,	1241, 1242
“ Mammoth colliery, production and shipment from,	1024
“ “ “ Buck Mountain bed worked at,	991
“ “ “ section at,	1240
Girardville basin, description of,	977
“ deepest point of Wm. Penn basin at,	976
Glacial strisæ found abundantly on the areas of sheets Nos. 1 and 2,	931
Glendale shaft, production and shipment from,	1015
Glendon colliery, elevation of Mammoth bed near,	975
“ “ production and shipment from,	1023
“ “ section at,	1292, 1293
Glendower colliery, production and shipment from,	1027
Glen Lyon colliery, developments at No. 6 colliery,	937
Golden Drift, section of Ross bed at,	956
Gordon colliery, depends on Lykens Valley bed for its supply,	970
“ “ sections at,	997, 1217
Gowen “ production and shipment from,	1021
Grant Street Rope Drill bore-hole, section,	1100
Grassy Island colliery, Del. & Hud. C. Co., production; shipment,	1013
“ “ “ Grassy Id. C. Co., “ “ “	1013
Greenback colliery, Buck Mountain bed opened at,	1002
“ “ production and shipment from,	1025
Green Mountain district, collieries in,	1021
Green Ridge colliery, production and shipment from,	1014
Greenwood shaft and slope, production and shipment from,	1014
Gypsy Grove shafts, Nos. 3 and 4, production and shipment from,	1015

H.

	Page.
Halfpenny Barn tunnel, roll in measures cut in,	935
Halstead colliery, production and shipment from,	1015
Hammond colliery, Buck Mountain bed worked extensively at,	990
" " production and shipment from,	1024
" " section at,	1239
Hampton shaft, production and shipment from,	1014
Hanover Coal Company's tunnel, section of,	1111
" tunnel, section of,	1082
Harleigh colliery, production and shipment from,	1021
Harris, Joseph S., classification of coals by,	1045
Harry, E. colliery, production and shipment from,	1020
" " sections at,	1090, 1091
Hartford No. 6 colliery, production and shipment from,	1019
Hasselman drift, A. bed cut in,	933
" opening, section of Red Ash bed at,	947
Haydon, J. C. & Co., section furnished by,	1291, 1292
Hazlebrook colliery, production and shipment from,	1022
Hazel Creek, section of bore-hole at,	1164
Hazel Dell colliery, production and shipment from,	1025
" " section of Water Level tunnel at,	1226
Hazleton basin, depths of,	1010
" colliery section of Buck Mountain bed in bore-hole No. 19,	1187
" collieries Nos. 1, 3 & 6, production and shipment from,	1022
" colliery No. 6, section of bore-hole No. 17 near,	1187
" " " Mammoth bed,	1185
" slope sections of bore-hole No. 21,	1180, 1181, 1183
" " No. 4, bore-hole section of,	1182
Heidelberg shaft, production and shipment from,	1016
Helfenstine colliery, depended on Lykens Valley bed for supply,	970
" " Lykens Valley bed, exceptionally developed at,	996
" " section of Lykens Valley bed at,	997
" slope, mine sheet V, made from Cross section,	995
Henry Clay colliery beds developed at,	1003
" " production and shipment from,	1025
" " sections at,	1205
Henry colliery, production and shipment from,	1018
" " section of air shaft,	1061
" shaft, section of,	1061, 1063
Herbine colliery, production and shipment from,	1028
Hickory Ridge colliery, production and shipment from,	1025
" " section at,	1203, 1204
Hickory Swamp colliery, production and shipment from,	1202
" " section at,	1202
Hick W. B., section reported by,	1062
Highland colliery, section at,	1113
" collieries Nos. 1 & 2, production and shipment from,	1021
Hill, Frank A., report of progress in anthracite region by,	919
Hillman colliery, production and shipment from,	1018
Hillman Vein colliery, production and shipment from,	1018
" shaft, section at,	1099

	Page.
Hillside colliery, beds mined at,	984
" section at,	1293
Holden shaft, production and shipment from,	1015
Hollenback colliery No. 2, production and shipment from,	1019
" shaft, section at,	1070, 1072
Hollywood colliery, production and shipment from,	1021
" sections of bore-holes at,	1126, 1127, 1128
Holmes bed No. X, in Western Middle coal field,	968
" at Pennsylvania colliery, section of,	999
Holmes and Primrose, frequently confused on sheets 1 & 2 W. M. C. F.,	985
Honeybrook colliery No. 1, production and shipment from,	1023
Hooker colliery, production and shipment from,	1027
Humboldt colliery, production and shipment from,	1022
Hunt colliery, production and shipment from,	1017
Hyde Park, colliery, production, and shipment from,	1015

I.

Indian Ridge colliery, in Shenandoah basin,	976
" " production and shipment from,	1024
" " section at,	1261
Inspectors districts, table of,	1032

J.

James opening, section of Red Ash bed at,	947
Jeddo colliery, section of bore-holes at,	1132, 1133
Jermyn colliery, No. 4, production and shipment from,	1013
" shaft and slope " " 	1013
Jersey tunnel, section of,	1107
Jones, John H., table of anthracite shipments by,	1033
Jugular colliery, production and shipment from,	1028

K.

Kalmia colliery, production and shipment from,	1029
Kaska William, " " 	1027
Katydid colliery, " " 	1017
" sections at,	1066, 1068
Katydid slope No. 1, sections at,	1064
Kehley Run colliery, in Shenandoah basin,	976
" " " production and shipment from,	1025
" " " sections at,	1259, 1260, 1261
Keystone colliery, Hillside C. & I. Co., production; shipment,	1013
" " Keystone C. Co., " " 	1017
" " P. & R. C. & I. Co., " " 	1024
Kidder colliery, section of bore-hole,	1100
Kingston collieries, Nos. 1 and 2, production and shipment from,	1020
" shaft No. 1, section of,	1096
Kirkline colliery, production and shipment from,	1028
Knickerbocker colliery, in Shenandoah basin,	976
" " production and shipment from,	1023

	Page.
Knickerbocker colliery, sections at,	1271
Kohinoor " in Shenandoah basin,	976
" " production and shipment from,	1024
" " sections at,	1265, 1266, 1267

L.

Lackawanna & Bloomsburg R. R., ships Salem Breaker coal,	931
" colliery, production and shipment from,	1013
" topographical map, description of,	922
Lancaster colliery, production and shipment from,	1025
Lance colliery, No. 11, production and shipment from,	1020
" shaft, " section of,	1072, 1074
Lattimer collieries, Nos. 1, 2 and 3, production and shipment from,	1021
" " sections at,	1117, 1118, 1119
Laurel Hill colliery, production and shipment from,	1022
" " (Hazleton No. 4), slopes, section of,	1181
" Run, bore-hole section of,	1063, 1065
" " colliery, production and shipment from,	1018
Lawrence colliery, production and shipment from,	1025
" " sections at,	1247
Lawrence & Brown, operators Lawrence colliery,	1247
Law shaft, production and shipment from,	1017
Legitt's Creek shaft, production and shipment from,	1015
Lehigh Coal & Nav. Co's. coals, analyses of,	1048
" " " collieries, capacity of,	1055
" " " leased mines, production and shipment,	1027
" " " Nos. 3 to 11, production and shipment from,	1026
" " " 12 and 13, production and shipment from,	1027
" Red Ash coal, characteristics of,	1046
" Valley Coal Co's. collieries, sections at,	1249, 1250, 1251, 1253, 1254, 1255, 1256
" " " No. 5 shaft, at Girardville,	990
" " Railroad, outlet for coal on W. M. F. mine sheet No. 1,	983
" & Susquehanna Railroad, serves West End breaker No. 2,	931
" & Wilkes-Barre Coal Co, authority for sections,	1099-1110
" " " mine maps used belonging to,	928
Lehman, George M., model by,	938
Lentz, Lilly & Co., sections furnished by,	1294, 1295
Lincoln colliery, production and shipment from,	1029
Little Diamond bed, No. XV, developed in W. M. C. F.,	968
" " colliery, production and shipment from,	1028
" Orchard bed, No. XIII, developed in W. M. C. F.,	968
" " " not worked on mine sheet No. III, W. M. C. F.,	990
" Tracy bed, No. XVII, developed in W. M. C. F.,	968
Local sales at mines,	1016
Locust Gap colliery, Germantown overturn encountered in,	1000
" " " production and shipment from,	1024
" Mountain Anticlinal, crosses mine sheet V,	1000
" " " most important in W. M. C. F.,	982
" " " on mine sheets IV and VI,	973, 993

	Page.
Locust Mountain colliery, production and shipment from,	1025
" Run colliery, eastern end of Germantown basin developed at,	978
" " Germantown overturn at,	994
" " section at,	1232
" Spring colliery, air way struck summit of overturn at anticlinal,	1001
" " coal beds developed at,	998
" " production and shipment from,	1023
" Spring overturn, bed on inverted dip unworkable,	983
Logan colliery, production and shipment,	1025
" " sections at,	1223, 1224
Lorberry district, collieries in,	1028
" Red Ash coal, characteristics of,	1046
Loyalsock district, collieries in,	1029
" White Ash coal, characteristics of,	1046
Luke Fidler, anticlinal,	982
" colliery, production and shipment from,	1025
" " section of tunnel at,	1199
Lykens Valley bed, at its maximum at western end of the Southern field,	986
" " in Centralia basin,	977
" " least worked in W. M. C. F.	970
" " never opened on Locust Mtn. anticlinal, sheet, IV,	993
" " on mine sheet VII located by actual survey.	1004
" " opened in Coal Ridge basin,	978
" " outcrop defined on W. M. C. F. sheets,	969, 970
" " shafted on in Enterprise basin,	981
" " unknown at eastern end of W. M. C. F.,	985
" " well proven on mine sheet VIII,	1006
Lykens Valley colliery, production and shipment from,	1029
" district, collieries in,	1029
" Red Ash coal, characteristics,	1046

M.

Macfarland, T. P., operator of Chauncy colliery,	1081
Mackey's clearing, drift at,	948
" " Newport creek heads in swamp near,	929
Maffet colliery, production and shipment,	1018
Mahanoy basin, description of,	970
" " depths of,	1010
" " elevations of bottom of,	973
" City colliery, elevation of Mammoth bed near,	975
" " production and shipment from,	1023
" " section at,	1286, 1287, 1288
" creek drains, Western Middle coal field,	967
" Plane, on mine sheet III. W. M. C. F.,	991
Maltby colliery, production and shipment from,	1020
" shafts, Nos. 1 and 2, sections at,	1085
" tunnel, section of,	1084
Malvern colliery, beds mined at,	984
Mammoth bed, Crystal Ridge colliery, section of,	1188
" eastern limit of in Centralia basin,	977

	Page.
Mammoth bed, Ebervale colliery, section of,	1143
“ Hazleton slope, section of,	1184, 1185
“ identity of the three splits uncertain, on Mine sheet V, W. M. C. F.,	998
“ immense amount remaining in Wm. Penn and Girard- ville basins,	990
“ in main Mahanoy basin,	994
“ in two benches in area of Mine sheet V,	998
“ in Western Middle field, thickness of,	985
“ not split in area of Mine sheet IV,	993
“ on Mine sheet III, thickness of,	990
“ Jeddo colliery, general section of,	1143
“ Milnesville colliery, section of,	1125
“ three splits developed in W. M. C. F.,	968
“ worked in New Boston basin,	974
Manville colliery, production and shipment from,	1015
Marshwood colliery, production and shipment from,	1013
Marvine colliery, production and shipment from,	1015
Mauch Chunk red shale defined at all points on sheets 1 and 2,	931
“ red shale, located on Mine sheet I, by survey,	983
May & Co., Isaac, operate Morris Ridge colliery,	1221
McAuley colliery, production and shipment from,	1026
Meadow Brook shaft and slope, production and shipment from,	1014
Merriam colliery, Centralia basin lost in overturn dips at,	978
“ coal beds developed at,	998
“ Germantown overturn encountered at,	1000
“ production and shipment from,	1023
“ section at,	1216
Meyersville colliery, north and south dips of Shenandoah basin,	976
Middle creek shaft, production and shipment from,	1028
“ Lehigh colliery, in New Boston basin,	974
“ “ “ production and shipment from,	1023
“ Mahanoy basin, description of,	974
“ “ “ elevation of Mammoth bed in,	975
Midvale colliery, production and shipment from,	1018
Mill Creek breaker, section of bore-hole at,	1059, 1061
“ colliery, production and shipment form,	1018
Miller farm, Newport creek flows through swamp near,	929
Milford colliery, production and shipment from,	1027
Mill Hollow colliery, production and shipment from,	1020
“ shaft, section of,	1094
Milnesville collieries, Nos. 6 and 7, production and shipment from, . . .	1021
“ colliery, section of bore-hole No. 5,	1121
“ slope, section of bore-holes Nos. 3 and 4,	1123, 1124
Mine Hill Gap colliery, production and shipment from,	1028
“ Ridge, anticlinal,	982
Mineral Railroad and Mining Co.'s collieries, sections at,	1198, 1199, 1200
“ Spring colliery, production and shipment from,	1018
“ “ “ section of bore-hole at,	1064, 1066
Mine sheet No. 1, W. M. C. F., description of,	927, 983
“ 2, “ “	986

				Page.
Mine sheet No. 3, W. M. C. F., description of,				989
“ 4, “ “	4,	“	“	991
“ 5, “ “	5,	“	“	994
“ 6, “ “	6,	“	“	1001
“ 7, “ “	7,	“	“	1004
“ 8, “ “	8,	“	“	1006
Mocanauqua, on Mine sheet No. 1, N. C. F.,				925
“ and Wanamie water shed,				938
“ Warrior Run anticlinal, description of,				935
Monitor colliery, coal beds developed at,				996
“ Germantown overturn encountered in,				1000
“ identity of Mammoth bed at,				999
“ production and shipment from,				1024, 1027
Monroe colliery, Coal Ridge basin developed by,				978
Montana or Coal Ridge basin, description of,				978
Morris colliery, Buck Mountain bed developed on both dips at,				975
“ “ section at,				1297, 1298
“ Ridge colliery, production and shipment from,				1024
“ “ section at,				1221
Mosier colliery, production and shipment from,				1016
Mountain tunnel, B bed cut in,				932
“ section of,				1108
Mount Thomas drift, section of,				1086
Mt. Carmel basin, description of,				980
“ colliery, production and shipment from,				1024
“ “ section of bore-holes at,				1213, 1215
“ mine, on Mine sheet V, description of,				965
“ shaft basin, description of,				980
Mt. Carmel sheet, No. V, description of,				994
Mt. Franklin colliery, Lykens Valley bed (?) at,				1002
Mt. Pleasant colliery, Pardee & Co., production and shipment,				1022
“ “ “ W. T. Smith, “ “ “				1014
Mud and Conyngham drifts on separate beds,				
“ drift in Black Creek basin, section at,				954, 955
Muirhead Drill bore-hole, Jeddo colliery, section of,				1131

N.

Nanticoke disaster, occurred on banks of Newport creek,	930
“ two splits of Red Ash bed at,	940
National shaft and slope, production and shipment from,	1014
Nelson colliery, sections at,	1196, 1197
“ shaft, sections of,	1193, 1197
Neville & Co., section furnished by,	1296
New Boston anticlinal, east of Frackville,	982
“ basin, description of,	969, 974
New Castle colliery, production and shipment from,	1027
New Lincoln “ “ “ “	1029
Newport basin, description of,	936
“ “ table of coal areas in,	941
“ Centre anticlinal No. 1, description of,	935

1319

26

	Page.
Preston colliery No. 2, sections of tunnel at,	1237
Prices realized for L. C. & Nav. Co.'s coal from 1881 to 1886,	1059
" of coal, from 1882 to 1886, table of,	1050
Prichard bed No. XI, developed in W. M. C. F.,	968
" colliery, beds mined at,	984
" " production and shipment,	1023
" " section at,	1296
" and Holmes bed, confused in naming,	986
" " on Mine Sheet No. I, W. M. C. F.,	984
Priscilla Lee basins, anticlinal separating,	934
" basin, No. I coal areas in,	953
" " No. 1, description of,	949, 950
" " No. 2, " " 	953
Production of Anthracite coal, statistics of,	1008
Productive capacity of mines in 1883,	1055
Prospect colliery, production and shipment from,	1018
" shaft, sections of,	1066, 1068
Pyne colliery, production and shipment from,	1014

Q.

Quaker Run basin, on Mine sheet No. V,	980
--	-----

R.

Racket Brook colliery, production and shipment from,	1013
Railroad and Colliery division of Anthracite production,	1035
" division of production from 1885 to 1886,	1040
" " shipments from 1870 to 1886,	1042
" rates on coal from 1883 to 1886,	1058
Railroads on Mine Sheets Nos. I & II, N. C. F.,	931
Rausch Creek colliery, production and shipments from,	1028
" Gap " " " 	1025
Raven Run colliery, on Mine Sheet No. III,	969
Red Ash bed, at Hasselman opening, section of,	947
" in Black Creek basin,	960
" in Priscilla Lee, basin No. 1,	953
" lowest workable coal bed on Mine Sheets Nos. I & II,	933
" most profitable mined in Newport basin,	938
" thoroughly mined and robbed in Salem basins,	961
" section at Dupont drift,	946
" separates into two splits,	939
Red Ash (Scuylkill) coal, definition of,	1045
" collieries Nos. 1 & 2, production and shipment from,	1018
Red Ridge anticlinal,	982
Reets, H. S., map for West End C. Co. made by,	926
Reliance colliery, Mt. Carmel basin, developed by,	980
" production and shipment from,	1023
" section at,	1215
Reno colliery, Coal Ridge basin developed by,	978
" section at,	1222

	Page.
Repplier colliery, production and shipment from,	1027
Reynolds colliery, No. 16, production and shipment from,	1020
Richardson colliery, production and shipment from,	1028
Richmond shaft, production and shipment from,	1016
Righter & Co., Thomas M., sections furnished by,	997, 1213, 1215
" " operators of Mt. Carmel colliery,	980
Riley & Co., L. A., collieries, sections at,	1223, 1224, 1225, 1226
Rock slope, Avondale colliery, section of,	1077
Ross bed, at No. 6 colliery, Susquehanna Coal Co., section of,	943
" quarry at colliery No. 19,	935
" section east of Dupont drift,	946
Ross slope, quicksand from Newport creek encountered in at Wanamie, 930	
Royal Oak colliery, production and shipment from,	1025

S.

Salem anticlinal,	936
" basins, descriptions of,	960
" " sections of beds cut in shaftings in,	962
" basin No. 4,	961
" Coal Company, maps of property of,	927
" " own entire Salem basins with one exception,	962
" colliery, production and shipment from,	1020
Sand drift anticlinal,	936
Sandy Run colliery, production and shipment from,	1021
Scale of maps used in W. M. C. F.,	965
Schooley colliery, production and shipment from,	1016
Schuylkill " " " " 	1023
Scranton district, collieries in,	1014
" slope, production and shipment from,	1015
Section Alaska shaft,	1215
" Alden colliery tunnel,	1080
" " shaft,	1080
" Ashley No. 6 colliery, inside tunnel,	1102
" Avondale rock, slope and tunnel,	1077
" " shaft,	1076
" Baltimore bore-hole,	1071
" " inside tunnel,	1068
" " tunnel (old),	1067
" Bast colliery tunnel,	1235
" Bear Run colliery, first lift tunnel,	1283
" " " second lift tunnel,	1285
" " " tunnel,	1284
" " Valley shaft and tunnel, section of,	1189, 1193
" Bellmore colliery, (Bell's tunnel,)	1218
" " " bore-hole No. 5,	1211
" " " Diamondtown tunnel,	1212
" " " tunnel on slope level,	1221
" Bennett shaft,	1058
" Big Mine run colliery, Diamond Drill bore-hole,	1233
" " " " water level tunnel,	1234

	Page.
Section Black Diamond shaft,	1095
" " Creek tunnel,	956
" Boston Run colliery tunnel,	1280, 1281
" " " Pott Run tunnel,	1281
" " " mines, bore-hole near,	1097
" " shaft,	1097
" Buck Mountain bed, at Drifton colliery,	1121
" " " at Hazleton No. 6,	1187
" " " colliery, water level tunnel,	1299
" Burnside tunnel, (Buck Mountain bed,) water level tunnel, 1005, 1190	
" Counter basin, (B bed,)	961
" Cameron colliery, tunnel east of slope,	1198
" " " foot of slope,	1198
" " " west of slope,	1201
" Centralia colliery, water level tunnel,	1226
" Chauncey colliery, rock, slope and tunnel,	1081
" Continental colliery, Diamond Drill bore-hole No. 53,	1228
" " " water level tunnel,	1227
" Cunningham shaft, bore-hole near,	1067
" " " and Young's slope, between,	1069
" Cranberry colliery, north and south rock tunnels,	1169
" Crystal Ridge colliery, bore-hole, Nos. 16, 31 and 33, . 1163, 1164, 1187	
" " " Mammoth bed in bore-holes, 31, 33,	1188
" Diamond, No. 1 shaft,	1069
" Dodson shaft,	1076
" Dorrance shaft,	1098
" Draper colliery, tunnels,	1278, 1279, 1280
" Drifton colliery, bore-holes Nos. 1, 2, 4, 5, 6 and 8,	1113, 1114, 1115 1116, 1122
" Dupont Drift, Red Ash and Ross beds,	946
" East Bay Ridge colliery, water level tunnel,	1246
" " Boston shaft,	1095
" " End opening, Red Ash bed,	947
" " Mahanoy railroad tunnel,	1300
" Ebervale colliery, Diamond drill bore-holes Nos. 1, 2, 3, 4 and 5,	1133, 1134, 1135, 1136, 1144
" " " Mammoth bed at,	1143
" Eckley colliery, Diamond drill bore-holes Nos. 1 and 2,	1129
" Ellengowan colliery shaft,	1268
" " " tunnels,	1269, 1207
" " " vicinity of,	1267
" Empire shafts, Nos. 2 and 4,	1099, 1102
" Enterprise colliery, Buck Mountain bed at,	1002
" " " shaft, slope and bore-hole,	1060
" " " tunnels,	1208
" Espy tunnel,	1082
" Forty Fort shaft,	1086
" " " breaker, bore-hole near,	1037
" Franklin, lower tunnel,	1107
" " upper tunnel,	1106
" Gamma coal bed, in bore-hole No. 19,	1186

	Page.
Section Garfield colliery, tunnels,	1207
" Gaylord colliery, tunnels,	1074, 1076
" shaft,	1075
" Girard colliery tunnels,	1241, 1242
" Mammoth colliery, water level tunnel,	1240
" Gilberton colliery, tunnels,	1274
" Glendon colliery, tunnels,	1291, 1292, 1293
" Golden drift, Church bed, Ross bed,	956, 957
" Gordon colliery, Lykens Valley bed,	997
" " water level tunnel,	1217
" Grant Street rope drill bore-hole,	1100
" Gravel run, Diamond drill bore-hole No. 1,	1145
" Hammond colliery tunnel,	1239
" Hanover Coal Company's tunnel,	1111
" tunnel, No. 17,	1082
" Harleigh colliery, Diamond drill bore-holes A & C.,	1137, 1139
" west of bore-holes,	1140, 1141, 1142
" Harry E., tunnel and shaft,	1090, 1091
" Hasselman opening,	947
" Hazel creek, bore-hole at reservoir,	1164
" Dell colliery, rock slope and tunnel,	1225, 1226
" Hazleton, No. 3 colliery, Diamond Drill, bore-hole No. 1,	1179
" No. 6 colliery, bore-hole Nos. 17 and 19,	1185, 1187
" " section of Mammoth bed,	1185
" slope, Diamond Drill bore-holes Nos. 2, 4 and 19,	1161
" bore-holes Nos. 21 and 30,	1162, 1167
" " " Nos. 38 and 39,	1157, 1180, 1183
" " " Nos. 40 and 41,	1165, 1166
" " " " Nos. 40 and 41,	1159, 1181
" Hazleton slopes, Nos. 1 and 4 bore-holes,	1162, 1182
" slope, No. 6 colliery, Mammoth bed,	1184, 1185
" east of bore-hole,	1160
" Helfenstein colliery, Lykens Valley bed,	997
" Henry Clay colliery air-shaft and tunnels,	1061, 1205
" Henry colliery, air-shaft,	1061
" shaft,	1061
" Hickory Ridge colliery tunnels,	1203, 1204
" Swamp colliery water level tunnel,	1202
" Highland colliery, bore-hole,	1113
" Hillman Vein, shaft,	1099
" Hillside colliery, tunnel,	1293
" Hollenback shaft,	1070
" Hollywood colliery, bore-holes Nos. 1, 2 and 3,	1126, 1127, 1128
" Humboldt colliery, Diamond drill bore-hole No. 1,	1169
" Indian Ridge colliery, bore-hole,	1261
" James' opening, Red Ash bed,	947
" Jeddo colliery, bore-holes, sections of,	1131, 1132, 1133
" Jersey tunnel,	1107
" Katydid colliery, bore-hole and tunnel,	1064, 1066
" Kehley Run colliery, tunnels,	1259, 1260, 1261
" Kidder Diamond Drill bore-hole,	1100

	Page.
Section Plymouth Diamond Drill bore-hole,	1078
“ “ shaft No. 4,	1072
“ Potts colliery, tunnel,	1231
“ Preston colliery No. 2,	1237
“ Primrose colliery, tunnel,	1296
“ Prospect shaft,	1066
“ Reliance colliery, tunnel,	1215
“ Reno colliery, tunnel,	1222
“ Salem basins, beds cut in shaftings,	962
“ Shoemaker drifts,	948
“ Shenandoah City colliery, tunnel No. 2,	1264
“ “ “ water level tunnel,	1265
“ Slope No. 6 colliery, bore-hole No. 14,	1168
“ “ 7, Woodside basin bore-hole No. 8,	1112
“ South Laurel Ridge colliery, tunnel,	1275
“ “ Sugar Loaf colliery, bore-hole No. 34,	1158
“ “ Wilkes-Barre shaft,	1104
“ Staffordshire colliery, tunnel,	1289
“ Stanton air shaft,	1104
“ “ colliery, tunnels,	1248
“ “ bore-hole,	1103
“ St. Nicholas colliery, inside tunnel,	1282
“ Suffolk colliery, tunnels,	1272, 1273
“ Sugar Loaf colliery, bore-hole No. 1,	1171
“ “ Notch colliery, shaft and tunnels,	1105, 1109
“ Susquehanna C. Co.'s No. 6 colliery, Ross bed,	938, 943
“ “ “ and West End C. Co.'s properties shaft- ing on line between,	949
“ Swoyer and Maltby properties, bore-hole on line between,	1089
“ Tripp farm, bore-holes Nos. 1 and 3,	1192, 1193
“ Tunnel colliery, tunnels,	1236
“ “ Ridge colliery, tunnel,	1285
“ Turkey Run colliery, tunnels,	1263
“ Uplinger's, shafting near,	949
“ Vicinity of Shamokin,	1192
“ Wanamie No. 18, tunnel,	1079
“ Warrior Run colliery, lower lift, tunnel,	1083
“ Webster colliery, tunnels,	1290
“ Wentz's slope, bore-hole No. 1,	1156
“ West Bear Ridge colliery, tunnels,	1243, 1244, 1245
“ “ Shenandoah colliery, tunnels,	1257, 1258
“ West End C. Co.'s Diamond Drill bore-holes Nos. 1, 2, 3 and 4,	940, 950, 953, 956, 957
“ Western Middle coal field,	1189
“ Wharton Coal bed, in bore-hole No. 19,	1186
“ Wm. Penn colliery, general section,	1256
“ Woodside slope No. 4, bore-hole No. 7,	1112
“ Wyoming shaft,	1062, 1064
Seven Foot bed in New Boston basin,	974
“ “ not generally recognized on Mine sheet IV,	993
“ “ not defined by surface features,	984

	Page.
Seven Foot bed No. VI developed in W. M. C. F.,	968
Shafts Nos. 1 and 8, Penna. C. Co., production and shipment from, . . .	1017
" 4, 7, 9 and 10, Penna. C. Co., production and shipment from, 1017	
" 5, 6 and 11, Delaware & Hudson C. Co., production and shipment from,	1017
Shamokin coal, characteristics of,	1046
" coal measures hidden by wash near,	981
" Coal Ridge basin passes under town of,	979
" creek drains Western Middle coal field,	967
" district, collieries in,	1025
" Mine sheet, description of,	965
" number of workable beds in vicinity of,	1001
Sharp Mountain colliery, production and shipment from,	1027
Sheafer, P. W., table of Anthracite shipments from 1820 to 1886 by, . .	1033
Shelly colliery, production and shipment from,	1027
Shenandoah basin, description of,	976
" City colliery, production and shipment from,	1024
" " sections at,	1264, 1265
" overturned bed on inverted dip unworkable,	983
" some of the heaviest producing collieries near,	987
Shickshinny, on Mine sheet No. 1,	925
Shipment of Anthracite, statistics of,	1008
" " table of distribution of,	1043
Shoemaker drifts, sections at,	948
Short Mountain colliery, production and shipment from,	1029
Sibley colliery, production and shipment from,	1014
Silver Brook colliery, production and shipment from,	1023
Sink holes near Uplinger farm,	930
Skidmore bed, at Enterprise colliery, section of,	1002
" " No. VII, developed in W. M. C. F.,	968
" " not defined by surface features,	984
" " opened on Little Mine run,	993
" " worked in New Boston basin,	974
" and Seven foot beds not found of workable thickness on Mine Sheet III,	990
Sloan colliery, production and shipment from,	1014
Slope, No. 2, 4 & 6, Penn'a. C. Co., production and shipment from, . .	1017
South Laurel Ridge colliery, production and shipment from,	1025
" " section at,	1275
South Rock tunnel, section of,	1169
" Sugar Loaf colliery, production and shipment from,	1022
" Wilkes-Barre shaft, section of,	1104
Southern Coal field, no field work done during 1886 in,	923
" area of maximum folding in,	1008
Spencer colliery, production and shipment from,	1016
Spike Island basin, one of the Salem basins,	961
Spring Brook colliery, production and shipment from,	1016
" " collieries Nos. 5 & 6, production and shipment from, . .	1023
" Mountain collieries Nos. 1, 4 & 5, production and shipment from,	1022, 1023
Staffordshire colliery, section at,	1289

1327

	Page.
Stanton air shaft, section of,	1104
" colliery, production and shipment from,	1024
" " No. 7, production and shipment from,	1019
" " sections at,	1103, 1248
Star, " production and shipment from,	1025
Stark, " " " " " " " " " " " " " "	1017
Statistics of production and shipment of Anthracite,	1008
Stearns, I. A., sections reported by,	1025, 1060, 1063, 1065-1068, 1085, 1106
" map made by,	926
Sterling colliery, production and shipment from,	1025
St. Nicholas colliery, production and shipment from,	1023
" " sections at,	1282
Suffolk " elevation of Mammoth bed near,	975
" " production and shipment from,	1023
" " sections at,	1272, 1273
Sugar Loaf colliery, production and shipment from,	1022
" " section of bore-hole No. 1,	1171
Sugar Notch collieries Nos. 9 & 10, production and shipment from,	1019
" colliery, section at,	1105, 1109, 1110
Susquehanna C. Co.'s, mine maps used,	928
" No. 1 shaft, Red Ash bed cut in,	937
" No. 6 colliery, section of Ross bed,	938
" No. 6 shaft, seven workable beds cut in,	937
" " section of,	942
" collieries Nos. 1, 2, 3 & 5, production and shipment from,	1018, 1020
S. V. White, colliery, production and shipment from,	1013
Swatara No. 2 colliery, " " " " " " " " " " " " " "	1028
Swoyer, J. H., sections reported by,	1062, 1085, 1086, 1087, 1089, 1091, 1092

T.

Table of Anthracite shipments from 1820 to 1886,	1033
“ areas of anthracite coal basins,	1030
“ coal areas in Newport basin,	941
“ colliery division, production in E. M. C. F.,	1037
“ “ “ N. C. F.,	1036
“ “ “ S. C. F.,	1038, 1039
“ “ “ W. M. C. F.,	1038
“ “ “ Loyalsock field,	1039
“ collieries producing different kinds of coal,	1049
“ county production of coal,	1044
“ different kinds of coal from different fields,	1047
“ distribution and shipments of anthracite coal,	1043
“ kinds of coal produced,	1049
“ prices of coals from 1882 to 1886,	1050
“ railroad and colliery division of production,	1035
“ railroad division of production from 1885 to 1886,	1010
“ railroad division of shipments from 1870 to 1886,	1042
“ showing length of line surveyed on mine sheets I and II,	928
Tamaqua colliery, production and shipment from,	1027
Taylor “ “ “	1014

INDEX.

1329

	Page.
Water sheds in Western Middle field,	987, 988
Webster colliery, beds mined at,	984
" " sections at,	1290
West Bear Ridge colliery, production and shipment from,	1024
" " " sections at,	1243, 1244, 1245
" Brook Side colliery, production and shipment from,	1029
" End C. Co. bore-holes Nos. 1, 2, 3 and 4, sections of, 940, 950, 953, 956, 957	
" " bore-holes Nos. 1 and 2, A. bed cut in,	933
" " breaker No. 2, anticlinal near,	934
" " mine maps used,	928
" " property basins in,	945
" " collieries Nos. 1 and 2, production and shipment froms,	1019
" Lehigh collieries in Shenandoah basin,	976
" Mahanoy district, collieries in,	1023
" Schuylkill district, collieries in,	1027
" Shenandoah colliery in Shenandoah basin,	976
" " " production and shipment from,	1024
" " " section at,	1257, 1258
Western Middle coal field, columnar section sheets, description of,	966
" " " drainage of,	966
" " " mine sheets, description of,	963, 965, 966
" " " sections,	1189
" " " survey of,	963
Wharton coal bed, section of,	1186
White ash coal, definition of,	1045
White Oak colliery, production and shipment from,	1013
William Penn basin, description of,	976
" " colliery, production and shipment from,	1025
" " " sections at,	1256
Williamstown colliery, production and shipment from,	1029
Wilkes-Barre basin, depths of,	1009
Wilson & Dewart tract, openings found on,	1006
Winslow's tables, use of,	928
Wood colliery, production and shipment from,	1028
Woodside basin, bore-holes Nos. 7 and 8,	1112
Wolf Creek Big Diamond colliery, production and shipment from,	1028
Wyoming colliery, production and shipment from,	1018
" " Red Ash, characteristics of,	1046
" " shaft and bore-hole, section of,	1062

Y.

Yatesville colliery, number of local rolls in,	987
--	-----

Z.

Zerbes run enters Mahanoy creek near Hunter station,	967
--	-----



LIST OF
THE PUBLICATIONS
OF THE
GEOLOGICAL SURVEY OF PENNSYLVANIA.
FROM 1874 TO 1887.

ANNUAL REPORTS.

1885 ANNUAL. J. P. Lesley, State Geologist, 8^o, 769 pp., with preface and index, accompanied by Atlas 8^o, 8 pl., and maps, 1886, contains following special reports :

1. Oil and Gas. John F. Carll.
2. Vegetable Origin of Coal. Leo Lesquereux.
3. Pittsburg Coal Region. E. V. d'Invilliers.
4. Wellersburg Coal Basin. J. P. Lesley and E. B. Harden.
5. Tipton Run Coal Basin. C. A. Ashburner.
6. Anthracite Coal Region. C. A. Ashburner.
7. Wyoming Valley Fossils. C. A. Ashburner and A. Heilprin.
8. Bernice Coal Basin. C. A. Ashburner.
9. Mehoopany Coal Field. F. A. Hill.
10. Cornwall Ore Mines. J. P. Lesley and E. V. d'Invilliers.
11. Delaware and Chester Kaolins. J. P. Lesley and C. A. Ashburner.
12. Quaternary Geology, Wyoming Valley. C. A. Ashburner, F. A. Hill, and H. C. Lewis.
13. Pressure, &c., of Rock Gas. J. P. Lesley.
14. Progress Geodetic Survey. Mansfield Merriman.

1886 ANNUAL. J. P. Lesley, State Geologist, 8^o, in four parts, as follows :

- i. Pittsburg Coal Region.
- ii. Oil and Gas Region.
- iii. Anthracite Coal Region with Atlas.
- iv. Miscellaneous Reports on Special Subjects.

IN PRESS.

MISCELLANEOUS REPORTS.

A. A history of the FIRST GEOLOGICAL SURVEY of Pennsylvania, from 1836 to 1858, by J. P. Lesley. With the annual reports of the Board to the Legislature for 1874 and 1875. 8°, pp. 226, 1876.

B. Report on the MINERALS of Pennsylvania, by F. A. Genth; and on the hydro-carbon compounds, by S. P. Sadtler. With a reference map of the State. 8°, pp. 206, 1875.

B2. Report on the MINERALS, by F. A. Genth, continued from page 207 to 238. 8°, in paper cover, pp. 31, 1876. (Bound with B.)

M. Report of CHEMICAL ANALYSES in 1874-5, in the Laboratory at Harrisburg, by A. S. McCreath. 8°, pp. 105, 1875.

M2. Report of CHEMICAL ANALYSES in 1876-8, by A. S. McCreath; Classification of coals, by P. Frazer; Fire-brick tests, by F. Platt; Dolomitic limestone beds, by J. P. Lesley; Utilization of anthracite slack, by F. Platt; Determination of Carbon in iron or steel, by A. S. McCreath. With one folded plate (section at Harrisburg) and four page plates. 8°, pp. 438, 1879.

M3. Report of CHEMICAL ANALYSES in 1879-80, by A. S. McCreath. With a reference map of 93 iron ore mines in the Cumberland Valley. 8°, pp. 126, 1881.

N. Report on the LEVELS above tide of railroads, canal and turnpike stations, mountain tops, &c., in and around Pennsylvania, in 200 tables, by C. Allen. With a map. 8°, pp. 279, 1878.

O. CATALOGUE of specimens collected by the survey, (No. 1 to No. 4,264,) by C. E. Hall. 8°, pp. 217, 1878.

O2. CATALOGUE (continued from No. 4,265 to No. 8,974); also catalogue of fossils, (pp. 231 to 239.) 8°, pp. 272, 1880.

P. Report on the COAL FLORA of Pennsylvania and the United States, Vols. 1 and 2, (bound together,) by L. Lesquereux. 8°, pp. 694, 1880.

P. Report on the COAL FLORA of Pennsylvania and the United States Vol. 3, with 24 double page plates (lithographed) of coal plants, to accompany P., Vols. 1 and 2. 8°, pp. 283, 1884.

(P.) ATLAS of 87 double page plates (lithographed) of coal plants to accompany P., Vols. 1 and 2. 8°, 1879.

P2. Report on Permo-Carboniferous plants from W. Va. and Greenecounty, Pennsylvania, by W. M. Fontaine and I. C. White. With 38 double page plates (lithographed). 8°, pp. 143, 1880.

P3. Description of *Ceratiocaridæ*, by C. E. Beecher; and of *Eurypteridæ*, by James Hall. With 8 plates. 8°, pp. 39, 1884.

Z. Report on the TERMINAL MORaine across Pennsylvania, by H. C. Lewis; including extracts from descriptions of the Moraine in New Jersey, by G. H. Cook, and in Ohio, Kentucky and Indiana, by G. F. Wright. With a map of the State, 18 photographic views of the Moraine, and 32 page plate maps and sections. 8°, pp. lvi and 299, 1884.

GRAND ATLAS, Div. I, Pt. I, 1885, port-folio containing maps of 56 counties and parts of counties (scale 2 miles to 1 inch) on 49 sheets (26"×32"). These maps are duplicate prints on heavy paper of the county maps contained in the reports of progress.

Annual Report, 1886. Part IV.

. ANTHRACITE REGION.

A2. Report on the causes, kinds and amount of WASTE in mining anthracite, by F. Platt; with a chapter on METHODS of mining, by J. P. Wetherill.

Illustrated by 35 figures of mining operations, a plan of the Hammond breaker, and a specimen sheet of the maps of the Anthracite coal fields. 8°, pp. 134, 1881.

AC. Report on MINING METHODS, &c., in the anthracite coal fields, by H. M. Chance. Illustrated with 54 plates and 60 illustrations in the text. 8°, pp. 574, 1883.

(AC.) ATLAS containing 25 plates illustrating coal mining, to accompany Report AC, by H. M. Chance. 8°, 1883.

AA. First report of progress of the anthracite survey; PANTHER CREEK BASIN, by C. A. Ashburner; with a determination of the latitude and longitude of Wilkes-Barre and Pottsville, by C. L. Doolittle; and a theory of stadia measurements, by A. Winslow. 8°, pp. 407, 1883.

AA. Second report of progress of the anthracite survey, Part I; Statistics of Production and Shipment for 1883 and 1884. Charles A. Ashburner, geologist in charge.

(AA.) ATLAS OF SOUTHERN anthracite field, Part I, containing 13 sheets; 3 geological and mine sheets, 3 cross section sheets, 3 columnar section sheets, 1 topographical map sheet, and 1 coal bed area sheet, relating to the PANTHER CREEK BASIN; 1 general map of the anthracite region, and 1 chart of anthracite production from 1820 to 1881. 8°, 1882. Charles A. Ashburner, geologist in charge; A. W. Sheaffer and Frank A. Hill, assistant geologists.

(AA.) ATLAS OF WESTERN MIDDLE anthracite field, Part I, containing 11 sheets; 4 geological and mine sheets between Delano and Locust Dale, 3 topographical sheets between Quakake Junction and Mount Carmel, and 4 cross section sheets. 8°, 1884. Charles A. Ashburner, geologist in charge; A. W. Sheaffer and Bard Wells, assistant geologists.

(AA.) ATLAS OF WESTERN MIDDLE anthracite field, Part II, containing 11 sheets; 4 geological and mine sheets from Mount Carmel to the western end of the coal field, and 7 columnar section sheets covering the entire field. 8°, 1887. Frank A. Hill, geologist in charge; Bard Wells, assistant geologist.

(AA.) ATLAS OF NORTHERN anthracite field, Part I, containing 6 geological and mine sheets between Wilkes-Barre and Nanticoke, 3 cross section sheets and 4 columnar section sheets. 8°, 1885. Charles A. Ashburner, geologist in charge; Frank A. Hill, assistant geologist.

(AA.) ATLAS OF NORTHERN anthracite field, Part II. In Press.

(AA.) ATLAS EASTERN MIDDLE anthracite field, Part I, containing 8 sheets, 2 geological and mine sheets in the vicinity of Hazleton, Drifton and surrounding towns, 3 cross section sheets and 3 columnar section sheets. 8°, 1885. Charles A. Ashburner, geologist in charge; A. P. Berlin and Arthur Winslow, assistant geologists.

(AA.) ATLAS OF EASTERN MIDDLE anthracite field, Part II. In Press.

GRAND ATLAS, Div. II, Pt. I, 1884. Port-folio containing 26 sheets, (26"×32"), as follows: 13 sheets Atlas Southern Anthracite Field, Part I, 11 sheets Atlas Western Middle Anthracite Field, Part I, 1 sheet photo views of plaster models in Western, Middle and Southern Fields, and 1 specimen sheet, Report A 2.

GRAND ATLAS, Div. II, Pt. II, 1885. Port-folio containing 22 sheets, (26"×32"), as follows: 13 sheets Atlas Northern Anthracite Field, Part I, 8 sheets Atlas Eastern Middle Anthracite Field, Part I, and 1 sheet containing a preliminary general map of the Anthracite Coal Fields and adjoining counties.

For Anthracite coal in SULLIVAN county, see G 2 and Annual Report, 1885.

For Conglomerate beds near Carbondale, Pittston, &c., see G 5, G 7.

For Utilization of anthracite slack, see M 2.

For General description anthracite region, Quaternary Geology of the Wyoming-Lackawanna Valley, &c., &c., see Annual Report, 1885.

Annual Report, 1886. Part III.

BITUMINOUS COAL FIELDS AND SURROUNDING AREAS.

H. First report on CLEARFIELD and JEFFERSON counties, by F. Platt. With 8 maps, 2 sections and 139 cuts in the text. 80, pp. 296, 1875. (*For second report, see H 6, H 7.*)

H 2. Report on CAMBRIA county, by F. & W. G. Platt. With 4 maps and sections and 84 cuts in the text. 80, pp. 194, 1877.

H 3. Report on SOMERSET county, by F. & W. G. Platt. With 6 maps and sections and 110 cuts in the text. 80, pp. 348, 1877.

H 4. Report on INDIANA county, by W. G. Platt. With a colored geological county map and 87 cuts in the text. 80, pp. 316, 1878.

H 5. Report on ARMSTRONG county, by W. G. Platt. With a colored geological county map and 58 cuts in the text. 80, pp. 338, 1880.

H 6. Second report on JEFFERSON county, (*See H above*), by W. G. Platt. With a colored geological county map and 57 cuts in the text. 80, pp. 218, 1881.

H 7. Second report on CLEARFIELD county, (*See H above*), by H. M. Chance. With a colored geological county map, an outcrop map of the Houtzdale basin and 58 cuts in the text. 80, pp. 197, 1884.

I. Report on VENANGO county, by J. F. Carll. The geology around Warren, by F. A. Randall. Notes on the comparative geology of N. E. Ohio, N. W. Pa., and W. New York, by J. P. Lesley. With one small map of the Venango oil region, one small map of the region south and east of Lake Erie, one long section of the rocks at Warren, and 7 cuts in the text. 80, pp. 127, 1875.

I 2. Report of oil well records and levels in VENANGO, WARREN, CRAWFORD, CLARION, ARMSTRONG, BUTLER, &c., by J. F. CARLL. 80, pp. 398, 1877.

I 3. Report on the VENANGO, WARREN, CLARION, and BUTLER OIL REGIONS; descriptions of rig, tools, &c.; survey of the Garland and Panama conglomerates, &c.; discussion of pre-glacial and post-glacial drainage, by J. F. Carll. With 23 page plates and an atlas. 80, pp. 482, 1880.

(**I 3.**) Atlas of 22 sheets. Map of Venango county, colored geologically; map of lower oil field (Butler, Armstrong, and Clarion) in two sheets; 3 local contour maps at Franklin, Titusville and Spring Creek; two maps of N. W. Pennsylvania, showing the past and present drainage; long section across W. Pennsylvania; vertical section of the formations from the Upper Coal measures down to the bottom of the Devonian; diagram map and section of Third sand; profile section from Meadville, S. W.; 5 sheets of grouped oil well sections; 5 sheets of working drawings for well boring, &c.; diagram of daily rate of drilling six wells at Petrolia.

I 4. Report on WARREN county, by J. F. Carll. With a colored geological county map, a map of the Warren oil region, and 2 sheets of oil well sections. 80, pp. 439, 1893. (*Note—The first 147 pages of this book contain oil well records; see under Petroleum Fields below.*)

J. Report on the OIL REGION, by H. E. Wrigley ; map and profile of line of levels through Butler, Armstrong, and Clarion, by D. J. Lucas ; map and profile of Slippery Rock creek, by J. P. Lesley. 5 maps and sections, a plate and 5 cuts. 80, pp. 122, 1875.

K. Report on GREENE and WASHINGTON counties, by J. J. Stevenson. With two county maps. (Showing the calculated local depths of the Pittsburgh and Waynesburg coal beds beneath the surface,) and 3 page plates of general sections. 80, pp. 419, 1876. (*Note.—Since the publication of this book two colored geological county Maps have been published, and will be found in pocket of volume K 3 described below.*)

K 2. First report on FAYETTE, WESTMORELAND and S. E. ALLEGHENY counties, (i. e., west of Chestnut Ridge,) by J. J. Stevenson. With 3 colored geological county maps and 50 cuts in the text. 80, pp. 437, 1877.

K 3. Second report on FAYETTE and WESTMORELAND counties (the Ligonier Valley), by J. J. Stevenson. With 4 page plates and 107 cuts in text. 80, pp. 331, 1878. (*Note.—In a pocket in this volume will be found the colored geological maps of Greene and Washington counties alluded to above.*)

K 4. Pt. I, Report on MONONGAHELA RIVER COAL MINES, from the West Virginia State Line to Pittsburgh, (including some on the Youghiogheny and other streams), by J. Sutton Wall. With a map of the region in a pocket, 12 heliotype pictures, and 26 page plates. 80, pp. 231, 1884.

L. Report on the YOUGHIOGHENY coke manufacture, by F. Platt ; Notes on the coal and iron ore beds, by C. A. Young ; Report on methods of coking by J. Fulton, (*See G* below) ; Report on the use of natural gas in the iron manufacture, by J. B. Pearce and F. Platt ; The Boyd's Hill gas well at Pittsburgh, by J. P. Lesley. With a map of the coke region, two folded plates of coke ovens, and page plates and cuts in the text. 80, pp. 252, 1876.

Q. Report on BEAVER, N. W. ALLEGHENY and S. BUTLER counties by I. C. White. With 3 colored geological county maps, and 21 page plates of sections. 80, pp. 337, 1878.

Q 2. Report on LAWRENCE county, and special Report on Correlation of the Pennsylvania and Ohio coal beds, by I. C. White. With a colored geological county map and 134 cuts in the text. 80, pp. 336, 1879.

Q 3. Report on MERCER county, by I. C. White. With a colored geological county map and 119 cuts in the text. 80, pp. 233, 1880.

Q 4. Report on CRAWFORD and ERIE counties, by I. C. White. With two colored geological county maps and 107 cuts in the text. Also, a Report on a pre-glacial outlet for Lake Erie, by J. W. Spencer. With two maps of the Lake region. 80, pp. 406, 1881.

R. Report on McKEAN county, and its geological connections with Cameron, Elk, and Forest counties, by C. A. Ashburner. With 33 page plates of vertical and columnar sections, pictures of Rock city and Olean conglomerate, Wilcox and Kane spouting wells, map of Howard Hill coal field, &c., and an atlas of 8 sheets. 80, pp. 371, 1880.

[(R.) ATLAS for McKean county of 8 sheets :—Colored geological county map ; three topographical maps ; of Buffalo Coal Company tract, Alton coal basin, and Potato Creek coal basin ; map of McKean oil district ; one sheet of columnar sections between Bradford and Ridgway ; and 2 diagram sheets of the Well account and Production account in the Bradford district.

R 2. Part II, report on township geology of CAMERON, ELK and FOREST counties, by C. A. Ashburner.

(R 2.) ATLAS for CAMERON, ELK and FOREST counties, of 11 sheets

(*Published November, 1884, in advance of the report*):—3 colored geological county maps; 1 anticlinal and synclinal map; 1 topographical map McKean county; 2 tract maps Forest and Elk counties; 1 map Straight Creek coal basin; 2 sheets oil well sections; and 1 sheet coal sections.

V. Report on N. BUTLER county; and (Part 2) special report on the Beaver and Shenango river coal measures, by H. M. Chance. With a colored geological map of N. Butler; a contour local map around Parker; a map of the anticlinal rolls in the 6th basin; a chart of the Beaver and Shenango rivers; profile section from Homewood to Sharon; Oil well records and surface sections; and 154 cuts in the text. 80, pp. 248, 1879.

V 2. Report on CLARION county, by H. M. Chance. With a colored geological county map, a map of the anticlinals and oil-belt; a contoured map of the old river channel at Parker; 4 page plates, and 83 cuts in the text. 80, pp. 232, 1880.

For the coal basins of BRADFORD and TIOGA counties, see report G.

For the coal basins of LYCOMING and SULLIVAN, see report G 2.

For the coal basins of POTTER county, see G 3.

For the coal basins of CLINTON county, see G 4.

For the coal in WAYNE county, see G 5.

For the East Broad Top coal basin in HUNTINGDON county, see F.

For the mountain coals in BLAIR county, see T.

For the Broad Top coal measures in BEDFORD and FULTON counties, see T 2.

For the coal basins in CENTRE county, see T 4.

For coal analyses, see M, M 2, M 3.

For classification of coals, see in M 2.

For coal plants, see P, P 2.

For fossil crustaceans in coal slate, see P 3.

For Origin of Coal; Pittsburgh Region and Monongahela Valley; Wellersburg coal basin, Somerset county; and Tipton Run coal-beds, Blair county; see Annual Report, 1885.

Grand Atlas Div. III, Pt. I, 1885, port-folio containing 35 sheets (26"×32") as follows: 32 sheets relating to portions of the Petroleum and Bituminous Coal Fields, and three sheets relating to the Quaternary period.

Annual Report, 1886. Part I.

PETROLEUM AND GAS.

See reports I, I 2, I 3, I 4, and J, under Bituminous Coal Fields.

See I., for the Pittsburgh gas well, and the use of gas in the iron manufacture.

See Q, Q 2, Q 3, Q 4, for references to oil rocks in Beaver, Lawrence, Mercer, Crawford, Erie, and S. Butler counties.

See K for the Dunkard Creek oil wells of Greene county.

See R, R 2, for descriptions of oil rocks in McKean, Elk, and Forest counties.

See V, V 2, for notes on the oil rocks of N. Butler and Clarion counties.

See H 2 for oil boring at Cherry Tree, Cambria county.

See G 5 for oil boring in Wayne county.

See Annual Report, 1885, for report of progress in the oil and gas region, with special facts relating to the geology and physics of natural gas.

See Grand Atlas, Div. III, Pt. I, under Bituminous Coal Fields.

See Annual Report, 1886. Part II.

NORTH-EASTERN AND MIDDLE PENNSYLVANIA.

(*Palæozoic formations from the Coal Measures down.*)

D. First report on LEHIGH county iron mines, by F. Prime. With a contour line map of the ore region and 8 page plates. 8°, pp. 73, 1875.

D 2. Second report on LEHIGH county iron mines, by F. Prime. With a colored geological contour line map of the iron region, (in 4 sheets,) a colored geological contour line map of the Iron-ton mines, 4 double page lithograph pictures of Limestone quarries, and one page plate of *Monocraterion*. 8°, pp. 99, 1878.

D 3. Vol. I. Report on LEHIGH and NORTHAMPTON counties. Introduction by J. P. Lesley; Slate belt, by R. H. Sanders; Limestone belt and iron mines, by F. Prime; South mountain rocks, by F. Prime and C. E. Hall. With 3 lithograph pictures of quarries, 4 pictures of triangulation stations, 14 page plates of sections, and an atlas of maps. 8°, pp. 283, 1883. (*Note.—For atlas see below.*)

D 3. Vol. II, Part I. Report on BERKS county, (*South mountain belt*) by E. V. d'Invilliers. With 10 page plates of sections and Indian relics, and 3 pictures of rock exposures. 8°, pp. 441, 1883. (*Note.—For atlas see below.*)

(**D 3.**) ATLAS: One colored geological map of *Lehigh* and Northampton counties, (*one sheet*;) one colored geological contour line map of Southern Northampton county, (*six sheets*;) a contour line map of the mountains from the Delaware to the Schuylkill, (*eighteen sheets*;) a colored geological contour line index map to the 22 sheets, (*one sheet*;) and 4 sheets of maps of iron mines.

(**D 5.**) ATLAS of colored geological county maps of CUMBERLAND, FRANKLIN, and ADAMS, (*three sheets*;) and first instalment of contour line map of the South mountains, Sheets A 1, A 2, B 1, B 2, (*four sheets*;) by A. E. Lehman.

F. Report on the JUNIATA RIVER district in MIFFLIN, SNYDER, and HUNTINGDON counties, by J. H. Dewees, and on the Aughwick valley and East Broad Top region in HUNTINGDON county, by C. A. Ashburner. With colored geological maps of East Broad Top R. R. and Orbisonia vicinity, (2 sheets;) Three Springs map and section, (2 sheets;) Sideling Hill Creek map and section, (2 sheets,) and Isometric projection at Three Springs, (1 sheet;) six folded cross sections and 22 page plates of local maps and columnar sections. 8°, pp. 305, 1878.

F 2. Report on PERRY county, (*Part I, geology*;) by E. W. Claypole. With two colored geological maps of the county; 17 geological outline township maps as page plates, and 30 page plate cross and columnar sections. 8°, pp. 437, 1884.

G. Report on BRADFORD and TIoga counties, by A. Sherwood; report on their coal fields, (including forks of Pine creek in Potter county,) by F. Platt; report on the coking of bituminous coal, by J. Fulton. (*See I. above.*) With two colored geological county maps, 3 page plates, and 35 cuts in the text. 8°, pp. 271, 1878.

G 2. Report on LYCOMING and SULLIVAN counties; field notes by A. Sherwood; coal basins by F. Platt. With two colored geological county maps (of Lycoming and Sullivan,) a topographical map (in two sheets) of the Little Pine creek coal basin, and 24 page plates of columnar sections. 8°, pp. 268, 1880.

G 3. Report on POTTER county, by A. Sherwood. Report on its coal.

FIELDS, by F. Platt. With a colored geological county map, 2 folded plates and 2 page plates of sections. 8°, pp. 121, 1880.

G 4. Report on **CLINTON** county, by H. M. Chance, including a description of the Renovo coal basin, by C. A. Ashburner, and notes on the Tangascootac coal basin, by F. Platt. With a colored geological county map, 1 sheet of sections, local Renovo map, 6 page plates, and 21 sections in the text. 8°, pp. 183, 1880.

G 5. Report on **SUSQUEHANNA** and **WAYNE** counties by I. C. White. With a colored geological map of the two counties and 58 cuts in the text. 8°, pp. 243, 1881.

G 6. Report on **PIKE** and **MONROE** counties, by I. C. White. With two colored geological county maps, (1 sheet Pike and Monroe and 1 sheet Wyoming), a map of glacial scratches, and 7 small sections. Report on the Delaware and Lehigh Water Gaps, with two contoured maps and five sections of the gaps, by H. M. Chance. 8°, pp. 407, 1882.

G 7. Report on **WYOMING**, **LACKAWANNA**, **LUZERNE**, **COLUMBIA**, **MONTOUR** and **NORTHUMBERLAND** counties, (i. e., the parts lying *outside* of the anthracite coal fields), by I. C. White. With a colored geological map of these counties (in two sheets), and 31 page plates in the text. 8°, pp. 464, 1883. (*Note.*—*The colored geological map of WYOMING county is published in G 6.*)

T. Report on **BLAIR** county, by F. Platt. With 35 cuts in the text and an Atlas of maps and sections (see below). 8°, pp. 311, 1881.

(**T.**) Atlas of colored geological contour line map of Morrison's cove, Canoe valley, Sinking valley and country west to the Cambria county line (14 sheets); Index map of the same (1 sheet); colored sections (2 sheets). 8°, 1881.

T 2. Report on **BEDFORD** and **FULTON** counties, by J. J. Stevenson. With two colored geological maps of the two counties. 8°, pp. 382, 1882.

T 3. Report on **HUNTINGDON** county, by I. C. White. With a colored geological map of the county, and numerous sections. 8°, pp. 471, 1885.

T 4. Report on **CENTRE** county, by E. V. d'Inwilliers; also special report, by A. L. Ewing, and extracts from report to Lyon, Shorb & Co., by J. P. Lesley. With a colored geological map of the county, 13 page plates of local maps and sections, and 15 cuts in the text. 8°, pp. 464, 1884.

For report on line of the Terminal Moraine, see Z.

GRAND ATLAS, Div. IV, Pt. I, 1885. Port-folio containing 43 sheets, as follows: 30 sheets relating to the Durham and Reading Hills and bordering valleys in Northampton, Lehigh, Bucks and Berks counties, and 13 sheets relating to the South Mountains in Adams, Franklin, Cumberland and York counties.

GRAND ATLAS, Div. V, Pt. I, 1885. Port-folio containing 35 sheets, as follows: 29 sheets relating to the Topography and Geology of the Palæozoic strata in parts of Cambria, Blair, Bedford, Huntingdon, Mifflin, Centre and Union counties, 5 sheets contain a map and geological cross section along the east bank of the Susquehanna river, Lancaster county, and 1 sheet contains cross sections of the Philadelphia belt of the Azoic rocks.

For report on Cornwall Iron Ore Mines, Lebanon county, and the Tipton Run coal beds, Blair county, see Annual Report, 1885.

SOUTH-EASTERN PENNSYLVANIA.

C. Report on **YORK** and **ADAMS** counties, by P. Frazer. With one folded

map of a belt of York county through York and Hanover, 6 folded cross sections, and two page plate microscopic slices of dolerite. 8°, pp. 198, 1876.

(*Note.*—*The colored geological county map of YORK is published in the ATLAS to C 3.*)

C 2. Report on YORK and ADAMS counties, (South Mountain rocks, iron ores, &c.), by P. Frazer. With one general map of the district, 10 folded cross sections, and 5 page plates. 8°, pp. 400, 1877. (*Note.*—*The colored geological county map of ADAMS is published in D 5.*)

C 3. Report on LANCASTER county, by P. Frazer. With nine double page lithographic views of slate quarries and Indian-pictured rocks, one plate of impressions on slate, and one page plate microscopic section of trap, and an atlas. 8°, pp. 350, 1880.

(**C 3.**) ATLAS of 13 sheets: Colored geological map of York county; colored geological map of LANCASTER county; Susquehanna river section. (Sheets 1, 1A, 2, 2A, 3, 4); Lancaster section; Pequea section; Muddy run section; Chestnut Hill mines; Gap Nickel mine.

C 4. Report on CHESTER county; General description, pp. 214, by J. P. Lesley; Field notes in the townships, pp. 215–354, by P. Frazer. With a colored geological county map, a photographic view of contorted schists and 12 page plates. 8°, pp. 394, 1883.

C 5. Report on DELAWARE county, by C. E. Hall. With a colored geological county map; 30 photographic page plate views of granite quarries, kaolin pits, &c., and 4 page plates of altered mica. 8°, pp. 123, 1885. See Annual Report, 1885, for Kaolin report.

C 6. Report on PHILADELPHIA and the southern parts of MONTGOMERY and BUCKS counties, by C. E. Hall. With a colored geological map of the belt of country between Trenton and Delaware county (in 3 sheets), a sheet of colored cross sections and 24 cuts in the text. 8°, pp. 145, 1882.


(**C 7.**) ATLAS to report on Bucks and Montgomery counties, containing 12 sheets of topographical map of the Neshaminy, Tobickon and Perkiomen water basins by the Philadelphia Water Department on a scale of 1,600 feet to 1 inch, $\frac{1}{125000}$ of nature. 8°, 1887.—(Report C. 7. not ready for publication.)


E. Part I of (historical introduction to) a report on the AZOIC rocks, by T. S. Hunt. 8°, pp. 253, 1878.

For report on the kaolin deposits of CHESTER and DELAWARE counties, see Annual Report, 1885.

See also GRAND ATLAS, Div. V., Pt. I, under North-eastern and Middle Pennsylvania.

January 1, 1888.







th Sciences Library

DATE DUE			

STANFORD UNIVERSITY LIBRARIES
STANFORD, CALIFORNIA 94305-6004



3 6105 013 236 000

th Sciences Library

DATE DUE			

STANFORD UNIVERSITY LIBRARIES
STANFORD, CALIFORNIA 94305-6004